

```
root@Ksander-ORBI:/# cd /www
root@Ksander-ORBI:/www# cat DEV_show_device.htm
<% http_header("style/form.css", "/funcs.js", "/AccessControl.js") %>
<% body_header("", "Orbi_edit_dev.htm", "orbi_edit_dev") %>
<style>
#device_table tr.even_line td.device_td,
#satellite_table tr.even_line td.device_td
{border-left:none;}

#device_table tr.even_line td.device_td2,
#satellite_table tr.even_line td.device_td2
{border-left:none;}
.led_bt{
    padding: 5px;
    font-size: 12px;
    height: auto;
    cursor: pointer;
    margin-right: 25px;
    word-wrap: break-word;
    white-space: normal;
    margin-top: 0;
    background-color: #666;
    -webkit-border-radius: 0;
    border-radius: 0;
    background-image: none;
    max-width: 215px;
    min-height: 35px;
    margin-bottom: 10px;
    width:100px;
    background-color: #00ADE6;
    box-shadow: 0 2px 5px 0 rgba(0,0,0,.16), 0 2px 10px 0
rgba(0,0,0,.12);
    -webkit-transition: box-shadow .3s ease-in-out;
    -moz-transition: box-shadow .3s ease-in-out;
    -ms-transition: box-shadow .3s ease-in-out;
    -o-transition: box-shadow .3s ease-in-out;
    transition: box-shadow .3s ease-in-out;
    font-weight: 100;
    -webkit-appearance: none;
    height: 22px;
    color: #f2f2f2;
    font-family: Arial;
    font-weight: Bold;
    font-size: 14px;
    border: none;
    cursor: pointer;
    padding-bottom: 2px;
}

.led_btoff{
    padding: 5px;
    font-size: 12px;
    height: auto;
    cursor: pointer;
```

```

margin-right: 25px;
word-wrap: break-word;
white-space: normal;
margin-top: 0;
background-color: #666;
-webkit-border-radius: 0;
border-radius: 0;
background-image: none;
max-width: 215px;
min-height: 35px;
margin-bottom: 10px;
width:100px;
background-color: #00ADE6;
box-shadow: 0 2px 5px 0 rgba(0,0,0,.16), 0 2px 10px 0
rgba(0,0,0,.12);
-webkit-transition: box-shadow .3s ease-in-out;
-moz-transition: box-shadow .3s ease-in-out;
-ms-transition: box-shadow .3s ease-in-out;
-o-transition: box-shadow .3s ease-in-out;
transition: box-shadow .3s ease-in-out;
font-weight: 100;
-webkit-appearance: none;
height: 22px;
color: #000000;
font-family: Arial;
font-weight: Bold;
font-size: 14px;
border: none;
cursor: pointer;
padding-bottom: 2px;
}
.led_bt:hover{
box-shadow: 0 5px 11px 0 rgba(0,0,0,.18), 0 4px 15px 0
rgba(0,0,0,.15);
}

.devinfo_tbl tr td{
border:0px;
padding:1px;
}
.device_td a{TEXT-DECORATION: underline; color:#00ADE6;}
</style>
<script>
<% get_led_state() %>
<% save_timestamp("orbi_edit_dev","del_satellite") %>
back_reload_page("DEV_device.htm");
var ts='<% cfg_get("orbi_edit_dev") %>';
<% save_timestamp("orbi_edit_dev", "orbi_edit_led") %>
var enable_block_device="<% cfg_get("enable_block_device") %>";

function ip2int(ip) {
return ip.split('.').reduce(function(ipInt, octet) { return
(ipInt<<8) + parseInt(octet, 10)}, 0) >>> 0;
}

```

```

Array.prototype.keySort = function(key, desc){
    this.sort(function(a, b) {
        var result = desc ? (ip2int(a[key]) < ip2int(b[key])) :
(ip2int(a[key]) > ip2int(b[key]));
        return result ? 1 : -1;
    });
    return this;
}

function goto_url()
{
    location.href="access_control.htm";
}

var dev_info = new Array();
var itime;
var init_flag=1;
var is_changed=1;
var trend_micro_enable="<% cfg_get("trend_micro_enable") %>";
var trend_micro_ready="<% access_file("/tmp/netscan/tm_app_flow") %>";
function update_device_info(json)
{
    eval(json)
    dev_info=[];
    is_changed = device_changed;

    device.keySort("ip")

    for(var i=0, len = device.length; i<len;i++)
    {
        var obj = {};

        obj['ip']=device[i]['ip'];
        obj['mac']=device[i]['mac'];
        obj['contype']=device[i]['contype'];
        obj['attachtype']=device[i]['attachtype'];
        obj['devtype']=device[i]['devtype'];
        obj['devtype_name']=device[i]['devtype_name'];
        if(device[i]['model'] == "Unknown")
            obj['model']="---";
        else
            obj['model']=device[i]['model'];
        if(device[i]['name'] == "Unknown")
            obj['name']="---";
        else
            obj['name']=device[i]['name'];
        if(device[i]['attachtype']=='2')
            obj['name']=device[i]['name'];
        obj['accsta']=device[i]['accsta'];
        obj['conn_orbi_name']=device[i]['conn_orbi_name'];
        obj['conn_orbi_mac']=device[i]['conn_orbi_mac'];
        obj['backhaul_sta']=device[i]['backhaul_sta'];
        obj['ledstate']=device[i]['ledstate'];
    }
}

```

```

        obj['led_func']=device[i]['led_func'];
        obj['sync_btn']=device[i]['sync_btn'];
        obj['uprate']=device[i]['uprate'];
        obj['downrate']=device[i]['downrate'];
        obj['voice_orbi']=device[i]['voice_orbi'];
        obj['voice_lwauserid']=device[i]['voice_lwauserid'];
        obj['ceiling_power']=device[i]['ceiling_power'];
        obj['module_name']=device[i]['module_name'];
        dev_info.push(obj);
    }
}

function edit_dev(num)
{
    var cf = document.forms[0];
    if(dev_info[num]['contype'] == "vpn")
        return false;
    cf.hid_mac.value = dev_info[num]['mac'];
    cf.hid_ip.value = dev_info[num]['ip'];
    cf.hid_name.value = dev_info[num]['name'].replace(/&#92;/g,
"\\"").replace(/&lt;/g,"<").replace(/&gt;/g,">").replace(/&#40;/g,"(").rep
lace(/&#41;/g,")").replace(/&#34;/g,'"').replace(/&#39;/g,"'").replace(/
&#35;/g,"#").replace(/&#38;/g,"&");
    cf.hid_model.value = dev_info[num]['model'].replace(/&#92;/g,
"\\"").replace(/&lt;/g,"<").replace(/&gt;/g,">").replace(/&#40;/g,"(").rep
lace(/&#41;/g,")").replace(/&#34;/g,'"').replace(/&#39;/g,"'").replace(/
&#35;/g,"#").replace(/&#38;/g,"&");
    if(dev_info[num]['attachtype']=='2')
        cf.hid_devtype.value = 0;
    else{
        if(top.support_new_ntgrtype == "1")
            cf.hid_devtype.value =
dev_info[num]['devtype_name'];
        else
            cf.hid_devtype.value = dev_info[num]['devtype'];
    }
    cf.submit_flag.value="orbi_edit_dev";
    cf.action="/apply.cgi?Orbi_edit_dev.htm timestamp="+ts;
    cf.submit();
}

function edit_led(num)
{
    var cf = document.forms[0];
    cf.hid_mac.value = dev_info[num]['mac'];
    cf.hid_ip.value = dev_info[num]['ip'];
    cf.hid_name.value = dev_info[num]['name'].replace(/&#92;/g,
"\\"").replace(/&lt;/g,"<").replace(/&gt;/g,">").replace(/&#40;/g,"(").rep
lace(/&#41;/g,")").replace(/&#34;/g,'"').replace(/&#39;/g,"'").replace(/
&#35;/g,"#").replace(/&#38;/g,"&");
    cf.hid_model.value = dev_info[num]['model'].replace(/&#92;/g,
"\\"").replace(/&lt;/g,"<").replace(/&gt;/g,">").replace(/&#40;/g,"(").rep
lace(/&#41;/g,")").replace(/&#34;/g,'"').replace(/&#39;/g,"'").replace(/
&#35;/g,"#").replace(/&#38;/g,"&");

```

```

        if(dev_info[num]['attachtype']=='2')
            cf.hid_devtype.value = 0;
        else{
            if(top.support_new_ntgrtype == "1")
                cf.hid_devtype.value =
dev_info[num]['devtype_name'];
            else
                cf.hid_devtype.value = dev_info[num]['devtype'];
        }
        cf.submit_flag.value="orbi_edit_led";
        cf.action="/apply.cgi?/led_controls.htm timestamp="+ts;
        cf.submit();
    }

```

```

function getEvent(){
    if(window.event)    {return window.event;}
    func=getEvent.caller;
    while(func!=null){
        var arg0=func.arguments[0];
        if(arg0){
            if((arg0.constructor==Event || arg0.constructor
==MouseEvent
            || arg0.constructor==KeyboardEvent)
            ||(typeof(arg0)=="object" && arg0.preventDefault
            && arg0.stopPropagation)){
                return arg0;
            }
        }
        func=func.caller;
    }
    return null;
}

```

```

function stopBubble()
{
    var e=getEvent();
    if(window.event){
        e.cancelBubble=true;
    }else if(e.preventDefault){
        e.stopPropagation();
    }
}

```

```

function del_satellite(num)
{
    var cf = document.forms[0];
    cf.hid_satellite_mac.value = dev_info[num]['mac'];
    cf.submit_flag.value="del_satellite";
    cf.action="/apply.cgi?/DEV_device.htm timestamp="+ts;
    cf.submit();
}

```

```

function getDevices()
{

```

```

var xmlhttp, xmlDoc;
if ( window.XMLHttpRequest)
    xmlhttp = new XMLHttpRequest();
else
    xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");

xmlhttp.onreadystatechange = function()
{
    var msg = '<TABLE class=tables border=0 cellpadding=2
cellspacing=0 width=100% id="satellite_table">'
        + '<TR class=table_header>';
        if(enable_block_device == 0)
            msg += '<TD nowrap align=center width=10%><span
class="subhead"># </span></TD>';
        else
            msg += '<TD nowrap align=center width=10%
class="subhead_acc_control">$stalist_Status</TD>';
            msg = msg + '<TD nowrap align=center width=20%
class="subhead_acc_control" colspan="2">$adva_wlan_devicename</TD>'
                + '<TD nowrap align=center width=13%
class="subhead_acc_control">$block_ser_setup_ip_jp</TD>'
                + '<TD nowrap align=center width=13%
class="subhead_acc_control">$info_mark_mac</TD>'
                + '<TD nowrap align=center width=13%
class="subhead_acc_control" colspan="2">$trigger_contype</TD>'
                + '<TD nowrap align=center width=14%
class="subhead_acc_control">$connect_orbi</TD>'
                + '<TD nowrap align=center width=16%
class="subhead_acc_control">$backhaul_status</TD></TR>';

    var msg2 = '<TABLE class=tables border=0 cellpadding=2
cellspacing=0 width=100% id="device_table">'
        + '<TR class=table_header>';
        if(enable_block_device == 0)
            msg2 += '<TD nowrap align=center width=15%><span
class="subhead"># </span></TD>';
        else
            msg2 += '<TD nowrap align=center width=15%
class="subhead_acc_control">$stalist_Status</TD>';
            msg2 = msg2 + '<TD nowrap align=center width=25%
class="subhead_acc_control" colspan="2">$adva_wlan_devicename</TD>'
                + '<TD nowrap align=center width=20%
class="subhead_acc_control">$block_ser_setup_ip_jp</TD>'
                + '<TD nowrap align=center width=20%
class="subhead_acc_control">$info_mark_mac</TD>'
                + '<TD nowrap align=center width=25%
class="subhead_acc_control" colspan="2">$trigger_contype</TD>'
                + '<TD nowrap align=center width=25%
class="subhead_acc_control">$connect_orbi</TD></TR>';
        if ( xmlhttp.readyState == 4 && xmlhttp.status == 200 )
        {
            update_device_info(xmlhttp.responseText);
            if(init_flag == 1 || is_changed == 1)
            {

```

```

        var s_num=0,d_num=0;
        for(var i=0, len=dev_info.length; i<len; i++)
        {
if(dev_info[i]['attachtype']=='2')//satellite
        {
                msg += '<tr class="even_line">';
                msg += '<td
align=center>'+(s_num+1)+'</td>';
                if(dev_info[i]['led_func'] ==
"1")//outdoor connected, show led/sync status.
                {
if(dev_info[i]['module_name'] == "RBS50Y")
                {
if(dev_info[i]['ledstate'] != "0")
                msg += '<td
rowspan=1 align=left style="cursor:pointer"><img
src=image/streamboost/outdoor.jpg width=70px onclick="edit_led('+i+')"
height=74px/></td>';
                else
                msg += '<td
rowspan=1 align=left style="cursor:pointer"><img
src=image/streamboost/outdoor2.jpg width=70px onclick="edit_led('+i+')"
height=74px/></td>';
                }
                else
                {
if(dev_info[i]['module_name'] == "SRS60E")
                {
if(dev_info[i]['ledstate'] != "0")
                msg += '<td
rowspan=1 align=left style="cursor:pointer"><img
src=image/streamboost/pro_outdoor_on.png width=70px
onclick="edit_led('+i+')" height=74px/></td>';
                else
                msg += '<td
rowspan=1 align=left style="cursor:pointer"><img
src=image/streamboost/pro_outdoor_off.png width=70px
onclick="edit_led('+i+')" height=74px/></td>';
                }
                }
                else if(dev_info[i]['led_func']
== "2")//outdoor disconnected, only show outdoor picture.
                msg += '<td rowspan=1
align=left style="cursor:pointer"><img src=image/streamboost/outdoor2.jpg
width=70px onclick="edit_dev('+i+')" height=74px/></td>';
                else
                {
if(dev_info[i]['module_name']=="RBS40V")
                msg += '<td rowspan=1
align=left style="cursor:pointer"><img

```

```

src=image/streamboost/voiceorbi.jpg width=74px  onclick="edit_dev('+i+')"
height=74px/></td>';
                                else
if(dev_info[i]['ceiling_power'] != "not support")
                                msg += '<td rowspan=1
align=left style="cursor:pointer"><img src=image/streamboost/ceiling.png
width=74px  onclick="edit_dev('+i+')" /></td>';
                                else//default satellite
                                msg += '<td rowspan=1
align=left style="cursor:pointer"><img
src=image/streamboost/'+dev_info[i]['devtype']+'.jpg width=74px
onclick="edit_dev('+i+')" height=74px/></td>';
                                //Device Name info td
                                if(dev_info[i]['led_func']
=="1")//outdoor connected, show led/sync status.
                                msg += '<td
class="device_td" align=right height="100%" onclick="edit_led('+i+');"
style="cursor:pointer;text-align:right;"><table class="devinfo_tbl"
width=100% height=100%>';
                                else
                                msg += '<td
class="device_td" align=right height="100%" onclick="edit_dev('+i+')"
style="cursor:pointer;text-align:right;"><table class="devinfo_tbl"
width=100% height=100%>';
                                //model_name
                                msg +=
'<tr><td>'+dev_info[i]['model'].replace(/\s/g, '&nbsp;')+</td></tr>';
                                //devi_name
                                msg +=
'<tr><td>'+dev_info[i]['name'].replace(/\s/g, '&nbsp;')+</td></tr>';
                                if(dev_info[i]['led_func']
=="1")//outdoor connected, show led/sync status.
                                {
if(dev_info[i]['ledstate'] != 0)//led on/off
                                {
                                msg +=
'<tr><td><a>LED: $on_mark</a></td></tr>';
                                msg +=
'<tr><td><a>$brightness: '+dev_info[i]['ledstate']+ '%</a></td></tr>';
                                }
                                else
                                msg +=
'<tr><td><a>LED: $off_mark</a></td></tr>';
if(dev_info[i]['sync_btn'] == 1)//sync button
                                msg +=
'<tr><td><a>$sync_mark: $enabled</a></td></tr>';
                                else
                                msg +=
'<tr><td><a>$sync_mark: $disabled</a></td></tr>';
                                }

```



```

                                if(dev_info[i]['voice_orbi']=="1"
&& dev_info[i]['voice_lwuserid'].replace(/\s/g,"").length !=0)//amazon
account info
                                msg +=
'<tr><td>'+dev_info[i]['voice_lwuserid'].replace(/\s/g,
'&nbsp;')+</td></tr>';

                                if(dev_info[i]['ceiling_power']
== "DC")//Ceiling Power Source
                                msg += '<tr><td>Power
Source: DC</td></tr>';
                                else
if(dev_info[i]['ceiling_power'] == "PoE")
                                msg += '<tr><td>Power
Source: PoE</td></tr>';

                                //ip
                                msg +=
'<tr><td>'+dev_info[i]['ip']+</td></tr>';

                                msg += '</table></td>';

                                msg += '<td rowspan=1
align=center>'+dev_info[i]['ip']+</td>';
                                msg += '<td rowspan=1
align=center>'+dev_info[i]['mac']+</td>';
                                if(dev_info[i]['contype'] ==
"wireless"){
                                msg += '<td rowspan=1
align=right width=33px><img src=image/streamboost/24GConnection.png
/><img src=image/streamboost/5Gconnection.png /></td>';
                                msg += '<td rowspan=1
class="device_td2" align=left width=33px>$wireless</td>';}
                                else if(dev_info[i]['contype'] ==
"wired"){
                                msg += '<td rowspan=1
align=right width=33px><img src=image/streamboost/wiredConnection.png
/></td>';
                                msg += '<td rowspan=1
class="device_td2" align=left width=33px>$acc_wired</td>';}
                                else if(dev_info[i]['contype'] ==
"2.4G" || dev_info[i]['contype'] == "2.4G Guest" ||
dev_info[i]['contype'] == "2.4GHz"){
                                msg += '<td rowspan=1
align=right width=33px><img src=image/streamboost/24GConnection.png
/></td>';
                                msg += '<td rowspan=1
class="device_td2" align=left
width=33px>'+dev_info[i]['contype']+</td>';}
                                else if(dev_info[i]['contype'] ==
"5G" || dev_info[i]['contype'] == "5G Guest" || dev_info[i]['contype'] ==
"5GHz"){

```

```

align=right width=33px><img src=image/streamboost/5Gconnection.png
/></td>';
class="device_td2" align=left
width=33px>'+dev_info[i]['contype']+'</td>';}
else{
align=right>'+dev_info[i]['contype']+'</td>';
class="device_td2" align=left width=33px></td>';}
align=center>'+dev_info[i]['conn_orbi_name']+'</br>'+dev_info[i]['conn_or
bi_mac']+'</td>';

"Good")
align=center><font color=green>$state_good</font></td></tr>';
else
if(dev_info[i]['backhaul_sta'] == "Poor")
align=center><font color=purple>$state_poor</font></td></tr>';
else
if(dev_info[i]['backhaul_sta'] == "Config Sync")
align=center><font color=gray>$config_sync</font></td></tr>';
else
align=center><font color=red>$state_disconnect</font>&nbsp;&nbsp;&nbsp;<input
type="button" class="add_bt" value="$remove_mark"
onclick="del_satellite('+i+')";"/></td></tr>';

s_num++;
}
else
{
msg2 += '<tr class="even_line">';
if(enable_block_device == 0)
msg2 += '<td rowspan=1
align=center>'+(d_num+1)+'</td>';
else
{
if(dev_info[i]['accsta']=='1')
msg2 += '<td
rowspan=1 align=center><font color=red>$acc_block</font></td>';
else
msg2 += '<td
rowspan=1 align=center><font color=green>$acc_allow</font></td>';
}
if(top.support_new_ntgrtype ==
"1")

```

```

                                msg2 += '<td rowspan=1
align=left onclick="edit_dev('+i+')" style="cursor:pointer"><img
src=image/'+dev_info[i]['devtype_name'].replace(/\s/g, '_')+'.png
width=45px height=45px /></td>';
                                else
                                msg2 += '<td rowspan=1
align=left onclick="edit_dev('+i+')" style="cursor:pointer"><img
src=image/streamboost/'+dev_info[i]['devtype']+'.jpg width=45px
height=45px /></td>';

trend_micro_ready == "1")
                                if(trend_micro_enable == "1" &&
                                {
                                msg2 += '<td
class="device_td" align=center onclick="edit_dev('+i+')"
style="cursor:pointer"><table class="devinfo_tbl" width=100%
height=100%><tr><td align=left onclick="edit_dev('+i+')"
style="cursor:pointer">DL:'+dev_info[i]['downrate']+'Mbps</td><td
align=right onclick="edit_dev('+i+')"
style="cursor:pointer">'+dev_info[i]['model'].replace(/\s/g,
'&nbsp;')+ '</td></tr>';
                                msg2 += '<tr><td
align=left onclick="edit_dev('+i+')"
style="cursor:pointer">UL:'+dev_info[i]['uprate']+'Mbps</td><td
align=right onclick="edit_dev('+i+')"
style="cursor:pointer">'+dev_info[i]['name'].replace(/\s/g,
'&nbsp;')+ '</td></tr>';
                                msg2 += '<td colspan=2
align=right onclick="edit_dev('+i+')"
style="cursor:pointer">'+dev_info[i]['ip']+'</td></tr></table></td>';
                                } else {
                                //Device info td
                                msg2 += '<td
class="device_td" align=right height="100%" onclick="edit_dev('+i+')"
style="cursor:pointer;text-align:right;"><table class="devinfo_tbl"
width=100% height=100%>';
                                msg2 += '<tr><td
class="device_td" align=right>'+dev_info[i]['model'].replace(/\s/g,
'&nbsp;')+ '</td></tr>';
                                msg2 += '<tr><td
align=right>'+dev_info[i]['name'].replace(/\s/g, '&nbsp;')+ '</td></tr>';
                                msg2 += '<tr><td
align=right>'+dev_info[i]['ip']+'</td></tr>';
                                msg2 +=
'</table></td>';//end Device info td
                                }

                                msg2 += '<td rowspan=1
align=center>'+dev_info[i]['ip']+'</td>';//IP Address
                                msg2 += '<td rowspan=1
align=center>'+dev_info[i]['mac']+'</td>';//MAC Address
                                //Connection Type
                                if(dev_info[i]['contype'] ==
"wireless"){

```

```

                msg2 += '<td rowspan=1
align=right width=33px><img src=image/streamboost/24GConnection.png
/><img src=image/streamboost/5Gconnection.png /></td>';
                msg2 += '<td rowspan=1
class="device_td2" align=left width=45px>$wireless</td>';}
                else if(dev_info[i]['contype'] ==
"wired"){
                msg2 += '<td rowspan=1
align=right width=33px><img src=image/streamboost/wiredConnection.png
/></td>';
                msg2 += '<td rowspan=1
class="device_td2" align=left width=45px>$acc_wired</td>';}
                else if(dev_info[i]['contype'] ==
"2.4G" || dev_info[i]['contype'] == "2.4G Guest" ||
dev_info[i]['contype'] == "2.4GHz" || dev_info[i]['contype'] == "2.4G
Wireless1" || dev_info[i]['contype'] == "2.4G Guest Portal" ||
dev_info[i]['contype'] == "2.4G Wireless2"){
                msg2 += '<td rowspan=1
align=right width=33px><img src=image/streamboost/24GConnection.png
/></td>';
                msg2 += '<td rowspan=1
class="device_td2" align=left
width=45px>'+dev_info[i]['contype']+'</td>';}
                else if(dev_info[i]['contype'] ==
"5G" || dev_info[i]['contype'] == "5G Guest" || dev_info[i]['contype'] ==
"5GHz" || dev_info[i]['contype'] == "5G Wireless1" ||
dev_info[i]['contype'] == "5G Guest Portal" || dev_info[i]['contype'] ==
"5G Wireless2"){
                msg2 += '<td rowspan=1
align=right width=33px><img src=image/streamboost/5Gconnection.png
/></td>';
                msg2 += '<td rowspan=1
class="device_td2" align=left
width=45px>'+dev_info[i]['contype']+'</td>';}
                else if(dev_info[i]['contype'] ==
"vpn") {
                msg2 += '<td rowspan=1
align=right width=23px></td>';
                msg2 += '<td rowspan=1
class="device_td2" align=left>'+dev_info[i]['contype']+'</td>';}
                else{
                msg2 += '<td rowspan=1
align=right width=23px></td>';
                msg2 += '<td rowspan=1
class="device_td2" align=left>Unknown</td>';}
                //Connected Orbi
                msg2 += '<td rowspan=1
align=center>'+dev_info[i]['conn_orbi_name']+'</br>'+dev_info[i]['conn_or
bi_mac']+'</td></tr>';
                d_num++;
        }
}
msg += '</table>';

```

```

document.getElementById("satellites").innerHTML=msg;

document.getElementById("devices").innerHTML=msg2;
        if(init_flag == 1)//first enter this page
            init_flag =0;
        }
        //move setTimeout here, to avoid when timeout,
chrome popup login session, but it still send request.
        setTimeout(function(){
            xmlhttp.open("GET",
"DEV_device_info.htm?ts=" + new Date().getTime(), true);
            xmlhttp.send();
        }, 5000);
    }
};
xmlhttp.open("GET", "DEV_device_info.htm?ts=" + new
Date().getTime(), true);
xmlhttp.send();
//itime=setTimeout("getDevices()", 5000);
}

function loadvalue()
{
    //for click browser back reload page.
    var e=document.getElementById("refreshed");
    if(e.value=="no")e.value="yes";
    else{e.value="no";location.href="DEV_show_device.htm";}

    getDevices();
}

function click_edit()
{
    var cf = document.forms[0];
    if(cf.hid_mac.value == "0")
        return false;
    else
    {
        cf.submit();
        return true;
    }
}

</script>
<div class="page_title">$attach_device</div>
<div id="main" class="main">
<input type="hidden" id="refreshed" value="no">
<input type="hidden" name="hid_mac" value="0"/>
<input type="hidden" name="hid_name" value="0"/>
<input type="hidden" name="hid_ip" value="0"/>
<input type="hidden" name="hid_model" value="0"/>
<input type="hidden" name="hid_devtype" value="0"/>
<input type="hidden" name="hid_satellite_mac" value="0"/>

```

```

<% table_header() %>
<TR><td colspan=3><hr class=blueBar /></td></TR>
<TR id="acc_line" style="display:none">
    <TD nowrap colspan=3 align=right>$access_control_url1
        <a href=# onClick="goto_url(); return false;"><font
color=blue><u>$access_control_url2</u></font></a>&nbsp;
        $access_control_url3
    </TD>
</TR>
<TR>
    <TD width="40%" ><!--input type="button" class="common_bt"
name="edit" value="$edit_mark" onclick="return click_edit();" /--></TD>
    <TD>
        <script>
            var new_device_statue_by_default="<%
cfg_get("new_device_statue_by_default") %>";
            if(top.enable_ap_flag == "0")
            {

document.getElementById("acc_line").style.display="";
                if( enable_block_device == "0" )
                {
                    document.write("$acc_control:
$acc_turned_off");
                }
                else
                {
                    document.write("$acc_control:
$acc_turned_on");
                    document.write("<br/>");
                    if( new_device_statue_by_default ==
"Block" )
                    document.write("$acc_general_rule: $block_connect");
                    else
                    document.write("$acc_general_rule: $allow_connect");
                }
            }
        </script>

    </TD>
    <TD nowrap align=right>
        <input class="common_bt" type='button' name='refresh'
value='$refresh_mark' onClick='location.href="DEV_device.htm";'>
    </TD>
</TR>
</TABLE>

<div><B>$connect_satellite</B></div>
<div id=satellites></div>
<div><B>$connect_device </B></div>
<div id=devices></div>
</div>

```

```
<% help_box("1", "_attach_device") %>
</FORM>
</BODY>
</HTML>
root@Ksander-ORBI:/www# exit
```