

```
!Current Configuration:
!
!System Description "M4300-28G-PoE+ ProSAFE 24-port 1G PoE+ and 2-port 10GBASE-T and 2-port 10G SFP+,
12.0.6.6, B1.0.0.11"
!System Software Version "12.0.6.6"
!System Up Time      "0 days 2 hrs 37 mins 23 secs"
!Additional Packages  QOS,Multicast,IPv6,IPv6 Management,Stacking,Routing
!Current SNTP Synchronized Time: SNTP Client Mode Is Disabled
!
serviceport protocol none
vlan database
vlan 1200,1212,1250
vlan name 1200 "Technika"
vlan name 1212 "enc_mgm"
vlan name 1250 "Managment"
vlan routing 1 1
vlan routing 1250 2
vlan routing 1200 3
vlan routing 1212 4
exit
configure
no sntp client mode
stack
member 1 2
exit
vlan internal allocation base 2000
username "admin" password
244a6c56d7dfd0c26724162c1b208004fdef3db5edc543bb7c9b0609c88082208a5cc496826ae778eedec9cc04b1ac0ed20a
fa013c32ee7e390ccf26e5a8e87f level 15 encrypted
line console
serial timeout 15
exit
line telnet
exit
line ssh
exit
port-channel name lag 1 ESsrv
interface 1/0/25
addport lag 1
exit
interface 1/0/26
addport lag 1
exit
snmp-server sysname "edit-sw-1"
snmp-server location "rack1"
snmp-server contact "50255518"
!
interface 1/0/1
description 'managment'
switchport mode access
switchport access vlan 1250
switchport trunk native vlan 1250
switchport trunk allowed vlan 1250
vlan pvid 1250
exit
interface 1/0/2
description 'cascade_HP_19'
mtu 9000
switchport mode trunk
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200,1212,1250
vlan tagging 1200,1250
```

```
exit
interface 1/0/3
bandwidth 100000
switchport mode access
switchport access vlan 1212
switchport trunk native vlan 1212
switchport trunk allowed vlan 1212,1250
vlan pvid 1212
vlan ingressfilter
vlan participation include 1212
vlan tagging 1212
ip mtu 1500
exit
interface 1/0/4
bandwidth 1000000
switchport mode access
switchport access vlan 1212
switchport trunk native vlan 1212
switchport trunk allowed vlan 1212,1250
vlan participation include 1212
vlan tagging 1212
ip mtu 1500
exit
interface 1/0/5
description 'Edit1'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/6
description 'Edit2'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/7
description 'Edit3'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/8
description 'Edit4'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/9
description 'Edit5'
switchport mode access
switchport access vlan 1200
```

```
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/10
description 'Edit6'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/11
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/12
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/13
description 'Mac_mini_1'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/14
description 'Mac_mini_2'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/15
description 'HP_Magic_Recorder'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/16
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
```

```
vlan tagging 1200
exit
interface 1/0/17
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/18
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/19
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/20
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/21
description 'Synology-port1'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/22
description 'Synology-port2'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/23
description 'Synology-port3'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan pvid 1250
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/24
```

```
description 'trunk-main'
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200,1250
vlan tagging 1250
exit
interface 1/0/25
description 'editshare1'
mtu 9014
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/26
description 'editshare2'
mtu 9014
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan participation include 1200
vlan tagging 1200
exit
interface 1/0/27
switchport mode trunk
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200,1212,1250
vlan participation auto 1
vlan tagging 1200
exit
interface 1/0/28
vlan participation auto 1
exit
interface lag 1
description 'EditShareserver'
port-channel local-preference
switchport mode access
switchport access vlan 1200
switchport trunk native vlan 1200
switchport trunk allowed vlan 1200
vlan pvid 1200
vlan acceptframe vlanonly
vlan ingressfilter
vlan participation auto 1
vlan participation include 1200
exit
interface lag 2
vlan participation auto 1
exit
interface lag 3
vlan participation auto 1
exit
interface lag 4
vlan participation auto 1
exit
interface lag 5
vlan participation auto 1
```

```
exit
interface lag 6
vlan participation auto 1
exit
interface vlan 1
routing
ip address 192.16.110.70 255.255.255.0
exit
interface vlan 1250
routing
ip address 192.168.120.70 255.255.255.0
exit
interface vlan 1200
routing
ip address 192.168.110.251 255.255.255.0
exit
interface vlan 1212
bandwidth 10000
routing
ip address 192.168.112.251 255.255.255.0
ip netdirbcast
ip mtu 1500
exit
ip management vlan 1250 192.168.120.70 255.255.255.0
ip management source-interface vlan 1250
router rip
exit
router ospf
exit
ipv6 router ospf
exit
ip route distance 2
ip route 0.0.0.0 0.0.0.0 192.168.110.1 1
exit
```