

Contents of client.conf (I have changed the remote IP from 0.0.0.0 to the external IP of my BR500, so I can now connect, and I see outgoing bytes, but no incoming bytes; this is the file that was downloaded from the BR500 as-is):

```
client
dev tap
proto udp
remote 0.0.0.0 12974
resolv-retry infinite
nobind
persist-key
persist-tun
ca ca.crt
cert client.crt
key client.key
cipher AES-128-CBC
comp-lzo
verb 5
script-security 2
up dhcp-client-request.sh
```

Diagnostic information from Tunnelblick:

```
*Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180); Admin user
git commit 75a15f3fcb6de5a66bb6b7175b720645332ee778
```

Configuration client

"Sanitized" condensed configuration file for /Library/Application Support/Tunnelblick/Shared/client.tblk:

```
client
dev tap
proto udp
remote 65.110.137.194 12974
resolv-retry infinite
nobind
persist-key
persist-tun
ca ca.crt
cert client.crt
key client.key
cipher AES-128-CBC
comp-lzo
verb 5
script-security 2
```

up dhcp-client-request.sh

=====
=====

Non-Apple kexts that are loaded:

Index	Refs	Address	Size	Wired	Name (Version)	UUID <Linked Against>
163	0	0xfffff7f85e8b000	0x14000	0x14000	com.intel.kext.intelhaxm (6.0.3)	50449AFC-F7C6-38A0-B820-233E8A050FD6 <8 6 5 3 1>
164	3	0xfffff7f85e9f000	0x64000	0x64000	org.virtualbox.kext.VBoxDrv (5.2.22)	D2696352-336F-361B-8717-797487B076F5 <8 6 5 3 1>
168	0	0xfffff7f85f03000	0x7000	0x7000	com.lobotomo.IPSecuritasFilter (4554)	FCD476AF-61C3-3270-8EC3-223B161A25F9 <5 1>
170	0	0xfffff7f85f0a000	0x8000	0x8000	org.virtualbox.kext.VBoxUSB (5.2.22)	B3032E66-0313-3B15-AE85-38D3773435BB <169 164 54 8 6 5 3 1>
171	0	0xfffff7f85f12000	0x5000	0x5000	org.virtualbox.kext.VBoxNetFlt (5.2.22)	139430EF-8433-390B-A389-C7DC9B3B50C4 <164 8 6 5 3 1>
172	0	0xfffff7f85f17000	0x6000	0x6000	org.virtualbox.kext.VBoxNetAdp (5.2.22)	F11F6B94-BF8D-3841-85BB-EFFBBF27CE29 <164 6 5 1>
184	0	0xfffff7f8600f000	0x7000	0x7000	net.tunnelblick.tap (5180.3)	7CADB84E-01B1-3CD4-8FE3-CA4D2BE6C67E <8 6 5 1>

=====
=====

Files in client.tblk:

- Contents/Resources/cli....crt
- Contents/Resources/ca.crt
- Contents/Resources/config.ovpn
- Contents/Resources/dhcp-client-request.sh
- Contents/Resources/cli....key

=====
=====

Configuration preferences:

- skipWarningThatMayNotConnectInFutureBecauseOfOpenVPNOptions = 1
- notOKToCheckThatIPAddressDidNotChangeAfterConnection = 0
- lastConnectionSucceeded = 0

=====
=====

Wildcard preferences:

-notOKToCheckThatIPAddressDidNotChangeAfterConnection = 0

=====
=====

Program preferences:

launchAtNextLogin = 1
tunnelblickVersionHistory = (
 "3.7.8 (build 5180)"
)
lastLaunchTime = 576540606.384622
lastLanguageAtLaunchWasRTL = 0
connectionWindowDisplayCriteria = showWhenConnecting
maxLogDisplaySize = 102400
keyboardShortcutIndex = 1
updateCheckAutomatically = 1
NSWindow Frame ConnectingWindow = 525 517 389 187 0 0 1440 877
detailsWindowFrameVersion = 5180
detailsWindowFrame = {{238, 218}, {920, 468}}
detailsWindowLeftFrame = {{0, 0}, {165, 350}}
detailsWindowViewIndex = 0
detailsWindowConfigurationsTabIdentifier = log
leftNavSelectedDisplayName = client
haveDealtWithOldTunTapPreferences = 1
haveDealtWithOldLoginItem = 1
haveDealtWithAfterDisconnect = 1
SUEnableAutomaticChecks = 1
SUScheduledCheckInterval = 86400
SULastCheckTime = 2019-04-09 22:10:06 +0000
SUHasLaunchedBefore = 1
WebKitDefaultFontSize = 16
WebKitStandardFont = Times

=====
=====

Tunnelblick Log:

*Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)
2019-04-09 18:13:19 *Tunnelblick: Attempting connection with client; Set nameserver =
769; monitoring connection
2019-04-09 18:13:19 *Tunnelblick: openvpnstart start client.tblk 58203 769 0 3 0
1065330 -ptADGNWradsgnw 2.4.6-openssl-1.0.2q
2019-04-09 18:13:20 *Tunnelblick: openvpnstart log:
 Loading tap-signed.kext

OpenVPN started successfully. Command used to start OpenVPN (one argument per displayed line):

```
/Applications/Tunnelblick.app/Contents/Resources/openvpn/openvpn-2.4.6-  
openssl-1.0.2q/openvpn  
--daemon  
--log /Library/Application Support/Tunnelblick/Logs/-SLibrary-SApplication  
Support-STunnelblick-SShared-Scient.tblk-SContents-SResources-Sconfig.ovpn.  
769_0_3_0_1065330.58203.openvpn.log  
--cd /Library/Application Support/Tunnelblick/Shared/client.tblk/Contents/  
Resources  
--setenv IV_GUI_VER "net.tunnelblick.tunnelblick 5180 3.7.8 (build 5180)"  
--verb 3  
--config /Library/Application Support/Tunnelblick/Shared/client.tblk/Contents/  
Resources/config.ovpn  
--setenv TUNNELBLICK_CONFIG_FOLDER /Library/Application Support/  
Tunnelblick/Shared/client.tblk/Contents/Resources  
--verb 3  
--cd /Library/Application Support/Tunnelblick/Shared/client.tblk/Contents/  
Resources  
--management 127.0.0.1 58203 /Library/Application Support/Tunnelblick/  
ecfibndoihejppfpjggdnnkkconnlfomlnllel.mip  
--management-query-passwords  
--management-hold  
--script-security 2  
--up /Applications/Tunnelblick.app/Contents/Resources/client.up.tunnelblick.sh -9 -  
a -d -f -m -w -ptADGNWradsgnw  
--down /Applications/Tunnelblick.app/Contents/Resources/  
client.down.tunnelblick.sh -9 -a -d -f -m -w -ptADGNWradsgnw  
--route-pre-down /Applications/Tunnelblick.app/Contents/Resources/client.route-  
pre-down.tunnelblick.sh -9 -a -d -f -m -w -ptADGNWradsgnw
```

```
2019-04-09 18:13:19 *Tunnelblick: openvpnstart starting OpenVPN  
2019-04-09 18:13:20 *Tunnelblick: Established communication with OpenVPN  
2019-04-09 18:13:20 >INFO:OpenVPN Management Interface Version 1 -- type 'help'  
for more info  
2019-04-09 18:13:20 Multiple --up scripts defined. The previously configured script is  
overridden.  
2019-04-09 18:13:20 OpenVPN 2.4.6 x86_64-apple-darwin [SSL (OpenSSL)] [LZO]  
[LZ4] [PKCS11] [MH/RECVDA] [AEAD] built on Nov 29 2018  
2019-04-09 18:13:20 library versions: OpenSSL 1.0.2q 20 Nov 2018, LZO 2.10  
2019-04-09 18:13:20 MANAGEMENT: TCP Socket listening on  
[AF_INET]127.0.0.1:58203  
2019-04-09 18:13:20 Need hold release from management interface, waiting...  
2019-04-09 18:13:20 MANAGEMENT: Client connected from  
[AF_INET]127.0.0.1:58203  
2019-04-09 18:13:20 MANAGEMENT: CMD 'pid'
```

2019-04-09 18:13:20 MANAGEMENT: CMD 'auth-retry interact'
2019-04-09 18:13:20 MANAGEMENT: CMD 'state on'
2019-04-09 18:13:20 MANAGEMENT: CMD 'state'
2019-04-09 18:13:20 MANAGEMENT: CMD 'bytecount 1'
2019-04-09 18:13:20 MANAGEMENT: CMD 'hold release'
2019-04-09 18:13:20 WARNING: No server certificate verification method has been enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:13:20 NOTE: the current --script-security setting may allow this configuration to call user-defined scripts
2019-04-09 18:13:20 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:13:20 Socket Buffers: R=[786896->786896] S=[9216->9216]
2019-04-09 18:13:20 UDP link local: (not bound)
2019-04-09 18:13:20 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:13:20 MANAGEMENT: >STATE:1554848000,WAIT,,,,,
2019-04-09 18:14:21 TLS Error: TLS key negotiation failed to occur within 60 seconds (check your network connectivity)
2019-04-09 18:14:21 TLS Error: TLS handshake failed
2019-04-09 18:14:21 SIGUSR1[soft,tls-error] received, process restarting
2019-04-09 18:14:21 MANAGEMENT: >STATE:1554848061,RECONNECTING,tls-error,,,,,
2019-04-09 18:14:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:14:21 WARNING: No server certificate verification method has been enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:14:21 NOTE: the current --script-security setting may allow this configuration to call user-defined scripts
2019-04-09 18:14:21 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:14:21 Socket Buffers: R=[786896->786896] S=[9216->9216]
2019-04-09 18:14:21 UDP link local: (not bound)
2019-04-09 18:14:21 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:14:21 MANAGEMENT: >STATE:1554848061,WAIT,,,,,
2019-04-09 18:14:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:15:21 TLS Error: TLS key negotiation failed to occur within 60 seconds (check your network connectivity)
2019-04-09 18:15:21 TLS Error: TLS handshake failed
2019-04-09 18:15:21 SIGUSR1[soft,tls-error] received, process restarting
2019-04-09 18:15:21 MANAGEMENT: >STATE:1554848121,RECONNECTING,tls-error,,,,,
2019-04-09 18:15:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:15:21 WARNING: No server certificate verification method has been enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:15:21 NOTE: the current --script-security setting may allow this configuration to call user-defined scripts
2019-04-09 18:15:21 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:15:21 Socket Buffers: R=[786896->786896] S=[9216->9216]

2019-04-09 18:15:21 UDP link local: (not bound)
2019-04-09 18:15:21 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:15:21 MANAGEMENT: >STATE:1554848121,WAIT,,,,,
2019-04-09 18:15:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:16:21 TLS Error: TLS key negotiation failed to occur within 60 seconds
(check your network connectivity)
2019-04-09 18:16:21 TLS Error: TLS handshake failed
2019-04-09 18:16:21 SIGUSR1[soft,tls-error] received, process restarting
2019-04-09 18:16:21 MANAGEMENT: >STATE:1554848181,RECONNECTING,tls-
error,,,,,
2019-04-09 18:16:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:16:21 WARNING: No server certificate verification method has been
enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:16:21 NOTE: the current --script-security setting may allow this
configuration to call user-defined scripts
2019-04-09 18:16:21 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:16:21 Socket Buffers: R=[786896->786896] S=[9216->9216]
2019-04-09 18:16:21 UDP link local: (not bound)
2019-04-09 18:16:21 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:16:21 MANAGEMENT: >STATE:1554848181,WAIT,,,,,
2019-04-09 18:16:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:17:21 TLS Error: TLS key negotiation failed to occur within 60 seconds
(check your network connectivity)
2019-04-09 18:17:21 TLS Error: TLS handshake failed
2019-04-09 18:17:21 SIGUSR1[soft,tls-error] received, process restarting
2019-04-09 18:17:21 MANAGEMENT: >STATE:1554848241,RECONNECTING,tls-
error,,,,,
2019-04-09 18:17:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:17:21 WARNING: No server certificate verification method has been
enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:17:21 NOTE: the current --script-security setting may allow this
configuration to call user-defined scripts
2019-04-09 18:17:21 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:17:21 Socket Buffers: R=[786896->786896] S=[9216->9216]
2019-04-09 18:17:21 UDP link local: (not bound)
2019-04-09 18:17:21 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:17:21 MANAGEMENT: >STATE:1554848241,WAIT,,,,,
2019-04-09 18:17:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:18:21 TLS Error: TLS key negotiation failed to occur within 60 seconds
(check your network connectivity)
2019-04-09 18:18:21 TLS Error: TLS handshake failed
2019-04-09 18:18:21 SIGUSR1[soft,tls-error] received, process restarting
2019-04-09 18:18:21 MANAGEMENT: >STATE:1554848301,RECONNECTING,tls-
error,,,,,
2019-04-09 18:18:21 MANAGEMENT: CMD 'hold release'

2019-04-09 18:18:21 WARNING: No server certificate verification method has been enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:18:21 NOTE: the current --script-security setting may allow this configuration to call user-defined scripts
2019-04-09 18:18:21 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:18:21 Socket Buffers: R=[786896->786896] S=[9216->9216]
2019-04-09 18:18:21 UDP link local: (not bound)
2019-04-09 18:18:21 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:18:21 MANAGEMENT: >STATE:1554848301,WAIT,,,,,
2019-04-09 18:18:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:19:21 TLS Error: TLS key negotiation failed to occur within 60 seconds (check your network connectivity)
2019-04-09 18:19:21 TLS Error: TLS handshake failed
2019-04-09 18:19:21 SIGUSR1[soft,tls-error] received, process restarting
2019-04-09 18:19:21 MANAGEMENT: >STATE:1554848361,RECONNECTING,tls-error,,,,,
2019-04-09 18:19:21 MANAGEMENT: CMD 'hold release'
2019-04-09 18:19:21 WARNING: No server certificate verification method has been enabled. See <http://openvpn.net/howto.html#mitm> for more info.
2019-04-09 18:19:21 NOTE: the current --script-security setting may allow this configuration to call user-defined scripts
2019-04-09 18:19:21 TCP/UDP: Preserving recently used remote address:
[AF_INET]65.110.137.194:12974
2019-04-09 18:19:21 Socket Buffers: R=[786896->786896] S=[9216->9216]
2019-04-09 18:19:21 UDP link local: (not bound)
2019-04-09 18:19:21 UDP link remote: [AF_INET]65.110.137.194:12974
2019-04-09 18:19:21 MANAGEMENT: >STATE:1554848361,WAIT,,,,,
2019-04-09 18:19:21 MANAGEMENT: CMD 'hold release'

=====
=====

"Sanitized" full configuration file

```
client
dev tap
proto udp
remote 65.110.137.194 12974
resolv-retry infinite
nobind
persist-key
persist-tun
ca ca.crt
cert client.crt
key client.key
cipher AES-128-CBC
```

```
comp-lzo
verb 5
script-security 2
up dhcp-client-request.sh
```

```
=====
=====
```

Network services:

An asterisk (*) denotes that a network service is disabled.

```
USB-Serial Controller
Apple USB Ethernet Adapter
Wi-Fi
iPhone USB
Bluetooth PAN
Thunderbolt Bridge
```

Wi-Fi Power (en0): On

```
=====
=====
```

ifconfig output:

```
lo0: flags=8049<UP,LOOPBACK,RUNNING,MULTICAST> mtu 16384
    options=1203<RXCSUM, TXCSUM, TXSTATUS, SW_TIMESTAMP>
    inet 127.0.0.1 netmask 0xff000000
    inet6 ::1 prefixlen 128
    inet6 fe80::1%lo0 prefixlen 64 scopeid 0x1
    nd6 options=201<PERFORMNUD,DAD>
gif0: flags=8010<POINTOPOINT,MULTICAST> mtu 1280
stf0: flags=0<> mtu 1280
XHC20: flags=0<> mtu 0
en0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu
1500
    ether 64:76:ba:9b:62:24
    inet6 fe80::1c30:9f04:95a2:d332%en0 prefixlen 64 secured scopeid 0x5
    inet 172.20.10.4 netmask 0xfffff0 broadcast 172.20.10.15
    inet6 2600:380:8b7b:553e:c7d:e22b:28ec:2794 prefixlen 64 autoconf secured
    inet6 2600:380:8b7b:553e:c92:169a:ceb7:3913 prefixlen 64 autoconf temporary
    nd6 options=201<PERFORMNUD,DAD>
    media: autoselect
    status: active
p2p0: flags=8843<UP,BROADCAST,RUNNING,SIMPLEX,MULTICAST> mtu 2304
```



```
ether 06:76:ba:9b:62:24
media: autoselect
status: inactive
awdl0: flags=8943<UP,BROADCAST,RUNNING,PROMISC,SIMPLEX,MULTICAST>
mtu 1484
ether 72:62:e7:44:b1:ed
inet6 fe80::7062:e7ff:fe44:b1ed%awdl0 prefixlen 64 scopeid 0x7
nd6 options=201<PERFORMNUD,DAD>
media: autoselect
status: active
en1:
flags=8963<UP,BROADCAST,SMART,RUNNING,PROMISC,SIMPLEX,MULTICAST>
mtu 1500
options=60<TSO4,TSO6>
ether 32:00:15:fc:e0:00
media: autoselect <full-duplex>
status: inactive
bridge0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST>
mtu 1500
options=63<RXCSUM,TXCSUM,TSO4,TSO6>
ether 32:00:15:fc:e0:00
Configuration:
  id 0:0:0:0:0:0 priority 0 hellotime 0 fwddelay 0
  maxage 0 holdcnt 0 proto stp maxaddr 100 timeout 1200
  root id 0:0:0:0:0:0 priority 0 ifcost 0 port 0
  ipfilter disabled flags 0x2
member: en1 flags=3<LEARNING,DISCOVER>
  ifmaxaddr 0 port 8 priority 0 path cost 0
nd6 options=201<PERFORMNUD,DAD>
media: <unknown type>
status: inactive
utun0: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 2000
inet6 fe80::2baf:abde:9e3b:24da%utun0 prefixlen 64 scopeid 0xa
nd6 options=201<PERFORMNUD,DAD>
utun1: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 1380
inet6 fe80::162b:c884:70ad:39a3%utun1 prefixlen 64 scopeid 0xb
nd6 options=201<PERFORMNUD,DAD>
utun2: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 1380
inet6 fe80::553c:bcd2:3e59:7aa4%utun2 prefixlen 64 scopeid 0xc
nd6 options=201<PERFORMNUD,DAD>
```

```
=====
=====
```

Console Log:

2019-04-09 17:51:12 Tunnelblick[5054] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8

(build 5180)

2019-04-09 17:51:14 Tunnelblick[5054] DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on _dispatch_bug_deprecated to debug

2019-04-09 17:51:15 Tunnelblick[5054] Sparkle: ===== Tunnelblick =====

2019-04-09 17:51:15 Tunnelblick[5054] Sparkle: Verified appcast signature

2019-04-09 17:53:52 Tunnelblick[5054] applicationShouldTerminate: termination because of Quit; delayed until 'shutdownTunnelblick' finishes

2019-04-09 17:53:53 Tunnelblick[5054] Set 'expect disconnect 0 ALL'

2019-04-09 17:53:53 Tunnelblick[5054] Finished shutting down Tunnelblick; allowing termination

2019-04-09 17:54:16 Tunnelblick[5141] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)

2019-04-09 17:54:17 Tunnelblick[5141] DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on _dispatch_bug_deprecated to debug

2019-04-09 17:54:18 Tunnelblick[5141] Sparkle: ===== Tunnelblick =====

2019-04-09 17:54:18 Tunnelblick[5141] Sparkle: Verified appcast signature

2019-04-09 17:55:59 Tunnelblick[5141] applicationShouldTerminate: termination because of Quit; delayed until 'shutdownTunnelblick' finishes

2019-04-09 17:55:59 Tunnelblick[5141] Set 'expect disconnect 0 ALL'

2019-04-09 17:56:00 Tunnelblick[5141] Finished shutting down Tunnelblick; allowing termination

2019-04-09 17:59:30 ksinstall[609] 2019-04-09 17:59:30.104

ksinstall[609/0x1020135c0] [lvl=2] -[KeystoneInstallTool main] Google Software Update installer started.

2019-04-09 17:59:30 ksinstall[609] 2019-04-09 17:59:30.117

ksinstall[609/0x1020135c0] [lvl=2] -[KeystoneInstallTool main] Google Software Update installer starting Installation.

2019-04-09 17:59:34 ksinstall[609] 2019-04-09 17:59:34.140

ksinstall[609/0x1020135c0] [lvl=2] -[KeystoneInstallTool main] Google Software Update installer ran successfully.

2019-04-09 17:59:50 Tunnelblick[778] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)

2019-04-09 17:59:51 Tunnelblick[778] DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on _dispatch_bug_deprecated to debug

2019-04-09 17:59:52 Tunnelblick[778] Sparkle: ===== Tunnelblick =====

2019-04-09 17:59:52 Tunnelblick[778] Sparkle: Verified appcast signature

2019-04-09 18:02:04 Tunnelblick[778] applicationShouldTerminate: termination because of Quit; delayed until 'shutdownTunnelblick' finishes

2019-04-09 18:02:05 Tunnelblick[778] Set 'expect disconnect 0 ALL'

2019-04-09 18:02:05 Tunnelblick[778] Finished shutting down Tunnelblick; allowing termination

2019-04-09 18:04:53 Tunnelblick[1370] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)

2019-04-09 18:04:54 Tunnelblick[1370] Tunnelblick cannot run when it is on /Volumes

because the volume has the MNT_NOSUID statfs flag set.

2019-04-09 18:05:09 Tunnelblick[1370] Tunnelblick needs to:

- Be installed in /Applications as Tunnelblick
- Change ownership and permissions of the program to secure it
- Secure configurations

2019-04-09 18:05:09 Tunnelblick[1370] Beginning installation or repair

2019-04-09 18:05:10 Tunnelblick[1370] Installation or repair succeeded; Log:

Tunnelblick installer started 2019-04-09 18:05:09. 1 arguments:

0x0017

Moved /Applications/Tunnelblick.app to the Trash

Copied /Volumes/Tunnelblick/Tunnelblick.app to /Applications/

Tunnelblick.app

Removed all 'com.apple.quarantine' extended attributes

Changed ownership of /Applications/Tunnelblick.app and its

contents from 501:80 to 0:0

Tunnelblick installer finished without error

2019-04-09 18:05:10 Tunnelblick[1370] applicationShouldTerminate: termination

because of Quit; delayed until 'shutdownTunnelblick' finishes

2019-04-09 18:05:10 Tunnelblick[1462] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)

2019-04-09 18:05:11 Tunnelblick[1462] DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on _dispatch_bug_deprecated to debug

2019-04-09 18:05:11 Tunnelblick[1370] Set 'expect disconnect 0 ALL'

2019-04-09 18:05:12 Tunnelblick[1462] Waiting for Tunnelblick installer to terminate

2019-04-09 18:05:12 Tunnelblick[1370] Finished shutting down Tunnelblick; allowing termination

2019-04-09 18:05:13 Tunnelblick[1462] Done waiting for Tunnelblick installer to terminate

2019-04-09 18:05:13 Tunnelblick[1462] Sparkle: ===== Tunnelblick =====

2019-04-09 18:05:13 Tunnelblick[1462] Sparkle: Verified appcast signature

2019-04-09 18:05:23 Tunnelblick[1462] applicationShouldTerminate: termination

because of Quit; delayed until 'shutdownTunnelblick' finishes

2019-04-09 18:05:23 Tunnelblick[1462] Set 'expect disconnect 0 ALL'

2019-04-09 18:05:23 Tunnelblick[1462] Finished shutting down Tunnelblick; allowing termination

2019-04-09 18:05:30 Tunnelblick[1499] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)

2019-04-09 18:05:31 Tunnelblick[1499] DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on _dispatch_bug_deprecated to debug

2019-04-09 18:05:32 Tunnelblick[1499] Sparkle: ===== Tunnelblick =====

2019-04-09 18:05:32 Tunnelblick[1499] Sparkle: Verified appcast signature

2019-04-09 18:08:46 Tunnelblick[1499] applicationShouldTerminate: termination

because of Quit; delayed until 'shutdownTunnelblick' finishes

2019-04-09 18:08:46 Tunnelblick[1499] Set 'expect disconnect 0 ALL'

2019-04-09 18:08:46 Tunnelblick[1499] pthread_mutex_lock(&unloadKextsMutex) failed; status = 16, errno = 2

2019-04-09 18:08:47 Tunnelblick[1499] Finished shutting down Tunnelblick; allowing termination

2019-04-09 18:10:04 Tunnelblick[1736] Tunnelblick: macOS 10.14.3; Tunnelblick 3.7.8 (build 5180)

2019-04-09 18:10:05 Tunnelblick[1736] DEPRECATED USE in libdispatch client: dispatch source activated with no event handler set; set a breakpoint on _dispatch_bug_deprecated to debug

2019-04-09 18:10:06 Tunnelblick[1736] Sparkle: ===== Tunnelblick =====

2019-04-09 18:10:06 Tunnelblick[1736] Sparkle: Verified appcast signature

2019-04-09 18:10:26 Tunnelblick[1736] Tunnelblick needs to perform an action that requires a computer administrator's authorization.

2019-04-09 18:10:26 Tunnelblick[1736] Beginning installation or repair

2019-04-09 18:10:26 Tunnelblick[1736] Installation or repair succeeded; Log:
Tunnelblick installer started 2019-04-09 18:10:26. 2 arguments:
0x2001
/Library/Application Support/Tunnelblick/Shared/client.tblk removed /Library/Application Support/Tunnelblick/Shared/client.tblk
Tunnelblick installer finished without error

2019-04-09 18:10:26 Tunnelblick[1736] Uninstalled configuration file /Library/Application Support/Tunnelblick/Shared/client.tblk

2019-04-09 18:10:32 Tunnelblick[1736] Option 'up' can execute code; found in /Users/dfilip/Desktop/nonwindows (1)/client.conf

2019-04-09 18:10:32 Tunnelblick[1736] commandOptionsStatusForOpenvpnConfigurationAtPath:forTblk: returned 'unsafe option(s) or run-as-root scripts found' for /Users/dfilip/Desktop/nonwindows (1)/client.conf

2019-04-09 18:10:53 Tunnelblick[1736] Converting/Installing /Users/dfilip/Desktop/nonwindows (1)/client.conf at line 9: Copied ca.crt

2019-04-09 18:10:53 Tunnelblick[1736] Changed permissions from 644 to 740 on /private/var/folders/0v/z3_sc6656pg45tgjc6j_nx_r0000gn/T/Tunnelblick-AtpzVh/client.tblk/Contents/Resources/ca.crt

2019-04-09 18:10:53 Tunnelblick[1736] Converting/Installing /Users/dfilip/Desktop/nonwindows (1)/client.conf at line 10: Copied client.crt

2019-04-09 18:10:53 Tunnelblick[1736] Changed permissions from 644 to 740 on /private/var/folders/0v/z3_sc6656pg45tgjc6j_nx_r0000gn/T/Tunnelblick-AtpzVh/client.tblk/Contents/Resources/client.crt

2019-04-09 18:10:53 Tunnelblick[1736] Converting/Installing /Users/dfilip/Desktop/nonwindows (1)/client.conf at line 11: Copied client.key

2019-04-09 18:10:53 Tunnelblick[1736] Changed permissions from 644 to 740 on /private/var/folders/0v/z3_sc6656pg45tgjc6j_nx_r0000gn/T/Tunnelblick-AtpzVh/client.tblk/Contents/Resources/client.key

2019-04-09 18:10:53 Tunnelblick[1736] Converting/Installing /Users/dfilip/Desktop/nonwindows (1)/client.conf at line 16: Copied dhcp-client-request.sh

2019-04-09 18:10:53 Tunnelblick[1736] Changed permissions from 644 to 740 on /

```
private/var/folders/0v/z3_sc6656pg45tgjc6j_nx_r0000gn/T/Tunnelblick-AtpzVh/
client.tblk/Contents/Resources/dhcp-client-request.sh
2019-04-09 18:10:53 Tunnelblick[1736] Converting/Installing /Users/dfilip/Desktop/
nonwindows (1)/client.conf: Converted OpenVPN configuration
2019-04-09 18:10:59 Tunnelblick[1736] Tunnelblick needs to perform an action that
requires a computer administrator's authorization.
2019-04-09 18:10:59 Tunnelblick[1736] Beginning installation or repair
2019-04-09 18:10:59 Tunnelblick[1736] Installation or repair succeeded; Log:
    Tunnelblick installer started 2019-04-09 18:10:59. 3 arguments:
0x0001
    /Library/Application Support/Tunnelblick/Shared/client.tblk
    /private/var/folders/0v/z3_sc6656pg45tgjc6j_nx_r0000gn/T/
Tunnelblick-AtpzVh/client.tblk
    Copied /private/var/folders/0v/
z3_sc6656pg45tgjc6j_nx_r0000gn/T/Tunnelblick-AtpzVh/client.tblk
    to /Library/Application Support/Tunnelblick/Shared/
client.tblk.temp
    Renamed /Library/Application Support/Tunnelblick/Shared/
client.tblk.temp
    to /Library/Application Support/Tunnelblick/Shared/client.tblk
    Changed ownership of /Library/Application Support/Tunnelblick/
Shared/client.tblk and its contents from 501:20 to 0:0
    Changed permissions from 750 to 755 on /Library/Application
Support/Tunnelblick/Shared/client.tblk
    Changed permissions from 750 to 755 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents
    Changed permissions from 750 to 755 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents/Resources
    Changed permissions from 740 to 700 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents/Resources/client.crt
    Changed permissions from 740 to 700 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents/Resources/ca.crt
    Changed permissions from 740 to 700 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents/Resources/config.ovpn
    Changed permissions from 740 to 700 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents/Resources/dhcp-client-request.sh
    Changed permissions from 740 to 700 on /Library/Application
Support/Tunnelblick/Shared/client.tblk/Contents/Resources/client.key
    Tunnelblick installer finished without error
2019-04-09 18:13:10 Tunnelblick[1736] Set 'expect disconnect 1 -SLibrary-SApplication
Support-STunnelblick-SShared-Scient-Dtblk-SContents-SResources'
2019-04-09 18:13:19 Tunnelblick[1736] Cleared 'expect disconnect 0 -SLibrary-
SApplication Support-STunnelblick-SShared-Scient-Dtblk-SContents-SResources'
2019-04-09 18:14:15 Tunnelblick[1736] Option 'up' can execute code; found in /Users/
dfilip/Desktop/nonwindows (1)/client.conf
2019-04-09 18:14:15 Tunnelblick[1736]
commandOptionsStatusForOpenvpnConfigurationAtPath:forTblk: returned 'unsafe'
```

option(s) or run-as-root scripts found' for /Users/dfilip/Desktop/nonwindows (1)/
client.conf