

Aug 22 08:01:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 08:01:41 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 08:02:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 08:02:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 08:02:41 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 08:03:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 08:05:02 WMS5316 syslog.info -- MARK --
Aug 22 08:25:02 WMS5316 syslog.info -- MARK --
Aug 22 08:45:02 WMS5316 syslog.info -- MARK --
Aug 22 09:05:02 WMS5316 syslog.info -- MARK --
Aug 22 09:25:02 WMS5316 syslog.info -- MARK --
Aug 22 09:45:02 WMS5316 syslog.info -- MARK --
Aug 22 10:05:02 WMS5316 syslog.info -- MARK --
Aug 22 10:25:02 WMS5316 syslog.info -- MARK --
Aug 22 10:45:02 WMS5316 syslog.info -- MARK --
Aug 22 11:05:02 WMS5316 syslog.info -- MARK --
Aug 22 11:25:02 WMS5316 syslog.info -- MARK --
Aug 22 11:45:02 WMS5316 syslog.info -- MARK --
Aug 22 12:05:02 WMS5316 syslog.info -- MARK --
Aug 22 12:25:02 WMS5316 syslog.info -- MARK --
Aug 22 12:45:02 WMS5316 syslog.info -- MARK --
Aug 22 13:05:02 WMS5316 syslog.info -- MARK --
Aug 22 13:25:02 WMS5316 syslog.info -- MARK --
Aug 22 13:33:26 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 13:33:26 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 13:34:26 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 13:34:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 13:34:27 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 13:35:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 13:35:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 13:35:28 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 13:36:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 13:36:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 13:36:28 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 22 13:37:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 13:37:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 13:37:29 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 22 13:38:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 13:45:02 WMS5316 syslog.info -- MARK --

Aug 22 14:05:02 WMS5316 syslog.info -- MARK --

Aug 22 14:25:02 WMS5316 syslog.info -- MARK --

Aug 22 14:45:02 WMS5316 syslog.info -- MARK --

Aug 22 14:55:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 14:55:31 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 22 14:56:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 14:56:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 14:56:31 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 22 14:57:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 14:57:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 14:57:32 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 22 14:58:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 14:58:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 14:58:33 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 22 14:59:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 14:59:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 14:59:33 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 22 15:00:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 15:05:02 WMS5316 syslog.info -- MARK --

Aug 22 15:25:02 WMS5316 syslog.info -- MARK --

Aug 22 15:45:02 WMS5316 syslog.info -- MARK --

Aug 22 16:05:02 WMS5316 syslog.info -- MARK --

Aug 22 16:25:02 WMS5316 syslog.info -- MARK --

Aug 22 16:45:02 WMS5316 syslog.info -- MARK --

Aug 22 17:05:02 WMS5316 syslog.info -- MARK --

Aug 22 17:23:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 17:23:11 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 17:24:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 17:24:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 17:24:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 17:25:02 WMS5316 syslog.info -- MARK --
Aug 22 17:25:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 17:25:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 17:25:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 17:26:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 17:26:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 17:26:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 17:27:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 17:45:02 WMS5316 syslog.info -- MARK --
Aug 22 18:05:02 WMS5316 syslog.info -- MARK --
Aug 22 18:25:02 WMS5316 syslog.info -- MARK --
Aug 22 18:45:02 WMS5316 syslog.info -- MARK --
Aug 22 19:05:02 WMS5316 syslog.info -- MARK --
Aug 22 19:13:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:13:29 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:14:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:14:30 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:14:30 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:15:30 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:15:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:15:31 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:16:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:16:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 19:16:31 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:17:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:17:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:17:32 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:18:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:25:02 WMS5316 syslog.info -- MARK --
Aug 22 19:26:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:26:41 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:27:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:27:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:27:41 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:28:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:28:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:28:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:29:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:29:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:29:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:30:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:30:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 19:30:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 19:31:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 19:45:02 WMS5316 syslog.info -- MARK --
Aug 22 20:05:02 WMS5316 syslog.info -- MARK --
Aug 22 20:25:02 WMS5316 syslog.info -- MARK --
Aug 22 20:34:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 20:34:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 20:35:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 22 20:35:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 20:35:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 20:36:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 20:36:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 20:36:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 20:37:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 20:38:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 20:38:00 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 20:39:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 20:45:02 WMS5316 syslog.info -- MARK --
Aug 22 21:05:02 WMS5316 syslog.info -- MARK --
Aug 22 21:25:02 WMS5316 syslog.info -- MARK --
Aug 22 21:45:02 WMS5316 syslog.info -- MARK --
Aug 22 22:05:02 WMS5316 syslog.info -- MARK --
Aug 22 22:25:02 WMS5316 syslog.info -- MARK --
Aug 22 22:29:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 22:29:41 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 22:30:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 22:30:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 22:30:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 22:31:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 22:31:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 22:31:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 22:32:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 22:32:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 22 22:32:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 22:33:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 22:33:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 22 22:33:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 22 22:34:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 22 22:45:02 WMS5316 syslog.info -- MARK --
Aug 22 23:05:02 WMS5316 syslog.info -- MARK --
Aug 22 23:25:02 WMS5316 syslog.info -- MARK --
Aug 22 23:45:02 WMS5316 syslog.info -- MARK --
Aug 23 00:05:02 WMS5316 syslog.info -- MARK --
Aug 23 00:25:02 WMS5316 syslog.info -- MARK --
Aug 23 00:45:02 WMS5316 syslog.info -- MARK --
Aug 23 01:05:02 WMS5316 syslog.info -- MARK --
Aug 23 01:25:02 WMS5316 syslog.info -- MARK --
Aug 23 01:45:02 WMS5316 syslog.info -- MARK --
Aug 23 02:05:02 WMS5316 syslog.info -- MARK --
Aug 23 02:25:02 WMS5316 syslog.info -- MARK --
Aug 23 02:45:02 WMS5316 syslog.info -- MARK --
Aug 23 03:05:03 WMS5316 syslog.info -- MARK --
Aug 23 03:25:03 WMS5316 syslog.info -- MARK --
Aug 23 03:45:03 WMS5316 syslog.info -- MARK --
Aug 23 03:57:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 03:57:06 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 03:58:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 03:58:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 03:58:06 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 03:59:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 03:59:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 03:59:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 04:00:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 04:00:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 04:00:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 00:00:35 WMS5316 local1.info rfmgr: Invoking RF Manager
Aug 23 04:00:35 WMS5316 user.err ap_mgr_WNDAP350: Cannot process IPC since Not Authenticated<-5>
Aug 23 00:00:35 WMS5316 local1.notice rfmgr: WNDAP350_192.168.0.145 timeout
Aug 23 04:01:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 04:01:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 23 04:01:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 00:01:12 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11
Aug 23 00:01:12 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 23 00:01:35 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 23 04:02:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 04:05:03 WMS5316 syslog.info -- MARK --
Aug 23 04:25:03 WMS5316 syslog.info -- MARK --
Aug 23 04:45:03 WMS5316 syslog.info -- MARK --
Aug 23 05:05:03 WMS5316 syslog.info -- MARK --
Aug 23 05:25:03 WMS5316 syslog.info -- MARK --
Aug 23 05:45:03 WMS5316 syslog.info -- MARK --
Aug 23 06:05:03 WMS5316 syslog.info -- MARK --
Aug 23 06:25:03 WMS5316 syslog.info -- MARK --
Aug 23 06:45:03 WMS5316 syslog.info -- MARK --
Aug 23 07:05:03 WMS5316 syslog.info -- MARK --
Aug 23 07:25:03 WMS5316 syslog.info -- MARK --
Aug 23 07:45:03 WMS5316 syslog.info -- MARK --
Aug 23 08:05:03 WMS5316 syslog.info -- MARK --
Aug 23 08:25:03 WMS5316 syslog.info -- MARK --
Aug 23 08:45:03 WMS5316 syslog.info -- MARK --
Aug 23 09:05:03 WMS5316 syslog.info -- MARK --
Aug 23 09:25:03 WMS5316 syslog.info -- MARK --
Aug 23 09:45:03 WMS5316 syslog.info -- MARK --
Aug 23 10:05:03 WMS5316 syslog.info -- MARK --
Aug 23 10:25:03 WMS5316 syslog.info -- MARK --
Aug 23 10:45:03 WMS5316 syslog.info -- MARK --
Aug 23 11:05:03 WMS5316 syslog.info -- MARK --
Aug 23 11:25:03 WMS5316 syslog.info -- MARK --
Aug 23 11:45:03 WMS5316 syslog.info -- MARK --
Aug 23 12:05:03 WMS5316 syslog.info -- MARK --
Aug 23 12:25:03 WMS5316 syslog.info -- MARK --
Aug 23 12:45:03 WMS5316 syslog.info -- MARK --
Aug 23 13:05:03 WMS5316 syslog.info -- MARK --
Aug 23 13:25:03 WMS5316 syslog.info -- MARK --
Aug 23 13:45:03 WMS5316 syslog.info -- MARK --
Aug 23 14:05:03 WMS5316 syslog.info -- MARK --
Aug 23 14:25:03 WMS5316 syslog.info -- MARK --
Aug 23 14:45:03 WMS5316 syslog.info -- MARK --
Aug 23 15:05:03 WMS5316 syslog.info -- MARK --
Aug 23 15:25:03 WMS5316 syslog.info -- MARK --
Aug 23 15:45:03 WMS5316 syslog.info -- MARK --
Aug 23 16:05:03 WMS5316 syslog.info -- MARK --
Aug 23 16:25:03 WMS5316 syslog.info -- MARK --
Aug 23 16:45:03 WMS5316 syslog.info -- MARK --
Aug 23 17:05:03 WMS5316 syslog.info -- MARK --
Aug 23 17:25:03 WMS5316 syslog.info -- MARK --

Aug 23 17:45:03 WMS5316 syslog.info -- MARK --
Aug 23 18:05:03 WMS5316 syslog.info -- MARK --
Aug 23 18:25:03 WMS5316 syslog.info -- MARK --
Aug 23 18:45:03 WMS5316 syslog.info -- MARK --
Aug 23 19:05:03 WMS5316 syslog.info -- MARK --
Aug 23 19:25:03 WMS5316 syslog.info -- MARK --
Aug 23 19:45:03 WMS5316 syslog.info -- MARK --
Aug 23 20:05:03 WMS5316 syslog.info -- MARK --
Aug 23 20:13:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 20:13:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 20:14:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 20:14:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 20:14:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 20:15:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 20:16:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 20:16:00 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 20:17:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 20:17:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 20:17:00 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 20:18:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 20:18:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 23 20:18:01 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 23 20:19:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 23 20:25:03 WMS5316 syslog.info -- MARK --
Aug 23 20:45:03 WMS5316 syslog.info -- MARK --
Aug 23 21:05:03 WMS5316 syslog.info -- MARK --
Aug 23 21:25:03 WMS5316 syslog.info -- MARK --
Aug 23 21:45:03 WMS5316 syslog.info -- MARK --
Aug 23 22:05:03 WMS5316 syslog.info -- MARK --
Aug 23 22:25:03 WMS5316 syslog.info -- MARK --
Aug 23 22:45:03 WMS5316 syslog.info -- MARK --
Aug 23 23:05:03 WMS5316 syslog.info -- MARK --
Aug 23 23:25:03 WMS5316 syslog.info -- MARK --
Aug 23 23:45:03 WMS5316 syslog.info -- MARK --
Aug 24 00:05:03 WMS5316 syslog.info -- MARK --

Aug 24 00:25:03 WMS5316 syslog.info -- MARK --
Aug 24 00:45:03 WMS5316 syslog.info -- MARK --
Aug 24 01:05:03 WMS5316 syslog.info -- MARK --
Aug 24 01:25:03 WMS5316 syslog.info -- MARK --
Aug 24 01:45:03 WMS5316 syslog.info -- MARK --
Aug 24 01:45:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 01:45:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 01:46:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 01:46:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 01:46:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 01:47:15 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 01:47:15 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 01:47:15 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 01:48:15 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 01:48:16 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 01:48:16 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 01:49:16 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 01:49:16 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 01:49:16 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 01:50:16 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 02:05:03 WMS5316 syslog.info -- MARK --
Aug 24 02:25:03 WMS5316 syslog.info -- MARK --
Aug 24 02:45:03 WMS5316 syslog.info -- MARK --
Aug 24 03:05:03 WMS5316 syslog.info -- MARK --
Aug 24 03:25:03 WMS5316 syslog.info -- MARK --
Aug 24 03:45:03 WMS5316 syslog.info -- MARK --
Aug 24 03:50:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 03:50:11 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 03:51:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 03:51:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 03:51:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 24 03:52:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 24 03:52:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 24 03:52:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 24 03:53:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 24 03:53:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 24 03:53:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 24 03:54:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 24 03:54:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 24 03:54:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 24 03:55:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 24 00:00:35 WMS5316 local1.info rfmgr: Invoking RF Manager

Aug 24 00:01:13 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11

Aug 24 00:01:13 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36

Aug 24 00:01:13 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6

Aug 24 00:01:13 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44

Aug 24 00:01:32 WMS5316 local1.info rfmgr: RF Manager Allocation Completed

Aug 24 04:05:03 WMS5316 syslog.info -- MARK --

Aug 24 04:25:03 WMS5316 syslog.info -- MARK --

Aug 24 04:45:03 WMS5316 syslog.info -- MARK --

Aug 24 05:05:03 WMS5316 syslog.info -- MARK --

Aug 24 05:25:03 WMS5316 syslog.info -- MARK --

Aug 24 05:45:03 WMS5316 syslog.info -- MARK --

Aug 24 06:05:03 WMS5316 syslog.info -- MARK --

Aug 24 06:25:03 WMS5316 syslog.info -- MARK --

Aug 24 06:45:03 WMS5316 syslog.info -- MARK --

Aug 24 07:05:03 WMS5316 syslog.info -- MARK --

Aug 24 07:25:03 WMS5316 syslog.info -- MARK --

Aug 24 07:45:03 WMS5316 syslog.info -- MARK --

Aug 24 08:05:03 WMS5316 syslog.info -- MARK --

Aug 24 08:25:03 WMS5316 syslog.info -- MARK --

Aug 24 08:45:03 WMS5316 syslog.info -- MARK --

Aug 24 09:05:03 WMS5316 syslog.info -- MARK --

Aug 24 09:25:03 WMS5316 syslog.info -- MARK --

Aug 24 09:45:03 WMS5316 syslog.info -- MARK --

Aug 24 10:05:03 WMS5316 syslog.info -- MARK --

Aug 24 10:25:03 WMS5316 syslog.info -- MARK --
Aug 24 10:45:03 WMS5316 syslog.info -- MARK --
Aug 24 11:05:03 WMS5316 syslog.info -- MARK --
Aug 24 11:25:03 WMS5316 syslog.info -- MARK --
Aug 24 11:45:03 WMS5316 syslog.info -- MARK --
Aug 24 12:05:03 WMS5316 syslog.info -- MARK --
Aug 24 12:25:04 WMS5316 syslog.info -- MARK --
Aug 24 12:45:04 WMS5316 syslog.info -- MARK --
Aug 24 13:05:04 WMS5316 syslog.info -- MARK --
Aug 24 13:25:04 WMS5316 syslog.info -- MARK --
Aug 24 13:45:04 WMS5316 syslog.info -- MARK --
Aug 24 14:05:04 WMS5316 syslog.info -- MARK --
Aug 24 14:25:04 WMS5316 syslog.info -- MARK --
Aug 24 14:45:04 WMS5316 syslog.info -- MARK --
Aug 24 15:05:04 WMS5316 syslog.info -- MARK --
Aug 24 15:25:04 WMS5316 syslog.info -- MARK --
Aug 24 15:45:04 WMS5316 syslog.info -- MARK --
Aug 24 16:05:04 WMS5316 syslog.info -- MARK --
Aug 24 16:25:04 WMS5316 syslog.info -- MARK --
Aug 24 16:45:04 WMS5316 syslog.info -- MARK --
Aug 24 17:05:04 WMS5316 syslog.info -- MARK --
Aug 24 17:25:04 WMS5316 syslog.info -- MARK --
Aug 24 17:45:04 WMS5316 syslog.info -- MARK --
Aug 24 18:05:04 WMS5316 syslog.info -- MARK --
Aug 24 18:25:04 WMS5316 syslog.info -- MARK --
Aug 24 18:45:04 WMS5316 syslog.info -- MARK --
Aug 24 19:05:04 WMS5316 syslog.info -- MARK --
Aug 24 19:25:04 WMS5316 syslog.info -- MARK --
Aug 24 19:45:04 WMS5316 syslog.info -- MARK --
Aug 24 20:05:04 WMS5316 syslog.info -- MARK --
Aug 24 20:25:04 WMS5316 syslog.info -- MARK --
Aug 24 20:26:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 20:26:45 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 20:27:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 20:27:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 20:27:46 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 20:28:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 20:28:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 20:28:46 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 20:29:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 20:29:47 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed

status from Success<0> to Not Authenticated<-5>
Aug 24 20:29:47 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 20:30:47 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 20:30:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 20:30:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 20:31:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 20:45:04 WMS5316 syslog.info -- MARK --
Aug 24 21:05:04 WMS5316 syslog.info -- MARK --
Aug 24 21:25:04 WMS5316 syslog.info -- MARK --
Aug 24 21:45:04 WMS5316 syslog.info -- MARK --
Aug 24 22:03:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 22:03:33 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 22:04:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 22:04:34 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 22:04:34 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 22:05:04 WMS5316 syslog.info -- MARK --
Aug 24 22:05:34 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 22:05:34 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 22:05:34 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 22:06:34 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 22:06:35 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 22:06:35 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 22:07:35 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 22:07:36 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 22:07:36 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 22:08:36 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 22:25:04 WMS5316 syslog.info -- MARK --
Aug 24 22:45:04 WMS5316 syslog.info -- MARK --
Aug 24 23:05:04 WMS5316 syslog.info -- MARK --
Aug 24 23:25:04 WMS5316 syslog.info -- MARK --

Aug 24 23:45:04 WMS5316 syslog.info -- MARK --
Aug 24 23:52:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 23:52:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 23:53:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 23:53:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 23:53:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 23:54:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 23:54:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 23:54:06 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 23:55:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 23:55:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 23:55:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 23:56:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 24 23:56:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 24 23:56:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 24 23:57:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 00:05:04 WMS5316 syslog.info -- MARK --
Aug 25 00:25:04 WMS5316 syslog.info -- MARK --
Aug 25 00:45:04 WMS5316 syslog.info -- MARK --
Aug 25 01:05:04 WMS5316 syslog.info -- MARK --
Aug 25 01:25:04 WMS5316 syslog.info -- MARK --
Aug 25 01:45:04 WMS5316 syslog.info -- MARK --
Aug 25 02:05:04 WMS5316 syslog.info -- MARK --
Aug 25 02:25:04 WMS5316 syslog.info -- MARK --
Aug 25 02:45:04 WMS5316 syslog.info -- MARK --
Aug 25 03:05:04 WMS5316 syslog.info -- MARK --
Aug 25 03:25:04 WMS5316 syslog.info -- MARK --
Aug 25 03:45:04 WMS5316 syslog.info -- MARK --
Aug 25 00:00:32 WMS5316 local1.info rfmgr: Invoking RF Manager
Aug 25 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11
Aug 25 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 25 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6

Aug 25 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 25 00:01:38 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 25 04:05:04 WMS5316 syslog.info -- MARK --
Aug 25 04:25:04 WMS5316 syslog.info -- MARK --
Aug 25 04:45:04 WMS5316 syslog.info -- MARK --
Aug 25 05:05:04 WMS5316 syslog.info -- MARK --
Aug 25 05:25:04 WMS5316 syslog.info -- MARK --
Aug 25 05:45:04 WMS5316 syslog.info -- MARK --
Aug 25 06:05:04 WMS5316 syslog.info -- MARK --
Aug 25 06:25:04 WMS5316 syslog.info -- MARK --
Aug 25 06:45:04 WMS5316 syslog.info -- MARK --
Aug 25 07:05:04 WMS5316 syslog.info -- MARK --
Aug 25 07:25:04 WMS5316 syslog.info -- MARK --
Aug 25 07:45:04 WMS5316 syslog.info -- MARK --
Aug 25 08:03:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 25 08:03:46 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 25 08:04:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 25 08:04:47 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 25 08:04:47 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 25 08:05:04 WMS5316 syslog.info -- MARK --
Aug 25 08:05:47 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 25 08:05:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 25 08:05:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 25 08:06:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 25 08:06:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 25 08:06:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 25 08:07:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 25 08:07:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 25 08:07:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 25 08:08:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 25 08:25:04 WMS5316 syslog.info -- MARK --
Aug 25 08:39:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 25 08:39:38 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 25 08:40:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 08:40:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 08:40:38 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 08:41:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 08:41:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 08:41:39 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 08:42:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 08:42:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 08:42:39 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 08:43:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 08:43:40 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 08:43:40 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 08:44:40 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 08:45:04 WMS5316 syslog.info -- MARK --

Aug 25 09:05:04 WMS5316 syslog.info -- MARK --

Aug 25 09:25:04 WMS5316 syslog.info -- MARK --

Aug 25 09:45:04 WMS5316 syslog.info -- MARK --

Aug 25 10:05:04 WMS5316 syslog.info -- MARK --

Aug 25 10:24:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 10:24:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 10:25:04 WMS5316 syslog.info -- MARK --

Aug 25 10:25:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 10:25:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 10:25:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 10:26:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 10:26:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 10:26:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 25 10:27:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed

status from Not Authenticated<-5> to Success<0>
Aug 25 10:27:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 10:27:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 10:28:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 10:28:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 10:28:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 10:29:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 10:45:04 WMS5316 syslog.info -- MARK --
Aug 25 11:05:04 WMS5316 syslog.info -- MARK --
Aug 25 11:25:04 WMS5316 syslog.info -- MARK --
Aug 25 11:45:04 WMS5316 syslog.info -- MARK --
Aug 25 12:05:04 WMS5316 syslog.info -- MARK --
Aug 25 12:25:04 WMS5316 syslog.info -- MARK --
Aug 25 12:45:04 WMS5316 syslog.info -- MARK --
Aug 25 13:05:04 WMS5316 syslog.info -- MARK --
Aug 25 13:25:04 WMS5316 syslog.info -- MARK --
Aug 25 13:45:04 WMS5316 syslog.info -- MARK --
Aug 25 14:05:04 WMS5316 syslog.info -- MARK --
Aug 25 14:05:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 14:05:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 14:06:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 14:06:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 14:06:45 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 14:07:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 14:07:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 14:07:45 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 14:08:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 14:08:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 14:08:46 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 14:09:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 14:09:47 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 25 14:09:47 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 14:10:47 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 14:25:04 WMS5316 syslog.info -- MARK --
Aug 25 14:45:04 WMS5316 syslog.info -- MARK --
Aug 25 15:05:04 WMS5316 syslog.info -- MARK --
Aug 25 15:25:04 WMS5316 syslog.info -- MARK --
Aug 25 15:45:04 WMS5316 syslog.info -- MARK --
Aug 25 16:05:04 WMS5316 syslog.info -- MARK --
Aug 25 16:25:04 WMS5316 syslog.info -- MARK --
Aug 25 16:45:04 WMS5316 syslog.info -- MARK --
Aug 25 17:05:04 WMS5316 syslog.info -- MARK --
Aug 25 17:25:04 WMS5316 syslog.info -- MARK --
Aug 25 17:45:04 WMS5316 syslog.info -- MARK --
Aug 25 18:05:04 WMS5316 syslog.info -- MARK --
Aug 25 18:25:04 WMS5316 syslog.info -- MARK --
Aug 25 18:45:04 WMS5316 syslog.info -- MARK --
Aug 25 19:05:04 WMS5316 syslog.info -- MARK --
Aug 25 19:25:04 WMS5316 syslog.info -- MARK --
Aug 25 19:45:04 WMS5316 syslog.info -- MARK --
Aug 25 20:05:04 WMS5316 syslog.info -- MARK --
Aug 25 20:23:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 20:23:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 20:24:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 20:24:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 20:24:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 20:25:04 WMS5316 syslog.info -- MARK --
Aug 25 20:25:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 20:25:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 20:25:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 20:26:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 20:26:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 20:26:45 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 25 20:27:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 25 20:27:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 25 20:27:46 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 25 20:28:46 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 25 20:45:04 WMS5316 syslog.info -- MARK --

Aug 25 21:05:04 WMS5316 syslog.info -- MARK --

Aug 25 21:25:04 WMS5316 syslog.info -- MARK --

Aug 25 21:45:05 WMS5316 syslog.info -- MARK --

Aug 25 22:05:05 WMS5316 syslog.info -- MARK --

Aug 25 22:25:05 WMS5316 syslog.info -- MARK --

Aug 25 22:45:05 WMS5316 syslog.info -- MARK --

Aug 25 23:05:05 WMS5316 syslog.info -- MARK --

Aug 25 23:25:05 WMS5316 syslog.info -- MARK --

Aug 25 23:45:05 WMS5316 syslog.info -- MARK --

Aug 26 00:05:05 WMS5316 syslog.info -- MARK --

Aug 26 00:25:05 WMS5316 syslog.info -- MARK --

Aug 26 00:45:05 WMS5316 syslog.info -- MARK --

Aug 26 01:05:05 WMS5316 syslog.info -- MARK --

Aug 26 01:25:05 WMS5316 syslog.info -- MARK --

Aug 26 01:45:05 WMS5316 syslog.info -- MARK --

Aug 26 02:05:05 WMS5316 syslog.info -- MARK --

Aug 26 02:25:05 WMS5316 syslog.info -- MARK --

Aug 26 02:42:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 02:42:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 02:43:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 02:43:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 02:43:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 02:44:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 02:44:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 02:44:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 02:45:05 WMS5316 syslog.info -- MARK --

Aug 26 02:45:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 02:45:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 02:45:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 02:46:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 02:46:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 02:46:51 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 02:47:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 03:05:05 WMS5316 syslog.info -- MARK --
Aug 26 03:25:05 WMS5316 syslog.info -- MARK --
Aug 26 03:45:05 WMS5316 syslog.info -- MARK --
Aug 26 00:00:38 WMS5316 local1.info rfmgr: Invoking RF Manager
Aug 26 00:01:11 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11
Aug 26 00:01:11 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 26 00:01:11 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Aug 26 00:01:11 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 26 00:01:32 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 26 04:05:05 WMS5316 syslog.info -- MARK --
Aug 26 04:25:05 WMS5316 syslog.info -- MARK --
Aug 26 04:45:05 WMS5316 syslog.info -- MARK --
Aug 26 05:05:05 WMS5316 syslog.info -- MARK --
Aug 26 05:25:05 WMS5316 syslog.info -- MARK --
Aug 26 05:45:05 WMS5316 syslog.info -- MARK --
Aug 26 06:05:05 WMS5316 syslog.info -- MARK --
Aug 26 06:25:05 WMS5316 syslog.info -- MARK --
Aug 26 06:39:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 06:39:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 06:40:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 06:40:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 06:40:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 06:41:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 06:41:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 06:41:04 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 06:42:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 06:42:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 06:42:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 06:43:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 06:43:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 06:43:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 26 06:44:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 06:45:05 WMS5316 syslog.info -- MARK --

Aug 26 07:05:05 WMS5316 syslog.info -- MARK --

Aug 26 07:25:05 WMS5316 syslog.info -- MARK --

Aug 26 07:45:05 WMS5316 syslog.info -- MARK --

Aug 26 08:05:05 WMS5316 syslog.info -- MARK --

Aug 26 08:25:05 WMS5316 syslog.info -- MARK --

Aug 26 08:45:05 WMS5316 syslog.info -- MARK --

Aug 26 09:05:05 WMS5316 syslog.info -- MARK --

Aug 26 09:25:05 WMS5316 syslog.info -- MARK --

Aug 26 09:34:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 09:34:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 09:35:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 09:35:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 09:35:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 09:36:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 09:36:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 09:36:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 09:37:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 09:37:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 09:37:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 09:38:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 09:45:05 WMS5316 syslog.info -- MARK --

Aug 26 10:01:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 10:01:28 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 10:02:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 10:02:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 10:02:28 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 10:03:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 10:03:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed

status from Success<0> to Not Authenticated<-5>
Aug 26 10:03:29 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 10:04:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 10:04:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 10:04:29 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 10:05:05 WMS5316 syslog.info -- MARK --
Aug 26 10:05:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 10:05:30 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 10:05:30 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 10:06:30 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 10:25:05 WMS5316 syslog.info -- MARK --
Aug 26 10:45:05 WMS5316 syslog.info -- MARK --
Aug 26 11:05:05 WMS5316 syslog.info -- MARK --
Aug 26 11:25:05 WMS5316 syslog.info -- MARK --
Aug 26 11:45:05 WMS5316 syslog.info -- MARK --
Aug 26 12:05:05 WMS5316 syslog.info -- MARK --
Aug 26 12:25:05 WMS5316 syslog.info -- MARK --
Aug 26 12:45:05 WMS5316 syslog.info -- MARK --
Aug 26 13:05:05 WMS5316 syslog.info -- MARK --
Aug 26 13:25:05 WMS5316 syslog.info -- MARK --
Aug 26 13:45:05 WMS5316 syslog.info -- MARK --
Aug 26 13:47:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 13:47:00 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 13:48:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 13:48:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 13:48:01 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 13:49:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 13:49:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 13:49:01 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 26 13:50:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 26 13:50:02 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 26 13:50:02 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 26 13:51:02 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 13:51:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 13:51:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 13:52:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 14:05:05 WMS5316 syslog.info -- MARK --

Aug 26 14:25:05 WMS5316 syslog.info -- MARK --

Aug 26 14:45:05 WMS5316 syslog.info -- MARK --

Aug 26 15:05:05 WMS5316 syslog.info -- MARK --

Aug 26 15:25:05 WMS5316 syslog.info -- MARK --

Aug 26 15:45:05 WMS5316 syslog.info -- MARK --

Aug 26 15:46:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 15:46:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 15:47:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 15:47:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 15:47:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 15:48:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 15:48:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 15:48:04 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 15:49:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 15:49:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 26 15:49:04 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 26 15:50:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 26 16:05:05 WMS5316 syslog.info -- MARK --

Aug 26 16:25:05 WMS5316 syslog.info -- MARK --

Aug 26 16:45:05 WMS5316 syslog.info -- MARK --

Aug 26 17:05:05 WMS5316 syslog.info -- MARK --

Aug 26 17:25:05 WMS5316 syslog.info -- MARK --

Aug 26 17:45:05 WMS5316 syslog.info -- MARK --

Aug 26 18:05:05 WMS5316 syslog.info -- MARK --

Aug 26 18:25:05 WMS5316 syslog.info -- MARK --

Aug 26 18:45:05 WMS5316 syslog.info -- MARK --

Aug 26 19:05:05 WMS5316 syslog.info -- MARK --

Aug 26 19:25:05 WMS5316 syslog.info -- MARK --

Aug 26 19:45:05 WMS5316 syslog.info -- MARK --
Aug 26 20:05:05 WMS5316 syslog.info -- MARK --
Aug 26 20:25:05 WMS5316 syslog.info -- MARK --
Aug 26 20:45:05 WMS5316 syslog.info -- MARK --
Aug 26 21:05:05 WMS5316 syslog.info -- MARK --
Aug 26 21:25:05 WMS5316 syslog.info -- MARK --
Aug 26 21:45:05 WMS5316 syslog.info -- MARK --
Aug 26 22:05:05 WMS5316 syslog.info -- MARK --
Aug 26 22:25:05 WMS5316 syslog.info -- MARK --
Aug 26 22:45:05 WMS5316 syslog.info -- MARK --
Aug 26 23:05:05 WMS5316 syslog.info -- MARK --
Aug 26 23:25:05 WMS5316 syslog.info -- MARK --
Aug 26 23:45:05 WMS5316 syslog.info -- MARK --
Aug 27 00:05:05 WMS5316 syslog.info -- MARK --
Aug 27 00:25:05 WMS5316 syslog.info -- MARK --
Aug 27 00:45:05 WMS5316 syslog.info -- MARK --
Aug 27 01:05:05 WMS5316 syslog.info -- MARK --
Aug 27 01:25:05 WMS5316 syslog.info -- MARK --
Aug 27 01:45:05 WMS5316 syslog.info -- MARK --
Aug 27 02:05:05 WMS5316 syslog.info -- MARK --
Aug 27 02:25:05 WMS5316 syslog.info -- MARK --
Aug 27 02:45:05 WMS5316 syslog.info -- MARK --
Aug 27 03:05:05 WMS5316 syslog.info -- MARK --
Aug 27 03:25:05 WMS5316 syslog.info -- MARK --
Aug 27 03:45:05 WMS5316 syslog.info -- MARK --
Aug 27 00:00:32 WMS5316 local1.info rfmgr: Invoking RF Manager
Aug 27 00:01:06 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned
Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11
Aug 27 00:01:06 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned
Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 27 00:01:06 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Aug 27 00:01:06 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 27 00:01:27 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 27 04:05:05 WMS5316 syslog.info -- MARK --
Aug 27 04:25:05 WMS5316 syslog.info -- MARK --
Aug 27 04:45:05 WMS5316 syslog.info -- MARK --
Aug 27 05:05:05 WMS5316 syslog.info -- MARK --
Aug 27 05:25:05 WMS5316 syslog.info -- MARK --
Aug 27 05:45:05 WMS5316 syslog.info -- MARK --
Aug 27 06:05:05 WMS5316 syslog.info -- MARK --
Aug 27 06:25:05 WMS5316 syslog.info -- MARK --
Aug 27 06:45:05 WMS5316 syslog.info -- MARK --
Aug 27 07:05:06 WMS5316 syslog.info -- MARK --
Aug 27 07:25:06 WMS5316 syslog.info -- MARK --
Aug 27 07:45:06 WMS5316 syslog.info -- MARK --
Aug 27 08:05:06 WMS5316 syslog.info -- MARK --
Aug 27 08:25:06 WMS5316 syslog.info -- MARK --
Aug 27 08:45:06 WMS5316 syslog.info -- MARK --

Aug 27 09:05:06 WMS5316 syslog.info -- MARK --
Aug 27 09:25:06 WMS5316 syslog.info -- MARK --
Aug 27 09:45:06 WMS5316 syslog.info -- MARK --
Aug 27 10:05:06 WMS5316 syslog.info -- MARK --
Aug 27 10:25:06 WMS5316 syslog.info -- MARK --
Aug 27 10:45:06 WMS5316 syslog.info -- MARK --
Aug 27 10:58:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 10:58:57 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 10:59:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 10:59:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 10:59:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 11:00:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 11:00:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 11:00:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 11:01:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 11:01:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 11:01:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 11:02:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 11:02:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 11:02:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 11:03:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 11:05:06 WMS5316 syslog.info -- MARK --
Aug 27 11:25:06 WMS5316 syslog.info -- MARK --
Aug 27 11:45:06 WMS5316 syslog.info -- MARK --
Aug 27 12:05:06 WMS5316 syslog.info -- MARK --
Aug 27 12:25:06 WMS5316 syslog.info -- MARK --
Aug 27 12:45:06 WMS5316 syslog.info -- MARK --
Aug 27 13:05:06 WMS5316 syslog.info -- MARK --
Aug 27 13:25:06 WMS5316 syslog.info -- MARK --
Aug 27 13:45:06 WMS5316 syslog.info -- MARK --
Aug 27 14:05:06 WMS5316 syslog.info -- MARK --
Aug 27 14:25:06 WMS5316 syslog.info -- MARK --
Aug 27 14:45:06 WMS5316 syslog.info -- MARK --
Aug 27 15:05:06 WMS5316 syslog.info -- MARK --
Aug 27 15:25:06 WMS5316 syslog.info -- MARK --

Aug 27 15:45:06 WMS5316 syslog.info -- MARK --
Aug 27 16:05:06 WMS5316 syslog.info -- MARK --
Aug 27 16:25:06 WMS5316 syslog.info -- MARK --
Aug 27 16:45:06 WMS5316 syslog.info -- MARK --
Aug 27 17:05:06 WMS5316 syslog.info -- MARK --
Aug 27 17:25:06 WMS5316 syslog.info -- MARK --
Aug 27 17:45:06 WMS5316 syslog.info -- MARK --
Aug 27 18:05:06 WMS5316 syslog.info -- MARK --
Aug 27 18:25:06 WMS5316 syslog.info -- MARK --
Aug 27 18:45:06 WMS5316 syslog.info -- MARK --
Aug 27 19:05:06 WMS5316 syslog.info -- MARK --
Aug 27 19:25:06 WMS5316 syslog.info -- MARK --
Aug 27 19:45:06 WMS5316 syslog.info -- MARK --
Aug 27 20:05:06 WMS5316 syslog.info -- MARK --
Aug 27 20:25:06 WMS5316 syslog.info -- MARK --
Aug 27 20:26:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:26:06 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:27:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:27:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:27:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:28:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:28:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:28:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:29:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:29:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:29:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:30:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:30:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:30:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:31:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:45:06 WMS5316 syslog.info -- MARK --
Aug 27 20:47:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:47:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 27 20:48:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:48:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:48:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:49:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:49:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:49:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:50:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:50:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:50:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:51:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 20:51:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 27 20:51:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 27 20:52:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 27 21:05:06 WMS5316 syslog.info -- MARK --
Aug 27 21:25:06 WMS5316 syslog.info -- MARK --
Aug 27 21:45:06 WMS5316 syslog.info -- MARK --
Aug 27 22:05:06 WMS5316 syslog.info -- MARK --
Aug 27 22:25:06 WMS5316 syslog.info -- MARK --
Aug 27 22:45:06 WMS5316 syslog.info -- MARK --
Aug 27 23:05:06 WMS5316 syslog.info -- MARK --
Aug 27 23:25:06 WMS5316 syslog.info -- MARK --
Aug 27 23:45:06 WMS5316 syslog.info -- MARK --
Aug 28 00:05:06 WMS5316 syslog.info -- MARK --
Aug 28 00:25:06 WMS5316 syslog.info -- MARK --
Aug 28 00:45:06 WMS5316 syslog.info -- MARK --
Aug 28 01:05:06 WMS5316 syslog.info -- MARK --
Aug 28 01:25:06 WMS5316 syslog.info -- MARK --
Aug 28 01:37:53 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 01:37:53 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 01:38:53 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 01:38:54 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 01:38:54 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 28 01:39:54 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 01:39:54 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 01:39:54 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 01:40:54 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 01:40:55 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 01:40:55 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 01:41:55 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 01:41:55 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 01:41:55 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 01:42:55 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 01:45:06 WMS5316 syslog.info -- MARK --
Aug 28 02:05:06 WMS5316 syslog.info -- MARK --
Aug 28 02:25:06 WMS5316 syslog.info -- MARK --
Aug 28 02:31:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 02:31:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 02:32:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 02:32:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 02:32:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 02:33:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 02:33:10 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 02:33:10 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 02:34:10 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 02:34:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 02:34:11 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 02:35:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 02:35:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 02:35:11 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 28 02:36:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 02:45:06 WMS5316 syslog.info -- MARK --
Aug 28 03:05:06 WMS5316 syslog.info -- MARK --
Aug 28 03:25:06 WMS5316 syslog.info -- MARK --
Aug 28 03:45:06 WMS5316 syslog.info -- MARK --
Aug 28 03:50:28 WMS5316 user.warn : Warning: URL 192.168.0.145/index.php?page=master&menu1=Monitoring&menu2=System&menu3=System&menu4= took 98 secs
Aug 28 03:52:07 WMS5316 user.warn : Warning: URL 192.168.0.145/logout.php?logout=logout&emptySession took 99 secs
Aug 28 03:54:30 WMS5316 user.warn : Warning: URL 192.168.0.145 took 98 secs
Aug 28 00:00:27 WMS5316 local1.info rfmgr: Invoking RF Manager
Aug 28 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11
Aug 28 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 28 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Aug 28 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 28 00:01:20 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 28 04:05:06 WMS5316 syslog.info -- MARK --
Aug 28 04:25:06 WMS5316 syslog.info -- MARK --
Aug 28 04:45:06 WMS5316 syslog.info -- MARK --
Aug 28 05:05:06 WMS5316 syslog.info -- MARK --
Aug 28 05:25:06 WMS5316 syslog.info -- MARK --
Aug 28 05:45:06 WMS5316 syslog.info -- MARK --
Aug 28 06:05:06 WMS5316 syslog.info -- MARK --
Aug 28 06:25:06 WMS5316 syslog.info -- MARK --
Aug 28 06:45:06 WMS5316 syslog.info -- MARK --
Aug 28 07:05:06 WMS5316 syslog.info -- MARK --
Aug 28 07:24:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 07:24:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 07:25:06 WMS5316 syslog.info -- MARK --
Aug 28 07:25:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 07:25:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 07:25:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 07:26:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 07:26:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 07:26:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 28 07:27:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 07:27:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 07:27:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 07:28:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 07:28:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 07:28:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 07:29:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 07:45:06 WMS5316 syslog.info -- MARK --
Aug 28 08:05:06 WMS5316 syslog.info -- MARK --
Aug 28 08:25:06 WMS5316 syslog.info -- MARK --
Aug 28 08:45:06 WMS5316 syslog.info -- MARK --
Aug 28 09:05:06 WMS5316 syslog.info -- MARK --
Aug 28 09:25:06 WMS5316 syslog.info -- MARK --
Aug 28 09:45:06 WMS5316 syslog.info -- MARK --
Aug 28 10:05:06 WMS5316 syslog.info -- MARK --
Aug 28 10:25:06 WMS5316 syslog.info -- MARK --
Aug 28 10:45:06 WMS5316 syslog.info -- MARK --
Aug 28 11:05:06 WMS5316 syslog.info -- MARK --
Aug 28 11:25:06 WMS5316 syslog.info -- MARK --
Aug 28 11:45:06 WMS5316 syslog.info -- MARK --
Aug 28 12:05:06 WMS5316 syslog.info -- MARK --
Aug 28 12:25:06 WMS5316 syslog.info -- MARK --
Aug 28 12:27:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 12:27:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 12:28:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 12:28:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 12:28:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 12:29:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 12:29:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 12:29:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 12:30:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 12:30:15 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 12:30:15 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 28 12:31:15 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 28 12:31:16 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 28 12:31:16 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 28 12:32:16 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 28 12:45:06 WMS5316 syslog.info -- MARK --

Aug 28 13:05:06 WMS5316 syslog.info -- MARK --

Aug 28 13:25:06 WMS5316 syslog.info -- MARK --

Aug 28 13:45:06 WMS5316 syslog.info -- MARK --

Aug 28 14:05:06 WMS5316 syslog.info -- MARK --

Aug 28 14:25:06 WMS5316 syslog.info -- MARK --

Aug 28 14:45:06 WMS5316 syslog.info -- MARK --

Aug 28 15:05:06 WMS5316 syslog.info -- MARK --

Aug 28 15:25:06 WMS5316 syslog.info -- MARK --

Aug 28 15:45:06 WMS5316 syslog.info -- MARK --

Aug 28 16:05:06 WMS5316 syslog.info -- MARK --

Aug 28 16:25:07 WMS5316 syslog.info -- MARK --

Aug 28 16:45:07 WMS5316 syslog.info -- MARK --

Aug 28 17:05:07 WMS5316 syslog.info -- MARK --

Aug 28 17:25:07 WMS5316 syslog.info -- MARK --

Aug 28 17:45:07 WMS5316 syslog.info -- MARK --

Aug 28 18:05:07 WMS5316 syslog.info -- MARK --

Aug 28 18:25:07 WMS5316 syslog.info -- MARK --

Aug 28 18:45:07 WMS5316 syslog.info -- MARK --

Aug 28 19:05:07 WMS5316 syslog.info -- MARK --

Aug 28 19:25:07 WMS5316 syslog.info -- MARK --

Aug 28 19:45:07 WMS5316 syslog.info -- MARK --

Aug 28 20:05:07 WMS5316 syslog.info -- MARK --

Aug 28 20:06:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 28 20:06:37 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 28 20:07:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 28 20:07:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 28 20:07:37 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 28 20:08:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 28 20:08:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 28 20:08:38 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 28 20:09:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 28 20:09:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 20:09:38 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 20:10:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 20:10:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 28 20:10:39 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 28 20:11:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 28 20:25:07 WMS5316 syslog.info -- MARK --
Aug 28 20:45:07 WMS5316 syslog.info -- MARK --
Aug 28 21:05:07 WMS5316 syslog.info -- MARK --
Aug 28 21:25:07 WMS5316 syslog.info -- MARK --
Aug 28 21:45:07 WMS5316 syslog.info -- MARK --
Aug 28 22:05:07 WMS5316 syslog.info -- MARK --
Aug 28 22:25:07 WMS5316 syslog.info -- MARK --
Aug 28 22:45:07 WMS5316 syslog.info -- MARK --
Aug 28 23:05:07 WMS5316 syslog.info -- MARK --
Aug 28 23:25:07 WMS5316 syslog.info -- MARK --
Aug 28 23:45:07 WMS5316 syslog.info -- MARK --
Aug 29 00:05:07 WMS5316 syslog.info -- MARK --
Aug 29 00:25:07 WMS5316 syslog.info -- MARK --
Aug 29 00:45:07 WMS5316 syslog.info -- MARK --
Aug 29 01:05:07 WMS5316 syslog.info -- MARK --
Aug 29 01:25:07 WMS5316 syslog.info -- MARK --
Aug 29 01:43:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 01:43:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 01:44:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 01:44:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 01:44:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 01:45:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 01:45:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 01:45:04 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 01:45:07 WMS5316 syslog.info -- MARK --
Aug 29 01:46:04 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 01:46:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 01:46:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 29 01:47:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 01:47:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 01:47:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 01:48:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 01:48:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 01:48:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 01:49:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 01:49:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 01:49:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 01:50:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 01:50:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 01:50:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 01:51:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 01:51:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 01:51:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 01:52:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 01:52:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 01:52:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 01:53:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 02:05:07 WMS5316 syslog.info -- MARK --

Aug 29 02:25:07 WMS5316 syslog.info -- MARK --

Aug 29 02:45:07 WMS5316 syslog.info -- MARK --

Aug 29 03:05:07 WMS5316 syslog.info -- MARK --

Aug 29 03:25:07 WMS5316 syslog.info -- MARK --

Aug 29 03:45:07 WMS5316 syslog.info -- MARK --

Aug 29 00:00:20 WMS5316 local1.info rfmgr: Invoking RF Manager

Aug 29 00:01:03 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11

Aug 29 00:01:03 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36

Aug 29 00:01:03 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Aug 29 00:01:03 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 29 00:01:27 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 29 04:05:07 WMS5316 syslog.info -- MARK --
Aug 29 04:17:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 29 04:17:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 29 04:18:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 29 04:18:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 29 04:18:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 29 04:19:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 29 04:19:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 29 04:19:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 29 04:20:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 29 04:20:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 29 04:20:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 29 04:21:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 29 04:21:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 29 04:21:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 29 04:22:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 29 04:25:07 WMS5316 syslog.info -- MARK --
Aug 29 04:45:07 WMS5316 syslog.info -- MARK --
Aug 29 05:05:07 WMS5316 syslog.info -- MARK --
Aug 29 05:25:07 WMS5316 syslog.info -- MARK --
Aug 29 05:45:07 WMS5316 syslog.info -- MARK --
Aug 29 06:05:07 WMS5316 syslog.info -- MARK --
Aug 29 06:25:07 WMS5316 syslog.info -- MARK --
Aug 29 06:45:07 WMS5316 syslog.info -- MARK --
Aug 29 07:05:07 WMS5316 syslog.info -- MARK --
Aug 29 07:16:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed
status from Success<0> to Not Authenticated<-5>
Aug 29 07:16:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 29 07:17:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed

status from Not Authenticated<-5> to Success<0>
Aug 29 07:17:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 07:17:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 07:18:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 07:18:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 07:18:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 07:19:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 07:19:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 07:19:09 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 07:20:09 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 07:20:10 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 07:20:10 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 07:21:10 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 07:25:07 WMS5316 syslog.info -- MARK --
Aug 29 07:45:07 WMS5316 syslog.info -- MARK --
Aug 29 08:05:07 WMS5316 syslog.info -- MARK --
Aug 29 08:25:07 WMS5316 syslog.info -- MARK --
Aug 29 08:45:07 WMS5316 syslog.info -- MARK --
Aug 29 09:05:07 WMS5316 syslog.info -- MARK --
Aug 29 09:25:07 WMS5316 syslog.info -- MARK --
Aug 29 09:45:07 WMS5316 syslog.info -- MARK --
Aug 29 10:05:07 WMS5316 syslog.info -- MARK --
Aug 29 10:25:07 WMS5316 syslog.info -- MARK --
Aug 29 10:45:07 WMS5316 syslog.info -- MARK --
Aug 29 11:05:07 WMS5316 syslog.info -- MARK --
Aug 29 11:25:07 WMS5316 syslog.info -- MARK --
Aug 29 11:45:07 WMS5316 syslog.info -- MARK --
Aug 29 12:05:07 WMS5316 syslog.info -- MARK --
Aug 29 12:25:07 WMS5316 syslog.info -- MARK --
Aug 29 12:45:07 WMS5316 syslog.info -- MARK --
Aug 29 13:05:07 WMS5316 syslog.info -- MARK --
Aug 29 13:25:07 WMS5316 syslog.info -- MARK --
Aug 29 13:45:07 WMS5316 syslog.info -- MARK --
Aug 29 14:05:07 WMS5316 syslog.info -- MARK --
Aug 29 14:25:07 WMS5316 syslog.info -- MARK --
Aug 29 14:45:07 WMS5316 syslog.info -- MARK --
Aug 29 15:05:07 WMS5316 syslog.info -- MARK --
Aug 29 15:25:07 WMS5316 syslog.info -- MARK --

Aug 29 15:45:07 WMS5316 syslog.info -- MARK --
Aug 29 16:05:07 WMS5316 syslog.info -- MARK --
Aug 29 16:25:07 WMS5316 syslog.info -- MARK --
Aug 29 16:45:07 WMS5316 syslog.info -- MARK --
Aug 29 17:05:07 WMS5316 syslog.info -- MARK --
Aug 29 17:25:07 WMS5316 syslog.info -- MARK --
Aug 29 17:45:07 WMS5316 syslog.info -- MARK --
Aug 29 18:05:07 WMS5316 syslog.info -- MARK --
Aug 29 18:25:07 WMS5316 syslog.info -- MARK --
Aug 29 18:42:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 18:42:57 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 18:43:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 18:43:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 18:43:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 18:44:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 18:44:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 18:44:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 18:45:07 WMS5316 syslog.info -- MARK --
Aug 29 18:45:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 18:45:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 18:45:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 18:46:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 18:47:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 18:47:00 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 29 18:48:00 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 29 19:05:07 WMS5316 syslog.info -- MARK --
Aug 29 19:25:07 WMS5316 syslog.info -- MARK --
Aug 29 19:45:07 WMS5316 syslog.info -- MARK --
Aug 29 20:05:07 WMS5316 syslog.info -- MARK --
Aug 29 20:25:07 WMS5316 syslog.info -- MARK --
Aug 29 20:45:07 WMS5316 syslog.info -- MARK --
Aug 29 21:05:07 WMS5316 syslog.info -- MARK --
Aug 29 21:21:40 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 29 21:21:40 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Aug 29 21:22:40 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 21:22:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 21:22:41 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 21:23:41 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 21:23:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 21:23:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 21:24:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 21:24:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 21:24:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 21:25:07 WMS5316 syslog.info -- MARK --

Aug 29 21:25:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 21:25:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Aug 29 21:25:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Aug 29 21:26:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Aug 29 21:45:07 WMS5316 syslog.info -- MARK --

Aug 29 22:05:07 WMS5316 syslog.info -- MARK --

Aug 29 22:25:07 WMS5316 syslog.info -- MARK --

Aug 29 22:45:07 WMS5316 syslog.info -- MARK --

Aug 29 23:05:07 WMS5316 syslog.info -- MARK --

Aug 29 23:25:07 WMS5316 syslog.info -- MARK --

Aug 29 23:45:07 WMS5316 syslog.info -- MARK --

Aug 30 00:05:07 WMS5316 syslog.info -- MARK --

Aug 30 00:25:07 WMS5316 syslog.info -- MARK --

Aug 30 00:45:07 WMS5316 syslog.info -- MARK --

Aug 30 01:05:07 WMS5316 syslog.info -- MARK --

Aug 30 01:25:07 WMS5316 syslog.info -- MARK --

Aug 30 01:45:08 WMS5316 syslog.info -- MARK --

Aug 30 02:05:08 WMS5316 syslog.info -- MARK --

Aug 30 02:25:08 WMS5316 syslog.info -- MARK --

Aug 30 02:45:08 WMS5316 syslog.info -- MARK --

Aug 30 03:05:08 WMS5316 syslog.info -- MARK --

Aug 30 03:25:08 WMS5316 syslog.info -- MARK --

Aug 30 03:45:08 WMS5316 syslog.info -- MARK --

Aug 30 00:00:27 WMS5316 local1.info rfmgr: Invoking RF Manager

Aug 30 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11

Aug 30 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned
Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 30 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Aug 30 00:01:00 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 30 00:01:21 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 30 04:05:08 WMS5316 syslog.info -- MARK --
Aug 30 04:25:08 WMS5316 syslog.info -- MARK --
Aug 30 04:45:08 WMS5316 syslog.info -- MARK --
Aug 30 05:05:08 WMS5316 syslog.info -- MARK --
Aug 30 05:25:08 WMS5316 syslog.info -- MARK --
Aug 30 05:45:08 WMS5316 syslog.info -- MARK --
Aug 30 06:05:08 WMS5316 syslog.info -- MARK --
Aug 30 06:25:08 WMS5316 syslog.info -- MARK --
Aug 30 06:45:08 WMS5316 syslog.info -- MARK --
Aug 30 07:05:08 WMS5316 syslog.info -- MARK --
Aug 30 07:25:08 WMS5316 syslog.info -- MARK --
Aug 30 07:45:08 WMS5316 syslog.info -- MARK --
Aug 30 08:05:08 WMS5316 syslog.info -- MARK --
Aug 30 08:25:08 WMS5316 syslog.info -- MARK --
Aug 30 08:45:08 WMS5316 syslog.info -- MARK --
Aug 30 09:05:08 WMS5316 syslog.info -- MARK --
Aug 30 09:25:08 WMS5316 syslog.info -- MARK --
Aug 30 09:45:08 WMS5316 syslog.info -- MARK --
Aug 30 10:05:08 WMS5316 syslog.info -- MARK --
Aug 30 10:25:08 WMS5316 syslog.info -- MARK --
Aug 30 10:45:08 WMS5316 syslog.info -- MARK --
Aug 30 11:05:08 WMS5316 syslog.info -- MARK --
Aug 30 11:25:08 WMS5316 syslog.info -- MARK --
Aug 30 11:39:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 30 11:39:37 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 30 11:40:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 30 11:40:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 30 11:40:37 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 30 11:41:37 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 30 11:41:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Aug 30 11:41:38 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 30 11:42:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Aug 30 11:42:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>

Aug 30 11:42:38 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 11:43:38 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 11:43:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 11:43:39 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 11:44:39 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 11:45:08 WMS5316 syslog.info -- MARK --
Aug 30 12:05:08 WMS5316 syslog.info -- MARK --
Aug 30 12:25:08 WMS5316 syslog.info -- MARK --
Aug 30 12:45:08 WMS5316 syslog.info -- MARK --
Aug 30 13:05:08 WMS5316 syslog.info -- MARK --
Aug 30 13:25:08 WMS5316 syslog.info -- MARK --
Aug 30 13:45:08 WMS5316 syslog.info -- MARK --
Aug 30 14:05:08 WMS5316 syslog.info -- MARK --
Aug 30 14:25:08 WMS5316 syslog.info -- MARK --
Aug 30 14:45:08 WMS5316 syslog.info -- MARK --
Aug 30 15:05:08 WMS5316 syslog.info -- MARK --
Aug 30 15:25:08 WMS5316 syslog.info -- MARK --
Aug 30 15:45:08 WMS5316 syslog.info -- MARK --
Aug 30 16:05:08 WMS5316 syslog.info -- MARK --
Aug 30 16:25:08 WMS5316 syslog.info -- MARK --
Aug 30 16:41:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 16:41:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 16:42:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 16:42:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 16:42:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 16:43:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 16:43:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 16:43:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 16:44:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 16:44:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 16:44:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 16:45:08 WMS5316 syslog.info -- MARK --
Aug 30 16:45:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Aug 30 17:05:08 WMS5316 syslog.info -- MARK --
Aug 30 17:25:08 WMS5316 syslog.info -- MARK --
Aug 30 17:45:08 WMS5316 syslog.info -- MARK --
Aug 30 18:05:08 WMS5316 syslog.info -- MARK --
Aug 30 18:25:08 WMS5316 syslog.info -- MARK --
Aug 30 18:45:08 WMS5316 syslog.info -- MARK --
Aug 30 19:05:08 WMS5316 syslog.info -- MARK --
Aug 30 19:25:08 WMS5316 syslog.info -- MARK --
Aug 30 19:45:08 WMS5316 syslog.info -- MARK --
Aug 30 20:05:08 WMS5316 syslog.info -- MARK --
Aug 30 20:25:08 WMS5316 syslog.info -- MARK --
Aug 30 20:37:55 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 20:37:55 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 20:38:55 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 20:38:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 20:38:56 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 20:39:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 20:39:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 20:39:56 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 20:40:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 20:40:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 20:40:57 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 20:41:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 20:41:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 30 20:41:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 30 20:42:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 30 20:45:08 WMS5316 syslog.info -- MARK --
Aug 30 21:05:08 WMS5316 syslog.info -- MARK --
Aug 30 21:25:08 WMS5316 syslog.info -- MARK --
Aug 30 21:45:08 WMS5316 syslog.info -- MARK --
Aug 30 22:05:08 WMS5316 syslog.info -- MARK --
Aug 30 22:25:08 WMS5316 syslog.info -- MARK --
Aug 30 22:45:08 WMS5316 syslog.info -- MARK --
Aug 30 23:05:08 WMS5316 syslog.info -- MARK --
Aug 30 23:25:08 WMS5316 syslog.info -- MARK --

Aug 30 23:45:08 WMS5316 syslog.info -- MARK --
Aug 31 00:05:08 WMS5316 syslog.info -- MARK --
Aug 31 00:25:08 WMS5316 syslog.info -- MARK --
Aug 31 00:45:08 WMS5316 syslog.info -- MARK --
Aug 31 01:05:08 WMS5316 syslog.info -- MARK --
Aug 31 01:25:08 WMS5316 syslog.info -- MARK --
Aug 31 01:45:08 WMS5316 syslog.info -- MARK --
Aug 31 02:05:08 WMS5316 syslog.info -- MARK --
Aug 31 02:25:08 WMS5316 syslog.info -- MARK --
Aug 31 02:45:08 WMS5316 syslog.info -- MARK --
Aug 31 03:05:08 WMS5316 syslog.info -- MARK --
Aug 31 03:25:08 WMS5316 syslog.info -- MARK --
Aug 31 03:45:08 WMS5316 syslog.info -- MARK --
Aug 31 00:00:21 WMS5316 local1.info rfmgr: Invoking RF Manager
Aug 31 00:01:04 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned
Radio 0 Mode 2 AutoChan 11 RFMgrChannel 11
Aug 31 00:01:04 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned
Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Aug 31 00:01:04 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Aug 31 00:01:04 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Aug 31 00:01:28 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Aug 31 04:05:08 WMS5316 syslog.info -- MARK --
Aug 31 04:25:08 WMS5316 syslog.info -- MARK --
Aug 31 04:45:08 WMS5316 syslog.info -- MARK --
Aug 31 05:05:08 WMS5316 syslog.info -- MARK --
Aug 31 05:25:08 WMS5316 syslog.info -- MARK --
Aug 31 05:45:08 WMS5316 syslog.info -- MARK --
Aug 31 06:05:08 WMS5316 syslog.info -- MARK --
Aug 31 06:25:08 WMS5316 syslog.info -- MARK --
Aug 31 06:45:08 WMS5316 syslog.info -- MARK --
Aug 31 07:05:08 WMS5316 syslog.info -- MARK --
Aug 31 07:25:08 WMS5316 syslog.info -- MARK --
Aug 31 07:45:08 WMS5316 syslog.info -- MARK --
Aug 31 08:05:08 WMS5316 syslog.info -- MARK --
Aug 31 08:07:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed
status from Success<0> to Not Authenticated<-5>
Aug 31 08:07:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 31 08:08:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed
status from Not Authenticated<-5> to Success<0>
Aug 31 08:08:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed
status from Success<0> to Not Authenticated<-5>
Aug 31 08:08:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Aug 31 08:09:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed
status from Not Authenticated<-5> to Success<0>
Aug 31 08:09:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed
status from Success<0> to Not Authenticated<-5>

Aug 31 08:09:51 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 08:10:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 08:10:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 08:10:51 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 08:11:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 08:11:52 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 08:11:52 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 08:12:52 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 08:25:08 WMS5316 syslog.info -- MARK --
Aug 31 08:45:08 WMS5316 syslog.info -- MARK --
Aug 31 09:05:08 WMS5316 syslog.info -- MARK --
Aug 31 09:25:08 WMS5316 syslog.info -- MARK --
Aug 31 09:45:08 WMS5316 syslog.info -- MARK --
Aug 31 10:05:08 WMS5316 syslog.info -- MARK --
Aug 31 10:25:08 WMS5316 syslog.info -- MARK --
Aug 31 10:45:08 WMS5316 syslog.info -- MARK --
Aug 31 10:49:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 10:49:01 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 10:50:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 10:50:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 10:50:01 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 10:51:01 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 10:51:02 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 10:51:02 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 10:52:02 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 10:52:02 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 10:52:02 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 10:53:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 10:53:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Aug 31 10:53:03 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 10:54:03 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 11:05:09 WMS5316 syslog.info -- MARK --
Aug 31 11:25:09 WMS5316 syslog.info -- MARK --
Aug 31 11:45:09 WMS5316 syslog.info -- MARK --
Aug 31 12:05:09 WMS5316 syslog.info -- MARK --
Aug 31 12:25:09 WMS5316 syslog.info -- MARK --
Aug 31 12:45:09 WMS5316 syslog.info -- MARK --
Aug 31 13:05:09 WMS5316 syslog.info -- MARK --
Aug 31 13:25:09 WMS5316 syslog.info -- MARK --
Aug 31 13:45:09 WMS5316 syslog.info -- MARK --
Aug 31 14:05:09 WMS5316 syslog.info -- MARK --
Aug 31 14:22:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 14:22:57 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 14:23:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 14:23:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 14:23:57 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 14:24:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 14:24:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 14:24:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 14:25:09 WMS5316 syslog.info -- MARK --
Aug 31 14:25:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 14:25:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 14:25:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 14:26:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 14:26:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 14:26:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 14:27:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 14:45:09 WMS5316 syslog.info -- MARK --
Aug 31 15:05:09 WMS5316 syslog.info -- MARK --
Aug 31 15:25:09 WMS5316 syslog.info -- MARK --
Aug 31 15:45:09 WMS5316 syslog.info -- MARK --
Aug 31 16:05:09 WMS5316 syslog.info -- MARK --

Aug 31 16:25:09 WMS5316 syslog.info -- MARK --
Aug 31 16:45:09 WMS5316 syslog.info -- MARK --
Aug 31 17:05:09 WMS5316 syslog.info -- MARK --
Aug 31 17:25:09 WMS5316 syslog.info -- MARK --
Aug 31 17:45:09 WMS5316 syslog.info -- MARK --
Aug 31 18:05:09 WMS5316 syslog.info -- MARK --
Aug 31 18:25:09 WMS5316 syslog.info -- MARK --
Aug 31 18:45:09 WMS5316 syslog.info -- MARK --
Aug 31 19:05:09 WMS5316 syslog.info -- MARK --
Aug 31 19:25:09 WMS5316 syslog.info -- MARK --
Aug 31 19:45:09 WMS5316 syslog.info -- MARK --
Aug 31 20:05:09 WMS5316 syslog.info -- MARK --
Aug 31 20:25:09 WMS5316 syslog.info -- MARK --
Aug 31 20:45:09 WMS5316 syslog.info -- MARK --
Aug 31 21:05:09 WMS5316 syslog.info -- MARK --
Aug 31 21:13:25 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 21:13:25 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 21:14:25 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 21:14:26 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 21:14:26 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 21:15:26 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 21:15:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 21:15:27 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 21:16:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 21:16:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 21:16:27 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 21:17:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 21:25:09 WMS5316 syslog.info -- MARK --
Aug 31 21:45:09 WMS5316 syslog.info -- MARK --
Aug 31 22:05:09 WMS5316 syslog.info -- MARK --
Aug 31 22:25:09 WMS5316 syslog.info -- MARK --
Aug 31 22:32:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 22:32:33 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 22:33:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 22:33:34 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed

status from Success<0> to Not Authenticated<-5>
Aug 31 22:33:34 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 22:34:34 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 22:34:35 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 22:34:35 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 22:35:35 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 22:35:35 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 22:35:35 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 22:36:36 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 22:36:36 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Aug 31 22:36:36 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Aug 31 22:37:36 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Aug 31 22:45:09 WMS5316 syslog.info -- MARK --
Aug 31 23:05:09 WMS5316 syslog.info -- MARK --
Aug 31 23:25:09 WMS5316 syslog.info -- MARK --
Aug 31 23:45:09 WMS5316 syslog.info -- MARK --
Sep 1 00:05:09 WMS5316 syslog.info -- MARK --
Sep 1 00:25:09 WMS5316 syslog.info -- MARK --
Sep 1 00:26:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 00:26:48 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 00:27:48 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 00:27:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 00:27:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 00:28:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 00:28:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 00:28:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 00:29:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 00:29:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 00:29:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Sep 1 00:30:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 00:30:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 00:30:51 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 00:31:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 00:45:09 WMS5316 syslog.info -- MARK --

Sep 1 01:05:09 WMS5316 syslog.info -- MARK --

Sep 1 01:25:09 WMS5316 syslog.info -- MARK --

Sep 1 01:45:09 WMS5316 syslog.info -- MARK --

Sep 1 02:05:09 WMS5316 syslog.info -- MARK --

Sep 1 02:25:09 WMS5316 syslog.info -- MARK --

Sep 1 02:45:09 WMS5316 syslog.info -- MARK --

Sep 1 03:05:09 WMS5316 syslog.info -- MARK --

Sep 1 03:25:09 WMS5316 syslog.info -- MARK --

Sep 1 03:45:09 WMS5316 syslog.info -- MARK --

Sep 1 00:00:28 WMS5316 local1.info rfmgr: Invoking RF Manager

Sep 1 00:01:10 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6

Sep 1 00:01:10 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36

Sep 1 00:01:10 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6

Sep 1 00:01:10 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44

Sep 1 00:01:34 WMS5316 local1.info rfmgr: RF Manager Allocation Completed

Sep 1 04:05:09 WMS5316 syslog.info -- MARK --

Sep 1 04:25:09 WMS5316 syslog.info -- MARK --

Sep 1 04:45:09 WMS5316 syslog.info -- MARK --

Sep 1 05:05:09 WMS5316 syslog.info -- MARK --

Sep 1 05:25:09 WMS5316 syslog.info -- MARK --

Sep 1 05:42:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 05:42:23 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 05:43:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 05:43:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 05:43:23 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 05:44:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 05:44:24 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 05:44:24 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 05:45:09 WMS5316 syslog.info -- MARK --
Sep 1 05:45:24 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 05:45:25 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 05:45:25 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 05:46:25 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 06:03:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 06:03:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 06:04:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 06:04:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 06:04:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 06:05:09 WMS5316 syslog.info -- MARK --
Sep 1 06:05:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 06:05:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 06:05:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 06:06:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 06:06:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 06:06:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 06:07:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 06:07:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 06:07:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 06:08:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 06:25:09 WMS5316 syslog.info -- MARK --
Sep 1 06:45:09 WMS5316 syslog.info -- MARK --
Sep 1 07:05:09 WMS5316 syslog.info -- MARK --
Sep 1 07:25:09 WMS5316 syslog.info -- MARK --
Sep 1 07:45:09 WMS5316 syslog.info -- MARK --
Sep 1 08:05:09 WMS5316 syslog.info -- MARK --
Sep 1 08:25:09 WMS5316 syslog.info -- MARK --
Sep 1 08:45:09 WMS5316 syslog.info -- MARK --
Sep 1 09:05:09 WMS5316 syslog.info -- MARK --
Sep 1 09:25:09 WMS5316 syslog.info -- MARK --

Sep 1 09:45:09 WMS5316 syslog.info -- MARK --
Sep 1 10:05:09 WMS5316 syslog.info -- MARK --
Sep 1 10:25:09 WMS5316 syslog.info -- MARK --
Sep 1 10:45:09 WMS5316 syslog.info -- MARK --
Sep 1 10:57:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 10:57:56 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 10:58:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 10:58:56 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 10:58:56 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 10:59:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 10:59:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 10:59:57 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 11:00:57 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 11:00:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 11:00:58 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 11:01:58 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 11:01:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 11:01:59 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 11:02:59 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 11:05:09 WMS5316 syslog.info -- MARK --
Sep 1 11:25:09 WMS5316 syslog.info -- MARK --
Sep 1 11:45:09 WMS5316 syslog.info -- MARK --
Sep 1 12:05:09 WMS5316 syslog.info -- MARK --
Sep 1 12:25:09 WMS5316 syslog.info -- MARK --
Sep 1 12:45:09 WMS5316 syslog.info -- MARK --
Sep 1 13:05:09 WMS5316 syslog.info -- MARK --
Sep 1 13:16:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 13:16:05 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 13:17:05 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 13:17:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 13:17:06 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Sep 1 13:18:06 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 13:18:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 13:18:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 13:19:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 13:19:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 13:19:07 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 13:20:07 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 13:20:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 13:20:08 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 13:21:08 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>

Sep 1 13:25:09 WMS5316 syslog.info -- MARK --

Sep 1 13:45:09 WMS5316 syslog.info -- MARK --

Sep 1 14:05:09 WMS5316 syslog.info -- MARK --

Sep 1 14:25:09 WMS5316 syslog.info -- MARK --

Sep 1 14:45:09 WMS5316 syslog.info -- MARK --

Sep 1 15:05:09 WMS5316 syslog.info -- MARK --

Sep 1 15:25:09 WMS5316 syslog.info -- MARK --

Sep 1 15:45:09 WMS5316 syslog.info -- MARK --

Sep 1 16:05:09 WMS5316 syslog.info -- MARK --

Sep 1 16:25:09 WMS5316 syslog.info -- MARK --

Sep 1 16:45:09 WMS5316 syslog.info -- MARK --

Sep 1 17:05:09 WMS5316 syslog.info -- MARK --

Sep 1 17:25:09 WMS5316 syslog.info -- MARK --

Sep 1 17:45:09 WMS5316 syslog.info -- MARK --

Sep 1 18:05:09 WMS5316 syslog.info -- MARK --

Sep 1 18:25:09 WMS5316 syslog.info -- MARK --

Sep 1 18:45:09 WMS5316 syslog.info -- MARK --

Sep 1 19:05:09 WMS5316 syslog.info -- MARK --

Sep 1 19:25:09 WMS5316 syslog.info -- MARK --

Sep 1 19:45:09 WMS5316 syslog.info -- MARK --

Sep 1 20:05:09 WMS5316 syslog.info -- MARK --

Sep 1 20:25:10 WMS5316 syslog.info -- MARK --

Sep 1 20:45:10 WMS5316 syslog.info -- MARK --

Sep 1 21:05:10 WMS5316 syslog.info -- MARK --

Sep 1 21:25:10 WMS5316 syslog.info -- MARK --

Sep 1 21:37:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 1 21:37:49 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 1 21:38:49 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 21:38:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 21:38:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 21:39:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 21:39:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 21:39:50 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 21:40:50 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 21:40:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 21:40:51 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 21:41:51 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 21:41:52 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 1 21:41:52 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 1 21:42:52 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 1 21:45:10 WMS5316 syslog.info -- MARK --
Sep 1 22:05:10 WMS5316 syslog.info -- MARK --
Sep 1 22:25:10 WMS5316 syslog.info -- MARK --
Sep 1 22:45:10 WMS5316 syslog.info -- MARK --
Sep 1 23:05:10 WMS5316 syslog.info -- MARK --
Sep 1 23:25:10 WMS5316 syslog.info -- MARK --
Sep 1 23:45:10 WMS5316 syslog.info -- MARK --
Sep 2 00:05:10 WMS5316 syslog.info -- MARK --
Sep 2 00:25:10 WMS5316 syslog.info -- MARK --
Sep 2 00:45:10 WMS5316 syslog.info -- MARK --
Sep 2 01:05:10 WMS5316 syslog.info -- MARK --
Sep 2 01:25:10 WMS5316 syslog.info -- MARK --
Sep 2 01:45:10 WMS5316 syslog.info -- MARK --
Sep 2 02:05:10 WMS5316 syslog.info -- MARK --
Sep 2 02:25:10 WMS5316 syslog.info -- MARK --
Sep 2 02:45:10 WMS5316 syslog.info -- MARK --
Sep 2 03:05:10 WMS5316 syslog.info -- MARK --
Sep 2 03:25:10 WMS5316 syslog.info -- MARK --
Sep 2 03:45:10 WMS5316 syslog.info -- MARK --
Sep 2 00:00:34 WMS5316 local1.info rfmgr: Invoking RF Manager
Sep 2 00:01:16 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Sep 2 00:01:16 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36

Sep 2 00:01:16 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Sep 2 00:01:16 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Sep 2 00:01:40 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Sep 2 04:05:10 WMS5316 syslog.info -- MARK --
Sep 2 04:25:10 WMS5316 syslog.info -- MARK --
Sep 2 04:45:10 WMS5316 syslog.info -- MARK --
Sep 2 05:05:10 WMS5316 syslog.info -- MARK --
Sep 2 05:25:10 WMS5316 syslog.info -- MARK --
Sep 2 05:45:10 WMS5316 syslog.info -- MARK --
Sep 2 06:05:10 WMS5316 syslog.info -- MARK --
Sep 2 06:25:10 WMS5316 syslog.info -- MARK --
Sep 2 06:45:10 WMS5316 syslog.info -- MARK --
Sep 2 07:05:10 WMS5316 syslog.info -- MARK --
Sep 2 07:25:10 WMS5316 syslog.info -- MARK --
Sep 2 07:45:10 WMS5316 syslog.info -- MARK --
Sep 2 08:05:10 WMS5316 syslog.info -- MARK --
Sep 2 08:25:10 WMS5316 syslog.info -- MARK --
Sep 2 08:45:10 WMS5316 syslog.info -- MARK --
Sep 2 09:05:10 WMS5316 syslog.info -- MARK --
Sep 2 09:25:10 WMS5316 syslog.info -- MARK --
Sep 2 09:45:10 WMS5316 syslog.info -- MARK --
Sep 2 10:05:10 WMS5316 syslog.info -- MARK --
Sep 2 10:25:10 WMS5316 syslog.info -- MARK --
Sep 2 10:45:10 WMS5316 syslog.info -- MARK --
Sep 2 11:05:10 WMS5316 syslog.info -- MARK --
Sep 2 11:25:10 WMS5316 syslog.info -- MARK --
Sep 2 11:43:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 2 11:43:19 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Sep 2 11:44:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Sep 2 11:44:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 2 11:44:19 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Sep 2 11:45:10 WMS5316 syslog.info -- MARK --
Sep 2 11:45:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Sep 2 11:45:20 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 2 11:45:20 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Sep 2 11:46:20 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Sep 2 11:46:21 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 2 11:46:21 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the

queue

Sep 2 11:47:21 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 11:47:21 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 2 11:47:21 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 2 11:48:21 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 12:05:10 WMS5316 syslog.info -- MARK --

Sep 2 12:12:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 2 12:12:27 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 2 12:13:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 12:13:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 2 12:13:27 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 2 12:14:27 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 12:14:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 2 12:14:28 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 2 12:15:28 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 12:15:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 2 12:15:29 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 2 12:16:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 12:16:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>

Sep 2 12:16:29 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 2 12:17:29 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>

Sep 2 12:25:10 WMS5316 syslog.info -- MARK --

Sep 2 12:45:10 WMS5316 syslog.info -- MARK --

Sep 2 13:05:10 WMS5316 syslog.info -- MARK --

Sep 2 13:25:10 WMS5316 syslog.info -- MARK --

Sep 2 13:45:10 WMS5316 syslog.info -- MARK --

Sep 2 14:05:10 WMS5316 syslog.info -- MARK --

Sep 2 14:25:10 WMS5316 syslog.info -- MARK --

Sep 2 14:45:10 WMS5316 syslog.info -- MARK --

Sep 2 15:05:10 WMS5316 syslog.info -- MARK --

Sep 2 15:25:10 WMS5316 syslog.info -- MARK --

Sep 2 15:45:10 WMS5316 syslog.info -- MARK --
Sep 2 16:05:10 WMS5316 syslog.info -- MARK --
Sep 2 16:25:10 WMS5316 syslog.info -- MARK --
Sep 2 16:45:10 WMS5316 syslog.info -- MARK --
Sep 2 17:05:10 WMS5316 syslog.info -- MARK --
Sep 2 17:25:10 WMS5316 syslog.info -- MARK --
Sep 2 17:45:10 WMS5316 syslog.info -- MARK --
Sep 2 18:05:10 WMS5316 syslog.info -- MARK --
Sep 2 18:25:10 WMS5316 syslog.info -- MARK --
Sep 2 18:45:10 WMS5316 syslog.info -- MARK --
Sep 2 19:05:10 WMS5316 syslog.info -- MARK --
Sep 2 19:25:10 WMS5316 syslog.info -- MARK --
Sep 2 19:45:10 WMS5316 syslog.info -- MARK --
Sep 2 20:05:10 WMS5316 syslog.info -- MARK --
Sep 2 20:25:10 WMS5316 syslog.info -- MARK --
Sep 2 20:45:10 WMS5316 syslog.info -- MARK --
Sep 2 21:05:10 WMS5316 syslog.info -- MARK --
Sep 2 21:25:10 WMS5316 syslog.info -- MARK --
Sep 2 21:45:10 WMS5316 syslog.info -- MARK --
Sep 2 22:05:10 WMS5316 syslog.info -- MARK --
Sep 2 22:25:10 WMS5316 syslog.info -- MARK --
Sep 2 22:45:10 WMS5316 syslog.info -- MARK --
Sep 2 23:05:10 WMS5316 syslog.info -- MARK --
Sep 2 23:25:10 WMS5316 syslog.info -- MARK --
Sep 2 23:45:10 WMS5316 syslog.info -- MARK --
Sep 3 00:05:10 WMS5316 syslog.info -- MARK --
Sep 3 00:25:10 WMS5316 syslog.info -- MARK --
Sep 3 00:45:10 WMS5316 syslog.info -- MARK --
Sep 3 01:05:10 WMS5316 syslog.info -- MARK --
Sep 3 01:22:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 01:22:23 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 01:23:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 01:23:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 01:23:23 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 01:24:23 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 01:24:24 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 01:24:24 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 01:25:10 WMS5316 syslog.info -- MARK --
Sep 3 01:25:24 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 01:25:24 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>

Sep 3 01:25:24 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 01:26:24 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 01:26:25 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 01:26:25 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 01:27:25 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 01:45:10 WMS5316 syslog.info -- MARK --
Sep 3 01:58:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 01:58:11 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 01:59:11 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 01:59:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 01:59:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 02:00:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 02:00:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 02:00:12 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 02:01:12 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 02:01:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 02:01:13 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 02:02:13 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 02:02:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 02:02:14 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 02:03:14 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 02:05:10 WMS5316 syslog.info -- MARK --
Sep 3 02:25:10 WMS5316 syslog.info -- MARK --
Sep 3 02:45:10 WMS5316 syslog.info -- MARK --
Sep 3 03:05:10 WMS5316 syslog.info -- MARK --
Sep 3 03:25:10 WMS5316 syslog.info -- MARK --
Sep 3 03:45:10 WMS5316 syslog.info -- MARK --
Sep 3 00:00:40 WMS5316 local1.info rfmgr: Invoking RF Manager
Sep 3 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6

Sep 3 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned
Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Sep 3 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Sep 3 00:01:14 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned
Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Sep 3 00:01:34 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Sep 3 04:05:10 WMS5316 syslog.info -- MARK --
Sep 3 04:25:10 WMS5316 syslog.info -- MARK --
Sep 3 04:45:10 WMS5316 syslog.info -- MARK --
Sep 3 05:05:10 WMS5316 syslog.info -- MARK --
Sep 3 05:25:10 WMS5316 syslog.info -- MARK --
Sep 3 05:45:11 WMS5316 syslog.info -- MARK --
Sep 3 06:05:11 WMS5316 syslog.info -- MARK --
Sep 3 06:25:11 WMS5316 syslog.info -- MARK --
Sep 3 06:45:11 WMS5316 syslog.info -- MARK --
Sep 3 07:05:11 WMS5316 syslog.info -- MARK --
Sep 3 07:25:11 WMS5316 syslog.info -- MARK --
Sep 3 07:45:11 WMS5316 syslog.info -- MARK --
Sep 3 08:05:11 WMS5316 syslog.info -- MARK --
Sep 3 08:25:11 WMS5316 syslog.info -- MARK --
Sep 3 08:45:11 WMS5316 syslog.info -- MARK --
Sep 3 09:05:11 WMS5316 syslog.info -- MARK --
Sep 3 09:25:11 WMS5316 syslog.info -- MARK --
Sep 3 09:45:11 WMS5316 syslog.info -- MARK --
Sep 3 10:05:11 WMS5316 syslog.info -- MARK --
Sep 3 10:25:11 WMS5316 syslog.info -- MARK --
Sep 3 10:45:11 WMS5316 syslog.info -- MARK --
Sep 3 11:05:11 WMS5316 syslog.info -- MARK --
Sep 3 11:25:11 WMS5316 syslog.info -- MARK --
Sep 3 11:45:11 WMS5316 syslog.info -- MARK --
Sep 3 12:05:11 WMS5316 syslog.info -- MARK --
Sep 3 12:18:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 3 12:18:31 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Sep 3 12:19:31 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Sep 3 12:19:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 3 12:19:32 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Sep 3 12:20:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>
Sep 3 12:20:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Success<0> to Not Authenticated<-5>
Sep 3 12:20:32 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the
queue
Sep 3 12:21:32 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed
status from Not Authenticated<-5> to Success<0>

Sep 3 12:21:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 12:21:33 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 12:22:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 12:22:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 12:22:33 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 12:23:33 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 12:25:11 WMS5316 syslog.info -- MARK --
Sep 3 12:45:11 WMS5316 syslog.info -- MARK --
Sep 3 13:05:11 WMS5316 syslog.info -- MARK --
Sep 3 13:25:11 WMS5316 syslog.info -- MARK --
Sep 3 13:45:11 WMS5316 syslog.info -- MARK --
Sep 3 14:05:11 WMS5316 syslog.info -- MARK --
Sep 3 14:25:11 WMS5316 syslog.info -- MARK --
Sep 3 14:45:11 WMS5316 syslog.info -- MARK --
Sep 3 15:05:11 WMS5316 syslog.info -- MARK --
Sep 3 15:25:11 WMS5316 syslog.info -- MARK --
Sep 3 15:45:11 WMS5316 syslog.info -- MARK --
Sep 3 16:05:11 WMS5316 syslog.info -- MARK --
Sep 3 16:25:11 WMS5316 syslog.info -- MARK --
Sep 3 16:45:11 WMS5316 syslog.info -- MARK --
Sep 3 17:05:11 WMS5316 syslog.info -- MARK --
Sep 3 17:25:11 WMS5316 syslog.info -- MARK --
Sep 3 17:38:18 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 17:38:18 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 17:39:18 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 17:39:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 17:39:19 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 17:40:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 17:40:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 17:40:19 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 17:41:19 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 17:41:20 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 17:41:20 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue

Sep 3 17:42:20 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 17:42:21 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Success<0> to Not Authenticated<-5>
Sep 3 17:42:21 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 3 17:43:21 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.144 Changed status from Not Authenticated<-5> to Success<0>
Sep 3 17:45:11 WMS5316 syslog.info -- MARK --
Sep 3 18:05:11 WMS5316 syslog.info -- MARK --
Sep 3 18:25:11 WMS5316 syslog.info -- MARK --
Sep 3 18:45:11 WMS5316 syslog.info -- MARK --
Sep 3 19:05:11 WMS5316 syslog.info -- MARK --
Sep 3 19:25:11 WMS5316 syslog.info -- MARK --
Sep 3 19:45:11 WMS5316 syslog.info -- MARK --
Sep 3 20:05:11 WMS5316 syslog.info -- MARK --
Sep 3 20:25:11 WMS5316 syslog.info -- MARK --
Sep 3 20:45:11 WMS5316 syslog.info -- MARK --
Sep 3 21:05:11 WMS5316 syslog.info -- MARK --
Sep 3 21:25:11 WMS5316 syslog.info -- MARK --
Sep 3 21:45:11 WMS5316 syslog.info -- MARK --
Sep 3 22:05:11 WMS5316 syslog.info -- MARK --
Sep 3 22:25:11 WMS5316 syslog.info -- MARK --
Sep 3 22:45:11 WMS5316 syslog.info -- MARK --
Sep 3 23:05:11 WMS5316 syslog.info -- MARK --
Sep 3 23:25:11 WMS5316 syslog.info -- MARK --
Sep 3 23:45:11 WMS5316 syslog.info -- MARK --
Sep 4 00:05:11 WMS5316 syslog.info -- MARK --
Sep 4 00:25:11 WMS5316 syslog.info -- MARK --
Sep 4 00:45:11 WMS5316 syslog.info -- MARK --
Sep 4 01:05:11 WMS5316 syslog.info -- MARK --
Sep 4 01:25:11 WMS5316 syslog.info -- MARK --
Sep 4 01:45:11 WMS5316 syslog.info -- MARK --
Sep 4 02:05:11 WMS5316 syslog.info -- MARK --
Sep 4 02:25:11 WMS5316 syslog.info -- MARK --
Sep 4 02:45:11 WMS5316 syslog.info -- MARK --
Sep 4 03:05:11 WMS5316 syslog.info -- MARK --
Sep 4 03:25:11 WMS5316 syslog.info -- MARK --
Sep 4 03:45:11 WMS5316 syslog.info -- MARK --
Sep 4 00:00:34 WMS5316 local1.info rfmgr: Invoking RF Manager
Sep 4 00:01:18 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Sep 4 00:01:18 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.144 Assigned Radio 1 Mode 4 AutoChan 36 RFMgrChannel 36
Sep 4 00:01:18 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 0 Mode 2 AutoChan 6 RFMgrChannel 6
Sep 4 00:01:18 WMS5316 local1.info rfmgr: WNDAP350_192.168.0.145 Assigned Radio 1 Mode 4 AutoChan 44 RFMgrChannel 44
Sep 4 00:01:43 WMS5316 local1.info rfmgr: RF Manager Allocation Completed
Sep 4 04:05:11 WMS5316 syslog.info -- MARK --

Sep 4 04:25:11 WMS5316 syslog.info -- MARK --
Sep 4 04:45:11 WMS5316 syslog.info -- MARK --
Sep 4 05:05:11 WMS5316 syslog.info -- MARK --
Sep 4 05:25:11 WMS5316 syslog.info -- MARK --
Sep 4 05:45:11 WMS5316 syslog.info -- MARK --
Sep 4 06:05:11 WMS5316 syslog.info -- MARK --
Sep 4 06:14:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 4 06:14:42 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 4 06:15:42 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 4 06:15:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 4 06:15:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 4 06:16:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 4 06:16:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 4 06:16:43 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 4 06:17:43 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 4 06:17:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 4 06:17:44 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 4 06:18:44 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 4 06:18:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Success<0> to Not Authenticated<-5>
Sep 4 06:18:45 WMS5316 user.err ap_mgr_WNDAP350: Error condition, drain the queue
Sep 4 06:19:45 WMS5316 user.err ap_mgr_WNDAP350: AP 192.168.0.145 Changed status from Not Authenticated<-5> to Success<0>
Sep 4 06:25:11 WMS5316 syslog.info -- MARK --
Sep 4 06:45:11 WMS5316 syslog.info -- MARK --
Sep 4 07:05:11 WMS5316 syslog.info -- MARK --
Sep 4 07:25:11 WMS5316 syslog.info -- MARK --
Sep 4 07:45:11 WMS5316 syslog.info -- MARK --
Sep 4 08:05:11 WMS5316 syslog.info -- MARK --
Sep 4 08:25:11 WMS5316 syslog.info -- MARK --
Sep 4 08:45:11 WMS5316 syslog.info -- MARK --
Sep 4 09:05:11 WMS5316 syslog.info -- MARK --
Sep 4 09:25:11 WMS5316 syslog.info -- MARK --
Sep 4 09:45:11 WMS5316 syslog.info -- MARK --
Sep 4 10:05:11 WMS5316 syslog.info -- MARK --
Sep 4 10:25:11 WMS5316 syslog.info -- MARK --
Sep 4 10:45:11 WMS5316 syslog.info -- MARK --

Sep 4 11:05:11 WMS5316 syslog.info -- MARK --
Sep 4 11:25:11 WMS5316 syslog.info -- MARK --
Sep 4 11:45:11 WMS5316 syslog.info -- MARK --
Sep 4 12:05:11 WMS5316 syslog.info -- MARK --
Sep 4 12:25:11 WMS5316 syslog.info -- MARK --
Sep 4 12:45:11 WMS5316 syslog.info -- MARK --
Sep 4 13:05:11 WMS5316 syslog.info -- MARK --
Sep 4 13:25:11 WMS5316 syslog.info -- MARK --
Sep 4 13:45:11 WMS5316 syslog.info -- MARK --
Sep 4 14:05:11 WMS5316 syslog.info -- MARK --
Sep 4 14:25:11 WMS5316 syslog.info -- MARK --
Sep 4 14:45:11 WMS5316 syslog.info -- MARK --