

```
Apr 25 15:49:39 WAX218 syslog.info syslogd started: BusyBox v1.25.1
Apr 25 15:49:39 WAX218 kern.notice kernel: klogd started: BusyBox v1.25.1 (2021-02-17 18:00:57 CST)
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Booting Linux on physical CPU 0x0
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Initializing cgroup subsys cpuset
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Initializing cgroup subsys cpu
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Initializing cgroup subsys cpuacct
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] Linux version 4.4.60 (root@caridee-BM6835)
(gcc version 5.2.0 (OpenWrt GCC 5.2.0 a4f1630+r49254) ) #1 SMP PREEMPT Wed Feb 17 18:28:03 CST 2021
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] CPU: ARMv7 Processor [410fd034] revision 4
(ARMv7), cr=10c0383d
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] CPU: PIPT / VIPT nonaliasing data cache, VIPT
aliasing instruction cache
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Machine model: Qualcomm Technologies, Inc.
IPQ807x/AP-HK07
Apr 25 15:49:39 WAX218 kern.warn kernel: [ 0.000000] Ignoring memory range 0x40000000 - 0x41000000
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.000000] Reserved memory: OVERLAP DETECTED!
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.000000] wifi_dump@51000000 (0x51000000--0x51600000)
overlaps with wigig_dump@51200000 (0x51200000--0x51600000)
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Memory policy: Data cache writealloc
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] On node 0 totalpages: 97792
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] free_area_init_node: node 0, pgdat 809558c0,
node_mem_map 9eb9d000
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] Normal zone: 1116 pages used for memmap
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] Normal zone: 0 pages reserved
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] Normal zone: 97792 pages, LIFO batch:31
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] psci: probing for conduit method from DT.
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] psci: PSCIv1.0 detected in firmware.
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] psci: Using standard PSCI v0.2 function IDs
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] psci: MIGRATE_INFO_TYPE not supported.
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] PERCPU: Embedded 11 pages/cpu @9eb36000
s14592 r8192 d22272 u45056
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] pcpu-alloc: s14592 r8192 d22272 u45056
alloc=11*4096
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Built 1 zonelists in Zone order, mobility
grouping on. Total pages: 96676
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] Kernel command line:
console=ttyMSM0,115200n8 ubi.mtd=rootfs root=mtd:ubi_rootfs rootfstype=squashfs rootwait swiotlb=1
coherent_pool=2M
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] PID hash table entries: 2048 (order: 1, 8192
bytes)
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Dentry cache hash table entries: 65536
(order: 6, 262144 bytes)
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Inode-cache hash table entries: 32768 (order:
5, 131072 bytes)
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.000000] Memory: 378688K/391168K available (5360K
kernel code, 368K rwdata, 1868K rodata, 224K init, 260K bss, 12480K reserved, 0K cma-reserved, 0K
highmem)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] Virtual kernel memory layout:
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] vector : 0xffff0000 - 0xffff1000 (
4 kB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] fixmap : 0xffc00000 - 0xffff0000
(3072 kB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] vmalloc : 0x9f800000 - 0xff800000
(1536 MB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] lowmem : 0x80000000 - 0x9f000000 (
496 MB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] pkmap : 0x7fe00000 - 0x80000000 (
2 MB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] modules : 0x7f000000 - 0x7fe00000 (
14 MB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] .text : 0x80208000 - 0x80917634
(7230 kB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [ 0.000000] .init : 0x80918000 - 0x80950000 (
```

224 kB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [0.000000] .data : 0x80950000 - 0x809ac2c8 (369 kB)
Apr 25 15:49:39 WAX218 kern.notice kernel: [0.000000] .bss : 0x809af000 - 0x809f0378 (261 kB)
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000000] SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=4, Nodes=1
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000000] Preemptible hierarchical RCU implementation.
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000000] Build-time adjustment of leaf fanout to 32.
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000000] NR_IRQS:16 nr_irqs:16 16
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000000] Architected cp15 timer(s) running at 19.20MHz (virt).
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffffff max_cycles: 0x46d987e47, max_idle_ns: 440795202767 ns
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000005] sched_clock: 56 bits at 19MHz, resolution 52ns, wraps every 4398046511078ns
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000016] Switching to timer-based delay loop, resolution 52ns
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000688] Calibrating delay loop (skipped), value calculated using timer frequency.. 38.40 BogoMIPS (lpj=192000)
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000700] pid_max: default: 32768 minimum: 301
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000791] Mount-cache hash table entries: 1024 (order: 0, 4096 bytes)
Apr 25 15:49:39 WAX218 kern.info kernel: [0.000800] Mountpoint-cache hash table entries: 1024 (order: 0, 4096 bytes)
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001313] Initializing cgroup subsys io
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001327] Initializing cgroup subsys memory
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001351] Initializing cgroup subsys devices
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001362] Initializing cgroup subsys freezer
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001372] Initializing cgroup subsys net_cls
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001382] Initializing cgroup subsys pids
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001403] CPU: Testing write buffer coherency: ok
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001786] CPU0: thread -1, cpu 0, socket 0, mpidr 80000000
Apr 25 15:49:39 WAX218 kern.info kernel: [0.001834] Setting up static identity map for 0x41208280 - 0x412082d8
Apr 25 15:49:39 WAX218 kern.info kernel: [0.052436] MSM Memory Dump base table set up
Apr 25 15:49:39 WAX218 kern.info kernel: [0.052459] MSM Memory Dump apps data table set up
Apr 25 15:49:39 WAX218 kern.info kernel: [0.090200] CPU1: thread -1, cpu 1, socket 0, mpidr 80000001
Apr 25 15:49:39 WAX218 kern.info kernel: [0.120185] CPU2: thread -1, cpu 2, socket 0, mpidr 80000002
Apr 25 15:49:39 WAX218 kern.info kernel: [0.150223] CPU3: thread -1, cpu 3, socket 0, mpidr 80000003
Apr 25 15:49:39 WAX218 kern.info kernel: [0.150275] Brought up 4 CPUs
Apr 25 15:49:39 WAX218 kern.info kernel: [0.150294] SMP: Total of 4 processors activated (153.60 BogoMIPS).
Apr 25 15:49:39 WAX218 kern.info kernel: [0.150301] CPU: All CPU(s) started in SVC mode.
Apr 25 15:49:39 WAX218 kern.info kernel: [0.170984] VFP support v0.3: implementor 41 architecture 3 part 40 variant 3 rev 4
Apr 25 15:49:39 WAX218 kern.info kernel: [0.171287] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
Apr 25 15:49:39 WAX218 kern.info kernel: [0.171312] futex hash table entries: 1024 (order: 4, 65536 bytes)
Apr 25 15:49:39 WAX218 kern.info kernel: [0.171523] pinctrl core: initialized pinctrl subsystem
Apr 25 15:49:39 WAX218 kern.info kernel: [0.172586] NET: Registered protocol family 16
Apr 25 15:49:39 WAX218 kern.info kernel: [0.173646] DMA: preallocated 2048 KiB pool for atomic coherent allocations
Apr 25 15:49:39 WAX218 kern.info kernel: [0.200059] cpuidle: using governor ladder
Apr 25 15:49:39 WAX218 kern.info kernel: [0.230077] cpuidle: using governor menu
Apr 25 15:49:39 WAX218 kern.info kernel: [0.232237] Soc version is not 1, changing clock offsets
Apr 25 15:49:39 WAX218 kern.warn kernel: [0.242154] irq: no irq domain found for /soc/smp2p-wcss/slave-kernel !
Apr 25 15:49:39 WAX218 kern.warn kernel: [0.244259] irq: no irq domain found for /soc/smp2p-

wcss/slave-kernel !

```
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.259887] gpiochip_add: registered GPIOs 0 to 69 on
device: 1000000.pinctrl
Apr 25 15:49:39 WAX218 kern.debug kernel: [ 0.259903] GPIO chip 1000000.pinctrl: created GPIO
range 0->69 ==> 1000000.pinctrl PIN 0->69
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.260562] CPU: IPQ8072A, SoC Version: 2.0
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.260825] <CORE> glink_init: IPC Logging Disabled
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.261138] <CORE> glink_core_register_transport: IPC
Logging disabled
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.261203] msm_glink_smem_native_xprt rx fifo not
found
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.261556] msm_rpm_dev_probe: APSS-RPM communication
over GLINK
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.261984] qcom,cpr3-npu-regulator a4000.npu-cpr: NPU
CPR valid fuse count: 2
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.262335] qcom,cpr4-apss-regulator b018000.cpr4-ctrl:
CPR valid fuse count: 4
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.263459] IPC logging disabled
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.263465] IPC logging disabled
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.263470] IPC logging disabled
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.263474] IPC logging disabled
Apr 25 15:49:39 WAX218 kern.err kernel: [ 0.263479] IPC logging disabled
Apr 25 15:49:39 WAX218 kern.info kernel: [ 0.263710] sps:sps is ready.
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 0.291057] of_get_named_gpiod_flags: can't parse 'gpio'
property of node '/fixed-regulator@0[0]'
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.291914] pps_core: LinuxPPS API ver. 1 registered
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.291922] pps_core: Software ver. 5.3.6 - Copyright
2005-2007 Rodolfo Giometti <giometti@linux.it>
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.291947] PTP clock support registered
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.293305] Advanced Linux Sound Architecture Driver
Initialized.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.294116] clocksource: Switched to clocksource
arch_sys_counter
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.297875] NET: Registered protocol family 2
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.298505] TCP established hash table entries: 4096
(order: 2, 16384 bytes)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.298560] TCP bind hash table entries: 4096 (order: 3,
32768 bytes)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.298635] TCP: Hash tables configured (established 4096
bind 4096)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.298674] UDP hash table entries: 256 (order: 1, 8192
bytes)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.298697] UDP-Lite hash table entries: 256 (order: 1,
8192 bytes)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.298849] NET: Registered protocol family 1
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 0.298904] PCI: CLS 0 bytes, default 64
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.307799] squashfs: version 4.0 (2009/01/31) Phillip
Lougher
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.307815] jffs2: version 2.2 (NAND) (SUMMARY) (LZMA)
(RTIME) (CMODE_PRIORITY) (c) 2001-2006 Red Hat, Inc.
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 0.311617] Key type asymmetric registered
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 0.311632] Asymmetric key parser 'x509' registered
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.311667] io scheduler noop registered
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.311680] io scheduler deadline registered (default)
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 0.314342] qcom-pcie 20000000.pci: GPIO lookup for
consumer perst
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 0.314354] qcom-pcie 20000000.pci: using device tree
for GPIO lookup
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 0.314368] of_get_named_gpiod_flags: can't parse
'perst-gpios' property of node '/soc/pci@20000000[0]'
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 0.314383] of_get_named_gpiod_flags: parsed 'perst-
gpio' property of node '/soc/pci@20000000[0]' - status (0)
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 0.314503] 20000000.pci supply vdda not found, using
dummy regulator
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 0.314549] 20000000.pci supply vdda_phy not found, using
```

dummy regulator

```
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 0.314585] 20000000.pci supply vdda_refclk not found,
using dummy regulator
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.315128] PCI host bridge /soc/pci@20000000 ranges:
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.315155] IO 0x20200000..0x2020ffff -> 0x20200000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 0.315169] MEM 0x20220000..0x2fffffff -> 0x20220000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 1.360577] qcom-pcie 20000000.pci: phy link never came up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 1.362135] qcom-pcie 20000000.pci: hostinit failed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 1.362145] qcom-pcie 20000000.pci: cannot initialize host
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 1.362284] qcom-pcie: probe of 20000000.pci failed with
error -110
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.368750] NET: Registered protocol family 27
Apr 25 15:49:40 WAX218 kern.err kernel: [ 1.368761] IPC_RTR: ipc_router_create_log_ctx: IPC
Logging disabled
Apr 25 15:49:40 WAX218 kern.err kernel: [ 1.368777] qmi_log_init: IPC Logging disabled
Apr 25 15:49:40 WAX218 kern.err kernel: [ 1.368783] qmi_log_init: IPC Logging disabled
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 1.368879] msm_rpm_log_probe: OK
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.369241] msm-dcc b3000.dcc: DCC XPU is not specified
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.369507] msm-dcc b3000.dcc: jiffies_64: 0xffff8b58,
cntvct_64: 0x86de1e2
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.369520] msm-dcc b3000.dcc: gcnt_hi:
0x00000000(0x9fb1a004)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.369531] msm-dcc b3000.dcc: gcnt_lo:
0x086de3bd(0x9fb1a000)
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 1.370209] TZ Log : Will warn on Access Violation, as
paniconaccessviolation is not set
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.371058] msm_serial 78b3000.serial: msm_serial:
detected port #0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.371095] msm_serial 78b3000.serial: uartclk = 3686400
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.371127] 78b3000.serial: ttyMSM0 at MMIO 0x78b3000
(irq = 22, base_baud = 230400) is a MSM
Apr 25 15:49:40 WAX218 kern.info kernel: [ 1.371146] msm_serial: console setup on port #0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.116537] console [ttyMSM0] enabled
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.121561] msm_serial 78b1000.serial: msm_serial:
detected port #1
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.124804] msm_serial 78b1000.serial: uartclk = 19200000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.130860] 78b1000.serial: ttyMSM1 at MMIO 0x78b1000
(irq = 23, base_baud = 1200000) is a MSM
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.136810] msm_serial: driver initialized
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.145276] msm_serial_hsl_init: driver initialized
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.158480] brd: module loaded
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.159137] spi_qup 78b5000.spi: IN:block:16, fifo:64,
OUT:block:16, fifo:64
Apr 25 15:49:40 WAX218 kern.err kernel: [ 2.162021] m25p80 spi32766.0: unrecognized JEDEC id
bytes: ff, ff, ff
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.168715] nand: device found, Manufacturer ID: 0xc2,
Chip ID: 0xaa
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.173968] nand: ONFI 10-Compliant Macronix MX30UF2G18AC
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.180520] nand: 256 MiB, SLC, erase size: 128 KiB, page
size: 2048, OOB size: 64
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.185880] 16 ofpart partitions found on MTD device
qcom_nand.0
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.193237] Creating 16 MTD partitions on
"qcom_nand.0":
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.199418] 0x000000000000-0x000000100000 : "0:SBL1"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.206283] 0x000000100000-0x000000200000 : "0:MIBIB"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.211152] 0x000000200000-0x000000500000 : "0:QSEE"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.217612] 0x000000500000-0x000000580000 : "0:DEVCFG"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.220782] 0x000000580000-0x000000600000 : "0:APDP"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.225775] 0x000000600000-0x000000680000 : "0:RPM"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.230878] 0x000000680000-0x000000700000 : "0:CDT"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.235509] 0x000000700000-0x000000780000 :
"0:APPSBLENV"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.240308] 0x000000780000-0x000000e20000 : "0:APPSBL"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.250390] 0x000000e20000-0x000000e80000 : "cert"
```

```
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.251435] 0x000000e80000-0x000000f80000 :
"userconfig"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.256022] 0x000000f80000-0x000001000000 : "0:ART"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.261117] 0x000001000000-0x000007f00000 : "rootfs_1"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.347829] 0x000007f00000-0x000008800000 :
"0:WIFIFW_1"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.355160] 0x000008800000-0x00000f700000 : "rootfs"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.438486] mtd: device 14 (rootfs) set to be root
filesystem
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 2.438745] mtdsplit: no squashfs found in "rootfs"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 2.443210] 0x00000f700000-0x000001000000 : "0:WIFIFW"
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.455732] spmi spmi-0: PMIC Arb Version-2 (0x20010000)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.458669] libphy: Fixed MDIO Bus: probed
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 2.460700] of_get_named_gpiod_flags: parsed 'phy-reset-
gpio' property of node '/soc/mdio@90000[0]' - status (0)
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 2.680771] of_get_named_gpiod_flags: parsed 'phy-reset-
gpio' property of node '/soc/mdio@90000[1]' - status (0)
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 2.900830] of_get_named_gpiod_flags: can't parse 'phy-
reset-gpio' property of node '/soc/mdio@90000[2]'
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.900841] qca-mdio 90000.mdio: Could not find phy-
reset-gpio
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.900964] libphy: qca_mdio: probed
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.906129] qca-mdio 90000.mdio: qca-mdio driver was
registered
Apr 25 15:49:40 WAX218 kern.err kernel: [ 2.909482] Unable to create IPC log context!
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.915271] cnss: Platform driver probed successfully.
Apr 25 15:49:40 WAX218 kern.err kernel: [ 2.919696] Skip QCA8074V1 in V2 platform
Apr 25 15:49:40 WAX218 kern.err kernel: [ 2.924619] cnss_gen1: gen1_register_family fail: -17
Apr 25 15:49:40 WAX218 kern.err kernel: [ 2.928557] cnss: CNSS gen1 init failed -17
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.933589] cnss: Platform driver probed successfully.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.937786] i2c /dev entries driver
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.949466] device-mapper: ioctl: 4.34.0-ioctl (2015-10-
28) initialised: dm-devel@redhat.com
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.949917] sdhci: Secure Digital Host Controller
Interface driver
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.957001] sdhci: Copyright(c) Pierre Ossman
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.962954] sdhci-pltfm: SDHCI platform and OF driver
helper
Apr 25 15:49:40 WAX218 kern.err kernel: [ 2.968840] qcom_ice_get_device_tree_data: No vdd-hba-
supply regulator, assuming not needed
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.973159] ICE IRQ = 26
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.981747]
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.981747] Version Rollback Feature Disabled
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 2.984592] DEV CI test message
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.990287] remoteproc remoteproc0: q6v5-wcss is
available
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.993127] subsys-restart: ssr_parse_restart_orders():
q6v5-m3 device has been added to q6v5-m3's restart group
Apr 25 15:49:40 WAX218 kern.info kernel: [ 2.998232] subsys-restart: ssr_parse_restart_orders():
q6v5-wcss device has been added to q6v5-m3's restart group
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.008639] remoteproc remoteproc1: q6v5-m3 is available
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.019088] SPMI VADC - Min ch: 0 Max ch: 15
Apr 25 15:49:40 WAX218 kern.err kernel: [ 3.026007] of_graph_get_next_endpoint(): no port node
found in /soc/csr@6001000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.028490] coresight-csr 6001000.csr: CSR initialized
Apr 25 15:49:40 WAX218 kern.err kernel: [ 3.035970] of_graph_get_next_endpoint(): no port node
found in /soc/cti@6010000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 3.040935] of_graph_get_next_endpoint(): no port node
found in /soc/cti@6011000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 3.048516] of_graph_get_next_endpoint(): no port node
found in /soc/cti@6012000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 3.055873] of_graph_get_next_endpoint(): no port node
found in /soc/cti@6013000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 3.063226] of_graph_get_next_endpoint(): no port node
found in /soc/cti@6014000
```

Apr 25 15:49:40 WAX218 kern.err kernel: [3.070630] of_graph_get_next_endpoint(): no port node found in /soc/cti@6015000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.078001] of_graph_get_next_endpoint(): no port node found in /soc/cti@6016000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.085386] of_graph_get_next_endpoint(): no port node found in /soc/cti@6017000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.092749] of_graph_get_next_endpoint(): no port node found in /soc/cti@6018000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.100125] of_graph_get_next_endpoint(): no port node found in /soc/cti@6019000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.107489] of_graph_get_next_endpoint(): no port node found in /soc/cti@601a000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.114876] of_graph_get_next_endpoint(): no port node found in /soc/cti@601b000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.122239] of_graph_get_next_endpoint(): no port node found in /soc/cti@601c000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.129634] of_graph_get_next_endpoint(): no port node found in /soc/cti@601d000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.137008] of_graph_get_next_endpoint(): no port node found in /soc/cti@601e000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.144392] of_graph_get_next_endpoint(): no port node found in /soc/cti@601f000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.151755] of_graph_get_next_endpoint(): no port node found in /soc/cti@6198000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.159286] of_graph_get_next_endpoint(): no port node found in /soc/cti@6199000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.166659] of_graph_get_next_endpoint(): no port node found in /soc/cti@619a000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.174046] of_graph_get_next_endpoint(): no port node found in /soc/cti@619b000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.181487] of_graph_get_next_endpoint(): no port node found in /soc/cti@610c000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.188853] sps_register_bam_device : unable to create IPC Logging 0 for bam 0x06044000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.195875] sps_register_bam_device : unable to create IPC Logging 1 for bam 0x06044000sps_register_bam_device : unable to create IPC Logging 2 for bam 0x06044000

Apr 25 15:49:40 WAX218 kern.err kernel: [3.211579] sps_register_bam_device : unable to create IPC Logging 3 for bam 0x06044000sps_register_bam_device : unable to create IPC Logging 4 for bam 0x06044000

Apr 25 15:49:40 WAX218 kern.info kernel: [3.226075] sps:BAM 0x06044000 is registered.<6>[3.233020] coresight-tmc 6028000.tmc: TMC initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.237152] coresight-tmc 6027000.tmc: TMC initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.242290] coresight-funnel 6021000.funnel: FUNNEL initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.247331] coresight-funnel 6100000.funnel: FUNNEL initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.253123] coresight-funnel 6120000.funnel: FUNNEL initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.259050] coresight-funnel 6130000.funnel: FUNNEL initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.264960] coresight-funnel 61a1000.funnel: FUNNEL initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.271552] coresight-etm4x 619c000.etm: ETM 4.0 initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.277192] coresight-etm4x 619d000.etm: ETM 4.0 initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.283125] coresight-etm4x 619e000.etm: ETM 4.0 initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.288835] coresight-etm4x 619f000.etm: ETM 4.0 initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.293965] coresight-replicator-qcom 6026000.replicator: REPLICATOR 1.0 initialized

Apr 25 15:49:40 WAX218 kern.info kernel: [3.299752] coresight-stm 6002000.stm: STM initialized

Apr 25 15:49:40 WAX218 kern.err kernel: [3.308473] of_graph_get_next_endpoint(): no port node

found in /soc/hwevent@6101000

```
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.312112] coresight-hwevent 6101000.hwevent: Hardware
Event driver initialized
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.323888] NET: Registered protocol family 10
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.328031] NET: Registered protocol family 17
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.331564] bridge: automatic filtering via
arp/ip/ipv6tables has been deprecated. Update your scripts to load br_netfilter if you need this.
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.336019] Bridge firewalling registered
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.348731] 8021q: 802.1Q VLAN Support v1.8
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.352767] Registering SWP/SWPB emulation handler
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.357764] qcom,cpr3-npu-regulator a4000.npu-cpr: NPU
CPR valid fuse count: 2
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.361633] pmd9655_s4: supplied by e-smps1-reg
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.368878] cpr3_mem_acc_init: npu: not using memory
accelerator regulator
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.373112] npu_corner: fused NOM: open-loop= 792000
uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.380088] npu_corner: fused TURBO: open-loop= 848000
uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.385948] npu_corner: fused NOM: open-loop= 792000
uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.391511] npu_corner: fused TURBO: open-loop= 848000
uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.397197] npu_corner: Normal and Cold condition init
done. Default to normal.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.403107] qcom,cpr4-apss-regulator b018000.cpr4-ctrl:
CPR valid fuse count: 4
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.409948] pmd9655_s3: supplied by e-smps1-reg
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.417274] cpr4_ipq807x_apss_read_fuse_data: apc_corner:
speed bin = 0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.421637] cpr4_ipq807x_apss_read_fuse_data: apc_corner:
CPR fusing revision = 1
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.428258] cpr4_ipq807x_apss_read_fuse_data: apc_corner:
CPR misc fuse value = 0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.435913] cpr4_ipq807x_apss_read_fuse_data: apc_corner:
Voltage boost fuse config = 0 boost = disable
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.443410] cpr3_mem_acc_init: apc: not using memory
accelerator regulator
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.452554]
cpr4_ipq807x_apss_calculate_open_loop_voltages: apc_corner: fused SVS: open-loop= 704000 uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.459501]
cpr4_ipq807x_apss_calculate_open_loop_voltages: apc_corner: fused NOM: open-loop= 808000 uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.469485]
cpr4_ipq807x_apss_calculate_open_loop_voltages: apc_corner: fused TURBO: open-loop= 872000 uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.479293]
cpr4_ipq807x_apss_calculate_open_loop_voltages: apc_corner: fused STURBO: open-loop= 952000 uV
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.489168] cpr4_ipq807x_apss_calculate_target_quotients:
apc_corner: fused SVS: quot[ 7]= 707, quot_offset[ 7]= 0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.498916] cpr4_ipq807x_apss_calculate_target_quotients:
apc_corner: fused NOM: quot[ 7]= 904, quot_offset[ 7]= 195
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.509764] cpr4_ipq807x_apss_calculate_target_quotients:
apc_corner: fused TURBO: quot[ 7]=1013, quot_offset[ 7]= 105
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.520703] cpr4_ipq807x_apss_calculate_target_quotients:
apc_corner: fused STURBO: quot[ 7]=1158, quot_offset[ 7]= 145
Apr 25 15:49:40 WAX218 kern.info kernel: [ 3.531757] cpr3_regulator_init_ctrl: apc: Default CPR
mode = closed-loop
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 3.543620] cpufreq: cpufreq_online: CPU0: Running at
unlisted freq: 800000 KHz
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 3.549490] cpufreq: cpufreq_online: CPU0: Unlisted
initial frequency changed to: 1017600 KHz
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.556744] ubi0: attaching mtd14
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.724198] random: nonblocking pool is initialized
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.984204] ubi0: scanning is finished
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.989371] ubi0: attached mtd14 (name "rootfs", size
111 MiB)
```

```
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.989389] ubi0: PEB size: 131072 bytes (128 KiB), LEB
size: 126976 bytes
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 3.994083] ubi0: min./max. I/O unit sizes: 2048/2048,
sub-page size 2048
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.000949] ubi0: VID header offset: 2048 (aligned
2048), data offset: 4096
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.007803] ubi0: good PEBs: 886, bad PEBs: 2,
corrupted PEBs: 0
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.014573] ubi0: user volume: 3, internal volumes: 1,
max. volumes count: 128
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.020820] ubi0: max/mean erase counter: 2/0, WL
threshold: 4096, image sequence number: 713157493
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.027860] ubi0: available PEBs: 0, total reserved
PEBs: 886, PEBs reserved for bad PEB handling: 38
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.036808] ubi0: background thread "ubi_bgt0d"
started, PID 112
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.047060] hctosys: unable to open rtc device (rtc0)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.056628] pmd9655_ldo11: disabling
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.057576] ALSA device list:
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.060828] No soundcards found.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.065720] VFS: Mounted root (squashfs filesystem)
readonly on device 31:17.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.067132] Freeing unused kernel memory: 224K (80918000
- 80950000)
Apr 25 15:49:40 WAX218 user.info kernel: [ 4.294421] init: Console is alive
Apr 25 15:49:40 WAX218 user.info kernel: [ 4.294504] init: - watchdog -
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.974001] usbcore: registered new interface driver
usbfs
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.974049] usbcore: registered new interface driver hub
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.978469] usbcore: registered new device driver usb
Apr 25 15:49:40 WAX218 kern.info kernel: [ 4.984862] Button Hotplug driver version 0.4.1
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.989303] of_get_named_gpiod_flags: parsed 'gpios'
property of node '/soc/gpio_keys/button@1[0]' - status (0)
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 4.993148] SCSI subsystem initialized
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.994605] of_get_named_gpiod_flags: can't parse
'gpios' property of node '/soc/leds/led_r[0]'
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.994617] of_get_named_gpiod_flags: parsed 'gpio'
property of node '/soc/leds/led_r[0]' - status (0)
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.994680] of_get_named_gpiod_flags: can't parse
'gpios' property of node '/soc/leds/led_g[0]'
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.994685] of_get_named_gpiod_flags: parsed 'gpio'
property of node '/soc/leds/led_g[0]' - status (0)
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.994721] of_get_named_gpiod_flags: can't parse
'gpios' property of node '/soc/leds/led_b[0]'
Apr 25 15:49:40 WAX218 kern.debug kernel: [ 4.994725] of_get_named_gpiod_flags: parsed 'gpio'
property of node '/soc/leds/led_b[0]' - status (0)
Apr 25 15:49:40 WAX218 user.info kernel: [ 5.297011] init: - preinit -
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.470232] UBIFS (ubi0:2): background thread
"ubifs_bgt0_2" started, PID 148
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.496995] UBIFS (ubi0:2): recovery needed
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.589237] UBIFS (ubi0:2): recovery completed
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.589306] UBIFS (ubi0:2): UBIFS: mounted UBI device
0, volume 2, name "rootfs_data"
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.592572] UBIFS (ubi0:2): LEB size: 126976 bytes (124
KiB), min./max. I/O unit sizes: 2048 bytes/2048 bytes
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.600491] UBIFS (ubi0:2): FS size: 83042304 bytes (79
MiB, 654 LEBs), journal size 4190208 bytes (3 MiB, 33 LEBs)
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.610376] UBIFS (ubi0:2): reserved for root: 3922293
bytes (3830 KiB)
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 7.620614] UBIFS (ubi0:2): media format: w4/r0 (latest
is w4/r0), UUID 3B8698FE-DE89-417B-81FB-769F58F20858, small LPT model
Apr 25 15:49:40 WAX218 user.info kernel: [ 7.629840] mount_root: switching to jffs2 overlay
Apr 25 15:49:40 WAX218 user.info kernel: [ 7.931688] procd: - early -
Apr 25 15:49:40 WAX218 user.info kernel: [ 7.934517] procd: - watchdog -
Apr 25 15:49:40 WAX218 user.info kernel: [ 8.577384] procd: - ubus -
```



```
Apr 25 15:49:40 WAX218 user.info kernel: [ 9.579186] procd: - init -
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.801521] ubi1: attaching mtd15
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.835593] ubi1: scanning is finished
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.840396] ubi1: attached mtd15 (name "0:WIFIFW", size
9 MiB)
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.840416] ubi1: PEB size: 131072 bytes (128 KiB), LEB
size: 126976 bytes
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.845123] ubi1: min./max. I/O unit sizes: 2048/2048,
sub-page size 2048
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.851969] ubi1: VID header offset: 2048 (aligned
2048), data offset: 4096
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.858832] ubi1: good PEBs: 72, bad PEBs: 0, corrupted
PEBs: 0
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.865603] ubi1: user volume: 1, internal volumes: 1,
max. volumes count: 128
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.871501] ubi1: max/mean erase counter: 0/0, WL
threshold: 4096, image sequence number: 194235423
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.878801] ubi1: available PEBs: 12, total reserved
PEBs: 60, PEBs reserved for bad PEB handling: 40
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 9.887748] ubi1: background thread "ubi_bgt1d"
started, PID 238
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 10.508473] nlh_module: module license 'Proprietary'
taints kernel.
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 10.508497] Disabling lock debugging due to kernel taint
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.513718] Entering: nlh_init
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.519303] init phylink module
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.531595] cfg80211: World regulatory domain updated:
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.531619] cfg80211: DFS Master region: unset
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.535649] cfg80211: (start_freq - end_freq @
bandwidth), (max_antenna_gain, max_eirp), (dfs_cac_time)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.540230] cfg80211: (2402000 KHz - 2472000 KHz @
40000 KHz), (N/A, 2000 mBm), (N/A)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.549812] cfg80211: (2457000 KHz - 2482000 KHz @
20000 KHz, 92000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.557609] cfg80211: (2474000 KHz - 2494000 KHz @
20000 KHz), (N/A, 2000 mBm), (N/A)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.566981] cfg80211: (5170000 KHz - 5250000 KHz @
80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (N/A)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.574963] cfg80211: (5250000 KHz - 5330000 KHz @
80000 KHz, 160000 KHz AUTO), (N/A, 2000 mBm), (0 s)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.584686] cfg80211: (5490000 KHz - 5730000 KHz @
160000 KHz), (N/A, 2000 mBm), (0 s)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.594145] cfg80211: (5735000 KHz - 5835000 KHz @
80000 KHz), (N/A, 2000 mBm), (N/A)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 10.602210] cfg80211: (57240000 KHz - 63720000 KHz @
2160000 KHz), (N/A, 0 mBm), (N/A)
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.658895] ssdk_switch_device_num_init[998]:INFO:ess-
switch dts node number: 1
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.662588] ssdk_dt_get_switch_node[836]:INFO:ess-switch
DT exist!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.669509]
ssdk_dt_parse_access_mode[737]:INFO:switch_access_mode: local bus
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.675676]
ssdk_dt_parse_access_mode[750]:INFO:switchreg_base_addr: 0x3a000000
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.682787]
ssdk_dt_parse_access_mode[751]:INFO:switchreg_size: 0x1000000
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.690079] ssdk_dt_parse_mac_mode[242]:INFO:mac mode =
0x0
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.696505] ssdk_dt_parse_mac_mode[251]:INFO:mac mode1 =
0xff
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.702056] ssdk_dt_parse_mac_mode[260]:INFO:mac mode2 =
0xf
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.707800] ssdk_dt_parse_phy_info[569]:INFO:[PORT 6]
port_mac_sel = QGMAC_PORT
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.713441] ssdk_dt_parse_uniphy[279]:INFO:ess-uniphy DT
```

exist!

```
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.720888] ssdk_plat_init start
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.795490] ssdk_ppe_clock_init[517]:INFO:ppe and uniphy
clock init successfully!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.798618] ssdk_probe[1912]:INFO:ess_rst doesn't exist!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.805793] HPPE initializing...
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.807119] ssdk_phy_driver_init[301]:INFO:dev_id = 0,
phy_address = 0, phy_id = 0xffffffff phytype doesn't match
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.814494] ssdk_phy_driver_init[301]:INFO:dev_id = 0,
phy_address = 1, phy_id = 0xffffffff phytype doesn't match
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.824649] ssdk_phy_driver_init[301]:INFO:dev_id = 0,
phy_address = 2, phy_id = 0xffffffff phytype doesn't match
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.834793] ssdk_phy_driver_init[301]:INFO:dev_id = 0,
phy_address = 3, phy_id = 0xffffffff phytype doesn't match
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.844936] ssdk_phy_driver_init[301]:INFO:dev_id = 0,
phy_address = 4, phy_id = 0xffffffff phytype doesn't match
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.855097] qca808x_phy_api_ops_init[2125]:INFO:qca probe
qca808x phy driver succeeded!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.866332] qca808x_ptp_register[1410]:INFO:qca808x ptp
clock registered
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 11.873240] regi_init[3359]:INFO:Initializing HPPE!!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 12.094114] ssdk_ppe_reset_init[798]:INFO:ppe reset
successfully!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 12.100012] qca_hppe_tdm_hw_init[737]:INFO:tdm setup
num=96
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 12.103432] qca_hppe_portctrl_hw_init[165]:INFO:Hawkeye
PPE port initializing
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.351168] ssdk_switch_register[1617]:INFO:Chip version
0x1500
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.354147] qca_link_polling_select[1279]:INFO:link-
polling-required node does not exist
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.360386] ssdk_switch_register[1642]:INFO:polling is
selected
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.368117] regi_init[3363]:INFO:Initializing HPPE Done!!
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.373014] regi_init[3407]:INFO:qca-ssdk module init
succeeded!
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.379444] tun: Universal TUN/TAP device driver, 1.6
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.381484] tun: (C) 1999-2004 Max Krasnyansky
<maxk@qualcomm.com>
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.388521] EDMA ver 1 hw init
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.392723] EDMA HW Reset completed succesfully
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.395603] Num rings - TxDesc:1 (23-23) TxCmpl:1 (7-7)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.399974] RxDesc:1 (15-15) RxFill:1 (7-7)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.405589] GMAC5(9df86d00) Invalid MAC@ - using
d6:d7:92:bc:fe:3e
Apr 25 15:49:40 WAX218 kern.err kernel: [ 13.409392] libphy: PHY 90000.mdio:04 not found
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.415621] nss-dp: probe of 3a001800.dp5 failed with
error -14
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.420051] GMAC6(9df86d00) Invalid MAC@ - using
26:3c:7f:67:bd:0e
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.627329]
*****
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.627352] * NSS Data Plane driver
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.632739]
*****
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.748592] nss_driver - fw of size 685948 bytes copied
to load addr: 40000000, nss_id : 0
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.749778] Supported Frequencies -
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.755760] 748.8 MHz 1.4976 GHz
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.761718] 1.6896 GHz <1>[ 13.762764]
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.765191] 7f4a7180: meminfo init succeed
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.795994] node size 2 # items 4
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.796017] memory: 40000000 536870912 (avl 407179264)
items 4 active_cores 2
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.798305] addr/size storage words 2 2 # words 4 in
```

```
DTS, ddr size 1000000
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.805413] 7f4a7180: nss core 0 booted successfully
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.816031] nss_driver - fw of size 266868 bytes copied
to load addr: 40800000, nss_id : 1
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.820033] Supported Frequencies -
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.825510] 748.8 MHz 1.4976 GHz
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.831452] 1.6896 GHz <1>[ 13.832494]
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.835248] 7f4ab4c0: meminfo init succeed
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.838774] sit: IPv6 over IPv4 tunneling driver
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.840236] node size 2 # items 4
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.840240] memory: 40000000 536870912 (avl 407293952)
items 4 active_cores 2
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.840260] addr/size storage words 2 2 # words 4 in
DTS, ddr size 1000000
Apr 25 15:49:40 WAX218 kern.alert kernel: [ 13.840268] 7f4ab4c0: nss core 1 booted successfully
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.864707] nat46: module (version
8ff2ae59ec9840a7b8b45f976c51cae80abe0226) loaded.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.869291] ip6_gre: GRE over IPv6 tunneling driver
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.880547] Ethernet Channel Bonding Driver: v3.7.1
(April 27, 2011)
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.882863] QCA multicast snooping installed successfully
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.887403] ip6_tables: (C) 2000-2006 Netfilter Core Team
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.896296] nf_contrack version 0.5.0 (5920 buckets,
23680 max)
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 13.903283] nss_lag_init[354]:LAG Manager Installed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 13.908427] diag: IPC Logging disabled
Apr 25 15:49:40 WAX218 kern.notice kernel: [ 13.910944] <NSS-CRYPTO>:module loaded Build_ID -
02/17/21, 18:14:30 SoC=ipq807x
Apr 25 15:49:40 WAX218 kern.err kernel: [ 13.917753] cannot find nss-macsec0 node
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.918867] nss-macsec1 DT exist!
Apr 25 15:49:40 WAX218 kern.err kernel: [ 13.960939] cannot find nss-macsec2 node
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 13.960959] nss_macsec init success
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.972281] u32 classifier
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.972299] input device check on
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.973874] Actions configured
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.977972] Mirror/redirect action on
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.987959] fuse init (API version 7.23)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.989647] arp_tables: (C) 2002 David S. Miller
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.995486] Ebtables v2.0 registered
Apr 25 15:49:40 WAX218 kern.info kernel: [ 13.996253] ip_tables: (C) 2000-2006 Netfilter Core Team
Apr 25 15:49:40 WAX218 kern.info kernel: [ 14.176829] Netfilter messages via NETLINK v0.30.
Apr 25 15:49:40 WAX218 kern.info kernel: [ 14.184825] xt_time: kernel timezone is -0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 14.188828] ctnetlink v0.93: registering with nfnetlink.
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 15.732834] Not a bridge device, or device not found: br-
lan
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 15.903588] Not a bridge device, or device not found: br-
lan
Apr 25 15:49:40 WAX218 kern.info kernel: [ 20.612412] qdf_dbg_mask value is invalid
Apr 25 15:49:40 WAX218 kern.info kernel: [ 20.612433] Using the default module debug levels instead
Apr 25 15:49:40 WAX218 kern.info kernel: [ 20.615409] qdf_print_ctrl_register: Allocated print
control object 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 20.620835]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 20.620835] MINIDUMP VA .bss start=7f8d0900 module=qdf
Apr 25 15:49:40 WAX218 kern.err kernel: [ 22.536610] wlan: [686:E:CONFIG] cfg_uint_item_handler:
171: gScanProbeRepeatTime=50 - Out of range [0, 30]; Using 50
Apr 25 15:49:40 WAX218 kern.info kernel: [ 22.536679] init_ath_dev_in_umac generic moved
init_ath_dev to umac, Copyright (c) 2001-2007 Atheros Communications, Inc, All Rights Reserved
Apr 25 15:49:40 WAX218 kern.err kernel: [ 22.546595]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 22.546595] MINIDUMP VA .bss start=7fb6a980 module=umac
Apr 25 15:49:40 WAX218 kern.err kernel: [ 22.934390]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 22.934390] MINIDUMP VA .bss start=7fd33b00
module=qca_ol<3>[ 23.037468] wlan: [721:I:ANY] =====ol_if_register_wifi3_0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 23.037468]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 23.037501] wlan: [721:I:ANY] osif_nss_register_module:
90: NSS wifi ops registered for target_type:1 with soc_ops:7f3ac9bc
```

```
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.044333] remoteproc remoteproc1: powering up q6v5-m3
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.056105] remoteproc remoteproc1: Booting fw image
IPQ8074/m3_fw.mdt, size 284
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.060504] Sanity check passed for M3 image
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.099284] remoteproc remoteproc1: remote processor
q6v5-m3 is now up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 23.099354] wlan: [721:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 2
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 23.104793] <SSR>: glink SUBSYS_BEFOER_POWERUP reinit
done
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.111903] remoteproc remoteproc0: powering up q6v5-wcss
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.117467] remoteproc remoteproc0: Booting fw image
IPQ8074/q6_fw.mdt, size 668
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.123002] Sanity check passed for the image
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 23.943470] glink_core_link_up glink is up
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 23.943629] glink_xprt_open_event
Apr 25 15:49:40 WAX218 kern.err kernel: [ 23.943740] IPC_RTR: ipc_router_create_log_ctx: IPC
Logging disabled
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.943790] Subsystem error monitoring/handling services
are up
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.954140] remoteproc remoteproc0: remote processor
q6v5-wcss is now up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 23.954172] wlan: [721:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 3
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.969279] cnss: QMI WLFW service connected, state: 0x1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 23.976222] diag: In diag_send_feature_mask_update,
control channel is not open, p: 2, 7f5e03c4
Apr 25 15:49:40 WAX218 kern.info kernel: [ 23.976345] cnss: device_id : 65534 mem mode : [0]
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.058841] cnss: Boardid from dts:290,FW:ff
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.063847] cnss: BDF location : 0x4b0c0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.063869] cnss: BDF IPQ8074/bdwlan.b290 size 131072
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.067187] cnss: BDF download response , result: 0, err:
0x0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.072276] cnss: per device BDF location : 0x4b0e0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.077855] cnss: CALDATA IPQ8074/caldata.bin size 131072
offset 0x20000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.084879] cnss: BDF download response , result: 0, err:
0x0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.168760] wlan: [721:I:ANY] pld_ahb_wlan_enable: 681:
cnss_mode: Cold boot calibration
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.243252] wlan: [721:I:ANY] Coldboot calibration wait
started
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.243252]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.743269] wlan: [721:I:ANY] Coldboot calibration wait
ended
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.743269]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.744000] wlan: [721:I:ANY]
ol_ath_do_cold_boot_calibration: 497: Coldboot calib successful: radio_id 0x65534
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.749862] wlan: [721:I:ANY] init_ath_pci_3_0: 151:
^A6ath_ol_pci_wifi3.0: (Atheros/multi-bss)
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.759386]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.759386] MINIDUMP VA .bss start=7f3acc40
module=wifi_3_0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.771000] wlan: [732:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.799470] remoteproc remoteproc0: stopped remote
processor q6v5-wcss
Apr 25 15:49:40 WAX218 kern.err kernel: [ 24.799515] wlan: [732:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 1
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.804905] cnss: QMI WLFW service disconnected, state:
0x7
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 24.805103] glink_core_link_down glink is down
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 24.805316] <SSR>: glink SUBSYS_AFTER_SHUTDOWN cleanup
done
Apr 25 15:49:40 WAX218 kern.info kernel: [ 24.805327] remoteproc remoteproc1: stopped remote
```

processor q6v5-m3

```
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 24.844314] glink_xprt_close_event
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.246995]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.246995] MINIDUMP VA .bss start=7fd2eb00 module=qca_ol
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.320429] wlan: [740:I:ANY]
=====ol_if_register_wifi3_0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.320429]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.320465] wlan: [740:I:ANY] osif_nss_register_module:
90: NSS wifi ops registered for target_type:1 with soc_ops:7fddf9bc
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.327443] remoteproc remoteproc1: powering up q6v5-m3
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.338509] remoteproc remoteproc1: Booting fw image
IPQ8074/m3_fw.mdt, size 284
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.343635] Sanity check passed for M3 image
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.351824] remoteproc remoteproc1: remote processor
q6v5-m3 is now up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.355581] wlan: [740:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 2
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 25.361936] <SSR>: glink SUBSYS_BEFOER_POWERUP reinit
done
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.369079] remoteproc remoteproc0: powering up q6v5-wcss
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.374609] remoteproc remoteproc0: Booting fw image
IPQ8074/q6_fw.mdt, size 668
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.380166] Sanity check passed for the image
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 25.733404] glink_core_link_up glink is up
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 25.733562] glink_xprt_open_event
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.733637] IPC_RTR: ipc_router_create_log_ctx: IPC
Logging disabled
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.736467] Subsystem error monitoring/handling services
are up
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.736509] remoteproc remoteproc0: remote processor
q6v5-wcss is now up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.736541] wlan: [740:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 3
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.759191] cnss: QMI WLFW service connected, state: 0x1
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.766435] cnss: device_id : 65534 mem mode : [0]
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.771930] cnss: Boardid from dts:290,FW:ff
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.776255] cnss: BDF location : 0x4b0c0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.780486] cnss: BDF IPQ8074/bdwlwan.b290 size 131072
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.784996] cnss: BDF download response , result: 0, err:
0x0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.789625] cnss: per device BDF location : 0x4b0e0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 25.795236] cnss: CALDATA IPQ8074/caldata.bin size 131072
offset 0x20000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.802276] cnss: BDF download response , result: 0, err:
0x0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.836749] wlan: [740:I:ANY] pld_ahb_wlan_enable: 689:
cnss_mode: Mission mode
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.845617] wlan: [740:I:ANY] qca_napi_create: 369:
qca_napi_create: napi instance 0 created on pipe 4
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.845772] wlan: [740:I:ANY] __ol_ath_attach: 3560:
Allocated soc 99980500
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.855407] wlan: [740:E:CONFIG] cfg_uint_item_handler:
171: dp_int_timer_threshold_tx=1000 - Out of range [8, 100]; Using 1000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.860820] wlan: [740:I:ANY] osif_nss_wifi_soc_setup:
189: nss register id -1 nss config 0 Target Type 18
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.872146] wlan: [740:I:ANY] __ol_ath_attach: 3786: dev
name soc0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.881972] wlan: [740:I:ANY] ol_ath_soc_attach: 7056: WMI
attached. wmi_handle 9ce64000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.888172] wlan: [740:I:ANY] htc_wmi_init: 6357:
htc_wmi_init() HT Create . 98ebe000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.896346] wlan: [740:I:ANY] htc_wmi_init: 6364:
htc_wmi_init() Skipping BMI Done.
Apr 25 15:49:40 WAX218 kern.err kernel: [ 25.904158] wlan: [740:I:ANY] htc_wmi_init: 6421:
[htc_wmi_init:6421] host_enable 0 nss_nwifi_offload 0
```

Apr 25 15:49:40 WAX218 kern.err kernel: [25.914597] wlan: [740:I:ANY] ol_target_init_complete: 6539: CDP soc attach success

Apr 25 15:49:40 WAX218 kern.err kernel: [25.921079] wlan: [740:I:ANY] ol_target_init_complete: 6546: Soc attach success NSS config 0

Apr 25 15:49:40 WAX218 kern.err kernel: [25.928771] wlan: [740:I:ANY] htc_set_async_ep: 428: htc_set_async_ep: htc_handle 98ebe000, ep 2, value 1

Apr 25 15:49:40 WAX218 kern.err kernel: [25.937444] wlan: [740:I:ANY] htc_set_async_ep: 428: htc_set_async_ep: htc_handle 98ebe000, ep 3, value 1

Apr 25 15:49:40 WAX218 kern.err kernel: [25.947542] wlan: [104:I:TIF] HE_CAP Info = 1a08010d

Apr 25 15:49:40 WAX218 kern.err kernel: [25.956498] wlan: [104:I:TIF] Num HW modes = 1

Apr 25 15:49:40 WAX218 kern.err kernel: [25.961523] wlan: [104:I:TIF] Num PHY = 2

Apr 25 15:49:40 WAX218 kern.err kernel: [25.965783] wlan: [104:I:TIF] Preferred HW Mode = 1 Num Radios = 2

Apr 25 15:49:40 WAX218 kern.err kernel: [25.969864] wlan: [104:I:TIF] init_deinit_add_11ax_modes: 1440: Adding 11ax regulatory modes,

Apr 25 15:49:40 WAX218 kern.err kernel: [25.975947] wlan: [104:I:TIF] init_deinit_add_11ax_modes: 1444: phy_id = 0 wireless modes = f97f9001

Apr 25 15:49:40 WAX218 kern.err kernel: [25.984553] wlan: [104:I:TIF] init_deinit_add_11ax_modes: 1440: Adding 11ax regulatory modes,

Apr 25 15:49:40 WAX218 kern.err kernel: [25.993737] wlan: [104:I:TIF] init_deinit_add_11ax_modes: 1444: phy_id = 1 wireless modes = 680680c

Apr 25 15:49:40 WAX218 kern.err kernel: [26.002249] wlan: [104:I:TIF] init_deinit_add_11ax_modes: 1467: hw_mode_id = 1 phy_id = 0 wireless modes = f97f9001

Apr 25 15:49:40 WAX218 kern.err kernel: [26.011453] wlan: [104:I:TIF] init_deinit_add_11ax_modes: 1467: hw_mode_id = 1 phy_id = 1 wireless modes = 680680c

Apr 25 15:49:40 WAX218 kern.err kernel: [26.021808] wlan: [104:I:dfs] WLAN_DEBUG_DFS_ALWAYS : wlan_dfs_pdev_obj_create_notification: 389: dfs_offload 1

Apr 25 15:49:40 WAX218 kern.err kernel: [26.032028] wlan: [104:I:dfs] WLAN_DEBUG_DFS_ALWAYS : dfs_agile_soc_obj_init: 1579: dfs->dfs_psoc_idx: 0

Apr 25 15:49:40 WAX218 kern.err kernel: [26.042008] wlan: [104:I:dfs] WLAN_DEBUG_DFS_ALWAYS : dfs_agile_soc_obj_init: 1585: dfs_soc_obj->num_dfs_privs: 1

Apr 25 15:49:40 WAX218 kern.err kernel: [26.051909] wlan: [104:I:dfs] WLAN_DEBUG_DFS_ALWAYS : wlan_dfs_pdev_obj_create_notification: 361: Do not allocate DFS object for 2G, pdev_id = 1

Apr 25 15:49:40 WAX218 kern.err kernel: [26.100258] wlan: [104:I:TIF] init_deinit_update_pdev_tgt_info: 1082: CDP PDEV ATTACH success

Apr 25 15:49:40 WAX218 kern.err kernel: [26.107728] wlan: [104:I:TIF] init_deinit_update_pdev_tgt_info: 1082: CDP PDEV ATTACH success

Apr 25 15:49:40 WAX218 kern.err kernel: [26.208147] wlan: [104:I:ANY] copy_fw_abi_version_tlv: 6649: copy_fw_abi_version_tlv: INIT_CMD version: 1, 0, 0x5f414351, 0x4c4d, 0x0, 0x0

Apr 25 15:49:40 WAX218 kern.warn kernel: [26.405638]

Apr 25 15:49:40 WAX218 kern.warn kernel: [26.405638] [5G AC] countryID=840 ,ic->ic_disable_band=15,[1,1,1,1]

Apr 25 15:49:40 WAX218 kern.warn kernel: [26.409308]

Apr 25 15:49:40 WAX218 kern.warn kernel: [26.409308] [5G AC] countryID=840 ,ic->ic_disable_band=15,[1,1,1,1]

Apr 25 15:49:40 WAX218 kern.err kernel: [26.412642] wlan: [104:I:ANY] dp_peer_map_attach_wifi3: 8665: dp_peer_map_attach_wifi3 max_peers 1111, max_ast_index: 4112

Apr 25 15:49:40 WAX218 kern.err kernel: [26.412642]

Apr 25 15:49:40 WAX218 kern.err kernel: [26.420334] wlan: [104:I:ANY] ready_extract_init_status_tlv: 8473: ready_extract_init_status_tlv:0

Apr 25 15:49:40 WAX218 kern.err kernel: [26.432430] wlan: [740:I:ANY] ol_ath_connect_htc: 1238: WMI is ready

Apr 25 15:49:40 WAX218 kern.err kernel: [26.441560] wlan: [740:E:WMI] wmi_unified_register_event_handler: Event id 141 is unavailable

Apr 25 15:49:40 WAX218 kern.err kernel: [26.447949] wlan: [740:E:WMI] wmi_unified_register_event_handler: Event id 137 is unavailable

Apr 25 15:49:40 WAX218 kern.err kernel: [26.456379] wlan: [740:I:ANY] ol_ath_soc_attach: 7143: connect HTC

Apr 25 15:49:40 WAX218 kern.err kernel: [26.464869] wlan: [740:I:ANY] ol_ath_soc_attach: 7144: bypasswmi : 0

Apr 25 15:49:40 WAX218 kern.err kernel: [26.470943] wlan: [740:E:WMI] event handler already registered 0x27001

Apr 25 15:49:40 WAX218 kern.err kernel: [26.477457] wlan: [740:E:WMI] event handler already registered 0x27002

Apr 25 15:49:40 WAX218 kern.err kernel: [26.483789] wlan: [740:E:WMI] event handler already

```
registered 0x27003
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.490304] wlan: [740:E:WMI]
wmi_unified_register_event_handler: Event id 38 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.496818] wlan: [740:E:WMI]
wmi_unified_register_event_handler: Event id 138 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.505412] wlan: [740:E:WMI]
wmi_unified_register_event_handler: Event id 139 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.513833] wlan: [740:E:WMI]
wmi_unified_register_event_handler: Event id 55 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.522340] wlan: [740:E:WMI]
wmi_unified_register_event_handler: Event id 49 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.530851] wlan: [740:E:WMI]
wmi_unified_register_event_handler: Event id 25 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.539266] wlan: [740:I:ANY] ol_ath_soc_attach: 7224:
ol_ath_soc_attach() UMAC attach .
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.547731] wlan: [740:I:ANY] __ol_ath_attach: 3901:
=====pdev_netdev->name=wifi%d target_type=0x18=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.547731]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.555766] wlan: [740:I:ANY] __ol_ath_attach: 3902:
=====psoc_id:0x0 bus_type:0x4=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.555766]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.566700] wlan: [740:I:ANY] __ol_ath_attach: 3905:
=====set wifi%d as wifi1=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.566700]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.576421] wlan: [740:I:ANY] __ol_ath_attach: 3927:
=====after changed, pdev_netdev->name=wifi1=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.576421]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.585713] wlan: [740:I:ANY] __ol_ath_attach: 3930:
pdev_netdev name wifi1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.596821] wlan: [740:I:ANY] __ol_ath_attach: 3976: Skip
txrx_pdev_attach_target
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.603757] wlan: [740:I:ANY] __ol_ath_attach: 4001:
BURSTING enabled by default
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.611433] wlan: [740:I:ANY] ol_ath_pdev_attach: 8521:
interface_id 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.618871] wlan: [740:I:TIF] ol_ath_pdev_regdmn_init:
7385: phy id = 0 Modes supported
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.625204] wlan: [740:I:TIF] ol_ath_pdev_regdmn_init:
7392: 11b = 0 11g = 0 11a = 1 11n = 1 11ac = 1 11ax = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.633475] wlan: [740:I:TIF] ol_ath_pdev_regdmn_init:
7401: Reg cap - phy_id = 0 supp_bnd = 2, modes = f97f9001, lo_2g = 0, hi_2g = 0 lo_g5 = 4910, hi_5g
= 6100
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.643273] wlan: [740:I:ANY]
ol_ath_update_wireless_modes: 1353: wireless_modes = f97f9001 before update
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.657846] wlan: [740:I:ANY]
ol_ath_update_wireless_modes: 1368: Wireless_modes = f97f9001 after update
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.667481] wlan: [740:I:ANY] ol_ath_update_ext_caps:
1918: 11ax 5G supported case
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.677133] wlan: [740:I:ANY] ol_resmgr_create: 223: OL
Resmgr Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.684459] wlan: [740:I:ANY] ieee80211_cbs_init
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.690904] wlan: [740:I:ANY] CBS Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.690904]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.695706] wlan: [740:I:ANY] acfg_attach: 3463:
acfg_attach: 3463: Netlink socket created:98eb2000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.701075] wlan: [740:I:ANY] ol_if_eeprom_attach: 1459:
rate power table override is only supported for AR98XX
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.709931] wlan: [740:I:ANY] ol_ath_stats_attach: 2218:
periodic_chan_stats: 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.720511] wlan: [740:I:ANY]
wlan_scan_update_channel_list: 1094: num_chan: 21
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.727303] wlan: [0:I:ANY] ol_ath_pdev_attach: 8902: Set
global_ic[1], ptr:7fb731ec
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.734579] wlan: [0:I:ANY] dp_lag_soc_enable: 91:
pdev(9d69cf04) Enabling DBDC Repeater 1
```

```
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.742564] wlan: [0:I:ANY] dp_lag_pdev_set_primary_radio:
44: pdev(9d69cf04) is_primary 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.750640] wlan: [740:I:ANY] ol_ath_pdev_attach: 9031:
Pdev = 0 Number of peers = 529
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.759223] wlan: [0:I:ANY]
ol_ath_twt_enable_complete_event_handler: 13905: twt enabled.
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.759223]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760595] wlan: [740:I:ANY]
ol_ath_pri20_cfg_blockchanlist_parse: 574: cfg block channel list is empty
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760600] wlan: [740:I:ANY]
ol_ath_configure_cong_ctrl_max_msdu: 3488: pdev_idx = 0 tx_desc_limit = 32768
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760613] wlan: [740:I:ANY] osif_wrap_attach: 239: osif
wrap attached
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760613]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760616] wlan: [740:I:ANY] osif_wrap_devt_init: 201:
osif wrap dev table init done
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760616]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760620] wlan: [740:I:ANY] osif_wrap_attach: 247: Wrap
Attached: Wrap_com =99e8c400 ic->ic_wrap_com=99e8c400 &wrap_com->wc_devt=99e8c400
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760620]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760638] wlan: [740:I:ANY] __ol_ath_attach: 4186:
needed_headroom reservation 60
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760680] wlan: [740:I:ANY] wlan_cfg80211_init: 10772:
Number of 5G channels: 21
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.760850] wlan: [740:I:ANY]
ieee80211_cfg80211_radio_attach: 10866: ic: 0x97160500, wdev: 0x9716fc98, wiphy: 0x98eb2d60, netdev:
0x97160000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761241] wlan: [740:I:ANY] __ol_ath_attach: 3901:
=====pdev_netdev->name=wifi%d target_type=0x18=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761241]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761244] wlan: [740:I:ANY] __ol_ath_attach: 3902:
=====psoc_id:0x0 bus_type:0x4=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761244]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761246] wlan: [740:I:ANY] __ol_ath_attach: 3909:
=====set wifi%d as wifi0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761246]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761250] wlan: [740:I:ANY] __ol_ath_attach: 3927:
=====after changed, pdev_netdev->name=wifi0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761250]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761253] wlan: [740:I:ANY] __ol_ath_attach: 3930:
pdev_netdev name wifi0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761265] wlan: [740:I:ANY] __ol_ath_attach: 3976: Skip
txrx_pdev_attach_target
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761268] wlan: [740:I:ANY] __ol_ath_attach: 4001:
BURSTING enabled by default
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761301] wlan: [740:I:ANY] ol_ath_pdev_attach: 8521:
interface_id 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761309] wlan: [740:I:TIF] ol_ath_pdev_regdmn_init:
7385: phy id = 1 Modes supported
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761313] wlan: [740:I:TIF] ol_ath_pdev_regdmn_init:
7392: 11b = 1 11g = 1 11a = 0 11n = 1 11ac = 1 11ax = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761318] wlan: [740:I:TIF] ol_ath_pdev_regdmn_init:
7401: Reg cap - phy_id = 1 supp_bnd = 1, modes = 680680c, lo_2g = 2312, hi_2g = 2732 lo_g5 = 0,
hi_5g = 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761321] wlan: [740:I:ANY]
ol_ath_update_wireless_modes: 1353: wireless_modes = 680680c before update
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761324] wlan: [740:I:ANY]
ol_ath_update_wireless_modes: 1368: Wireless_modes = 680680c after update
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761327] wlan: [740:I:ANY] ol_ath_update_ext_caps:
1926: 11ax 2G supported case
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761405] wlan: [740:I:ANY] ol_resmgr_create: 223: OL
Resmgr Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761465] wlan: [740:I:ANY] ieee80211_cbs_init
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761467] wlan: [740:I:ANY] CBS Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 26.761467]
```


Apr 25 15:49:40 WAX218 kern.err kernel: [26.761477] wlan: [740:I:ANY] acfg_attach: 3438: Offload using existing sock 98eb2000

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761485] wlan: [740:I:ANY] ol_if_eeprom_attach: 1459: rate power table override is only supported for AR98XX

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761489] wlan: [740:I:ANY] ol_ath_stats_attach: 2218: periodic_chan_stats: 1

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761644] wlan: [740:I:ANY] wlan_scan_update_channel_list: 1094: num_chan: 11

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761661] wlan: [0:I:ANY] ol_ath_pdev_attach: 8902: Set global_ic[2], ptr:7fb731ec

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761666] wlan: [0:I:ANY] dp_lag_soc_enable: 91: pdev(9d6ea304) Enabling DBDC Repeater 1

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761671] wlan: [0:I:ANY] dp_lag_pdev_set_primary_radio: 44: pdev(9d6ea304) is_primary 0

Apr 25 15:49:40 WAX218 kern.err kernel: [26.761677] wlan: [740:I:ANY] ol_ath_pdev_attach: 9031: Pdev = 1 Number of peers = 529

Apr 25 15:49:40 WAX218 kern.err kernel: [26.762614] wlan: [740:E:WMI] event handler already registered 0x6019

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763304] wlan: [740:I:ANY] ol_ath_pri20_cfg_blockchanlist_parse: 574: cfg block channel list is empty

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763308] wlan: [740:I:ANY] ol_ath_configure_cong_ctrl_max_msdu: 3488: pdev_idx = 1 tx_desc_limit = 32768

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763318] wlan: [740:I:ANY] osif_wrap_attach: 239: osif wrap attached

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763318]

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763322] wlan: [740:I:ANY] osif_wrap_devt_init: 201: osif wrap dev table init done

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763322]

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763325] wlan: [740:I:ANY] osif_wrap_attach: 247: Wrap Attached: Wrap_com =92062e00 ic->ic_wrap_com=92062e00 &wrap_com->wc_devt=92062e00

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763325]

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763337] wlan: [740:I:ANY] __ol_ath_attach: 4186: needed_headroom reservation 60

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763351] wlan: [740:I:ANY] wlan_cfg80211_init: 10760: Number of 2G channels: 11

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763446] wlan: [740:I:ANY] ieee80211_cfg80211_radio_attach: 10866: ic: 0x971a0500, wdev: 0x971afc98, wiphy: 0x91ce8160, netdev: 0x971a0000

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763770] wlan: [740:I:Dynamic Mode Change] ol_ath_check_and_reconfig_hw_mode: 3457: Running with HW mode = 1

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763966] wlan: [740:E:QLD] qld_register: 108: Handle or address is NULL

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763976] wlan: [740:I:ANY] wlan_pdev_operation: 756: num_radios=1, wifi_radios[0].sc = 97160500_radio_type = 2

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763980] wlan: [740:I:ANY] wlan_pdev_operation: 756: num_radios=2, wifi_radios[1].sc = 971a0500_radio_type = 2

Apr 25 15:49:40 WAX218 kern.err kernel: [26.763997] wlan: [740:I:ANY] init_ath_pci_3_0: 151: ^A6ath_ol_pci_wifi3.0: (Atheros/multi-bss)

Apr 25 15:49:40 WAX218 kern.err kernel: [27.188482]

Apr 25 15:49:40 WAX218 kern.err kernel: [27.188482] MINIDUMP VA .bss start=7fddfc40 module=wifi_3_0

Apr 25 15:49:40 WAX218 kern.err kernel: [27.188483] wlan: [0:I:ANY] ol_ath_twt_enable_complete_event_handler: 13905: twt enabled.

Apr 25 15:49:40 WAX218 kern.err kernel: [27.188483]

Apr 25 15:49:40 WAX218 kern.err kernel: [27.273221] wlan: [747:I:ANY] osif_nss_register_module: 90: NSS wifi ops registered for target_type:0 with soc_ops:7f399928

Apr 25 15:49:40 WAX218 kern.err kernel: [27.273257] wlan: [747:I:ANY] osif_nss_register_module: 90: NSS wifi ops registered for target_type:0 with soc_ops:7f399928

Apr 25 15:49:40 WAX218 kern.err kernel: [27.283456] wlan: [747:I:ANY] init_ath_pci_2_0: 143: ^A6ath_ol_pci_2_0: (Atheros/multi-bss)

Apr 25 15:49:40 WAX218 kern.err kernel: [30.716633] wlan: [850:I:ANY] ol_ath_ahb_ssr: 191: ol_ath_ahb_ssr: SSR event 0

Apr 25 15:49:40 WAX218 kern.err kernel: [30.716682] wlan: [850:I:ANY] ol_ath_ahb_remove: 800: Suspending Target - with disable_intr set :soc0 (sc 9def7000) soc=99980500

Apr 25 15:49:40 WAX218 kern.err kernel: [30.722755] wlan: [850:I:ANY] wlan_pdev_operation: 857:

wlan_pdev_operation: disable_target_intr val is 1
Apr 25 15:49:40 WAX218 kern.err kernel: [30.734516] wlan: [850:I:ANY] wlan_pdev_operation: 857:
wlan_pdev_operation: disable_target_intr val is 1
Apr 25 15:49:40 WAX218 kern.err kernel: [30.743937] wlan: [850:I:ANY] ol_ath_ahb_remove: 803:
waiting for target paused event from target :soc0 (sc 9def7000)
Apr 25 15:49:40 WAX218 kern.err kernel: [30.753490] wlan: [850:I:ANY] ol_ath_ahb_remove: 821: AHB
Call to nss detach
Apr 25 15:49:40 WAX218 kern.err kernel: [30.764070] wlan: [850:I:ANY] ol_ath_ahb_remove: 824: Call
to nss detach ops 00000000
Apr 25 15:49:40 WAX218 kern.err kernel: [30.771199] wlan: [850:E:QLD] qld_register: 108: Handle or
address is NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [30.779036] wlan: [850:I:ANY] osif_wrap_devt_detach: 217:
osif wrap dev table detached
Apr 25 15:49:40 WAX218 kern.err kernel: [30.779036]
Apr 25 15:49:40 WAX218 kern.err kernel: [30.785864] wlan: [850:I:ANY] osif_wrap_detach: 271: osif
wrap detached
Apr 25 15:49:40 WAX218 kern.err kernel: [30.785864]
Apr 25 15:49:40 WAX218 kern.err kernel: [30.795256] wlan: [850:I:ANY] acfg_detach: 3490:
acfg_detach Netlink socket released
Apr 25 15:49:40 WAX218 kern.err kernel: [30.803760] wlan: [0:I:ANY] ol_ath_pdev_detach: 9470:
ol_ath_pdev_detach: remove global_ic[1].gloabl_ic ptr:7fb731ec
Apr 25 15:49:40 WAX218 kern.err kernel: [30.811217] wlan: [850:I:ANY]
ieee80211_cfg80211_radio_detach: 10899: ieee80211_cfg80211_radio_detach: ic: 0x97160500, wdev:
0x9716fc98, netdev: 0x97160000
Apr 25 15:49:40 WAX218 kern.err kernel: [30.904322] PCIE: User of event deregistration is NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [30.934233] wlan: [850:E:QLD] qld_register: 108: Handle or
address is NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [30.934367] wlan: [850:I:ANY] osif_wrap_devt_detach: 217:
osif wrap dev table detached
Apr 25 15:49:40 WAX218 kern.err kernel: [30.934367]
Apr 25 15:49:40 WAX218 kern.err kernel: [30.940066] wlan: [850:I:ANY] osif_wrap_detach: 271: osif
wrap detached
Apr 25 15:49:40 WAX218 kern.err kernel: [30.940066]
Apr 25 15:49:40 WAX218 kern.err kernel: [30.949724] wlan: [850:E:WMI] event handler is not
registered: evt id 0x6019
Apr 25 15:49:40 WAX218 kern.err kernel: [30.957675] wlan: [850:E:CFR] tgt_cfr_deinit_pdev: 124:
Error occurred with exit code 16
Apr 25 15:49:40 WAX218 kern.err kernel: [30.957675]
Apr 25 15:49:40 WAX218 kern.err kernel: [30.964730] wlan: [850:E:CFR] cfr_deinitialize_pdev: 157:
cfr_deinitialize_pdev status=16
Apr 25 15:49:40 WAX218 kern.err kernel: [30.964730]
Apr 25 15:49:40 WAX218 kern.err kernel: [30.974222] wlan: [0:I:ANY] ol_ath_pdev_detach: 9470:
ol_ath_pdev_detach: remove global_ic[0].gloabl_ic ptr:7fb731ec
Apr 25 15:49:40 WAX218 kern.err kernel: [30.983780] wlan: [850:I:ANY]
ieee80211_cfg80211_radio_detach: 10899: ieee80211_cfg80211_radio_detach: ic: 0x971a0500, wdev:
0x971afc98, netdev: 0x971a0000
Apr 25 15:49:40 WAX218 kern.err kernel: [31.084241] PCIE: User of event deregistration is NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [31.154194] wlan: [850:I:ANY] ath_lowi_if_netlink_delete:
121: ath_lowi_if_netlink_delete lowi_if_n1 is NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [31.154260] wlan: [850:I:ANY] ol_ath_phyerr_detach: 351:
^A6ol_ath_phyerr_detach: called
Apr 25 15:49:40 WAX218 kern.err kernel: [31.163163] wlan: [850:E:WMI] Event id 55 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [31.170903] wlan: [850:E:WMI] Event id 141 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [31.176411] wlan: [850:E:WMI] Event id 137 is unavailable
Apr 25 15:49:40 WAX218 kern.info kernel: [31.274159] cnss: QMI WLFW service disconnected, state:
0x7
Apr 25 15:49:40 WAX218 kern.err kernel: [31.274430] wlan: [850:I:ANY] ^A6ath_ahb_remove
Apr 25 15:49:40 WAX218 kern.err kernel: [31.274430]
Apr 25 15:49:40 WAX218 kern.info kernel: [31.303709] remoteproc remoteproc0: stopped remote
processor q6v5-wcss
Apr 25 15:49:40 WAX218 kern.err kernel: [31.303747] wlan: [850:I:ANY] ol_ath_ahb_ssr: 191:
ol_ath_ahb_ssr: SSR event 1
Apr 25 15:49:40 WAX218 kern.emerg kernel: [31.309305] glink_core_link_down glink is down
Apr 25 15:49:40 WAX218 kern.emerg kernel: [31.316372] <SSR>: glink SUBSYS_AFTER_SHUTDOWN cleanup
done

```
Apr 25 15:49:40 WAX218 kern.info kernel: [ 31.320761] remoteproc remoteproc1: stopped remote processor q6v5-m3
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 31.344141] glink_xprt_close_event
Apr 25 15:49:40 WAX218 kern.err kernel: [ 31.466435] wlan: [873:E:QLD] qld_list_deinit: 63: Handle NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [ 31.466530] wlan: [873:F:SER] wlan_serialization_deinit: 618: deregistered callbacks with obj mgr successfully
Apr 25 15:49:40 WAX218 kern.info kernel: [ 31.471164] Removing athdebug proc file
Apr 25 15:49:40 WAX218 kern.info kernel: [ 31.481169] exit_ath_dev_in_umac: driver unloaded, remove proc files
Apr 25 15:49:40 WAX218 kern.info kernel: [ 31.732083] qdf_dbg_mask value is invalid
Apr 25 15:49:40 WAX218 kern.info kernel: [ 31.732104] Using the default module debug levels instead
Apr 25 15:49:40 WAX218 kern.info kernel: [ 31.735112] qdf_print_ctrl_register: Allocated print control object 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 31.740511]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 31.740511] MINIDUMP VA .bss start=7fbd6900 module=qdf
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.415372] wlan: [919:E:CONFIG] cfg_uint_item_handler: 171: gScanProbeRepeatTime=50 - Out of range [0, 30]; Using 50
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.415441] init_ath_dev_in_umac generic moved init_ath_dev to umac, Copyright (c) 2001-2007 Atheros Communications, Inc, All Rights Reserved
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.425196]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.425196] MINIDUMP VA .bss start=7fb41980 module=umac
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.730239]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.730239] MINIDUMP VA .bss start=7fce7b00 module=qca_ol<3>[ 33.803792] wlan: [945:I:ANY] =====ol_if_register_wifi3_0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.803792]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.803825] wlan: [945:I:ANY] osif_nss_register_module: 90: NSS wifi ops registered for target_type:1 with soc_ops:7fd989bc
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.810641] remoteproc remoteproc1: powering up q6v5-m3
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.821703] remoteproc remoteproc1: Booting fw image IPQ8074/m3_fw.mdt, size 284
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.826837] Sanity check passed for M3 image
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.835054] remoteproc remoteproc1: remote processor q6v5-m3 is now up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 33.838764] wlan: [945:I:ANY] ol_ath_ahb_ssr: 191: ol_ath_ahb_ssr: SSR event 2
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 33.845143] <SSR>: glink SUBSYS_BEFOER_POWERUP reinit done
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.852261] remoteproc remoteproc0: powering up q6v5-wcss
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.857796] remoteproc remoteproc0: Booting fw image IPQ8074/q6_fw.mdt, size 668
Apr 25 15:49:40 WAX218 kern.info kernel: [ 33.863358] Sanity check passed for the image
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 34.216184] glink_core_link_up glink is up
Apr 25 15:49:40 WAX218 kern.emerg kernel: [ 34.216323] glink_xprt_open_event
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.216408] IPC_RTR: ipc_router_create_log_ctx: IPC Logging disabled
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.219240] Subsystem error monitoring/handling services are up
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.219252] remoteproc remoteproc0: remote processor q6v5-wcss is now up
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.219277] wlan: [945:I:ANY] ol_ath_ahb_ssr: 191: ol_ath_ahb_ssr: SSR event 3
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.242955] cnss: QMI WLFW service connected, state: 0x1
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.248729] cnss: device_id : 65534 mem mode : [0]
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.257442] cnss: Boardid from dts:290,FW:ff
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.258860] cnss: BDF location : 0x4b0c0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.263087] cnss: BDF IPQ8074/bdwlcn.b290 size 131072
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.270005] cnss: BDF download response , result: 0, err: 0x0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.272427] cnss: per device BDF location : 0x4b0e0000
Apr 25 15:49:40 WAX218 kern.info kernel: [ 34.278041] cnss: CALDATA IPQ8074/caldata.bin size 131072 offset 0x20000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.285096] cnss: BDF download response , result: 0, err: 0x0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.319482] wlan: [945:I:ANY] pld_ahb_wlan_enable: 689:
```

cnss_mode: Mission mode

```
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.328317] wlan: [945:I:ANY] qca_napi_create: 369:
qca_napi_create: napi instance 0 created on pipe 4
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.328472] wlan: [945:I:ANY] __ol_ath_attach: 3560:
Allocated soc 99a80500
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.336650] wlan: [945:E:CONFIG] cfg_uint_item_handler:
171: dp_int_timer_threshold_tx=1000 - Out of range [8, 100]; Using 1000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.343519] wlan: [945:I:ANY] osif_nss_wifi_soc_setup:
189: nss register id -1 nss config 0 Target Type 18
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.354840] wlan: [945:I:ANY] __ol_ath_attach: 3786: dev
name soc0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.364679] wlan: [945:I:ANY] ol_ath_soc_attach: 7056: WMI
attached. wmi_handle 99ad4000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.370864] wlan: [945:I:ANY] htc_wmi_init: 6357:
htc_wmi_init() HT Create . 925b1000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.379049] wlan: [945:I:ANY] htc_wmi_init: 6364:
htc_wmi_init() Skipping BMI Done.
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.386857] wlan: [945:I:ANY] htc_wmi_init: 6421:
[htc_wmi_init:6421] host_enable 0 nss_nwifi_offload 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.396934] wlan: [945:I:ANY] ol_target_init_complete:
6539: CDP soc attach success
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.403778] wlan: [945:I:ANY] ol_target_init_complete:
6546: Soc attach success NSS config 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.411469] wlan: [945:I:ANY] htc_set_async_ep: 428:
htc_set_async_ep: htc_handle 925b1000, ep 2, value 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.420145] wlan: [945:I:ANY] htc_set_async_ep: 428:
htc_set_async_ep: htc_handle 925b1000, ep 3, value 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.430230] wlan: [733:I:TIF] HE_CAP Info = 1a08010d
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.439198] wlan: [733:I:TIF] Num HW modes = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.444227] wlan: [733:I:TIF] Num PHY = 2
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.448477] wlan: [733:I:TIF] Preferred HW Mode = 1 Num
Radios = 2
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.452563] wlan: [733:I:TIF] init_deinit_add_11ax_modes:
1440: Adding 11ax regulatory modes,
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.458647] wlan: [733:I:TIF] init_deinit_add_11ax_modes:
1444: phy_id = 0 wireless modes = f97f9001
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.467240] wlan: [733:I:TIF] init_deinit_add_11ax_modes:
1440: Adding 11ax regulatory modes,
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.476441] wlan: [733:I:TIF] init_deinit_add_11ax_modes:
1444: phy_id = 1 wireless modes = 680680c
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.484950] wlan: [733:I:TIF] init_deinit_add_11ax_modes:
1467: hw_mode_id = 1 phy_id = 0 wireless modes = f97f9001
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.494153] wlan: [733:I:TIF] init_deinit_add_11ax_modes:
1467: hw_mode_id = 1 phy_id = 1 wireless modes = 680680c
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.504504] wlan: [733:I:dfs] WLAN_DEBUG_DFS_ALWAYS :
wlan_dfs_pdev_obj_create_notification: 389: dfs_offload 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.514727] wlan: [733:I:dfs] WLAN_DEBUG_DFS_ALWAYS :
dfs_agile_soc_obj_init: 1579: dfs->dfs_psoc_idx: 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.524707] wlan: [733:I:dfs] WLAN_DEBUG_DFS_ALWAYS :
dfs_agile_soc_obj_init: 1585: dfs_soc_obj->num_dfs_privs: 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.534597] wlan: [733:I:dfs] WLAN_DEBUG_DFS_ALWAYS :
wlan_dfs_pdev_obj_create_notification: 361: Do not allocate DFS object for 2G, pdev_id = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.583088] wlan: [733:I:TIF]
init_deinit_update_pdev_tgt_info: 1082: CDP PDEV ATTACH success
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.590544] wlan: [733:I:TIF]
init_deinit_update_pdev_tgt_info: 1082: CDP PDEV ATTACH success
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.690966] wlan: [733:I:ANY] copy_fw_abi_version_tlv:
6649: copy_fw_abi_version_tlv: INIT_CMD version: 1, 0, 0x5f414351, 0x4c4d, 0x0, 0x0
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 34.889436]
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 34.889436] [5G AC] countryID=840 ,ic-
>ic_disable_band=15,[1,1,1,1]
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 34.893108]
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 34.893108] [5G AC] countryID=840 ,ic-
>ic_disable_band=15,[1,1,1,1]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 34.896446] wlan: [733:I:ANY] dp_peer_map_attach_wifi3:
```

8665: dp_peer_map_attach_wifi3 max_peers 1111, max_ast_index: 4112
Apr 25 15:49:40 WAX218 kern.err kernel: [34.896446]
Apr 25 15:49:40 WAX218 kern.err kernel: [34.904136] wlan: [733:I:ANY]
ready_extract_init_status_tlv: 8473: ready_extract_init_status_tlv:0
Apr 25 15:49:40 WAX218 kern.err kernel: [34.916229] wlan: [945:I:ANY] ol_ath_connect_htc: 1238:
WMI is ready
Apr 25 15:49:40 WAX218 kern.err kernel: [34.925356] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 141 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [34.931742] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 137 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [34.940178] wlan: [945:I:ANY] ol_ath_soc_attach: 7143:
connect HTC
Apr 25 15:49:40 WAX218 kern.err kernel: [34.948667] wlan: [945:I:ANY] ol_ath_soc_attach: 7144:
bypasswmi : 0
Apr 25 15:49:40 WAX218 kern.err kernel: [34.954764] wlan: [945:E:WMI] event handler already
registered 0x27001
Apr 25 15:49:40 WAX218 kern.err kernel: [34.961252] wlan: [945:E:WMI] event handler already
registered 0x27002
Apr 25 15:49:40 WAX218 kern.err kernel: [34.967593] wlan: [945:E:WMI] event handler already
registered 0x27003
Apr 25 15:49:40 WAX218 kern.err kernel: [34.974101] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 38 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [34.980617] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 138 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [34.989210] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 139 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [34.997636] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 55 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [35.006140] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 49 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [35.014651] wlan: [945:E:WMI]
wmi_unified_register_event_handler: Event id 25 is unavailable
Apr 25 15:49:40 WAX218 kern.err kernel: [35.023061] wlan: [945:I:ANY] ol_ath_soc_attach: 7224:
ol_ath_soc_attach() UMAC attach .
Apr 25 15:49:40 WAX218 kern.err kernel: [35.031529] wlan: [945:I:ANY] __ol_ath_attach: 3901:
====pdev_netdev->name=wifi%d target_type=0x18====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.031529]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.039564] wlan: [945:I:ANY] __ol_ath_attach: 3902:
====psoc_id:0x0 bus_type:0x4====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.039564]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.050498] wlan: [945:I:ANY] __ol_ath_attach: 3905:
====set wifi%d as wifi1====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.050498]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.060220] wlan: [945:I:ANY] __ol_ath_attach: 3927:
====after changed, pdev_netdev->name=wifi1====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.060220]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.069513] wlan: [945:I:ANY] __ol_ath_attach: 3930:
pdev_netdev name wifi1
Apr 25 15:49:40 WAX218 kern.err kernel: [35.080620] wlan: [945:I:ANY] __ol_ath_attach: 3976: Skip
txrx_pdev_attach_target
Apr 25 15:49:40 WAX218 kern.err kernel: [35.087562] wlan: [945:I:ANY] __ol_ath_attach: 4001:
BURSTING enabled by default
Apr 25 15:49:40 WAX218 kern.err kernel: [35.095242] wlan: [945:I:ANY] ol_ath_pdev_attach: 8521:
interface_id 1
Apr 25 15:49:40 WAX218 kern.err kernel: [35.102665] wlan: [945:I:TIF] ol_ath_pdev_regdmn_init:
7385: phy id = 0 Modes supported
Apr 25 15:49:40 WAX218 kern.err kernel: [35.109005] wlan: [945:I:TIF] ol_ath_pdev_regdmn_init:
7392: 11b = 0 11g = 0 11a = 1 11n = 1 11ac = 1 11ax = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [35.117256] wlan: [945:I:TIF] ol_ath_pdev_regdmn_init:
7401: Reg cap - phy_id = 0 supp_bnd = 2, modes = f97f9001, lo_2g = 0, hi_2g = 0 lo_g5 = 4910, hi_5g
= 6100
Apr 25 15:49:40 WAX218 kern.err kernel: [35.127071] wlan: [945:I:ANY]
ol_ath_update_wireless_modes: 1353: wireless_modes = f97f9001 before update
Apr 25 15:49:40 WAX218 kern.err kernel: [35.141645] wlan: [945:I:ANY]
ol_ath_update_wireless_modes: 1368: Wireless_modes = f97f9001 after update

Apr 25 15:49:40 WAX218 kern.err kernel: [35.151280] wlan: [945:I:ANY] ol_ath_update_ext_caps: 1918: 11ax 5G supported case
Apr 25 15:49:40 WAX218 kern.err kernel: [35.160925] wlan: [945:I:ANY] ol_resmgr_create: 223: OL Resmgr Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [35.168251] wlan: [945:I:ANY] ieee80211_cbs_init
Apr 25 15:49:40 WAX218 kern.err kernel: [35.174707] wlan: [945:I:ANY] CBS Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [35.174707]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.179494] wlan: [945:I:ANY] acfg_attach: 3463: acfg_attach: 3463: Netlink socket created:98eb0c00
Apr 25 15:49:40 WAX218 kern.err kernel: [35.184885] wlan: [945:I:ANY] ol_if_eeprom_attach: 1459: rate power table override is only supported for AR98XX
Apr 25 15:49:40 WAX218 kern.err kernel: [35.193724] wlan: [945:I:ANY] ol_ath_stats_attach: 2218: periodic_chan_stats: 1
Apr 25 15:49:40 WAX218 kern.err kernel: [35.204320] wlan: [945:I:ANY] wlan_scan_update_channel_list: 1094: num_chan: 21
Apr 25 15:49:40 WAX218 kern.err kernel: [35.211097] wlan: [0:I:ANY] ol_ath_pdev_attach: 8902: Set global_ic[1], ptr:7fb4a1ec
Apr 25 15:49:40 WAX218 kern.err kernel: [35.218378] wlan: [0:I:ANY] dp_lag_soc_enable: 91: pdev(99895c04) Enabling DBDC Repeater 1
Apr 25 15:49:40 WAX218 kern.err kernel: [35.226366] wlan: [0:I:ANY] dp_lag_pdev_set_primary_radio: 44: pdev(99895c04) is_primary 1
Apr 25 15:49:40 WAX218 kern.err kernel: [35.234437] wlan: [945:I:ANY] ol_ath_pdev_attach: 9031: Pdev = 0 Number of peers = 529
Apr 25 15:49:40 WAX218 kern.err kernel: [35.243016] wlan: [0:I:ANY] ol_ath_twt_enable_complete_event_handler: 13905: twt enabled.
Apr 25 15:49:40 WAX218 kern.err kernel: [35.243016]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244442] wlan: [945:I:ANY] ol_ath_pri20_cfg_blockchanlist_parse: 574: cfg block channel list is empty
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244446] wlan: [945:I:ANY] ol_ath_configure_cong_ctrl_max_msdu: 3488: pdev_idx = 0 tx_desc_limit = 32768
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244461] wlan: [945:I:ANY] osif_wrap_attach: 239: osif wrap attached
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244461]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244464] wlan: [945:I:ANY] osif_wrap_devt_init: 201: osif wrap dev table init done
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244464]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244468] wlan: [945:I:ANY] osif_wrap_attach: 247: Wrap Attached: Wrap_com =99ad4600 ic->ic_wrap_com=99ad4600 &wrap_com->wc_devt=99ad4600
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244468]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244485] wlan: [945:I:ANY] __ol_ath_attach: 4186: needed_headroom reservation 60
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244526] wlan: [945:I:ANY] wlan_cfg80211_init: 10772: Number of 5G channels: 21
Apr 25 15:49:40 WAX218 kern.err kernel: [35.244693] wlan: [945:I:ANY] ieee80211_cfg80211_radio_attach: 10866: ic: 0x96da0500, wdev: 0x96dafc98, wiphy: 0x98eb1960, netdev: 0x96da0000
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245085] wlan: [945:I:ANY] __ol_ath_attach: 3901: =====pdev_netdev->name=wifi%d target_type=0x18=====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245085]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245089] wlan: [945:I:ANY] __ol_ath_attach: 3902: =====psoc_id:0x0 bus_type:0x4=====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245089]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245091] wlan: [945:I:ANY] __ol_ath_attach: 3909: =====set wifi%d as wifi0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245091]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245095] wlan: [945:I:ANY] __ol_ath_attach: 3927: =====after changed, pdev_netdev->name=wifi0=====
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245095]
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245098] wlan: [945:I:ANY] __ol_ath_attach: 3930: pdev_netdev name wifi0
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245112] wlan: [945:I:ANY] __ol_ath_attach: 3976: Skip txrx_pdev_attach_target
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245115] wlan: [945:I:ANY] __ol_ath_attach: 4001: BURSTING enabled by default
Apr 25 15:49:40 WAX218 kern.err kernel: [35.245149] wlan: [945:I:ANY] ol_ath_pdev_attach: 8521:

interface_id 0

```
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245158] wlan: [945:I:TIF] ol_ath_pdev_regdmn_init:
7385: phy id = 1 Modes supported
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245162] wlan: [945:I:TIF] ol_ath_pdev_regdmn_init:
7392: 11b = 1 11g = 1 11a = 0 11n = 1 11ac = 1 11ax = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245167] wlan: [945:I:TIF] ol_ath_pdev_regdmn_init:
7401: Reg cap - phy_id = 1 supp_bnd = 1, modes = 680680c, lo_2g = 2312, hi_2g = 2732 lo_g5 = 0,
hi_5g = 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245170] wlan: [945:I:ANY]
ol_ath_update_wireless_modes: 1353: wireless_modes = 680680c before update
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245173] wlan: [945:I:ANY]
ol_ath_update_wireless_modes: 1368: Wireless_modes = 680680c after update
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245177] wlan: [945:I:ANY] ol_ath_update_ext_caps:
1926: 11ax 2G supported case
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245257] wlan: [945:I:ANY] ol_resmgr_create: 223: OL
Resmgr Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245318] wlan: [945:I:ANY] ieee80211_cbs_init
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245320] wlan: [945:I:ANY] CBS Init-ed
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245320]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245329] wlan: [945:I:ANY] acfg_attach: 3438: Offload
using existing sock 98eb0c00
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245337] wlan: [945:I:ANY] ol_if_eeeprom_attach: 1459:
rate power table override is only supported for AR98XX
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245340] wlan: [945:I:ANY] ol_ath_stats_attach: 2218:
periodic_chan_stats: 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245495] wlan: [945:I:ANY]
wlan_scan_update_channel_list: 1094: num_chan: 11
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245510] wlan: [0:I:ANY] ol_ath_pdev_attach: 8902: Set
global_ic[2], ptr:7fb4a1ec
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245515] wlan: [0:I:ANY] dp_lag_soc_enable: 91:
pdev(99895a04) Enabling DBDC Repeater 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245519] wlan: [0:I:ANY] dp_lag_pdev_set_primary_radio:
44: pdev(99895a04) is_primary 0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.245525] wlan: [945:I:ANY] ol_ath_pdev_attach: 9031:
Pdev = 1 Number of peers = 529
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.246479] wlan: [945:E:WMI] event handler already
registered 0x6019
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247162] wlan: [945:I:ANY]
ol_ath_pri20_cfg_blockchanlist_parse: 574: cfg block channel list is empty
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247166] wlan: [945:I:ANY]
ol_ath_configure_cong_ctrl_max_msdu: 3488: pdev_idx = 1 tx_desc_limit = 32768
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247178] wlan: [945:I:ANY] osif_wrap_attach: 239: osif
wrap attached
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247178]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247180] wlan: [945:I:ANY] osif_wrap_devt_init: 201:
osif wrap dev table init done
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247180]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247184] wlan: [945:I:ANY] osif_wrap_attach: 247: Wrap
Attached: Wrap_com=9ce65800 ic->ic_wrap_com=9ce65800 &wrap_com->wc_devt=9ce65800
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247184]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247197] wlan: [945:I:ANY] __ol_ath_attach: 4186:
needed_headroom reservation 60
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247209] wlan: [945:I:ANY] wlan_cfg80211_init: 10760:
Number of 2G channels: 11
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247321] wlan: [945:I:ANY]
ieee80211_cfg80211_radio_attach: 10866: ic: 0x998c0500, wdev: 0x998cfc98, wiphy: 0x98eb3960, netdev:
0x998c0000
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247646] wlan: [945:I:Dynamic Mode Change]
ol_ath_check_and_reconfig_hw_mode: 3457: Running with HW mode = 1
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247840] wlan: [945:E:QLD] qld_register: 108: Handle or
address is NULL
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247848] wlan: [945:I:ANY] wlan_pdev_operation: 756:
num_radios=1, wifi_radios[0].sc = 96da0500_radio_type = 2
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247852] wlan: [945:I:ANY] wlan_pdev_operation: 756:
num_radios=2, wifi_radios[1].sc = 998c0500_radio_type = 2
```

```
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.247868] wlan: [945:I:ANY] init_ath_pci_3_0: 151:
^A6ath_ol_pci_wifi3.0: (Atheros/multi-bss)
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.672069]
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.672069] MINIDUMP VA .bss start=7fd98c40
module=wifi_3_0
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.672069] wlan: [0:I:ANY]
ol_ath_twt_enable_complete_event_handler: 13905: twt enabled.
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.672069]
Apr 25 15:49:40 WAX218 kern.warn kernel: [ 35.737174] vmap allocation for size 557056 failed: use
vmalloc=<size> to increase size.
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.744070] wlan: [952:I:ANY] osif_nss_register_module:
90: NSS wifi ops registered for target_type:0 with soc_ops:a007c928
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.744351] wlan: [952:I:ANY] osif_nss_register_module:
90: NSS wifi ops registered for target_type:0 with soc_ops:a007c928
Apr 25 15:49:40 WAX218 kern.err kernel: [ 35.755486] wlan: [952:I:ANY] init_ath_pci_2_0: 143:
^A6ath_ol_pci_2_0: (Atheros/multi-bss)
Apr 25 15:49:40 WAX218 kern.info kernel: [ 37.843830] Entering: nlh_recv_msg
Apr 25 15:49:40 WAX218 kern.info kernel: [ 37.843853] [nlh] recv process 1280 msg
Apr 25 15:49:40 WAX218 kern.info kernel: [ 37.846163] [nlh] recv msg type:0
Apr 25 15:49:40 WAX218 kern.info kernel: [ 37.849849] [nlh] recv msg value:hello
Apr 25 15:49:40 WAX218 kern.info kernel: [ 37.853320] [nlh] change user pid: 1280
Apr 25 15:49:40 WAX218 user.emerg : Successfully initialized wpa_supplicant
Apr 25 15:49:40 WAX218 user.emerg :
Apr 25 15:49:40 WAX218 user.emerg : starting
Apr 25 15:49:40 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:40 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:40 WAX218 user.emerg : sh: out of range
Apr 25 15:49:41 WAX218 user.emerg : Usage: uci [<options>] <command> [<arguments>]
Apr 25 15:49:41 WAX218 user.emerg :
Apr 25 15:49:41 WAX218 user.emerg : Commands:
Apr 25 15:49:41 WAX218 user.emerg :     batch
Apr 25 15:49:41 WAX218 user.emerg :     export     [<config>]
Apr 25 15:49:41 WAX218 user.emerg :     import     [<config>]
Apr 25 15:49:41 WAX218 user.emerg :     changes    [<config>]
Apr 25 15:49:41 WAX218 user.emerg :     commit     [<config>]
Apr 25 15:49:41 WAX218 user.emerg :     add        <config> <section-type>
Apr 25 15:49:41 WAX218 user.emerg :     add_list   <config>.<section>.<option>=<string>
Apr 25 15:49:41 WAX218 user.emerg :     del_list   <config>.<section>.<option>=<string>
Apr 25 15:49:41 WAX218 user.emerg :     show       [<config>[.<section>[.<option>]]]
Apr 25 15:49:41 WAX218 user.emerg :     get        <config>.<section>[.<option>]
Apr 25 15:49:41 WAX218 user.emerg :     set        <config>.<section>[.<option>]=<value>
Apr 25 15:49:41 WAX218 user.emerg :     delete     <config>[.<section>[[.<option>][=<id>]]]
Apr 25 15:49:41 WAX218 user.emerg :     rename     <config>.<section>[.<option>]=<name>
Apr 25 15:49:41 WAX218 user.emerg :     revert     <config>[.<section>[.<option>]]
Apr 25 15:49:41 WAX218 user.emerg :     reorder    <config>.<section>=<position>
Apr 25 15:49:41 WAX218 user.emerg :
Apr 25 15:49:41 WAX218 user.emerg : Options:
Apr 25 15:49:41 WAX218 user.emerg :     -c <path>  set the search path for config files (default:
/etc/config)
Apr 25 15:49:41 WAX218 user.emerg :     -d <str>   set the delimiter for list values in uci show
Apr 25 15:49:41 WAX218 user.emerg :     -f <file>  use <file> as input instead of stdin
Apr 25 15:49:41 WAX218 user.emerg :     -m        when importing, merge data into an existing
package
Apr 25 15:49:41 WAX218 user.emerg :     -n        name unnamed sections on export (default)
Apr 25 15:49:41 WAX218 user.emerg :     -N        don't name unnamed sections
Apr 25 15:49:41 WAX218 user.emerg :     -p <path>  add a search path for config change files
Apr 25 15:49:41 WAX218 user.emerg :     -P <path>  add a search path for config change files and use
as default
Apr 25 15:49:41 WAX218 user.emerg :     -q        quiet mode (don't print error messages)
Apr 25 15:49:41 WAX218 user.emerg :     -s        force strict mode (stop on parser errors, default)
Apr 25 15:49:41 WAX218 user.emerg :     -S        disable strict mode
Apr 25 15:49:41 WAX218 user.emerg :     -X        do not use extended syntax on 'show'
Apr 25 15:49:41 WAX218 user.emerg :
Apr 25 15:49:41 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:41 WAX218 user.emerg : uci: Entry not found
```



```
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : sh: you need to specify whom to kill
Apr 25 15:49:42 WAX218 user.emerg : /sbin/wifi: eval: line 1: batctl: not found
Apr 25 15:49:42 WAX218 user.emerg : Error received: -19
Apr 25 15:49:42 WAX218 user.emerg : Could not send NL command
Apr 25 15:49:42 WAX218 user.emerg : /sbin/wifi: eval: line 1: batctl: not found
Apr 25 15:49:42 WAX218 user.emerg : Error received: -19
Apr 25 15:49:42 WAX218 user.emerg : Could not send NL command
Apr 25 15:49:42 WAX218 user.emerg : /sbin/wifi: eval: line 1: batctl: not found
Apr 25 15:49:42 WAX218 user.emerg : Error received: -19
Apr 25 15:49:42 WAX218 user.emerg : Could not send NL command
Apr 25 15:49:42 WAX218 user.emerg : cat: can't open '/sys/class/net/*/parent': No such file or
directory
Apr 25 15:49:42 WAX218 user.err : ioctl(s, SIOCGIFADDR, ...): Address not available
Apr 25 15:49:42 WAX218 daemon.notice miniupnpd[2019]: HTTP listening on port 5000
Apr 25 15:49:42 WAX218 daemon.warn miniupnpd[2019]: no HTTP IPv6 address, disabling IPv6
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: setsockopt(udp, IP_ADD_MEMBERSHIP): No such device
Apr 25 15:49:42 WAX218 daemon.warn miniupnpd[2019]: Failed to add multicast membership for interface
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: sendto(udp_notify=6, ): Network unreachable
Apr 25 15:49:42 WAX218 user.notice firewall: Reloading firewall due to ifup of mgmt (br-mgmt)
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:42 WAX218 user.emerg : sh: you need to specify whom to kill
Apr 25 15:49:42 WAX218 user.emerg : /sbin/wifi: eval: line 1: batctl: not found
Apr 25 15:49:42 WAX218 user.emerg : Error received: -19
Apr 25 15:49:42 WAX218 user.emerg : Could not send NL command
Apr 25 15:49:42 WAX218 user.emerg : /sbin/wifi: eval: line 1: batctl: not found
Apr 25 15:49:42 WAX218 user.emerg : Error received: -19
Apr 25 15:49:42 WAX218 user.emerg : Could not send NL command
Apr 25 15:49:42 WAX218 user.emerg : /sbin/wifi: eval: line 1: batctl: not found
Apr 25 15:49:42 WAX218 user.emerg : Error received: -19
Apr 25 15:49:42 WAX218 user.emerg : Could not send NL command
Apr 25 15:49:42 WAX218 daemon.err miniupnpd[2019]: try_sendto(sock=6, len=395,
```



```
Apr 25 15:49:43 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:43 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:43 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:43 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:44 WAX218 user.emerg : cp: omitting directory '/cfg/default/internal'
Apr 25 15:49:44 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:44 WAX218 kern.warn kernel: [ 41.757392] __mc_netlink_receive: Enable bridge snooping!
Apr 25 15:49:44 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:44 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.351659] wlan: [2707:I:ANY] wlan_cfg80211_set_hwaddr:
6067: wlan_cfg80211_set_hwaddr :94:a6:7e:00:20:b6 ret: 0
Apr 25 15:49:44 WAX218 kern.warn kernel: [ 42.388098]
Apr 25 15:49:44 WAX218 kern.warn kernel: [ 42.388098] [5G AC] countryID=840 ,ic->ic_disable_band=9,
[1,0,0,1]
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.389710] wlan: [2719:I:ANY]
wlan_scan_update_channel_list: 1094: num_chan: 9
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.394977] wlan: [2719:I:ANY]
wlan_scan_update_channel_list: 1094: num_chan: 9
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.401900] wlan: [2719:I:ANY] number of channels: 2G = 0
5G = 9
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.409350] wlan: [982:I:ANY] ol_acfg_handle_wifi_ioctl:
417: ol_acfg_handle_wifi_ioctl: req->cmd=75 not valid for radio interface, it's for VAP
Apr 25 15:49:44 WAX218 user.emerg : Enable ol_stats by default for Lithium platforms
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.551004] wlan: [2734:I:ANY] wlan_cfg80211_set_hwaddr:
6067: wlan_cfg80211_set_hwaddr :94:a6:7e:00:20:b6 ret: 0
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.572236] wlan: [2736:I:ANY] ol_ath_set_config_param:
1576: set TXBF_SND_PERIOD: value 100 wmi_status 0
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.616479] wlan: [0:I:ANY] ol_ath_set_config_param: 2378:
Disconnect_timeout value: 10
Apr 25 15:49:44 WAX218 kern.err kernel: [ 42.639261] wlan: [0:I:ANY] ol_ath_set_config_param: 2384:
Reconfiguration_timeout value:60
Apr 25 15:49:44 WAX218 daemon.notice netifd: Network device 'eth0' link is up
Apr 25 15:49:44 WAX218 kern.info kernel: [ 42.694249] eth0: PHY Link up speed: 1000
Apr 25 15:49:44 WAX218 kern.info kernel: [ 42.694375] br-lan: port 1(eth0) entered forwarding state
Apr 25 15:49:44 WAX218 kern.info kernel: [ 42.697270] br-lan: port 1(eth0) entered forwarding state
Apr 25 15:49:44 WAX218 kern.info kernel: [ 42.702872] IPv6: ADDRCONF(NETDEV_CHANGE): br-lan: link
becomes ready
Apr 25 15:49:44 WAX218 daemon.notice netifd: Bridge 'br-lan' link is up
Apr 25 15:49:44 WAX218 daemon.notice netifd: Interface 'lan' has link connectivity
Apr 25 15:49:44 WAX218 daemon.notice netifd: Interface 'lan' is setting up now
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): udhcpc: option -h NAME is deprecated, use -x
hostname:NAME
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): udhcpc: started, v1.25.1
Apr 25 15:49:45 WAX218 user.notice deconfig: set interface br-lan to 192.168.0.100
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.800272] wlan: [2814:I:ANY]
wlan_cfg80211_add_virtual_intf: 325: proprietary mode 6 for interface: ath1 : clone params:
0x00000003
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.800335] wlan: [2814:I:ANY] osifp_create_wlan_vap:
10683: VDEV Create 94:a6:7e:00:20:b6
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.811318] wlan: [2814:E:CMN_MLME]
mlme_vdev_ext_obj_create: 1435: VDEV MLME obj is creation
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): udhcpc: sending discover
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.820000] wlan: [2814:I:ANY] wlan_vap_create: 1597:
enter. devhandle=0x96da0500, opmode=IEEE80211_M_HOSTAP, flags=0x3
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.820000]
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): udhcpc: sending select for 10.0.0.2
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.828657] wlan: [2814:I:ANY] ol_ath_vap_set_param: 1121:
Setting SGI value: 1
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.840711] wlan: [2814:I:ANY] ol_ath_vap_set_param: 2149:
VDEV params:HE su_bfee:1|su_bfer:1|mu_bfee:0|mu_bfer:1|dl_muofdma:1|ul_muofdma:1|ul_mumimo:1
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.847589] wlan: [2814:I:ANY] ol_ath_vap_set_param: 2159:
he_bf_cap=0x7b
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): udhcpc: lease of 10.0.0.2 obtained, lease
time 86400
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): luci-reload start [lan-ip-obtain-deconfig
```

```
upnpd ]
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.861678] wlan: [2814:I:ANY] ol_ath_vap_set_param: 2174:
VDEV params:AC/VHT sounding mode:HE|SU/MU sounding mode:SU|Trig/Non-Trig sounding mode:Non-Trigged
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.868264] wlan: [2814:I:ANY] MBO Initialized
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.882115] wlan: [2814:I:ANY] OCE Initialized
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.886480] wlan: [2814:I:ANY] wlan_vap_create: 1630: exit
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.891238] wlan: [2814:E:ANY] Smart Antenna is not
supported
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.896510] wlan: [2814:E:ANY] Smart Antenna is not
supported
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.902154] wlan: [2814:I:ANY] osif_create_vap_complete:
10881: TX Checksum:1|SG:1|TSO:1|LRO:0
Apr 25 15:49:45 WAX218 kern.err kernel: [ 42.908980] wlan: [2814:I:ANY] VAP device ath1 created
osifp: (91ad3500) os_if: (91bd8000)
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): luci-reload finished
Apr 25 15:49:45 WAX218 daemon.notice netifd: Interface 'lan' is now up
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[1658]: reading /tmp/resolv.conf.auto
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[1658]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[1658]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[1658]: using local addresses only for domain lan
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[1658]: using nameserver 10.0.0.1#53
Apr 25 15:49:45 WAX218 user.emerg : sh: wifi1_sta: unknown operand
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): luci-reload start [lan-ip-obtain led
dnsmasq_restart l2_isolation generic-mgmt-lan-ip-reload ]
Apr 25 15:49:45 WAX218 user.notice firewall: Reloading firewall due to ifup of lan (br-lan)
Apr 25 15:49:45 WAX218 user.emerg : cfg02b785
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): Reloading generic-mgmt-lan-ip-reload...
Apr 25 15:49:45 WAX218 kern.err kernel: [ 43.360145] wlan: [3213:I:ANY] ieee80211_ioctl_siwfreq:
2745: VAP is not ready. Saving channel [40] to configure later
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[1658]: exiting on receipt of SIGTERM
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: started, version 2.78 cachesize 150
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: DNS service limited to local subnets
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: compile time options: IPv6 GNU-getopt no-DBus no-
i18n no-IDN DHCP no-DHCPv6 no-Lua TFTP no-contrack no-ipset no-auth no-DNSSEC no-ID loop-detect
inotify
Apr 25 15:49:45 WAX218 daemon.info dnsmasq-dhcp[3269]: DHCP, IP range 192.168.100.100 --
192.168.100.199, lease time 1d
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using local addresses only for domain lan
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: reading /tmp/resolv.conf.auto
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using local addresses only for domain lan
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: using nameserver 10.0.0.1#53
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: read /etc/hosts - 1 addresses
Apr 25 15:49:45 WAX218 daemon.info dnsmasq[3269]: read /tmp/hosts/dhcp - 1 addresses
Apr 25 15:49:45 WAX218 daemon.info dnsmasq-dhcp[3269]: read /etc/ethers - 0 addresses
Apr 25 15:49:45 WAX218 kern.err kernel: [ 43.500969] wlan: [3254:I:ANY] ol_ath_vap_set_param: 1121:
Setting SGI value: 0
Apr 25 15:49:45 WAX218 user.notice dhcp6c: starting dhcp6c
Apr 25 15:49:45 WAX218 user.notice dhcp6c: Using MAC address DUID 00:03:00:06:94:A6:7E:00:20:B4
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): Reloading dnsmasq_restart...
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): luci-reload finished
Apr 25 15:49:45 WAX218 kern.err kernel: [ 43.699521] wlan: [3341:I:ANY] ol_ath_vap_set_param: 2149:
VDEV params:HE su_bfee:1|su_bfer:1|mu_bfee:0|mu_bfer:1|dl_muofdma:1|ul_muofdma:0|ul_mumimo:1
Apr 25 15:49:45 WAX218 kern.err kernel: [ 43.699565] wlan: [3341:I:ANY] ol_ath_vap_set_param: 2159:
he_bf_cap=0x5b
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): Warning: Unable to locate ipset utility,
```

disabling ipset support

```
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): Warning: Option @defaults[0].contrack is
unknown
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv4 filter table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv4 nat table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv4 mangle table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv4 raw table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv6 filter table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv6 mangle table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing IPv6 raw table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Flushing contrack table ...
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Populating IPv4 filter table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow-DHCP-Renew'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow-Ping'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow DNS Queries'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow DHCP request'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Forward 'guest' -> 'lan'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Populating IPv4 nat table
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:45 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Populating IPv4 mangle table
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Populating IPv4 raw table
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Populating IPv6 filter table
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow-DHCPv6'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow-ICMPv6-Input'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow-ICMPv6-Forward'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow DNS Queries'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Rule 'Allow DHCP request'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Forward 'guest' -> 'lan'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Populating IPv6 mangle table
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Populating IPv6 raw table
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'lan'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'guest'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Zone 'mgmt'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Set tcp_ecn to off
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Set tcp_syncookies to on
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Set tcp_window_scaling to on
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Running script '/etc/firewall.user'
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Running script '/etc/firewall-re.user'
Apr 25 15:49:46 WAX218 kern.info kernel: [ 44.004581] device ath1 entered promiscuous mode
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): udhcpc: performing DHCP renew
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Running script
'/usr/share/miniupnpd/firewall.include'
Apr 25 15:49:46 WAX218 kern.err kernel: [ 44.042720] wlan: [3550:I:ANY] DES SSID SET=AdAstra2
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): udhcpc: sending renew
Apr 25 15:49:46 WAX218 user.emerg : sh: out of range
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): * Flushing contrack table ...
Apr 25 15:49:46 WAX218 user.emerg : sh: out of range
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): udhcpc: lease of 10.0.0.2 obtained, lease
```

time 86400

```
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): luci-reload start [lan-ip-obtain led
dnsmasq_restart l2_isolation generic-mgmt-lan-ip-reload ]
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): Reloading generic-mgmt-lan-ip-reload...
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): Reloading dnsmasq_restart...
Apr 25 15:49:46 WAX218 daemon.notice netifd: lan (2777): luci-reload finished
Apr 25 15:49:47 WAX218 kern.warn kernel: [ 44.954967] __mc_netlink_receive: Disable bridge
snooping!
Apr 25 15:49:47 WAX218 user.emerg : Primary channel is changed to 40
Apr 25 15:49:47 WAX218 kern.warn kernel: [ 45.137138] __mc_netlink_receive: Enable bridge snooping!
Apr 25 15:49:47 WAX218 user.emerg : sh: 96: unknown operand
Apr 25 15:49:47 WAX218 user.emerg : sh: 32: unknown operand
Apr 25 15:49:47 WAX218 user.emerg : sh: 64: unknown operand
Apr 25 15:49:47 WAX218 user.emerg : sh: 32: unknown operand
Apr 25 15:49:47 WAX218 daemon.notice netifd: Network device 'ath1' link is up
Apr 25 15:49:47 WAX218 kern.info kernel: [ 45.435537] br-lan: port 2(ath1) entered forwarding state
Apr 25 15:49:47 WAX218 kern.info kernel: [ 45.435573] br-lan: port 2(ath1) entered forwarding state
Apr 25 15:49:47 WAX218 kern.info kernel: [ 45.439946] 8021q: adding VLAN 0 to HW filter on device
ath1
Apr 25 15:49:47 WAX218 kern.err kernel: [ 45.446162] wlan: [2349:I:ANY] wlan_cfg80211_do_acs: 3378:
vap-0(ath1):ACS Params
Apr 25 15:49:47 WAX218 kern.err kernel: [ 45.451027] wlan: [2349:I:ANY] wlan_cfg80211_do_acs: 3381:
ht_enabled:0|ht40_enabled:0|vht_enabled:0|hw_mode:30|chwidth:20|
Apr 25 15:49:47 WAX218 kern.err kernel: [ 45.458436] wlan: [2349:I:ANY] vap-0(ath1): ACS result PCH
40, SCH 44, hw_mode 2 chwidth 80, vht_seg0 42, vht_seg1 0
Apr 25 15:49:47 WAX218 user.emerg : OK
Apr 25 15:49:47 WAX218 user.emerg : crontab: can't open 'root': No such file or directory
Apr 25 15:49:47 WAX218 kern.err kernel: [ 45.535735] wlan: [2349:I:ANY] DES SSID SET=AdAstra2
Apr 25 15:49:47 WAX218 kern.err kernel: [ 45.535761] wlan: [2349:I:ANY] wlan_cfg80211_set_phymode:
1197: cfg80211 mode:30
Apr 25 15:49:47 WAX218 kern.warn kernel: [ 45.625770] [band-steering] bandsteer:[0] debug_lv:[0][0]
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : sh: wifi1_ssid_2: unknown operand
Apr 25 15:49:48 WAX218 user.emerg : sh: 3: unknown operand
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : 1
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.887033] wlan: [0:I:CMN_MLME] vdev[0] ieee chan:40
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.887341] wlan: [0:E:ANY] Smart Antenna is not supported
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.891127] wlan: [0:I:ANY] vdev[0]: Mgt Rate:6000(kbps)
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.896583] wlan: [0:I:ANY] vdev[0]: Mgt Rate:6000(kbps)
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 daemon.info hostapd: ath1: IEEE 802.11 driver had channel switch: freq=5200,
ht=1, vht_ch=0x0, offset=-1, width=3 (80 MHz), cf1=5210, cf2=0
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.901973] wlan: [0:E:CMN_MLME]
mlme_vdev_restart_is_allowed: 363: No multivdev restart
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.907263] wlan: [0:I:dfs] WLAN_DEBUG_DFS_ALWAYS :
dfs_set_current_channel: 807: dfs_curchan already updated
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
```

```
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.962514] wlan: [0:I:CMN_MLME] vdev[0] ieee chan:40
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.962745] wlan: [0:E:ANY] Smart Antenna is not supported
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.966587] wlan: [0:I:ANY] vdev[0]: Mgt Rate:6000(kbps)
Apr 25 15:49:48 WAX218 kern.err kernel: [ 45.971947] wlan: [0:I:ANY] vdev[0]: Mgt Rate:6000(kbps)
Apr 25 15:49:48 WAX218 daemon.info hostapd: ath1: IEEE 802.11 driver had channel switch: freq=5200,
ht=1, vht_ch=0x0, offset=-1, width=3 (80 MHz), cf1=5210, cf2=0
Apr 25 15:49:48 WAX218 user.emerg : cp: omitting directory '/cfg/default/internal'
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.384945] wlan: [4127:I:ANY] wlan_cfg80211_set_hwaddr:
6067: wlan_cfg80211_set_hwaddr :94:a6:7e:00:20:b5 ret: 0
Apr 25 15:49:48 WAX218 kern.warn kernel: [ 46.423513]
Apr 25 15:49:48 WAX218 kern.warn kernel: [ 46.423513] [5G AC] countryID=840 ,ic-
>ic_disable_band=15,[1,1,1,1]
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.423937] wlan: [4139:I:ANY]
wlan_scan_update_channel_list: 1094: num_chan: 11
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.430854] wlan: [4139:I:ANY] number of channels: 2G = 11
5G = 0
Apr 25 15:49:48 WAX218 user.emerg : Enable ol_stats by default for Lithium platforms
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.576104] wlan: [4154:I:ANY] wlan_cfg80211_set_hwaddr:
6067: wlan_cfg80211_set_hwaddr :94:a6:7e:00:20:b5 ret: 0
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.597868] wlan: [4156:I:ANY] ol_ath_set_config_param:
1576: set TXBF_SND_PERIOD: value 100 wmi_status 0
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.642493] wlan: [0:I:ANY] ol_ath_set_config_param: 2378:
Disconnect_timeout value: 10
Apr 25 15:49:48 WAX218 kern.err kernel: [ 46.666604] wlan: [0:I:ANY] ol_ath_set_config_param: 2384:
Reconfiguration_timeout value:60
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.799313] wlan: [4202:I:ANY]
wlan_cfg80211_add_virtual_intf: 325: proprietary mode 6 for interface: ath0 : clone params:
0x00000003
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.799382] wlan: [4202:I:ANY] osifp_create_wlan_vap:
10683: VDEV Create 94:a6:7e:00:20:b5
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.810435] wlan: [4202:E:CMN_MLME]
mlme_vdev_ext_obj_create: 1435: VDEV MLME obj is creation
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.818696] wlan: [4202:I:ANY] wlan_vap_create: 1597:
enter. devhandle=0x998c0500, opmode=IEEE80211_M_HOSTAP, flags=0x3
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.818696]
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.827393] wlan: [4202:I:ANY] ol_ath_vap_set_param: 1121:
Setting SGI value: 1
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.839710] wlan: [4202:I:ANY] ol_ath_vap_set_param: 2149:
VDEV params:HE su_bfee:1|su_bfer:1|mu_bfee:0|mu_bfer:1|dl_muofdma:1|ul_muofdma:1|ul_mumimo:1
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.846715] wlan: [4202:I:ANY] ol_ath_vap_set_param: 2159:
he_bf_cap=0x7b
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.860201] wlan: [4202:I:ANY] ol_ath_vap_set_param: 2174:
VDEV params:AC/VHT sounding mode:HE|SU/MU sounding mode:SU|Trig/Non-Trig sounding mode:Non-Trigged
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.867289] wlan: [4202:I:ANY] MBO Initialized
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.881199] wlan: [4202:I:ANY] OCE Initialized
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.885662] wlan: [4202:I:ANY] wlan_vap_create: 1630: exit
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.889946] wlan: [4202:E:ANY] Smart Antenna is not
supported
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.895513] wlan: [4202:E:ANY] Smart Antenna is not
supported
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.901264] wlan: [4202:I:ANY] osif_create_vap_complete:
10881: TX Checksum:1|SG:1|TSO:1|LRO:0
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.908520] wlan: [4202:I:ANY] VAP device ath0 created
osifp: (90d17500) os_if: (90d50000)
Apr 25 15:49:49 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:49 WAX218 user.emerg : sh: 1: unknown operand
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.945273] wlan: [4230:I:ANY]
wlan_cfg80211_add_virtual_intf: 325: proprietary mode 6 for interface: mgmt0 : clone params:
0x00000003
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.945345] wlan: [4230:I:ANY] osifp_create_wlan_vap:
```



```
10683: VDEV Create 9a:a6:7e:00:20:b5
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.956623] wlan: [4230:E:CMN_MLME]
mlme_vdev_ext_obj_create: 1435: VDEV MLME obj is creation
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.964757] wlan: [4230:I:ANY] wlan_vap_create: 1597:
enter. devhandle=0x998c0500, opmode=IEEE80211_M_HOSTAP, flags=0x3
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.964757]
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.973389] wlan: [4230:I:ANY] ol_ath_vap_set_param: 1121:
Setting SGI value: 1
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.985786] wlan: [4230:I:ANY] ol_ath_vap_set_param: 2149:
VDEV params:HE su_bfee:1|su_bfer:1|mu_bfee:0|mu_bfer:1|dl_muofdma:1|ul_muofdma:1|ul_mumimo:1
Apr 25 15:49:49 WAX218 kern.err kernel: [ 46.992800] wlan: [4230:I:ANY] ol_ath_vap_set_param: 2159:
he_bf_cap=0x7b
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.006338] wlan: [4230:I:ANY] ol_ath_vap_set_param: 2174:
VDEV params:AC/VHT sounding mode:HE|SU/MU sounding mode:SU|Trig/Non-Trig sounding mode:Non-Trigged
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.013243] wlan: [4230:I:ANY] MBO Initialized
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.027361] wlan: [4230:I:ANY] OCE Initialized
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.031554] wlan: [4230:I:ANY] wlan_vap_create: 1630: exit
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.035999] wlan: [4230:E:ANY] Smart Antenna is not
supported
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.041552] wlan: [4230:E:ANY] Smart Antenna is not
supported
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.047331] wlan: [4230:I:ANY] osif_create_vap_complete:
10881: TX Checksum:1|SG:1|TSO:1|LRO:0
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.054703] wlan: [4230:I:ANY] VAP device mgmt0 created
osifp: (90d5b500) os_if: (90d60000)
Apr 25 15:49:49 WAX218 user.emerg : sh: wifi0_sta: unknown operand
Apr 25 15:49:49 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:49 WAX218 user.emerg : sh: 1: unknown operand
Apr 25 15:49:49 WAX218 user.emerg : sh: auto: out of range
Apr 25 15:49:49 WAX218 user.emerg : cfg04b784
Apr 25 15:49:49 WAX218 user.emerg : sh: auto: out of range
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.539137] wlan: [4292:I:ANY] ol_ath_vap_set_param: 1121:
Setting SGI value: 0
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.716907] wlan: [4302:I:ANY] ol_ath_vap_set_param: 2149:
VDEV params:HE su_bfee:1|su_bfer:1|mu_bfee:0|mu_bfer:1|dl_muofdma:1|ul_muofdma:0|ul_mumimo:1
Apr 25 15:49:49 WAX218 kern.err kernel: [ 47.716949] wlan: [4302:I:ANY] ol_ath_vap_set_param: 2159:
he_bf_cap=0x5b
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[3269]: exiting on receipt of SIGTERM
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: started, version 2.78 cachesize 150
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: DNS service limited to local subnets
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: compile time options: IPv6 GNU-getopt no-DBus no-
i18n no-IDN DHCP no-DHCPv6 no-Lua TFTP no-contrack no-ipset no-auth no-DNSSEC no-ID loop-detect
inotify
Apr 25 15:49:50 WAX218 daemon.info dnsmasq-dhcp[4368]: DHCP, IP range 192.168.100.100 --
192.168.100.199, lease time 1d
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using local addresses only for domain lan
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: reading /tmp/resolv.conf.auto
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using local addresses only for domain lan
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: using nameserver 10.0.0.1#53
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: read /etc/hosts - 1 addresses
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: read /tmp/hosts/dhcp - 1 addresses
Apr 25 15:49:50 WAX218 daemon.info dnsmasq-dhcp[4368]: read /etc/ethers - 0 addresses
Apr 25 15:49:50 WAX218 kern.info kernel: [ 47.998009] device ath0 entered promiscuous mode
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): udhcpc: performing DHCP renew
Apr 25 15:49:50 WAX218 kern.err kernel: [ 48.031505] wlan: [4388:I:ANY] DES SSID SET=AdAstra2
Apr 25 15:49:50 WAX218 user.emerg : sh: out of range
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): udhcpc: sending renew
```

```
Apr 25 15:49:50 WAX218 user.emerg : sh: out of range
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): udhcpd: lease of 10.0.0.2 obtained, lease
time 86400
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): luci-reload start [lan-ip-obtain led
dnsmasq_restart l2_isolation generic-mgmt-lan-ip-reload ]
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): Reloading generic-mgmt-lan-ip-reload...
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): Reloading dnsmasq_restart...
Apr 25 15:49:50 WAX218 daemon.notice netifd: lan (2777): luci-reload finished
Apr 25 15:49:50 WAX218 daemon.info dnsmasq[4368]: exiting on receipt of SIGTERM
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: started, version 2.78 cachesize 150
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: DNS service limited to local subnets
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: compile time options: IPv6 GNU-getopt no-DBus no-
i18n no-IDN DHCP no-DHCPv6 no-Lua TFTP no-contrack no-ipset no-auth no-DNSSEC no-ID loop-detect
inotify
Apr 25 15:49:51 WAX218 daemon.info dnsmasq-dhcp[4584]: DHCP, IP range 192.168.100.100 --
192.168.100.199, lease time 1d
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using local addresses only for domain lan
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: reading /tmp/resolv.conf.auto
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using local addresses only for domain lan
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: using nameserver 10.0.0.1#53
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: read /etc/hosts - 1 addresses
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: read /tmp/hosts/dhcp - 1 addresses
Apr 25 15:49:51 WAX218 daemon.info dnsmasq-dhcp[4584]: read /etc/ethers - 0 addresses
Apr 25 15:49:51 WAX218 kern.warn kernel: [ 48.944991] __mc_netlink_receive: Disable bridge
snooping!
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 IEEE 802.11: authenticated
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 IEEE 802.11: associated (aid
1)
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 WPA: sending 1/4 msg of 4-Way
Handshake
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 WPA: received EAPOL-Key frame
(2/4 Pairwise)
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 WPA: sending 3/4 msg of 4-Way
Handshake
Apr 25 15:49:51 WAX218 user.emerg : sh: auto: out of range
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 WPA: received EAPOL-Key frame
(4/4 Pairwise)
Apr 25 15:49:51 WAX218 daemon.info hostapd: ath1: STA 54:60:09:ea:b6:22 WPA: pairwise key handshake
completed (RSN)
Apr 25 15:49:51 WAX218 kern.warn kernel: [ 49.141832] __mc_netlink_receive: Enable bridge snooping!
Apr 25 15:49:51 WAX218 user.emerg : sh: 96: unknown operand
Apr 25 15:49:51 WAX218 user.emerg : sh: 32: unknown operand
Apr 25 15:49:51 WAX218 user.emerg : sh: 64: unknown operand
Apr 25 15:49:51 WAX218 user.emerg : sh: 32: unknown operand
Apr 25 15:49:51 WAX218 daemon.notice netifd: Network device 'ath0' link is up
Apr 25 15:49:51 WAX218 kern.info kernel: [ 49.394814] br-lan: port 3(ath0) entered forwarding state
Apr 25 15:49:51 WAX218 kern.info kernel: [ 49.394856] br-lan: port 3(ath0) entered forwarding state
Apr 25 15:49:51 WAX218 kern.info kernel: [ 49.399222] 8021q: adding VLAN 0 to HW filter on device
ath0
Apr 25 15:49:51 WAX218 kern.err kernel: [ 49.405516] wlan: [2349:I:ANY] wlan_cfg80211_do_acs: 3378:
vap-1(ath0):ACS Params
Apr 25 15:49:51 WAX218 kern.err kernel: [ 49.410305] wlan: [2349:I:ANY] wlan_cfg80211_do_acs: 3381:
ht_enabled:0|ht40_enabled:0|vht_enabled:0|hw_mode:23|chwidth:20|
Apr 25 15:49:51 WAX218 user.emerg : OK
Apr 25 15:49:51 WAX218 user.emerg : crontab: can't open 'root': No such file or directory
Apr 25 15:49:51 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:51 WAX218 user.emerg : sh: 1: unknown operand
```

```
Apr 25 15:49:51 WAX218 user.emerg : sh: wifi0_ssid_2: unknown operand
Apr 25 15:49:51 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:51 WAX218 user.emerg : sh: 1: unknown operand
Apr 25 15:49:51 WAX218 daemon.info dnsmasq[4584]: exiting on receipt of SIGTERM
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: started, version 2.78 cachesize 150
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: DNS service limited to local subnets
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: compile time options: IPv6 GNU-getopt no-DBus no-
i18n no-IDN DHCP no-DHCPv6 no-Lua TFTP no-contrack no-ipset no-auth no-DNSSEC no-ID loop-detect
inotify
Apr 25 15:49:52 WAX218 daemon.info dnsmasq-dhcp[4802]: DHCP, IP range 192.168.100.100 --
192.168.100.199, lease time 1d
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using local addresses only for domain lan
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: reading /tmp/resolv.conf.auto
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using local addresses only for domain lan
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: using nameserver 10.0.0.1#53
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: read /etc/hosts - 1 addresses
Apr 25 15:49:52 WAX218 daemon.info dnsmasq[4802]: read /tmp/hosts/dhcp - 1 addresses
Apr 25 15:49:52 WAX218 daemon.info dnsmasq-dhcp[4802]: read /etc/ethers - 0 addresses
Apr 25 15:49:52 WAX218 user.emerg : sh: auto: out of range
Apr 25 15:49:52 WAX218 user.emerg : wifi0
Apr 25 15:49:52 WAX218 user.emerg : sh: auto: out of range
Apr 25 15:49:52 WAX218 kern.err kernel: [ 50.074515] wlan: [4824:I:ANY] ol_ath_vap_set_param: 1121:
Setting SGI value: 0
Apr 25 15:49:52 WAX218 kern.err kernel: [ 50.249965] wlan: [4836:I:ANY] ol_ath_vap_set_param: 2149:
VDEV params:HE su_bfee:1|su_bfer:1|mu_bfee:0|mu_bfer:1|dl_muofdma:1|ul_muofdma:0|ul_mumimo:1
Apr 25 15:49:52 WAX218 kern.err kernel: [ 50.250008] wlan: [4836:I:ANY] ol_ath_vap_set_param: 2159:
he_bf_cap=0x5b
Apr 25 15:49:52 WAX218 kern.info kernel: [ 50.498269] device mgmt0 entered promiscuous mode
Apr 25 15:49:52 WAX218 kern.err kernel: [ 50.530325] wlan: [4879:I:ANY] DES SSID SET=WAX2180020B4-
CONFIG-ONLY
Apr 25 15:49:52 WAX218 user.emerg : sh: out of range
Apr 25 15:49:52 WAX218 user.emerg : sh: out of range
Apr 25 15:49:52 WAX218 user.emerg : sh: 1: unknown operand
Apr 25 15:49:53 WAX218 user.emerg : sh: auto: out of range
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e IEEE 802.11: authenticated
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e IEEE 802.11: associated (aid
2)
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e WPA: sending 1/4 msg of 4-Way
Handshake
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e WPA: received EAPOL-Key frame
(2/4 Pairwise)
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e WPA: sending 3/4 msg of 4-Way
Handshake
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e WPA: received EAPOL-Key frame
(4/4 Pairwise)
Apr 25 15:49:54 WAX218 daemon.info hostapd: ath1: STA 54:60:09:f2:75:2e WPA: pairwise key handshake
completed (RSN)
Apr 25 15:49:54 WAX218 user.emerg : sh: out of range
Apr 25 15:49:54 WAX218 user.emerg : sh: out of range
Apr 25 15:49:54 WAX218 user.emerg : sh: 96: unknown operand
Apr 25 15:49:54 WAX218 user.emerg : sh: 32: unknown operand
Apr 25 15:49:54 WAX218 user.emerg : sh: 64: unknown operand
Apr 25 15:49:54 WAX218 user.emerg : sh: 32: unknown operand
Apr 25 15:49:54 WAX218 daemon.notice netifd: Network device 'mgmt0' link is up
Apr 25 15:49:54 WAX218 kern.info kernel: [ 51.888299] br-mgmt: port 1(mgmt0) entered forwarding
state
Apr 25 15:49:54 WAX218 kern.info kernel: [ 51.888344] br-mgmt: port 1(mgmt0) entered forwarding
```

state

```
Apr 25 15:49:54 WAX218 kern.info kernel: [ 51.892704] 8021q: adding VLAN 0 to HW filter on device mgmt0
Apr 25 15:49:54 WAX218 daemon.notice netifd: Bridge 'br-mgmt' link is up
Apr 25 15:49:54 WAX218 daemon.notice netifd: Interface 'mgmt' has link connectivity
Apr 25 15:49:54 WAX218 kern.info kernel: [ 51.898418] IPv6: ADDRCONF(NETDEV_CHANGE): br-mgmt: link becomes ready
Apr 25 15:49:54 WAX218 kern.err kernel: [ 51.905132] wlan: [2349:I:ANY] wlan_cfg80211_do_acs: 3378: vap-2(mgmt0):ACS Params
Apr 25 15:49:54 WAX218 kern.err kernel: [ 51.910564] wlan: [2349:I:ANY] wlan_cfg80211_do_acs: 3381: ht_enabled:0|ht40_enabled:0|vht_enabled:0|hw_mode:23|chwidth:20|
Apr 25 15:49:54 WAX218 user.emerg : OK
Apr 25 15:49:54 WAX218 user.emerg : crontab: can't open 'root': No such file or directory
Apr 25 15:49:54 WAX218 kern.warn kernel: [ 52.064440] [band-steering] bandsteer:[1] debug_lv:[0][0]
Apr 25 15:49:54 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:54 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:54 WAX218 user.emerg : sh: wifi0_ssid_2: unknown operand
Apr 25 15:49:54 WAX218 user.emerg : sh: 3: unknown operand
Apr 25 15:49:54 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:54 WAX218 user.emerg : 1
Apr 25 15:49:54 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:54 WAX218 user.emerg : /etc/rc.common: .: line 44: can't open '/lib/functions/whc-iface.sh'
Apr 25 15:49:54 WAX218 daemon.notice miniupnpd[2019]: shutting down MiniUPnPd
Apr 25 15:49:54 WAX218 daemon.notice miniupnpd[5160]: HTTP listening on port 5000
Apr 25 15:49:54 WAX218 daemon.warn miniupnpd[5160]: no HTTP IPv6 address, disabling IPv6
Apr 25 15:49:54 WAX218 user.emerg : /sbin/wifi: eval: line 1: son_get_config: not found
Apr 25 15:49:54 WAX218 user.emerg : /sbin/wifi: eval: line 1: son_get_config: not found
Apr 25 15:49:54 WAX218 user.emerg : /sbin/wifi: eval: line 1: son_get_config: not found
Apr 25 15:49:55 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:55 WAX218 user.emerg : uci: Entry not found
Apr 25 15:49:55 WAX218 user.emerg : rm: can't remove '/var/run/son.conf': No such file or directory
Apr 25 15:49:55 WAX218 kern.info kernel: [ 52.865839] coresight-tmc 6028000.tmc: TMC enabled
Apr 25 15:49:55 WAX218 kern.info kernel: [ 52.865873] coresight-replicator-qcom 6026000.replicator: REPLICATOR enabled
Apr 25 15:49:55 WAX218 kern.info kernel: [ 52.869525] coresight-tmc 6027000.tmc: TMC enabled
Apr 25 15:49:55 WAX218 kern.info kernel: [ 52.876773] coresight-funnel 6021000.funnel: FUNNEL inport 7 enabled
Apr 25 15:49:55 WAX218 kern.info kernel: [ 52.881378] coresight-stm 6002000.stm: STM tracing enabled
Apr 25 15:49:55 WAX218 user.emerg : device: wifi1 vifs: wifi1_ssid_1 wifi1_ssid_2 wifi1_ssid_3 wifi1_ssid_4 wifi1_ssid_5 wifi1_ssid_6 wifi1_ssid_7 wifi1_ssid_8 wifi1_wds wifi1_wds_0 wifi1_wds_1 wifi1_wds_2 wifi1_wds_3 wifi1_wds_4 wifi1_wds_sta wifi1_sta wifi1_mesh wifi1_guest wifi1_scan
Apr 25 15:49:55 WAX218 user.emerg : device: wifi0 vifs: wifi0_ssid_1 wifi0_ssid_2 wifi0_ssid_3 wifi0_ssid_4 wifi0_ssid_5 wifi0_ssid_6 wifi0_ssid_7 wifi0_ssid_8 wifi0_wds wifi0_wds_0 wifi0_wds_1 wifi0_wds_2 wifi0_wds_3 wifi0_wds_4 wifi0_wds_sta wifi0_sta wifi0_mesh wifi0_guest wifi0_scan wifi0_mgmt
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca IEEE 802.11: authenticated
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca IEEE 802.11: associated (aid 3)
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca WPA: sending 1/4 msg of 4-Way Handshake
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca WPA: received EAPOL-Key frame (2/4 Pairwise)
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca WPA: sending 3/4 msg of 4-Way Handshake
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca WPA: received EAPOL-Key frame (4/4 Pairwise)
Apr 25 15:49:55 WAX218 daemon.info hostapd: ath1: STA 1c:f2:9a:23:f9:ca WPA: pairwise key handshake completed (RSN)
Apr 25 15:49:55 WAX218 kern.err kernel: [ 53.618594] wlan: [5260:I:ANY] ieee80211_ucfg_setparam: 3916: Set DSCP override 1
Apr 25 15:49:55 WAX218 daemon.info dnsmasq[4802]: exiting on receipt of SIGTERM
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: started, version 2.78 cachesize 150
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: DNS service limited to local subnets
```

```
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: compile time options: IPv6 GNU-getopt no-DBus no-
i18n no-IDN DHCP no-DHCPv6 no-Lua TFTP no-contrack no-ipset no-auth no-DNSSEC no-ID loop-detect
inotify
Apr 25 15:49:56 WAX218 daemon.info dnsmasq-dhcp[5313]: DHCP, IP range 192.168.100.100 --
192.168.100.199, lease time 1d
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using local addresses only for domain lan
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: reading /tmp/resolv.conf.auto
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using local addresses only for domain
detectportal.firefox.com
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using local addresses only for domain
msftconnecttest.com
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using local addresses only for domain lan
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: using nameserver 10.0.0.1#53
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: read /etc/hosts - 1 addresses
Apr 25 15:49:56 WAX218 daemon.info dnsmasq[5313]: read /tmp/hosts/dhcp - 1 addresses
Apr 25 15:49:56 WAX218 daemon.info dnsmasq-dhcp[5313]: read /etc/ethers - 0 addresses
Apr 25 15:49:56 WAX218 kern.info kernel: [ 53.884139] br-mgmt: port 1(mgmt0) entered forwarding
state
Apr 25 15:49:57 WAX218 kern.err kernel: [ 54.744796] wlan: [5400:I:ANY] ieee80211_ucfg_setparam:
3916: Set DSCP override 1
Apr 25 15:49:58 WAX218 user.emerg : stop
Apr 25 15:49:58 WAX218 user.emerg : WAX218
Apr 25 15:49:58 WAX218 kern.err kernel: [ 55.968463] wlan: [5539:I:ANY] ieee80211_ucfg_setparam:
1613: Setting Max Stations:5
Apr 25 15:49:58 WAX218 user.emerg : uci: Entry not found
```