```
[admin login] from source 192.168.1.2 May 14 00:46:00
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:45:31
[admin login] from source 192.168.1.2 May 14 00:00:52
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 13 23:58:59
[Initialized, firmware version: V1.4.10.8], May 13 23:58:51
[admin login] from source 192.168.1.2 May 14 00:00:24
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 13 23:59:00
[Initialized, firmware version: V1.4.10.8], May 13 23:58:51
[admin login] from source 192.168.1.2 May 14 00:15:08
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:14:53
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:08:15
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:06:06
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:03:09
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 13 23:59:00
[Initialized, firmware version: V1.4.10.8], May 13 23:58:51
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:44:53
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:44:23
[admin login] from source 192.168.1.2 May 14 00:33:37
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:31:17
[admin login failure] from source 192.168.1.2 May 14 00:25:29
[admin login failure] from source 192.168.1.2 May 14 00:25:12
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 14 00:13:19
[Access Control] Device DESKTOP-CE6TSE0 with MAC address 24:f5:aa:d9:a0:05 is allowed
to access the network. May 14 00:00:45
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:22
[DHCP IP: (192.168.1.2)] to MAC address 24:f5:aa:d9:a0:05, May 13 23:59:00
[Initialized, firmware version: V1.4.10.8], May 13 23:58:51
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:20
[Initialized, firmware version: V1.4.10.8], May 13 23:58:51
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:21
[Initialized, firmware version: V1.4.10.8], May 13 23:58:53
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:22
[Initialized, firmware version: V1.4.10.8], May 13 23:58:53
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 15 10:45:44
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 15 09:55:38
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 15 09:52:17
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 15 09:51:58
[DHCP IP: (192.168.1.7)] to MAC address 6c:29:95:3a:cc:6c, May 15 03:02:17
[DHCP IP: (192.168.1.5)] to MAC address 8c:85:90:08:49:64, May 15 03:01:07
[DHCP IP: (192.168.1.7)] to MAC address 6c:29:95:3a:cc:6c, May 15 03:00:08
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 15 00:14:24
[DHCP IP: (192.168.1.4)] to MAC address 9e:1f:77:11:de:88, May 15 00:13:41
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 14 23:19:44
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 14 22:11:08
[DHCP IP: (192.168.1.7)] to MAC address 6c:29:95:3a:cc:6c, May 14 18:14:45
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 14 16:45:39
```

```
[DHCP IP: (192.168.1.7)] to MAC address 6c;29;95;3a;cc;6c, May 14 15;42;34
[DHCP IP: (192.168.1.7)] to MAC address 6c:29:95:3a:cc:6c, May 14 15:42:17
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 14 15:27:09
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 14 15:22:30
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 14 15:21:39
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 14 11:59:21
[DHCP IP: (192.168.1.5)] to MAC address 8c:85:90:08:49:64, May 14 08:55:28
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 14 08:19:01
[DHCP IP: (192.168.1.5)] to MAC address 8c:85:90:08:49:64, May 14 08:13:41
[DHCP IP: (192.168.1.5)] to MAC address 8c:85:90:08:49:64, May 14 08:11:21
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:21
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, May 13 23:59:19
[Initialized, firmware version: V1.4.10.8], May 13 23:58:52
[DHCP IP: (192.168.1.7)] to MAC address fa:20:41:fb:2a:e1, May 14 09:18:18
[DHCP IP: (192.168.1.2)] to MAC address d4:91:0f:a3:31:9e, May 13 23:59:30
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:23
[DHCP IP: (192.168.1.7)] to MAC address fa:20:41:fb:2a:e1, May 13 23:59:17
[Initialized, firmware version: V1.4.10.8], May 13 23:58:52
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 14 03:05:27
[DHCP IP: (192.168.1.7)] to MAC address fa:20:41:fb:2a:e1, May 14 02:59:44
[DHCP IP: (192.168.1.7)] to MAC address fa:20:41:fb:2a:e1, May 14 02:58:36
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 14 01:06:16
[DHCP IP: (192.168.1.5)] to MAC address 8c:85:90:08:49:64, May 14 01:00:10
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 14 00:31:43
[DHCP IP: (192.168.1.4)] to MAC address 00:21:6b:fc:b9:99, May 14 00:27:48
[DHCP IP: (192.168.1.2)] to MAC address d4:91:0f:a3:31:9e, May 14 00:08:29
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 14 00:05:37
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, May 14 00:00:24
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, May 13 23:59:25
[Initialized, firmware version: V1.4.10.8], May 13 23:58:52
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 17 19:31:04
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 17 19:30:34
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 17 19:30:31
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 17 19:30:18
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 17 18:48:35
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 17 18:29:59
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 17 12:40:47
Router operation: [Internet disconnected] Sep 17 14:42:26
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 17 09:27:51
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 17 04:45:50
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 17 04:39:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 04:04:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 04:04:01
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 04:03:25
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 04:03:03
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 04:01:00
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 04:00:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:59:46
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:59:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:58:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:58:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:58:32
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:58:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:58:01
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:57:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:57:24
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:57:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:34:43
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:34:24
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:25:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:25:21
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:25:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 17 03:03:40
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 17 02:56:48
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 17 01:31:15
DoS attack: [DoS attack: FW.WANATTACK] source: 128.1.42.209, Sep 17 02:25:50
DoS attack: [DoS attack: Smurf Attack] source: 128.1.42.209, Sep 17 02:25:50
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 16 21:27:51
DoS attack: [DoS attack: FW.WANATTACK] source: 193.29.13.27, port: 65529, Sep 16
21:57:56
DoS attack: [DoS attack: Sync Flood] source: 193.29.13.27, port: 65529, Sep 16 21:57:56
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 16 17:31:05
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 16 16:38:31
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 16 14:51:34
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 16 09:27:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 08:13:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 08:13:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 08:13:00
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:32:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:31:19
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:31:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:30:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:30:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:30:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:29:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:29:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:28:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:27:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:24:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:24:07
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:24:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:21:23
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:20:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 07:06:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 06:57:08
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 06:56:21
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 06:49:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 06:46:12
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 16 06:17:46
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 16 05:42:21
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 16 04:11:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 00:10:45
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 16 00:08:49
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 15 21:27:51
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 15 20:54:13
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 15 20:52:48
[DHCP IP: (192.168.1.7)] to MAC address 00:21:6b:fc:b9:99, Sep 15 20:20:24
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 15 18:16:49
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 15 18:16:33
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 15 17:11:58
DoS attack: [DoS attack: FW.WANATTACK] source: 45.129.136.15, port: 65534, Sep 15
17:38:50
DoS attack: [DoS attack: Sync Flood] source: 45.129.136.15, port: 65534, Sep 15 17:38:50
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 15 09:27:52
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 15 07:39:42
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 15 07:02:21
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 15 06:38:33
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 15 06:18:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 15 00:01:54
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:49:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:49:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:49:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:48:43
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:40:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:40:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:39:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:39:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:36:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:05:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 23:05:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:28:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:27:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:27:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:26:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:26:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:24:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:23:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:23:14
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:15:45
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 22:15:25
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:51:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:49:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:40:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:40:36
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:39:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:39:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:38:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:38:00
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:36:58
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 14 21:27:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 21:02:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:55:04
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:52:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:49:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:48:35
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:48:21
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:47:53
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:47:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:47:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:42:41
[DHCP IP: (192.168.1.7)] to MAC address 00:21:6b:fc:b9:99, Sep 14 20:33:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:31:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:25:35
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:24:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:24:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:24:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:23:53
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:23:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:17:13
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:17:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:16:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 20:16:35
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 14 19:39:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 19:26:08
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 19:25:51
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 14 19:13:38
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 14 19:02:32
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 14 18:38:28
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 14 10:50:23
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 14 09:27:52
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 14 08:32:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 07:07:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 14 06:34:51
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 14 06:31:24
```

```
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 13 22:27:27
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 13 21:58:47
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 13 21:27:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 20:39:02
[DHCP IP: (192.168.1.7)] to MAC address 00:21:6b:fc:b9:99, Sep 13 20:33:01
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 13 20:32:02
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 13 18:31:42
DoS attack: [DoS attack: FW.WANATTACK] source: 94.62.15.147, Sep 13 19:34:36
DoS attack: [DoS attack: Smurf Attack] source: 94.62.15.147, Sep 13 19:34:36
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 13 11:01:24
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 13 09:27:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 07:35:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 07:31:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 07:30:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 07:25:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 06:56:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 06:55:19
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 13 06:47:12
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 13 03:51:44
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 13 03:31:56
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 13 01:54:53
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 12 23:37:35
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:08:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:08:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:08:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:07:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:07:24
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:06:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:06:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:06:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:05:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:05:25
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:04:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:04:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:03:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:03:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:02:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:02:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:01:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:01:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 22:01:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:53:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:52:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:51:45
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:51:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:48:30
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:40:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:39:13
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:38:50
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:38:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:38:20
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 12 21:27:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 21:20:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:19:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:18:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:16:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:16:01
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:15:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:14:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:13:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:13:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:10:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 20:07:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:45:03
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:43:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:42:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:42:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:42:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:41:33
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:41:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:39:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:39:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:38:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:38:07
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:37:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:37:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:37:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:36:50
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:31:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 19:31:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:48:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:48:07
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:46:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:46:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:43:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:43:19
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:42:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:42:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:42:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:41:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:41:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:41:15
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:41:04
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:40:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:38:38
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:37:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:34:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:32:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:30:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:23:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:22:32
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 12 17:18:03
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 17:06:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:59:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:59:30
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:58:18
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 12 16:27:45
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:08:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:08:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:08:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:07:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:07:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:07:03
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 16:05:07
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 15:56:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 15:42:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 14:06:35
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 13:58:32
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 12 12:44:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 12:01:52
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 12 11:57:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 11:16:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 11:16:18
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 12 09:27:49
DoS attack: [DoS attack: FW.WANATTACK] source: 45.129.136.15, port: 65530, Sep 12
10:47:53
DoS attack: [DoS attack: Sync Flood] source: 45.129.136.15, port: 65530, Sep 12 10:47:53
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 12 06:07:59
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 12 05:33:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 12 03:55:05
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 12 01:45:21
[DHCP IP: (192.168.1.8)] to MAC address 38:1a:52:c3:0d:ea, Sep 11 21:34:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 21:29:45
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 11 21:27:49
[Access Control] Device Amazon with MAC address d4:91:0f:a3:31:9e is allowed to access the
network. Sep 11 21:19:32
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 11 21:18:35
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 11 21:17:00
```

```
[DHCP IP: (192.168.1.9)] to MAC address d4:91:0f:a3:31:9e, Sep 11 21:15:36
[DHCP IP: (192.168.1.8)] to MAC address 38:1a:52:c3:0d:ea, Sep 11 21:14:12
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 11 20:32:22
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 11 18:41:50
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 11 18:07:10
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 11 14:42:11
[DHCP IP: (192.168.1.4)] to MAC address 8c:85:90:08:49:64, Sep 11 08:49:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 08:46:47
[DHCP IP: (192.168.1.2)] to MAC address fa:20:41:fb:2a:e1, Sep 11 07:50:34
[DHCP IP: (192.168.1.3)] to MAC address b8:b2:f8:c4:a1:66, Sep 11 07:41:37
[DHCP IP: (192.168.1.6)] to MAC address 90:a8:22:39:9e:89, Sep 11 03:29:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:27:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:26:53
[DHCP IP: (192.168.1.7)] to MAC address 80:d2:1d:e1:bf:13, Sep 11 02:26:53
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:25:40
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:25:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:24:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:24:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:24:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:24:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:23:36
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:23:19
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:23:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:23:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:22:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:22:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:22:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:22:13
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:21:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:21:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:20:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:20:25
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:20:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:19:54
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:19:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:19:40
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:19:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:19:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:18:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:18:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:18:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:18:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:17:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:17:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:17:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:16:50
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:16:21
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:16:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:15:45
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:15:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:15:13
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:14:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:14:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:13:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:13:53
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:13:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:13:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:12:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:12:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:12:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:11:00
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:10:46
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:10:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:09:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:09:21
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:09:00
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:08:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:08:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:07:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:07:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:07:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:06:46
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:06:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:06:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:05:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:05:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:04:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:04:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:03:40
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:01:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:01:32
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:01:04
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:00:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 02:00:01
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:59:37
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:59:19
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:58:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:58:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:57:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:57:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:57:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:56:31
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:55:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:55:30
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:55:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:55:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:54:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:54:43
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:54:30
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:54:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:53:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:53:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:52:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:52:35
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:52:25
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:52:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:51:47
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:51:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:51:33
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:51:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:51:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:49:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:49:08
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:48:54
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:48:37
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:48:33
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:48:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:48:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:47:46
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:47:32
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:46:57
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:46:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:46:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:46:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:45:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:45:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:45:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:44:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:44:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:44:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:44:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:43:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:43:36
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:43:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:42:30
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:41:37
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:41:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:40:58
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:40:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:40:09
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:38:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:38:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:38:08
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:37:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:37:08
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:36:19
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:35:36
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:35:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:34:39
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:34:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:33:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:33:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:32:28
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:32:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:31:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:31:36
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:30:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:29:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:29:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:29:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:28:03
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:27:37
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:26:35
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:26:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:25:33
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:25:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:25:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:25:01
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:24:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:24:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:24:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:23:43
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:23:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:22:40
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:22:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:22:06
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:21:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:21:11
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:20:32
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:20:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:19:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:19:37
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:19:33
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:19:13
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:19:03
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:18:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:18:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:18:02
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:17:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:17:36
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:17:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:16:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:16:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:16:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:15:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:15:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:14:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:14:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:13:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:13:16
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:12:34
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:11:54
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:11:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:10:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:09:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:09:38
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:09:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:08:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:06:48
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:06:43
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:06:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:05:29
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:05:10
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:04:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:02:59
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:02:45
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:02:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:01:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 01:00:24
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:59:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:58:56
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:58:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:57:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:57:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:56:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:55:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:55:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:55:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:54:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:54:27
```

```
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:53:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:52:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:52:41
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:52:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:52:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:51:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:51:31
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:51:12
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:50:42
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:50:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:50:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:49:52
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:49:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:49:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:48:54
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:48:44
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:48:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:48:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:47:55
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:47:32
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:47:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:47:13
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:46:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:45:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:45:25
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:45:15
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:44:27
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:44:22
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:44:04
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:43:18
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:42:54
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:42:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:42:14
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:41:58
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:41:17
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:40:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:39:49
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:39:05
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:38:37
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:34:20
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:33:26
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:32:51
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:32:23
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:32:00
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:31:50
[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:31:33
```

[DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:31:22 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:30:57 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:30:37 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:30:19 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:29:56 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:29:52 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:29:34 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:29:25 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:29:16 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:29:04 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:28:19 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:27:59 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:27:20 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:27:20 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:26:56 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:26:56 [DHCP IP: (192.168.1.5)] to MAC address 6c:29:95:3a:cc:6c, Sep 11 00:26:56

Time	<u>Priority</u>	<u>Description</u>
1970-01-01 00:00:29	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:00:00:00:00:00;CM-QOS=1.1;CM-VER=3.1;
1970-01-01 02:43:59	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire FEC framing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:00:00:00:00:00;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:41:22	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:00:00:00:00:00;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:41:17	Critical (3)	Received Response to Broadcast Maintenance Request, But no Unicast Maintenance opportunities received - T4 time

		out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS- MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:40:05	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:40:05	Critical (3)	Received Response to Broadcast Maintenance Request, But no Unicast Maintenance opportunities received - T4 time out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:40:05	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:40:04	Critical (3)	Received Response to Broadcast Maintenance Request, But no Unicast Maintenance opportunities received - T4 time out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:40:02	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:40:02	Critical (3)	Received Response to Broadcast Maintenance Request, But no Unicast Maintenance opportunities received - T4 time

		out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS- MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:37:36	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-17 09:37:32	Critical (3)	SYNC Timing Synchronization failure - Failed to acquire QAM/QPSK symbol timing;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-16 04:49:06	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-16 04:48:43	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-16 04:48:42	Critical (3)	16 consecutive T3 timeouts while trying to range on upstream channel 3;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-16 04:48:42	Critical (3)	Unicast Maintenance Ranging attempted - No response - Retries exhausted; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;

2021-09-16 04:43:29	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-16 00:01:32	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-16 00:01:32	Critical (3)	16 consecutive T3 timeouts while trying to range on upstream channel 3;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-16 00:01:32	Critical (3)	Unicast Maintenance Ranging attempted - No response - Retries exhausted; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-16 00:00:24	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-15 15:12:18	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-13 16:03:46	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;

2021-09-12 22:02:16	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 21:59:35	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 21:59:34	Critical (3)	16 consecutive T3 timeouts while trying to range on upstream channel 3;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 21:59:34	Critical (3)	Unicast Maintenance Ranging attempted - No response - Retries exhausted; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-12 21:58:26	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-12 18:12:38	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-12 15:18:04	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;

2021-09-12 15:18:02	Critical (3)	16 consecutive T3 timeouts while trying to range on upstream channel 3;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 15:18:02	Critical (3)	Unicast Maintenance Ranging attempted - No response - Retries exhausted; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-12 15:16:55	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-12 12:55:27	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 12:55:26	Critical (3)	16 consecutive T3 timeouts while trying to range on upstream channel 3;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 12:55:26	Critical (3)	Unicast Maintenance Ranging attempted - No response - Retries exhausted; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;
2021-09-12 12:51:41	Critical (3)	Started Unicast Maintenance Ranging - No Response received - T3 time-out; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;

2021-09-12 10:57:59	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 10:57:57	Critical (3)	16 consecutive T3 timeouts while trying to range on upstream channel 3;CM-MAC=94:a6:7e:d4:d1:1c;CMTS-MAC=00:01:5c:86:96:46;CM-QOS=1.1;CM-VER=3.1;
2021-09-12 10:57:57	Critical (3)	Unicast Maintenance Ranging attempted - No response - Retries exhausted; CM-MAC=94:a6:7e:d4:d1:1c; CMTS-MAC=00:01:5c:86:96:46; CM-QOS=1.1; CM-VER=3.1;