

(c) 2018 Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.6: Destination host unreachable.

Reply from 192.168.1.6: Destination host unreachable.

Reply from 192.168.1.6: Destination host unreachable.

Reply from 192.168.1.6: Destination host unreachable.

Ping statistics for 192.168.1.3:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

C:\>ping 192.168.1.12 to the Main Desktop pc connected to the R6200v2

The PC win 10 64 bit HP 2200d Laser jet is USB connected to the PC

Pinging 192.168.1.12 with 32 bytes of data:

Reply from 192.168.1.12: bytes=32 time=5ms TTL=128

Reply from 192.168.1.12: bytes=32 time=6ms TTL=128

Reply from 192.168.1.12: bytes=32 time=4ms TTL=128

Reply from 192.168.1.12: bytes=32 time=5ms TTL=128

Ping statistics for 192.168.1.12:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 4ms, Maximum = 6ms, Average = 5ms

### **Ping from laptop HP G6 32bit PC to EX6200**

C:\>ping 192.168.1.13

Pinging 192.168.1.13 with 32 bytes of data:

Reply from 192.168.1.13: bytes=32 time=5ms TTL=64

Reply from 192.168.1.13: bytes=32 time=1ms TTL=64

Reply from 192.168.1.13: bytes=32 time=1ms TTL=64

Reply from 192.168.1.13: bytes=32 time=4ms TTL=64

Ping statistics for 192.168.1.13:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 5ms, Average = 2ms

### **Ping from laptop HP G6 32bit PC to Main PC connected by ethernet**

C:\>ping 192.168.1.6

Pinging 192.168.1.6 with 32 bytes of data:

Reply from 192.168.1.6: bytes=32 time<1ms TTL=128

Reply from 192.168.1.6: bytes=32 time<1ms TTL=128

Reply from 192.168.1.6: bytes=32 time<1ms TTL=128

Reply from 192.168.1.6: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.6:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

## Ping from laptop HP G6 32bit PC to R6200 V2 connected device

C:\>ping 192.168.1.7

Pinging 192.168.1.7 with 32 bytes of data:

Reply from 192.168.1.7: bytes=32 time=3ms TTL=64

Reply from 192.168.1.7: bytes=32 time=23ms TTL=64

Reply from 192.168.1.7: bytes=32 time=113ms TTL=64

Reply from 192.168.1.7: bytes=32 time=10ms TTL=64

Ping statistics for 192.168.1.7:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 3ms, Maximum = 113ms, Average = 37ms

