

```

<html>
  <head>
    <title>ReadyNAS Frontview</title>
    <META HTTP-EQUIV="Pragma" CONTENT="no-cache">
    <META HTTP-EQUIV="Pragma" CONTENT="no-store">
    <META HTTP-EQUIV="Cache-Control" CONTENT="no-cache, must-revalidate">
    <link rel="stylesheet" type="text/css" href="/theme/Default.css">
    <link rel="stylesheet" type="text/css"
href="/theme/sdmenu/sdmenu.css">
    <link rel="stylesheet" type="text/css" href="/theme/NG.css">
    <style type="text/css" media="all">@import
"/theme/thickbox.css";</style>
    <link rel="stylesheet" type="text/css"
href="/theme/jquery.treeview.css">
    <script language="JavaScript" type="text/javascript">

      allow_utf8_names = 0;
      var segment_markup = new Array();

      var preload = new Array('/theme/sdmenu/nav_arrow_off.gif',
'/theme/sdmenu/nav_arrow_on.gif', '/theme/sdmenu/nav_backup.gif',
'/theme/sdmenu/nav_bottom.gif', '/theme/sdmenu/nav_status_bottom.gif',
'/theme/sdmenu/nav_status_top.gif', '/theme/sdmenu/nav_title.gif',
'/theme/sdmenu/nav_top_title.gif', '/images/Access/Disabled.gif',
'/images/Access/Disabled.gif', '/images/Access/Writeable.gif',
'/images/Access/ReadOnly.gif', '/images/Access/ReadRestricted.gif',
'/images/Access/WriteRestricted.gif');

      var loader = new Array();
      for(var i = 0; i < preload.length; i++)
      {
        loader[i] = new Image();
        loader[i].src = preload[i];
      }

      function resetProgress()
      {
        // showProgressBar('default');
      }

      // Handler function for message apply
    </script>
    <script type="text/javascript" src="/theme/sdmenu/sdmenu.js">
      /*****
      * Slashdot Menu script- By DimX
      * Submitted to Dynamic Drive DHTML code library:
http://www.dynamicdrive.com
      * Visit Dynamic Drive at http://www.dynamicdrive.com/ for full
source code
      *****/
    </script>
    <script type="text/javascript">

```

```

// 
var myMenu;

window.sdmenu_onload = function() {
    myMenu = new SDMenu("my_menu");
    myMenu.init();
};
// ]]&gt;
&lt;/script&gt;

&lt;script language="JavaScript" src="../js/communication.js"
type="text/javascript"&gt;&lt;/script&gt;
&lt;script language="JavaScript" src="../js/page.js"
type="text/javascript"&gt;&lt;/script&gt;
&lt;script language="JavaScript" src="../js/dialog.js"
type="text/javascript"&gt;&lt;/script&gt;
&lt;script language="JavaScript" src="../js/Common.js"
type="text/javascript"&gt;&lt;/script&gt;
&lt;script language="JavaScript" src="../js/jquery.js"
type="text/javascript"&gt;&lt;/script&gt;
&lt;script language="JavaScript" src="../js/jquery.treeview.js"
type="text/javascript"&gt;&lt;/script&gt;
&lt;!--[if lt IE 7.]&gt;
&lt;script defer type="text/javascript" src="../js/pngfix.js"&gt;&lt;/script&gt;
&lt;![endif]--&gt;

&lt;/head&gt;

&lt;body onLoad="init(); sdmenu_onload(); resetProgress(); "
bgcolor="#e8e8e8" style="text-align:center; margin: 0px; "&gt;
&lt;div id="inProgress" style="display:none;"&gt;
&lt;div style="position:absolute;"&gt;&lt;img src="/images/rounded-back.png"
/&gt;&lt;/div&gt;
&lt;div style="position:absolute; padding:10px;"&gt;&lt;img src="/images/ajax-
loader.gif" /&gt;&lt;/div&gt;
&lt;/div&gt;
&lt;div id="registrationMessage" style="display:none;"&gt;
&lt;div class="box" style="padding-left:15px;"&gt;
&lt;span id="LABEL_REGISTRATION_WITHOUT_CONNECTIVITY"&gt;It appears that
you do not have internet connectivity on your box. Please copy the
following url to a browser with internet connectivity to register your
ReadyNAS box.&lt;/span&gt;&lt;br/&gt;&lt;br/&gt;&lt;span id="registrationURL"&gt;&lt;/span&gt;
&lt;/div&gt;
&lt;div style="text-align:right; padding-right:10px;"&gt;
&lt;input id="LABEL_OK7" type="button" value="OK"
onclick="tb_remove();" /&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div id="frontview_wrapper" style="width:961px; margin:auto;
position:relative;"&gt;
&lt;div style="width:961px; height:11px; background-color:#e8e8e8; "&gt;&lt;img
src="/images/NG/clear.gif" height="11" /&gt;&lt;/div&gt;
&lt;div class="leftShadow"&gt;&lt;/div&gt;
</pre>
</div>
```



```

                <td class="spacer80Percent rightHALign
padding5LeftRight"></td>
            </tr>
        </table>
        -->
    </td>
</tr>
</table>
</td>
    <td class="rightHALign"></td>
</tr>
<tr class="background-blue">
    <td></td>
    <td colspan="2" class="padding7Top spacer100Percent">
        <div id="primaryNav">

            <table border="0" cellpadding="0" cellspacing="0">
                <tr>
                    <td id='cloneTd' class="navCell"></td>
                </tr>
                <tr id='subTubs'></tr>
            </table>
        </div>
    </td>
    <td></td>
</tr>
</table>

</td>
    <td class="rightEdge">&nbsp;</td>
</tr>
<tr class="topAlign">
    <td valign="top" class="leftBodyNotch topAlign">&nbsp;</td>
    <td>

        <table class="tableStyle" cellspacing="0" cellpadding="0">
            <tr class="topAlign">
                <td class="leftNextBodyNotch"></td>
                <td class="middleBodyNotch spacer100Percent">&nbsp;</td>
                <td class="rightNextBodyNotch"></td>
            </tr>
        </table>

    </td>
    <td class="rightBodyNotch">&nbsp;</td>
</tr>
<tr height=100%>
    <td class="leftEdge"></td>

```

```

<td class="topAlign">

    <table class="tableStyle" height="455" cellspacing="0"
cellpadding="0"><!-- Shiu: main content area fixed size-->
        <tr id="MenuBar-Advanced" style="visibility:hidden">
            <td class="leftInside"></td>
            <td class="padding2Top topAlign">

                <table border="0" cellspacing="0" cellpadding="0"
class="thardNavContainer" id="Tree">
                    <tr>
                        <td class="thardNavContainerTopLeftImg"></td>
                        <td class="thardNavContainerTopMiddleImg
spacer100Percent"></td>
                        <td class="thardNavContainerTopRightImg"></td>
                    </tr>
                    <tr>
                        <td class="thardNavContainerSecondTopLeftImg"></td>
                        <td class="topAlign">

                            <!-- MENU BAR (Start)-->

                            <div>
                                <table class="tableStyle" cellpadding=0
cellspacing=0 border=0>
                                    <tr>
                                        <td valign=top>
                                            <div style="float: left" id="my_menu"
class="sdmenu">
                                                </div>
                                            </td>
                                        </tr>
                                    </table>
                                </div>

                                <!-- MENU BAR (End) -->

                            </td>
                            <td class="thardNavContainerSecondTopRightImg"></td>
                        </tr>
                        <tr>
                            <td class="thardNavContainerBottomLeftImg"></td>
                            <td class="thardNavContainerBottomMiddleImg"></td>
                            <td class="thardNavContainerBottomRightImg"></td>
                        </tr>
                    </table>

```



```

<!-- PROPERTIES1 (End) -->

<!-- PROPERTIES2 (Start) -->
<div id="Properties2" class="Properties2"></div>
<!-- PROPERTIES2 (End) -->

<!-- SCROLL BAR (Start) -->
<!--div id="ScrollBar" class="ScrollBar">

</div -->
<!-- SCROLL BAR (End) >

<!-- WELCOME PAGE STATUS SCREEN (Start) -->
<div id="Status" class="WelcomeSummary-Advanced"></div>
<!-- WELCOME PAGE STATUS SCREEN (End) -->

<!-- TAB BAR2 (Start) -->
<div id="TabBar2" class="TabBar2"></div>
<div class="TabBar-Border"></div>
<!-- TAB BAR2 (End) -->

<!-- PROPERTIES3 (Start) -->
<div id="Properties3" class="hidden"></div>
<!-- PROPERTIES3 (End) -->
<div id="frames" style="display:none;">
  <iframe src="blank.html" id="local_update_status_frame"
name="local_update_status_frame" class="hidden" ></iframe>
  <iframe src="blank.html" id="user_import_status_frame"
name="user_import_status_frame" class="hidden" ></iframe>
  <iframe src="blank.html" id="group_import_status_frame"
name="group_import_status_frame" class="hidden" ></iframe>
  <iframe src="blank.html" id="ssh_key_import_status_frame"
name="ssh_key_import_status_frame" class="hidden" ></iframe>
</div>

<div class="footer"><!-- Shiu: footer (BEGIN) -->

<!-- NAVIGATION BAR (Start) -->

<div id="NavigationBackground" class="NavigationBackground">
  <table class="tableStyle" cellspacing="0" cellpadding="0">
    <tr>
      <td class="leftEdge"></td>
      <td>

          <table class="tableStyle" cellspacing="0" cellpadding="0">
            <tr>
              <td colspan="3" bgcolor="#CCCCCC"></td>
            </tr>
            <tr>

```

```

                <td class="navigationBody">
                    <table class="tableStyle rightHAlign" align="right"
cellspacing="0" cellpadding="0">
                        <tr>
                            <td id="ButtonsDiv"></td>
                        </tr>
                    </table>
                </td>
            </tr>
            <tr>
                <td></td>
            </tr>
        </table>

        </td>
        <td class="rightEdge"></td>
    </tr>
</table>
</div>

<div id="NavigationBar" class="NavigationBar">
    <table border="0" cellpadding="0" cellspacing="0" width="865">
        <tbody>
            <tr class="navigation">
                <td colspan="1" align="left" valign="middle">
                    <input id="BUTTON_MODE" value="" onclick="" type="button"
tabindex="23" />
                    <input style="display:none;" id="BUTTON_REGISTER"
value="Register" onclick="javascript:nasRegistration();" type="button"
tabindex="24" />
                </td>
                <td colspan="1" width="1">
                    
                </td>
                <td colspan="1" align="right" nowrap>&nbsp;
                    <input class="Button_Back_Hide" disabled name="Back"
id="BUTTON_BACK" value="Back" onclick="wizardStepBackward();"
type="button"tabindex="22">&nbsp;
                    <input class="Button_Next_Hide" disabled name="Next"
id="BUTTON_NEXT" value="Next" onclick="wizardStepForward();"
type="button" tabindex="21">&nbsp;
                    <input class="Button_Apply" disabled id="BUTTON_APPLY"
value="Apply" onclick="applyChanges();" type="button" tabindex="20">
                </td>
            </tr>
        </tbody>
    </table>

</div>
<!-- NAVIGATION BAR (End) -->

```



```

    <!-- STATUS BAR (Start) -->
    <div id="StatusBackground" class="StatusBackground">
        <table class="tableStyle" border="0" cellspacing="0"
cellpadding="0">
            <tr>
                <td class="leftEdge"></td>
                <td>

                    <table class="tableStyle" cellspacing="0" cellpadding="0">
                        <tr>
                            <td colspan="3" bgcolor="#666666"></td>
                        </tr>
                        <tr>
                            <td colspan="3" bgcolor="#FFFFFF"></td>
                        </tr>
                        <tr>
                            <td colspan="3" class="statusBody">
                                <table class="tableStyle rightHAlign" align="right"
cellspacing="0" cellpadding="0">
                                    <tr>
                                        <td></td>
                                    </tr>
                                </table>
                            </td>
                        </tr>
                        <tr>
                            <td colspan="3" bgcolor="#666666"></td>
                        </tr>
                        <tr>
                            <td colspan="3" bgcolor="#FFFFFF"></td>
                        </tr>
                    </table>

                </td>
                <td class="rightEdge"></td>
            </tr>
            <tr>
                <td class="leftEdgeFooter"></td>
                <td>

                    <table class="tableStyle" cellspacing="0" cellpadding="0">
                        <tr>
                            <td class="leftBottomDivider"></td>
                            <td class="middleBottomDivider spacer100Percent"></td>
                    </table>
                </td>
            </tr>
        </table>
    </div>

```

```

                <td class="rightBottomDivider spacer1Percent"></td>
            </tr>
        </table>

        </td>
        <td class="rightEdgeFooter"></td>
    </tr>
    <tr>
        <td class="leftCopyrightFooter"></td>
        <td class="middleCopyrightDivider">

            <table class="blue10 tableStyle" cellspacing="0"
cellpadding="0">
                <tr class="topAlign">
                    <td id="footer_copyright">Copyright &copy; 1996-2012
NETGEAR &reg;</td>
                </tr>
                <tr>
                    <td></td>
                </tr>
            </table>

        </td>
        <td class="rightCopyrightFooter"></td>
    </tr>
</table>

</div>

<div id="StatusBar" class="StatusBar">
    <table border="0" align="right" cellpadding="0" cellspacing="0"
width="898">
        <tbody>
            <tr>
                <td colspan="1" align="left">
                    <table border="0" cellpadding="0" cellspacing="0"
width="50%">
                        <tbody>
                            <tr>
                                <td colspan="1">
                                    
                                </td>
                                <td nowrap valign="top">
                                    <input id="status_bar_date" class="date" value=""
onclick="javascript:menuHandler('SystemT','tab_clock')" type="button"
tabindex="25">
                                </td>
                            </tr>
                        </tbody>
                    </table>
                </td>
            </tr>
        </tbody>
    </table>

```

```

        </tbody>
    </table>
</td>
<td colspan="1" align="right">
    <table border="0" cellpadding="0" cellspacing="0">
        <tbody>
            <tr>
                <td nowrap>
                    <td nowrap>
                        
                        
                        
                    </td>
                <td nowrap valign="middle">
                    <span id="update_label" class="statusbar"></span>
                    
                </td>
                <td valign="middle">
                    
                </td>
                <td nowrap>
                    
                    
                    
                </td>
                <td nowrap valign="middle">
                    <span id="PROMPT_VOLUME"
class="statusbar">Volume:</span>
                    
                </td>
                <td valign="middle">
                    &nbsp;
                </td>
                <td valign="middle">
                    &nbsp;
                </td>
                <td valign="middle">
                    &nbsp;
                </td>
                <td valign="middle">
                    &nbsp;
                </td>
                <td nowrap>
                    

```

```

        
        
</td>
<td nowrap valign="middle">
    <span id="PROMPT_DISK"
class="statusbar">Disk:</span>
    
</td>
<td valign="middle">
    
        
        
        
        
        
        
        
</td>
<td nowrap>
    
    
        
</td>
<td nowrap valign="middle">
    <span id="PROMPT_FAN" class="statusbar">Fan:</span>
    
</td>
<td nowrap valign="middle">
    
        

```

```

        
        
        
    </td>

    <td id="power_status0" nowrap style="display:none">
        
        
        
    </td>
    <td id="power_status1" nowrap valign="middle"
style="display:none">
        <span id="PROMPT_POWER"
class="statusbar">Power:</span>
        
    </td>
    <td id="power_status2" nowrap valign="middle"
style="display:none">
        
    </td>

    <td id="temp_status_border" nowrap>
        
        
        
    </td>
    <td id="temp_status" nowrap valign="middle">
        <span id="PROMPT_TEMP"
class="statusbar">Temp:</span>
        
    </td>
    <td id="temp_status_link" nowrap valign="middle">
        
        
        
    </td>
    <td nowrap>
        

```

```

width="2">
    
</td>
<td nowrap valign="middle">
    <span id="PROMPT_UPS" class="statusbar">UPS:</span>
    
</td>
<td nowrap valign="middle">
    
    </td>
</tr>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
</div>

<div id="InfoMessages" style="display:none;"></div>
<div id="Scratch" style="display:none;"></div>
<!-- STATUS BAR (End) -->
</div><!-- Shiu: footer (END)-->
</div><!-- Shiu: main content (END) -->
<div class="rightShadow"></div><!-- Shiu: right shodow -->
<div class="bottomShadow"></div><!-- Shiu: bottom shodow -->
</div><!-- Shiu: wrapper (END) -->

</body>

</html>

<!--
Copyright 2007, NETGEAR
All rights reserved.
-->

```