

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell <https://aka.ms/pscore6>

```
PS C:\Users\DLEWIS.000> ssh
```

```
usage: ssh [-46AaCfGgKkMnNqsTtVvXxYy] [-B bind_interface]
```

```
[-b bind_address] [-c cipher_spec] [-D [bind_address:]port]
```

```
[-E log_file] [-e escape_char] [-F configfile] [-l pkcs11]
```

```
[-i identity_file] [-J [user@]host[:port]] [-L address]
```

```
[-l login_name] [-m mac_spec] [-O ctl_cmd] [-o option] [-p port]
```

```
[-Q query_option] [-R address] [-S ctl_path] [-W host:port]
```

```
[-w local_tun[:remote_tun]] destination [command]
```

```
PS C:\Users\DLEWIS.000> ssh root@192.168.1.32
```

```
The authenticity of host '192.168.1.32 (192.168.1.32)' can't be established.
```

```
ECDSA key fingerprint is SHA256:PjXn6HhzdXljj4r9XghUojjJe0mTMQVx+Zr9fUXHNFI.
```

```
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
```

```
Warning: Permanently added '192.168.1.32' (ECDSA) to the list of known hosts.
```

```
root@192.168.1.32's password:
```

```
Welcome to ReadyNASOS 6.10.4
```

```
Last login: Fri Aug 25 08:32:14 2017 from christena-pc
```

```
root@NAS-Media:~# cd //
```

```
root@NAS-Media://# df -h .
```

```
Filesystem  Size Used Avail Use% Mounted on
```

```
/dev/md0   4.0G 3.2G 579M 85% /
```

```
root@NAS-Media:~# df -i .
```

```
Filesystem  Inodes IUsed IFree IUse% Mounted on
```

```
/dev/md0   65536 20512 45024 32% /
```

```
root@NAS-Media:~# mounts
```

```
-bash: mounts: command not found
```

```
root@NAS-Media:~# mount --bind / /mnt
```

```
root@NAS-Media:~# cd /mnt
```

```
root@NAS-Media:/mnt# du -csh *
```

```
4.0K  apps
```

```
6.0M  bin
```

```
4.0K  boot
```

```
4.0K  data
```

```
12K   dev
```

```
11M   etc
```

```
31M   frontview
```

```
4.0K  home
```

```
0     homes
```

```
28M   lib
```

```
16K   lost+found
```

```
4.0K  media
```

```
4.0K  mnt
```

```
16M   opt
```

```
4.0K  proc
```

```
28K  root
4.0K  run
11M  sbin
4.0K  selinux
4.0K  srv
4.0K  sys
28K  tmp
431M  usr
2.7G  var
3.2G  total
```

```
root@NAS-Media:/mnt# cd var
```

```
root@NAS-Media:/mnt/var# du -csh *
```

```
4.0K  agentx
97M  backups
71M  cache
25M  cores
4.0K  ftp
120M  lib
4.0K  local
0  lock
2.3G  log
4.0K  mail
16K  netatalk
4.0K  opt
12K  readydrop
```

18M readynasd

0 run

20K spool

4.0K tmp

8.0K www

2.7G total

root@NAS-Media:/mnt/var# cd log

root@NAS-Media:/mnt/var/log# cu -csh *

-bash: cu: command not found

root@NAS-Media:/mnt/var/log# du -csh *

4.0K alternatives.log

5.2M apache2

120K apt

688K auth.log

952K auth.log.old

4.0K btmp

4.0K clamav

928K daemon.log

992K daemon.log.old

4.0K dbbroker.log

892K debug

252K dpkg.log

12K faillog

4.4M frontview

4.0K fsck

57M journal
552K kern.log
1.3M kern.log.old
24K lastlog
0 LeafP2P.log
0 lpr.log
0 mail.err
923M mail.info
336K mail.log
1.8M mail.log.old
4.0K mail.warn
23M messages
52K mysql
0 mysql.err
0 mysql.log
4.0K netatalk.log
4.0K news
4.0K readydropd.log
1.4M readynasd
1.8M samba
1.3G syslog
4.0K tallylog
1012K user.log
120K wtmp
2.3G total

```
root@NAS-Media:/mnt/var/log# cd syslog
```

```
-bash: cd: syslog: Not a directory
```

```
root@NAS-Media:/mnt/var/log# cd //
```

```
root@NAS-Media://# umount /mnt
```

```
root@NAS-Media://# exit
```

```
logout
```

```
Connection to 192.168.1.32 closed.
```

```
PS C:\Users\DLEWIS.000>
```