

```
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys cpuset
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys cpu
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys cpuacct
[Mon Jul 8 21:37:16 2024] Linux version 4.4.218.x86_64.1 (root@blocks) (gcc version
8.3.0 (Debian 8.3.0-6) ) #1 SMP Tue Oct 11 22:26:01 UTC 2022
[Mon Jul 8 21:37:16 2024] Command line: initrd=initrd.gz reason=normal
BOOT_IMAGE=kernel
[Mon Jul 8 21:37:16 2024] KERNEL supported cpus:
[Mon Jul 8 21:37:16 2024] Intel GenuineIntel
[Mon Jul 8 21:37:16 2024] x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
[Mon Jul 8 21:37:16 2024] x86/fpu: Supporting XSAVE feature 0x01: 'x87 floating
point registers'
[Mon Jul 8 21:37:16 2024] x86/fpu: Supporting XSAVE feature 0x02: 'SSE registers'
[Mon Jul 8 21:37:16 2024] x86/fpu: Supporting XSAVE feature 0x04: 'AVX registers'
[Mon Jul 8 21:37:16 2024] x86/fpu: Enabled xstate features 0x7, context size is 832
bytes, using 'standard' format.
[Mon Jul 8 21:37:16 2024] e820: BIOS-provided physical RAM map:
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x0000000000000000-0x00000000000099bfff]
usable
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x00000000000099c00-0x0000000000009ffff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x000000000000e0000-0x000000000000ffffff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x00000000000100000-0x0000000000079983fff]
usable
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x0000000000079984000-0x0000000000079af7fff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x0000000000079af8000-0x0000000000079b2ffff]
ACPI data
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x0000000000079b30000-0x000000000007a044fff]
ACPI NVS
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x000000000007a045000-0x000000000007bda2fff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x000000000007bda3000-0x000000000007bda3fff]
usable
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x000000000007bda4000-0x000000000007be29fff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x000000000007be2a000-0x000000000007bfffffff]
usable
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x000000000007c000000-0x000000000008fffffff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x00000000000fed1c000-0x00000000000fed1ffff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x00000000000ff000000-0x00000000000ffffffff]
reserved
[Mon Jul 8 21:37:16 2024] BIOS-e820: [mem 0x0000000000100000000-0x000000000017fffffff]
usable
[Mon Jul 8 21:37:16 2024] NX (Execute Disable) protection: active
[Mon Jul 8 21:37:16 2024] SMBIOS 3.0 present.
[Mon Jul 8 21:37:16 2024] DMI: NETGEAR ReadyNAS 524X/ReadyNAS 524X, BIOS RN524v30
```

01/25/2017

```
[Mon Jul 8 21:37:16 2024] e820: update [mem 0x00000000-0x0000ffff] usable ==> reserved
[Mon Jul 8 21:37:16 2024] e820: remove [mem 0x000a0000-0x000fffff] usable
[Mon Jul 8 21:37:16 2024] e820: last_pfn = 0x180000 max_arch_pfn = 0x400000000
[Mon Jul 8 21:37:16 2024] MTRR default type: write-back
[Mon Jul 8 21:37:16 2024] MTRR fixed ranges enabled:
[Mon Jul 8 21:37:16 2024] 00000-9FFFF write-back
[Mon Jul 8 21:37:16 2024] A0000-BFFFF uncachable
[Mon Jul 8 21:37:16 2024] C0000-FFFFFF write-protect
[Mon Jul 8 21:37:16 2024] MTRR variable ranges enabled:
[Mon Jul 8 21:37:16 2024] 0 base 000080000000 mask 3FFF80000000 uncachable
[Mon Jul 8 21:37:16 2024] 1 base 380000000000 mask 3FC000000000 uncachable
[Mon Jul 8 21:37:16 2024] 2 base 0000FB600000 mask 3FFFFFFE000000 write-through
[Mon Jul 8 21:37:16 2024] 3 base 0000FB800000 mask 3FFFFFFF000000 write-through
[Mon Jul 8 21:37:16 2024] 4 disabled
[Mon Jul 8 21:37:16 2024] 5 disabled
[Mon Jul 8 21:37:16 2024] 6 disabled
[Mon Jul 8 21:37:16 2024] 7 disabled
[Mon Jul 8 21:37:16 2024] 8 disabled
[Mon Jul 8 21:37:16 2024] 9 disabled
[Mon Jul 8 21:37:16 2024] x86/PAT: Configuration [0-7]: WB WC UC- UC WB WC UC-
WT
[Mon Jul 8 21:37:16 2024] e820: last_pfn = 0x7c000 max_arch_pfn = 0x400000000
[Mon Jul 8 21:37:16 2024] Base memory trampoline at [ffff880000092000] 92000 size
28672
[Mon Jul 8 21:37:16 2024] Using GB pages for direct mapping
[Mon Jul 8 21:37:16 2024] BRK [0x08f56000, 0x08f56fff] PGTABLE
[Mon Jul 8 21:37:16 2024] BRK [0x08f57000, 0x08f57fff] PGTABLE
[Mon Jul 8 21:37:16 2024] BRK [0x08f58000, 0x08f58fff] PGTABLE
[Mon Jul 8 21:37:16 2024] BRK [0x08f59000, 0x08f59fff] PGTABLE
[Mon Jul 8 21:37:16 2024] BRK [0x08f5a000, 0x08f5afff] PGTABLE
[Mon Jul 8 21:37:16 2024] RAMDISK: [mem 0x79522000-0x79982fff]
[Mon Jul 8 21:37:16 2024] ACPI: Early table checksum verification disabled
[Mon Jul 8 21:37:16 2024] ACPI: RSDP 0x000000000000F05B0 000024 (v02 ALASKA)
[Mon Jul 8 21:37:16 2024] ACPI: XSDT 0x0000000079B03098 0000B4 (v01 ALASKA A M I
01072009 AMI 00010013)
[Mon Jul 8 21:37:16 2024] ACPI: FACP 0x0000000079B1C880 00010C (v05 ALASKA A M I
01072009 AMI 00010013)
[Mon Jul 8 21:37:16 2024] ACPI: DSDT 0x0000000079B031E0 019699 (v02 ALASKA A M I
01072009 INTL 20091013)
[Mon Jul 8 21:37:16 2024] ACPI: FACS 0x000000007A043F80 000040
[Mon Jul 8 21:37:16 2024] ACPI: APIC 0x0000000079B1C990 00009A (v03 ALASKA A M I
01072009 AMI 00010013)
[Mon Jul 8 21:37:16 2024] ACPI: FPDT 0x0000000079B1CA30 000044 (v01 ALASKA A M I
01072009 AMI 00010013)
[Mon Jul 8 21:37:16 2024] ACPI: FIDT 0x0000000079B1CA78 00009C (v01 ALASKA A M I
01072009 AMI 00010013)
[Mon Jul 8 21:37:16 2024] ACPI: MCFG 0x0000000079B1CB18 00003C (v01 ALASKA A M I
01072009 MSFT 00000097)
```

[Mon Jul 8 21:37:16 2024] ACPI: UEFI 0x0000000079B1CB58 000042 (v01 00000000 00000000)

[Mon Jul 8 21:37:16 2024] ACPI: DBG2 0x0000000079B1CBA0 000072 (v00 ALASKA A M I 00000000 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: HPET 0x0000000079B1CC18 000038 (v01 ALASKA A M I 00000001 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: MSCT 0x0000000079B1CC50 000090 (v01 ALASKA A M I 00000001 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: SLIT 0x0000000079B1CCE0 00002D (v01 ALASKA A M I 00000001 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: SRAT 0x0000000079B1CD10 001158 (v03 ALASKA A M I 00000001 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: WDDT 0x0000000079B1DE68 000040 (v01 ALASKA A M I 00000000 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: SSDT 0x0000000079B1DEA8 00EE27 (v01 AMI PmMgt 00000001 INTL 20120913)

[Mon Jul 8 21:37:16 2024] ACPI: SPCR 0x0000000079B2CCD0 000050 (v02 A M I APTIO V 01072009 AMI. 0005000B)

[Mon Jul 8 21:37:16 2024] ACPI: SSDT 0x0000000079B2CD20 0020CB (v02 ALASKA SpsNm 00000002 INTL 20120913)

[Mon Jul 8 21:37:16 2024] ACPI: SSDT 0x0000000079B2EDF0 000064 (v02 ALASKA SpsNvs 00000002 INTL 20120913)

[Mon Jul 8 21:37:16 2024] ACPI: PRAD 0x0000000079B2EE58 000102 (v02 ALASKA A M I 00000002 INTL 20120913)

[Mon Jul 8 21:37:16 2024] ACPI: DMAR 0x0000000079B2EF60 0000B8 (v01 ALASKA A M I 00000001 INTL 20091013)

[Mon Jul 8 21:37:16 2024] ACPI: Local APIC address 0xfee00000

[Mon Jul 8 21:37:16 2024] Zone ranges:

[Mon Jul 8 21:37:16 2024] DMA [mem 0x0000000000001000-0x000000000000ffffff]

[Mon Jul 8 21:37:16 2024] DMA32 [mem 0x0000000001000000-0x000000000000ffffff]

[Mon Jul 8 21:37:16 2024] Normal [mem 0x0000000010000000-0x0000000017ffffff]

[Mon Jul 8 21:37:16 2024] Movable zone start for each node

[Mon Jul 8 21:37:16 2024] Early memory node ranges

[Mon Jul 8 21:37:16 2024] node 0: [mem 0x0000000000001000-0x00000000000098fff]

[Mon Jul 8 21:37:16 2024] node 0: [mem 0x00000000000100000-0x0000000079983fff]

[Mon Jul 8 21:37:16 2024] node 0: [mem 0x000000007bda3000-0x000000007bda3fff]

[Mon Jul 8 21:37:16 2024] node 0: [mem 0x000000007be2a000-0x000000007bffffff]

[Mon Jul 8 21:37:16 2024] node 0: [mem 0x00000000100000000-0x0000000017ffffff]

[Mon Jul 8 21:37:16 2024] Initmem setup node 0 [mem 0x0000000000001000-0x0000000017ffffff]

[Mon Jul 8 21:37:16 2024] On node 0 totalpages: 1022707

[Mon Jul 8 21:37:16 2024] DMA zone: 64 pages used for memmap

[Mon Jul 8 21:37:16 2024] DMA zone: 22 pages reserved

[Mon Jul 8 21:37:16 2024] DMA zone: 3992 pages, LIFO batch:0

[Mon Jul 8 21:37:16 2024] DMA32 zone: 7726 pages used for memmap

[Mon Jul 8 21:37:16 2024] DMA32 zone: 494427 pages, LIFO batch:31

[Mon Jul 8 21:37:16 2024] Normal zone: 8192 pages used for memmap

[Mon Jul 8 21:37:16 2024] Normal zone: 524288 pages, LIFO batch:31

[Mon Jul 8 21:37:16 2024] ACPI: PM-Timer IO Port: 0x408

[Mon Jul 8 21:37:16 2024] ACPI: Local APIC address 0xfee00000

```
[Mon Jul 8 21:37:16 2024] ACPI: LAPIC_NMI (acpi_id[0x00] high level lint[0x1])
[Mon Jul 8 21:37:16 2024] ACPI: LAPIC_NMI (acpi_id[0x02] high level lint[0x1])
[Mon Jul 8 21:37:16 2024] ACPI: LAPIC_NMI (acpi_id[0x01] high level lint[0x1])
[Mon Jul 8 21:37:16 2024] ACPI: LAPIC_NMI (acpi_id[0x03] high level lint[0x1])
[Mon Jul 8 21:37:16 2024] IOAPIC[0]: apic_id 8, version 32, address 0xfec00000, GSI
0-23
[Mon Jul 8 21:37:16 2024] IOAPIC[1]: apic_id 9, version 32, address 0xfec01000, GSI
24-47
[Mon Jul 8 21:37:16 2024] ACPI: INT_SRC_OVR (bus 0 bus_irq 0 global_irq 2 dfl dfl)
[Mon Jul 8 21:37:16 2024] ACPI: INT_SRC_OVR (bus 0 bus_irq 3 global_irq 3 high
level)
[Mon Jul 8 21:37:16 2024] ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high
level)
[Mon Jul 8 21:37:16 2024] ACPI: IRQ0 used by override.
[Mon Jul 8 21:37:16 2024] ACPI: IRQ3 used by override.
[Mon Jul 8 21:37:16 2024] ACPI: IRQ9 used by override.
[Mon Jul 8 21:37:16 2024] Using ACPI (MADT) for SMP configuration information
[Mon Jul 8 21:37:16 2024] ACPI: HPET id: 0x8086a701 base: 0xfed00000
[Mon Jul 8 21:37:16 2024] smpboot: Allowing 4 CPUs, 0 hotplug CPUs
[Mon Jul 8 21:37:16 2024] e820: [mem 0x90000000-0xfed1bfff] available for PCI
devices
[Mon Jul 8 21:37:16 2024] clocksource: refined-jiffies: mask: 0xffffffff
max_cycles: 0xffffffff, max_idle_ns: 1910969940391419 ns
[Mon Jul 8 21:37:16 2024] setup_percpu: NR_CPUS:8 nr_cpumask_bits:8 nr_cpu_ids:4
nr_node_ids:1
[Mon Jul 8 21:37:16 2024] PERCPU: Embedded 30 pages/cpu @ffff88017fc00000 s82392
r8192 d32296 u524288
[Mon Jul 8 21:37:16 2024] pcpu-alloc: s82392 r8192 d32296 u524288 alloc=1*2097152
[Mon Jul 8 21:37:16 2024] pcpu-alloc: [0] 0 1 2 3
[Mon Jul 8 21:37:16 2024] Built 1 zonelists in Zone order, mobility grouping on.
Total pages: 1006703
[Mon Jul 8 21:37:16 2024] Kernel command line: console=tty0 console=ttyS0,115200
hpet=disable initrd=initrd.gz reason=normal BOOT_IMAGE=kernel
[Mon Jul 8 21:37:16 2024] PID hash table entries: 4096 (order: 3, 32768 bytes)
[Mon Jul 8 21:37:16 2024] Dentry cache hash table entries: 524288 (order: 10,
4194304 bytes)
[Mon Jul 8 21:37:16 2024] Inode-cache hash table entries: 262144 (order: 9, 2097152
bytes)
[Mon Jul 8 21:37:16 2024] Memory: 3932204K/4090828K available (9142K kernel code,
989K rwdata, 3940K rodata, 872K init, 696K bss, 158624K reserved, 0K cma-reserved)
[Mon Jul 8 21:37:16 2024] SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=4,
Nodes=1
[Mon Jul 8 21:37:16 2024] Kernel/User page tables isolation: enabled
[Mon Jul 8 21:37:16 2024] Hierarchical RCU implementation.
[Mon Jul 8 21:37:16 2024] RCU debugfs-based tracing is enabled.
[Mon Jul 8 21:37:16 2024] Build-time adjustment of leaf fanout to 64.
[Mon Jul 8 21:37:16 2024] RCU restricting CPUs from NR_CPUS=8 to nr_cpu_ids=4.
[Mon Jul 8 21:37:16 2024] RCU: Adjusting geometry for rcu_fanout_leaf=64,
nr_cpu_ids=4
[Mon Jul 8 21:37:16 2024] NR_IRQS:4352 nr_irqs:864 16
```

[Mon Jul 8 21:37:16 2024] Console: colour dummy device 80x25
[Mon Jul 8 21:37:16 2024] console [tty0] enabled
[Mon Jul 8 21:37:16 2024] console [ttyS0] enabled
[Mon Jul 8 21:37:16 2024] tsc: Fast TSC calibration using PIT
[Mon Jul 8 21:37:16 2024] tsc: Detected 2199.898 MHz processor
[Mon Jul 8 21:37:16 2024] Calibrating delay loop (skipped), value calculated using timer frequency.. 4399.79 BogoMIPS (lpj=2199898)
[Mon Jul 8 21:37:16 2024] pid_max: default: 32768 minimum: 301
[Mon Jul 8 21:37:16 2024] ACPI: Core revision 20150930
[Mon Jul 8 21:37:16 2024] ACPI: 4 ACPI AML tables successfully acquired and loaded
[Mon Jul 8 21:37:16 2024] Security Framework initialized
[Mon Jul 8 21:37:16 2024] Mount-cache hash table entries: 8192 (order: 4, 65536 bytes)
[Mon Jul 8 21:37:16 2024] Mountpoint-cache hash table entries: 8192 (order: 4, 65536 bytes)
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys io
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys memory
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys devices
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys freezer
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys net_cls
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys perf_event
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys net_prio
[Mon Jul 8 21:37:16 2024] Initializing cgroup subsys pids
[Mon Jul 8 21:37:16 2024] CPU: Physical Processor ID: 0
[Mon Jul 8 21:37:16 2024] CPU: Processor Core ID: 0
[Mon Jul 8 21:37:16 2024] ENERGY_PERF_BIAS: Set to 'normal', was 'performance'
[Mon Jul 8 21:37:16 2024] ENERGY_PERF_BIAS: View and update with x86_energy_perf_policy(8)
[Mon Jul 8 21:37:16 2024] mce: CPU supports 22 MCE banks
[Mon Jul 8 21:37:16 2024] CPU0: Thermal monitoring enabled (TM1)
[Mon Jul 8 21:37:16 2024] process: using mwait in idle threads
[Mon Jul 8 21:37:16 2024] Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
[Mon Jul 8 21:37:16 2024] Last level dTLB entries: 4KB 64, 2MB 0, 4MB 0, 1GB 4
[Mon Jul 8 21:37:16 2024] Spectre V1 : Mitigation: usercopy/swaps barriers and __user pointer sanitization
[Mon Jul 8 21:37:16 2024] Spectre V2 : Mitigation: Full generic retpoline
[Mon Jul 8 21:37:16 2024] Spectre V2 : Spectre v2 / SpectreRSB mitigation: Filling RSB on context switch
[Mon Jul 8 21:37:16 2024] Speculative Store Bypass: Vulnerable
[Mon Jul 8 21:37:16 2024] TAA: Vulnerable: Clear CPU buffers attempted, no microcode
[Mon Jul 8 21:37:16 2024] MDS: Vulnerable: Clear CPU buffers attempted, no microcode
[Mon Jul 8 21:37:16 2024] Freeing SMP alternatives memory: 40K
[Mon Jul 8 21:37:16 2024] DMAR: Host address width 46
[Mon Jul 8 21:37:16 2024] DMAR: DRHD base: 0x000000fbffc000 flags: 0x1
[Mon Jul 8 21:37:16 2024] DMAR: dmar0: reg_base_addr fbffc000 ver 1:0 cap 8d2078c106f0466 ecap f020df
[Mon Jul 8 21:37:16 2024] DMAR: RMRR base: 0x0000007bc71000 end: 0x0000007bc80fff
[Mon Jul 8 21:37:16 2024] DMAR: ATSR flags: 0x0

```
[Mon Jul 8 21:37:16 2024] DMAR: RHTA base: 0x000000fbffc000 proximity domain: 0x0
[Mon Jul 8 21:37:16 2024] DMAR-IR: IOAPIC id 8 under DRHD base 0xfbfcc000 IOMMU 0
[Mon Jul 8 21:37:16 2024] DMAR-IR: IOAPIC id 9 under DRHD base 0xfbfcc000 IOMMU 0
[Mon Jul 8 21:37:16 2024] DMAR-IR: HPET id 0 under DRHD base 0xfbfcc000
[Mon Jul 8 21:37:16 2024] DMAR-IR: x2apic is disabled because BIOS sets x2apic opt
out bit.
[Mon Jul 8 21:37:16 2024] DMAR-IR: Use 'intremap=no_x2apic_optout' to override the
BIOS setting.
[Mon Jul 8 21:37:16 2024] DMAR-IR: Enabled IRQ remapping in xapic mode
[Mon Jul 8 21:37:16 2024] x2apic: IRQ remapping doesn't support X2APIC mode
[Mon Jul 8 21:37:16 2024] ..TIMER: vector=0x30 apic1=0 pin1=2 apic2=-1 pin2=-1
[Mon Jul 8 21:37:16 2024] TSC deadline timer enabled
[Mon Jul 8 21:37:16 2024] smpboot: CPU0: Intel(R) Pentium(R) CPU D1508 @ 2.20GHz
(family: 0x6, model: 0x56, stepping: 0x3)
[Mon Jul 8 21:37:16 2024] Performance Events: PEBS fmt2+, 16-deep LBR, Broadwell
events, full-width counters, Intel PMU driver.
[Mon Jul 8 21:37:16 2024] ... version:                3
[Mon Jul 8 21:37:16 2024] ... bit width:             48
[Mon Jul 8 21:37:16 2024] ... generic registers:      4
[Mon Jul 8 21:37:16 2024] ... value mask:           0000ffffffffffff
[Mon Jul 8 21:37:16 2024] ... max period:           00007ffffffffffff
[Mon Jul 8 21:37:16 2024] ... fixed-purpose events:    3
[Mon Jul 8 21:37:16 2024] ... event mask:           000000070000000f
[Mon Jul 8 21:37:16 2024] x86: Booting SMP configuration:
[Mon Jul 8 21:37:16 2024] .... node #0, CPUs:      #1 #2
[Mon Jul 8 21:37:16 2024] MDS CPU bug present and SMT on, data leak possible. See
https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more
details.
[Mon Jul 8 21:37:16 2024] TAA CPU bug present and SMT on, data leak possible. See
https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/tsx\_async\_abort.html for
more details.
[Mon Jul 8 21:37:16 2024] #3
[Mon Jul 8 21:37:16 2024] x86: Booted up 1 node, 4 CPUs
[Mon Jul 8 21:37:16 2024] smpboot: Total of 4 processors activated (17599.18
BogoMIPS)
[Mon Jul 8 21:37:16 2024] NMI watchdog: enabled on all CPUs, permanently consumes
one hw-PMU counter.
[Mon Jul 8 21:37:16 2024] devtmpfs: initialized
[Mon Jul 8 21:37:16 2024] clocksource: jiffies: mask: 0xffffffff max_cycles:
0xffffffff, max_idle_ns: 1911260446275000 ns
[Mon Jul 8 21:37:16 2024] futex hash table entries: 1024 (order: 4, 65536 bytes)
[Mon Jul 8 21:37:16 2024] xor: automatically using best checksumming function:
[Mon Jul 8 21:37:16 2024]   avx          : 30524.000 MB/sec
[Mon Jul 8 21:37:16 2024] pinctrl core: initialized pinctrl subsystem
[Mon Jul 8 21:37:16 2024] NET: Registered protocol family 16
[Mon Jul 8 21:37:16 2024] cpuidle: using governor ladder
[Mon Jul 8 21:37:16 2024] cpuidle: using governor menu
[Mon Jul 8 21:37:16 2024] ACPI: bus type PCI registered
[Mon Jul 8 21:37:16 2024] dca service started, version 1.12.1
[Mon Jul 8 21:37:16 2024] PCI: Using configuration type 1 for base access
```

[Mon Jul 8 21:37:16 2024] raid6: sse2x1 gen() 7585 MB/s
[Mon Jul 8 21:37:16 2024] raid6: sse2x1 xor() 5087 MB/s
[Mon Jul 8 21:37:16 2024] raid6: sse2x2 gen() 9082 MB/s
[Mon Jul 8 21:37:16 2024] raid6: sse2x2 xor() 5798 MB/s
[Mon Jul 8 21:37:16 2024] raid6: sse2x4 gen() 10910 MB/s
[Mon Jul 8 21:37:16 2024] raid6: sse2x4 xor() 6830 MB/s
[Mon Jul 8 21:37:16 2024] raid6: avx2x1 gen() 15058 MB/s
[Mon Jul 8 21:37:16 2024] raid6: avx2x2 gen() 17492 MB/s
[Mon Jul 8 21:37:16 2024] raid6: avx2x4 gen() 20691 MB/s
[Mon Jul 8 21:37:16 2024] raid6: using algorithm avx2x4 gen() 20691 MB/s
[Mon Jul 8 21:37:16 2024] raid6: using avx2x2 recovery algorithm
[Mon Jul 8 21:37:16 2024] ACPI: Added _OSI(Module Device)
[Mon Jul 8 21:37:16 2024] ACPI: Added _OSI(Processor Device)
[Mon Jul 8 21:37:16 2024] ACPI: Added _OSI(3.0 _SCP Extensions)
[Mon Jul 8 21:37:16 2024] ACPI: Added _OSI(Processor Aggregator Device)
[Mon Jul 8 21:37:16 2024] ACPI: Interpreter enabled
[Mon Jul 8 21:37:16 2024] ACPI: (supports S0 S5)
[Mon Jul 8 21:37:16 2024] ACPI: Using IOAPIC for interrupt routing
[Mon Jul 8 21:37:16 2024] PCI: Using host bridge windows from ACPI; if necessary,
use "pci=nocrs" and report a bug
[Mon Jul 8 21:37:16 2024] ACPI: PCI Root Bridge [UNC0] (domain 0000 [bus ff])
[Mon Jul 8 21:37:16 2024] acpi PNP0A03:03: _OSC: OS supports [ASPM ClockPM Segments
MSI]
[Mon Jul 8 21:37:16 2024] acpi PNP0A03:03: _OSC: not requesting OS control; OS
requires [ExtendedConfig ASPM ClockPM MSI]
[Mon Jul 8 21:37:16 2024] PCI host bridge to bus 0000:ff
[Mon Jul 8 21:37:16 2024] pci_bus 0000:ff: root bus resource [bus ff]
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0b.0: [8086:6f81] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0b.1: [8086:6f36] type 00 class 0x110100
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0b.2: [8086:6f37] type 00 class 0x110100
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0b.3: [8086:6f76] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0c.0: [8086:6fe0] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0c.1: [8086:6fe1] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0f.0: [8086:6ff8] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0f.4: [8086:6ffc] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0f.5: [8086:6ffd] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:0f.6: [8086:6ffe] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:10.0: [8086:6f1d] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:10.1: [8086:6f34] type 00 class 0x110100
[Mon Jul 8 21:37:16 2024] pci 0000:ff:10.5: [8086:6f1e] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:10.6: [8086:6f7d] type 00 class 0x110100
[Mon Jul 8 21:37:16 2024] pci 0000:ff:10.7: [8086:6f1f] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:12.0: [8086:6fa0] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:12.1: [8086:6f30] type 00 class 0x110100
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.0: [8086:6fa8] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.1: [8086:6f71] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.2: [8086:6faa] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.3: [8086:6fab] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.4: [8086:6fac] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.5: [8086:6fad] type 00 class 0x088000

[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.6: [8086:6fae] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:13.7: [8086:6faf] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.0: [8086:6fb0] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.1: [8086:6fb1] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.2: [8086:6fb2] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.3: [8086:6fb3] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.4: [8086:6fbc] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.5: [8086:6fbd] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.6: [8086:6fbe] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:14.7: [8086:6fbf] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:15.0: [8086:6fb4] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:15.1: [8086:6fb5] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:15.2: [8086:6fb6] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:15.3: [8086:6fb7] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1e.0: [8086:6f98] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1e.1: [8086:6f99] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1e.2: [8086:6f9a] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1e.3: [8086:6fc0] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1e.4: [8086:6f9c] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1f.0: [8086:6f88] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:ff:1f.2: [8086:6f8a] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci_bus 0000:ff: on NUMA node 0
[Mon Jul 8 21:37:16 2024] ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-fe])
[Mon Jul 8 21:37:16 2024] acpi PNP0A08:00: _OSC: OS supports [ASPM ClockPM Segments
MSI]
[Mon Jul 8 21:37:16 2024] acpi PNP0A08:00: _OSC: not requesting OS control; OS
requires [ExtendedConfig ASPM ClockPM MSI]
[Mon Jul 8 21:37:16 2024] PCI host bridge to bus 0000:00
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7
window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: root bus resource [io 0x1000-0xffff
window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: root bus resource [mem
0x000a0000-0x000bffff window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: root bus resource [mem
0x90000000-0xfbfbbfff window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: root bus resource [bus 00-fe]
[Mon Jul 8 21:37:16 2024] pci 0000:00:00.0: [8086:6f00] type 00 class 0x060000
[Mon Jul 8 21:37:16 2024] pci 0000:00:01.0: [8086:6f02] type 01 class 0x060400
[Mon Jul 8 21:37:16 2024] pci 0000:00:01.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.0: [8086:6f04] type 01 class 0x060400
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: [8086:6f06] type 01 class 0x060400
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:03.0: [8086:6f08] type 01 class 0x060400
[Mon Jul 8 21:37:16 2024] pci 0000:00:03.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:05.0: [8086:6f28] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:00:05.1: [8086:6f29] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:00:05.2: [8086:6f2a] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:00:05.4: [8086:6f2c] type 00 class 0x080020

[Mon Jul 8 21:37:16 2024] pci 0000:00:05.4: reg 0x10: [mem 0xfb17000-0xfb17fff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:14.0: [8086:8c31] type 00 class 0x0c0330
[Mon Jul 8 21:37:16 2024] pci 0000:00:14.0: reg 0x10: [mem 0xfb00000-0xfb0ffff
64bit]
[Mon Jul 8 21:37:16 2024] pci 0000:00:14.0: PME# supported from D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: [8086:8c10] type 01 class 0x060400
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: [8086:8c12] type 01 class 0x060400
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:1d.0: [8086:8c26] type 00 class 0x0c0320
[Mon Jul 8 21:37:16 2024] pci 0000:00:1d.0: reg 0x10: [mem 0xfb13000-0xfb133ff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1d.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.0: [8086:8c54] type 00 class 0x060100
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: [8086:8c02] type 00 class 0x010601
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: reg 0x10: [io 0xf070-0xf077]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: reg 0x14: [io 0xf060-0xf063]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: reg 0x18: [io 0xf050-0xf057]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: reg 0x1c: [io 0xf040-0xf043]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: reg 0x20: [io 0xf020-0xf03f]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: reg 0x24: [mem 0xfb12000-0xfb127ff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.2: PME# supported from D3hot
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.3: [8086:8c22] type 00 class 0x0c0500
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.3: reg 0x10: [mem 0xfb11000-0xfb110ff
64bit]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1f.3: reg 0x20: [io 0xf000-0xf01f]
[Mon Jul 8 21:37:16 2024] pci 0000:00:01.0: PCI bridge to [bus 01]
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.0: [8086:6f50] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.0: reg 0x10: [mem 0xfb06000-0xfb07fff
64bit]
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.1: [8086:6f51] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.1: reg 0x10: [mem 0xfb04000-0xfb05fff
64bit]
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.2: [8086:6f52] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.2: reg 0x10: [mem 0xfb02000-0xfb03fff
64bit]
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.3: [8086:6f53] type 00 class 0x088000
[Mon Jul 8 21:37:16 2024] pci 0000:02:00.3: reg 0x10: [mem 0xfb00000-0xfb01fff
64bit]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.0: PCI bridge to [bus 02]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.0: bridge window [mem
0xfb00000-0xfbefffff]
[Mon Jul 8 21:37:16 2024] pci 0000:03:00.0: [8086:15ad] type 00 class 0x020000
[Mon Jul 8 21:37:16 2024] pci 0000:03:00.0: reg 0x10: [mem 0xfb60000-0xfb7fffff
64bit pref]
[Mon Jul 8 21:37:16 2024] pci 0000:03:00.0: reg 0x20: [mem 0xfb80000-0xfb803fff
64bit pref]
[Mon Jul 8 21:37:16 2024] pci 0000:03:00.0: reg 0x30: [mem 0xfba0000-0xfba7ffff
pref]
[Mon Jul 8 21:37:16 2024] pci 0000:03:00.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: PCI bridge to [bus 03-04]

```
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: bridge window [mem
0xfba00000-0xfbcffffff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: bridge window [mem
0xfb600000-0xfb8ffffff 64bit pref]
[Mon Jul 8 21:37:16 2024] pci 0000:00:03.0: PCI bridge to [bus 05]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: PCI bridge to [bus 06]
[Mon Jul 8 21:37:16 2024] pci 0000:07:00.0: [8086:1539] type 00 class 0x020000
[Mon Jul 8 21:37:16 2024] pci 0000:07:00.0: reg 0x10: [mem 0xfbd00000-0xfbd1ffff]
[Mon Jul 8 21:37:16 2024] pci 0000:07:00.0: reg 0x18: [io 0xe000-0xe01f]
[Mon Jul 8 21:37:16 2024] pci 0000:07:00.0: reg 0x1c: [mem 0xfbd20000-0xfbd23fff]
[Mon Jul 8 21:37:16 2024] pci 0000:07:00.0: PME# supported from D0 D3hot D3cold
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: PCI bridge to [bus 07]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: bridge window [io 0xe000-0xefff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: bridge window [mem
0xfbd00000-0xfbdffffff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: on NUMA node 0
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKA] (IRQs 3 4 5 6 7 10 *11
12)
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKB] (IRQs 3 4 5 6 7 *10 11
12)
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKC] (IRQs 3 4 *5 6 10 11 12)
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKD] (IRQs *3 4 5 6 10 11 12)
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKE] (IRQs 3 4 5 6 7 10 11 12)
*0, disabled.
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKF] (IRQs 3 4 5 6 7 10 11 12)
*0, disabled.
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKG] (IRQs 3 4 5 6 7 10 11 12)
*0, disabled.
[Mon Jul 8 21:37:16 2024] ACPI: PCI Interrupt Link [LNKH] (IRQs 3 4 5 6 7 10 11 12)
*0, disabled.
[Mon Jul 8 21:37:16 2024] ACPI: Enabled 3 GPEs in block 00 to 3F
[Mon Jul 8 21:37:16 2024] SCSI subsystem initialized
[Mon Jul 8 21:37:16 2024] libata version 3.00 loaded.
[Mon Jul 8 21:37:16 2024] ACPI: bus type USB registered
[Mon Jul 8 21:37:16 2024] usbcore: registered new interface driver usbfs
[Mon Jul 8 21:37:16 2024] usbcore: registered new interface driver hub
[Mon Jul 8 21:37:16 2024] usbcore: registered new device driver usb
[Mon Jul 8 21:37:16 2024] pps_core: LinuxPPS API ver. 1 registered
[Mon Jul 8 21:37:16 2024] pps_core: Software ver. 5.3.6 - Copyright 2005-2007
Rodolfo Giometti <giometti@linux.it>
[Mon Jul 8 21:37:16 2024] PTP clock support registered
[Mon Jul 8 21:37:16 2024] Advanced Linux Sound Architecture Driver Initialized.
[Mon Jul 8 21:37:16 2024] PCI: Using ACPI for IRQ routing
[Mon Jul 8 21:37:16 2024] PCI: pci_cache_line_size set to 64 bytes
[Mon Jul 8 21:37:16 2024] e820: reserve RAM buffer [mem 0x00099c00-0x0009ffff]
[Mon Jul 8 21:37:16 2024] e820: reserve RAM buffer [mem 0x79984000-0x7bffffff]
[Mon Jul 8 21:37:16 2024] e820: reserve RAM buffer [mem 0x7bda4000-0x7bffffff]
[Mon Jul 8 21:37:16 2024] Bluetooth: Core ver 2.21
[Mon Jul 8 21:37:16 2024] NET: Registered protocol family 31
[Mon Jul 8 21:37:16 2024] Bluetooth: HCI device and connection manager initialized
```

```
[Mon Jul 8 21:37:16 2024] Bluetooth: HCI socket layer initialized
[Mon Jul 8 21:37:16 2024] Bluetooth: L2CAP socket layer initialized
[Mon Jul 8 21:37:16 2024] Bluetooth: SCO socket layer initialized
[Mon Jul 8 21:37:16 2024] clocksource: Switched to clocksource refined-jiffies
[Mon Jul 8 21:37:16 2024] FS-Cache: Loaded
[Mon Jul 8 21:37:16 2024] pnp: PnP ACPI init
[Mon Jul 8 21:37:16 2024] pnp 00:00: Plug and Play ACPI device, IDs PNP0b00
(active)
[Mon Jul 8 21:37:16 2024] system 00:01: [io 0x0500-0x057f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [io 0x0400-0x047f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [io 0x0580-0x059f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [io 0x0600-0x061f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [io 0x0880-0x0883] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [io 0x0800-0x081f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xfed1c000-0xfed3ffff] could not be
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xfed45000-0xfed8bfff] has been
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xff000000-0xffffffff] has been
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xfee00000-0xfeefffff] has been
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xfed12000-0xfed1200f] has been
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xfed12010-0xfed1201f] has been
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: [mem 0xfed1b000-0xfed1bfff] has been
reserved
[Mon Jul 8 21:37:16 2024] system 00:01: Plug and Play ACPI device, IDs PNP0c02
(active)
[Mon Jul 8 21:37:16 2024] system 00:02: [io 0x0a00-0x0a1f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:02: [io 0x0a20-0x0a2f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:02: [io 0x0a30-0x0a3f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:02: [io 0x0a40-0x0a4f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:02: [io 0x0a50-0x0a5f] has been reserved
[Mon Jul 8 21:37:16 2024] system 00:02: Plug and Play ACPI device, IDs PNP0c02
(active)
[Mon Jul 8 21:37:16 2024] pnp 00:03: [dma 0 disabled]
[Mon Jul 8 21:37:16 2024] pnp 00:03: Plug and Play ACPI device, IDs PNP0501
(active)
[Mon Jul 8 21:37:16 2024] pnp: PnP ACPI: found 4 devices
[Mon Jul 8 21:37:16 2024] clocksource: acpi_pm: mask: 0xffffffff max_cycles:
0xffffffff, max_idle_ns: 2085701024 ns
[Mon Jul 8 21:37:16 2024] clocksource: Switched to clocksource acpi_pm
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: bridge window [io 0x1000-0x0fff] to
[bus 06] add_size 1000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: bridge window [mem
0x00100000-0x000fffff 64bit pref] to [bus 06] add_size 200000 add_align 100000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: bridge window [mem
0x00100000-0x000fffff] to [bus 06] add_size 200000 add_align 100000
```

```
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: res[8]=[mem 0x00100000-0x000ffffff]
res_to_dev_res add_size 200000 min_align 100000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: res[8]=[mem 0x00100000-0x002ffffff]
res_to_dev_res add_size 200000 min_align 100000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: res[9]=[mem 0x00100000-0x000ffffff 64bit
pref] res_to_dev_res add_size 200000 min_align 100000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: res[9]=[mem 0x00100000-0x002ffffff 64bit
pref] res_to_dev_res add_size 200000 min_align 100000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: res[7]=[io 0x1000-0x0fff]
res_to_dev_res add_size 1000 min_align 1000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: res[7]=[io 0x1000-0x1fff]
res_to_dev_res add_size 1000 min_align 1000
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: BAR 8: assigned [mem
0x90000000-0x901ffffff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: BAR 9: assigned [mem
0x90200000-0x903ffffff 64bit pref]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: BAR 7: assigned [io 0x1000-0x1fff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:01.0: PCI bridge to [bus 01]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.0: PCI bridge to [bus 02]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.0: bridge window [mem
0xfbe00000-0xfbeffffff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: PCI bridge to [bus 03-04]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: bridge window [mem
0xfba00000-0xfbcffffff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:02.2: bridge window [mem
0xfb600000-0xfb8ffffff 64bit pref]
[Mon Jul 8 21:37:16 2024] pci 0000:00:03.0: PCI bridge to [bus 05]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: PCI bridge to [bus 06]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: bridge window [io 0x1000-0x1fff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: bridge window [mem
0x90000000-0x901ffffff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.0: bridge window [mem
0x90200000-0x903ffffff 64bit pref]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: PCI bridge to [bus 07]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: bridge window [io 0xe000-0xefff]
[Mon Jul 8 21:37:16 2024] pci 0000:00:1c.1: bridge window [mem
0xfbd00000-0xfbdffffff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: resource 5 [io 0x1000-0xffff window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff
window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:00: resource 7 [mem 0x90000000-0xfbfbbfff
window]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:02: resource 1 [mem 0xfbe00000-0xfbeffffff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:03: resource 1 [mem 0xfba00000-0xfbcffffff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:03: resource 2 [mem 0xfb600000-0xfb8ffffff
64bit pref]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:06: resource 0 [io 0x1000-0x1fff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:06: resource 1 [mem 0x90000000-0x901ffffff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:06: resource 2 [mem 0x90200000-0x903ffffff]
```

64bit pref]

```
[Mon Jul 8 21:37:16 2024] pci_bus 0000:07: resource 0 [io 0xe000-0xefff]
[Mon Jul 8 21:37:16 2024] pci_bus 0000:07: resource 1 [mem 0xfbd00000-0xfbdffffff]
[Mon Jul 8 21:37:16 2024] NET: Registered protocol family 2
[Mon Jul 8 21:37:16 2024] TCP established hash table entries: 32768 (order: 6,
262144 bytes)
[Mon Jul 8 21:37:16 2024] TCP bind hash table entries: 32768 (order: 7, 524288
bytes)
[Mon Jul 8 21:37:16 2024] TCP: Hash tables configured (established 32768 bind
32768)
[Mon Jul 8 21:37:16 2024] UDP hash table entries: 2048 (order: 4, 65536 bytes)
[Mon Jul 8 21:37:16 2024] UDP-Lite hash table entries: 2048 (order: 4, 65536 bytes)
[Mon Jul 8 21:37:16 2024] NET: Registered protocol family 1
[Mon Jul 8 21:37:16 2024] RPC: Registered named UNIX socket transport module.
[Mon Jul 8 21:37:16 2024] RPC: Registered udp transport module.
[Mon Jul 8 21:37:16 2024] RPC: Registered tcp transport module.
[Mon Jul 8 21:37:16 2024] RPC: Registered tcp NFSv4.1 backchannel transport module.
[Mon Jul 8 21:37:16 2024] PCI: CLS mismatch (64 != 32), using 64 bytes
[Mon Jul 8 21:37:16 2024] Unpacking initramfs...
[Mon Jul 8 21:37:16 2024] Freeing initrd memory: 4484K
[Mon Jul 8 21:37:16 2024] PCI-DMA: Using software bounce buffering for IO (SWIOTLB)
[Mon Jul 8 21:37:16 2024] software IO TLB: mapped [mem 0x75522000-0x79522000]
(64MB)
[Mon Jul 8 21:37:16 2024] Intel CQM monitoring enabled
[Mon Jul 8 21:37:16 2024] audit: initializing netlink subsys (disabled)
[Mon Jul 8 21:37:16 2024] audit: type=2000 audit(946684834.990:1): initialized
[Mon Jul 8 21:37:17 2024] VFS: Disk quotas dquot_6.6.0
[Mon Jul 8 21:37:17 2024] VFS: Dquot-cache hash table entries: 512 (order 0, 4096
bytes)
[Mon Jul 8 21:37:17 2024] NFS: Registering the id_resolver key type
[Mon Jul 8 21:37:17 2024] Key type id_resolver registered
[Mon Jul 8 21:37:17 2024] Key type id_legacy registered
[Mon Jul 8 21:37:17 2024] Installing knfsd (copyright (C) 1996 okir@monad.swb.de).
[Mon Jul 8 21:37:17 2024] Key type cifs.spnego registered
[Mon Jul 8 21:37:17 2024] Key type cifs.idmap registered
[Mon Jul 8 21:37:17 2024] fuse init (API version 7.23)
[Mon Jul 8 21:37:17 2024] NET: Registered protocol family 38
[Mon Jul 8 21:37:17 2024] async_tx: api initialized (async)
[Mon Jul 8 21:37:17 2024] Block layer SCSI generic (bsg) driver version 0.4 loaded
(major 251)
[Mon Jul 8 21:37:17 2024] io scheduler noop registered
[Mon Jul 8 21:37:17 2024] io scheduler deadline registered
[Mon Jul 8 21:37:17 2024] io scheduler cfq registered (default)
[Mon Jul 8 21:37:17 2024] io scheduler bfq registered
[Mon Jul 8 21:37:17 2024] BFQ I/O-scheduler: v7r11
[Mon Jul 8 21:37:17 2024] gpio_it87: Found Chip IT8732 rev 2. 64 GPIO lines
starting at 0a10h
[Mon Jul 8 21:37:17 2024] intel_idle: MWAIT substates: 0x2120
[Mon Jul 8 21:37:17 2024] intel_idle: v0.4.1 model 0x56
[Mon Jul 8 21:37:17 2024] intel_idle: lapic_timer_reliable_states 0xffffffff
```

```
[Mon Jul 8 21:37:17 2024] input: Power Button as
/devices/LNXSYSTM:00/LNXPWRBN:00/input/input1
[Mon Jul 8 21:37:17 2024] ACPI: Power Button [PWRB]
[Mon Jul 8 21:37:17 2024] input: Power Button as
/devices/LNXSYSTM:00/LNXPWRBN:00/input/input1
[Mon Jul 8 21:37:17 2024] ACPI: Power Button [PWRB]
[Mon Jul 8 21:37:17 2024] ioatdma: Intel(R) QuickData Technology Driver 4.00
[Mon Jul 8 21:37:17 2024] Serial: 8250/16550 driver, 4 ports, IRQ sharing enabled
[Mon Jul 8 21:37:17 2024] 00:03: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200)
is a 16550A
[Mon Jul 8 21:37:17 2024] Linux agpgart interface v0.103
[Mon Jul 8 21:37:17 2024] [drm] Initialized drm 1.1.0 20060810
[Mon Jul 8 21:37:17 2024] loop: module loaded
[Mon Jul 8 21:37:17 2024] ACPI Warning: SystemIO range
0x0000000000000428-0x000000000000042F conflicts with OpRegion
0x0000000000000428-0x000000000000042F (\GPE0) (20150930/utaddress-254)
[Mon Jul 8 21:37:17 2024] ACPI: If an ACPI driver is available for this device, you
should use it instead of the native driver
[Mon Jul 8 21:37:17 2024] gpio_ich: GPIO from 372 to 447 on gpio_ich
[Mon Jul 8 21:37:17 2024] lpc_ich: Resource conflict(s) found affecting gpio_ich
[Mon Jul 8 21:37:17 2024] mpt3sas version 12.100.00.00 loaded
[Mon Jul 8 21:37:17 2024] ahci 0000:00:1f.2: version 3.0
[Mon Jul 8 21:37:17 2024] ahci 0000:00:1f.2: AHCI 0001.0300 32 slots 6 ports 6 Gbps
0x3f impl SATA mode
[Mon Jul 8 21:37:17 2024] ahci 0000:00:1f.2: flags: 64bit ncq pm led clo pio slum
part ems apst
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02)
at PCI#0
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02)
at PCI#0
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02)
at PCI#0
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02)
at PCI#0
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02)
at PCI#0
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02)
at PCI#0
[Mon Jul 8 21:37:17 2024] scsi host0: ahci
[Mon Jul 8 21:37:17 2024] scsi host1: ahci
[Mon Jul 8 21:37:17 2024] scsi host2: ahci
[Mon Jul 8 21:37:17 2024] scsi host3: ahci
[Mon Jul 8 21:37:17 2024] scsi host4: ahci
[Mon Jul 8 21:37:17 2024] scsi host5: ahci
[Mon Jul 8 21:37:17 2024] ata1: SATA max UDMA/133 abar m2048@0xfbf12000 port
0xfbf12100 irq 175
[Mon Jul 8 21:37:17 2024] ata2: SATA max UDMA/133 abar m2048@0xfbf12000 port
0xfbf12180 irq 175
[Mon Jul 8 21:37:17 2024] ata3: SATA max UDMA/133 abar m2048@0xfbf12000 port
0xfbf12200 irq 175
```

[Mon Jul 8 21:37:17 2024] ata4: SATA max UDMA/133 abar m2048@0x00000000 port 0x00000000 irq 175
[Mon Jul 8 21:37:17 2024] ata5: SATA max UDMA/133 abar m2048@0x00000000 port 0x00000000 irq 175
[Mon Jul 8 21:37:17 2024] ata6: SATA max UDMA/133 abar m2048@0x00000000 port 0x00000000 irq 175
[Mon Jul 8 21:37:17 2024] Rounding down aligned max_sectors from 4294967295 to 4294967288
[Mon Jul 8 21:37:17 2024] Ethernet Channel Bonding Driver: v3.7.1 (April 27, 2011)
[Mon Jul 8 21:37:17 2024] tun: Universal TUN/TAP device driver, 1.6
[Mon Jul 8 21:37:17 2024] tun: (C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>
[Mon Jul 8 21:37:17 2024] e1000: Intel(R) PRO/1000 Network Driver - version 7.3.21-k8-NAPI
[Mon Jul 8 21:37:17 2024] e1000: Copyright (c) 1999-2006 Intel Corporation.
[Mon Jul 8 21:37:17 2024] e1000e: Intel(R) PRO/1000 Network Driver - 3.2.6-k
[Mon Jul 8 21:37:17 2024] e1000e: Copyright(c) 1999 - 2015 Intel Corporation.
[Mon Jul 8 21:37:17 2024] igb: Intel(R) Gigabit Ethernet Network Driver - version 5.3.0-k
[Mon Jul 8 21:37:17 2024] igb: Copyright (c) 2007-2014 Intel Corporation.
[Mon Jul 8 21:37:17 2024] pps pps0: new PPS source ptp0
[Mon Jul 8 21:37:17 2024] igb 0000:07:00.0: added PHC on eth0
[Mon Jul 8 21:37:17 2024] igb 0000:07:00.0: Intel(R) Gigabit Ethernet Network Connection
[Mon Jul 8 21:37:17 2024] igb 0000:07:00.0: eth0: (PCIe:2.5Gb/s:Width x1) b0:b9:8a:43:c7:bc
[Mon Jul 8 21:37:17 2024] igb 0000:07:00.0: eth0: PBA No: FFFFFFF-0FF
[Mon Jul 8 21:37:17 2024] igb 0000:07:00.0: Using MSI-X interrupts. 2 rx queue(s), 2 tx queue(s)
[Mon Jul 8 21:37:17 2024] Intel(R) 10GbE PCI Express Linux Network Driver - version 5.3.8
[Mon Jul 8 21:37:17 2024] Copyright(c) 1999 - 2018 Intel Corporation.
[Mon Jul 8 21:37:17 2024] ACPI Warning: _SB_.PCI0.BR2C._PRT: Return Package has no elements (empty) (20150930/nsprepkg-126)
[Mon Jul 8 21:37:17 2024] pmd_set_huge: Cannot satisfy [mem 0x00000000-0x00000000] with a huge-page mapping due to MTRR override.
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02) at PCI#0
[Mon Jul 8 21:37:17 2024] ata2: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02) at PCI#0
[Mon Jul 8 21:37:17 2024] ata3: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02) at PCI#0
[Mon Jul 8 21:37:17 2024] ata4: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02) at PCI#0
[Mon Jul 8 21:37:17 2024] ata1: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02) at PCI#0
[Mon Jul 8 21:37:17 2024] ata6: SATA link down (SStatus 0 SControl 300)

[Mon Jul 8 21:37:17 2024] do_marvell_9170_recover: ignoring PCI device (8086:8c02) at PCI#0

[Mon Jul 8 21:37:17 2024] ata5: SATA link down (SStatus 0 SControl 300)

[Mon Jul 8 21:37:17 2024] ReadyNAS model: ReadyNAS 524X

[Mon Jul 8 21:37:17 2024] ata3.00: ATA-10: ST4000NE0025-2EW107, EN02, max UDMA/133

[Mon Jul 8 21:37:17 2024] ata3.00: 7814037168 sectors, multi 16: LBA48 NCQ (depth 31/32), AA

[Mon Jul 8 21:37:17 2024] ata2.00: ATA-10: ST4000NE0025-2EW107, EN02, max UDMA/133

[Mon Jul 8 21:37:17 2024] ata2.00: 7814037168 sectors, multi 16: LBA48 NCQ (depth 31/32), AA

[Mon Jul 8 21:37:17 2024] ata3.00: configured for UDMA/133

[Mon Jul 8 21:37:17 2024] ata2.00: configured for UDMA/133

[Mon Jul 8 21:37:17 2024] ata1.00: ATA-10: ST4000NE0025-2EW107, EN02, max UDMA/133

[Mon Jul 8 21:37:17 2024] ata1.00: 7814037168 sectors, multi 16: LBA48 NCQ (depth 31/32), AA

[Mon Jul 8 21:37:17 2024] ata1.00: configured for UDMA/133

[Mon Jul 8 21:37:17 2024] scsi 0:0:0:0: Direct-Access ATA ST4000NE0025-2EW EN02 PQ: 0 ANSI: 5

[Mon Jul 8 21:37:17 2024] ata4.00: ATA-10: ST4000NE0025-2EW107, EN02, max UDMA/133

[Mon Jul 8 21:37:17 2024] ata4.00: 7814037168 sectors, multi 16: LBA48 NCQ (depth 31/32), AA

[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: [sda] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)

[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: [sda] 4096-byte physical blocks

[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: Attached scsi generic sg0 type 0

[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: [sda] Write Protect is off

[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: [sda] Mode Sense: 00 3a 00 00

[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: [sda] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA

[Mon Jul 8 21:37:17 2024] scsi 1:0:0:0: Direct-Access ATA ST4000NE0025-2EW EN02 PQ: 0 ANSI: 5

[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: [sdb] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)

[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: [sdb] 4096-byte physical blocks

[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: [sdb] Write Protect is off

[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: [sdb] Mode Sense: 00 3a 00 00

[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: [sdb] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA

[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: Attached scsi generic sg1 type 0

[Mon Jul 8 21:37:17 2024] ata4.00: configured for UDMA/133

[Mon Jul 8 21:37:17 2024] scsi 2:0:0:0: Direct-Access ATA ST4000NE0025-2EW EN02 PQ: 0 ANSI: 5

[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: [sdc] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)

[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: Attached scsi generic sg2 type 0

[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: [sdc] 4096-byte physical blocks

[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: [sdc] Write Protect is off

[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: [sdc] Mode Sense: 00 3a 00 00

[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: [sdc] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA


```
[Mon Jul 8 21:37:17 2024] scsi 3:0:0:0: Direct-Access ATA ST4000NE0025-2EW
EN02 PQ: 0 ANSI: 5
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: [sdd] 7814037168 512-byte logical blocks:
(4.00 TB/3.64 TiB)
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: [sdd] 4096-byte physical blocks
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: [sdd] Write Protect is off
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: [sdd] Mode Sense: 00 3a 00 00
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: [sdd] Write cache: enabled, read cache:
enabled, doesn't support DPO or FUA
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: Attached scsi generic sg3 type 0
[Mon Jul 8 21:37:17 2024] sda: sda1 sda2 sda3
[Mon Jul 8 21:37:17 2024] sd 0:0:0:0: [sda] Attached SCSI disk
[Mon Jul 8 21:37:17 2024] sdb: sdb1 sdb2 sdb3
[Mon Jul 8 21:37:17 2024] sd 1:0:0:0: [sdb] Attached SCSI disk
[Mon Jul 8 21:37:17 2024] sdc: sdc1 sdc2 sdc3
[Mon Jul 8 21:37:17 2024] sd 2:0:0:0: [sdc] Attached SCSI disk
[Mon Jul 8 21:37:17 2024] sdd: sdd1 sdd2 sdd3
[Mon Jul 8 21:37:17 2024] sd 3:0:0:0: [sdd] Attached SCSI disk
[Mon Jul 8 21:37:17 2024] tsc: Refined TSC clocksource calibration: 2199.997 MHz
[Mon Jul 8 21:37:17 2024] clocksource: tsc: mask: 0xffffffffffffffff max_cycles:
0x1fb6300e510, max_idle_ns: 440795316804 ns
[Mon Jul 8 21:37:18 2024] ixgbe 0000:03:00.0 eth1: MAC: 5, PHY: 7, PBA No:
000100-000
[Mon Jul 8 21:37:18 2024] ixgbe 0000:03:00.0: b0:b9:8a:43:c7:bd
[Mon Jul 8 21:37:18 2024] ixgbe 0000:03:00.0 eth1: Enabled Features: RxQ: 4 TxQ: 4
FdirHash vxlan_rx
[Mon Jul 8 21:37:18 2024] ixgbe 0000:03:00.0 eth1: Intel(R) 10 Gigabit Network
Connection
[Mon Jul 8 21:37:18 2024] i40e: Intel(R) 40-10 Gigabit Ethernet Connection Network
Driver - version 2.4.10
[Mon Jul 8 21:37:18 2024] i40e: Copyright(c) 2013 - 2018 Intel Corporation.
[Mon Jul 8 21:37:18 2024] bnx2x: QLogic 5771x/578xx 10/20-Gigabit Ethernet Driver
bnx2x 1.712.30-0 (2014/02/10)
[Mon Jul 8 21:37:18 2024] Fusion MPT base driver 3.04.20
[Mon Jul 8 21:37:18 2024] Copyright (c) 1999-2008 LSI Corporation
[Mon Jul 8 21:37:18 2024] Fusion MPT SAS Host driver 3.04.20
[Mon Jul 8 21:37:18 2024] Fusion MPT misc device (ioctl) driver 3.04.20
[Mon Jul 8 21:37:18 2024] mptctl: Registered with Fusion MPT base driver
[Mon Jul 8 21:37:18 2024] mptctl: /dev/mptctl @ (major,minor=10,220)
[Mon Jul 8 21:37:18 2024] ehci_hcd: USB 2.0 'Enhanced' Host Controller (EHCI)
Driver
[Mon Jul 8 21:37:18 2024] ehci-pci: EHCI PCI platform driver
[Mon Jul 8 21:37:18 2024] ehci-pci 0000:00:1d.0: EHCI Host Controller
[Mon Jul 8 21:37:18 2024] ehci-pci 0000:00:1d.0: new USB bus registered, assigned
bus number 1
[Mon Jul 8 21:37:18 2024] ehci-pci 0000:00:1d.0: debug port 2
[Mon Jul 8 21:37:18 2024] ehci-pci 0000:00:1d.0: cache line size of 64 is not
supported
[Mon Jul 8 21:37:18 2024] ehci-pci 0000:00:1d.0: irq 18, io mem 0xfbf13000
[Mon Jul 8 21:37:18 2024] ehci-pci 0000:00:1d.0: USB 2.0 started, EHCI 1.00
```

[Mon Jul 8 21:37:18 2024] hub 1-0:1.0: USB hub found
[Mon Jul 8 21:37:18 2024] hub 1-0:1.0: 2 ports detected
[Mon Jul 8 21:37:18 2024] uhci_hcd: USB Universal Host Controller Interface driver
[Mon Jul 8 21:37:18 2024] xhci_hcd 0000:00:14.0: xHCI Host Controller
[Mon Jul 8 21:37:18 2024] xhci_hcd 0000:00:14.0: new USB bus registered, assigned bus number 2
[Mon Jul 8 21:37:18 2024] xhci_hcd 0000:00:14.0: hcc params 0x200077c1 hci version 0x100 quirks 0x00009810
[Mon Jul 8 21:37:18 2024] xhci_hcd 0000:00:14.0: cache line size of 64 is not supported
[Mon Jul 8 21:37:18 2024] hub 2-0:1.0: USB hub found
[Mon Jul 8 21:37:18 2024] hub 2-0:1.0: 8 ports detected
[Mon Jul 8 21:37:18 2024] xhci_hcd 0000:00:14.0: xHCI Host Controller
[Mon Jul 8 21:37:18 2024] xhci_hcd 0000:00:14.0: new USB bus registered, assigned bus number 3
[Mon Jul 8 21:37:18 2024] hub 3-0:1.0: USB hub found
[Mon Jul 8 21:37:18 2024] hub 3-0:1.0: 6 ports detected
[Mon Jul 8 21:37:18 2024] usbcore: registered new interface driver cdc_acm
[Mon Jul 8 21:37:18 2024] cdc_acm: USB Abstract Control Model driver for USB modems and ISDN adapters
[Mon Jul 8 21:37:18 2024] usbcore: registered new interface driver usblp
[Mon Jul 8 21:37:18 2024] usbcore: registered new interface driver usb-storage
[Mon Jul 8 21:37:18 2024] i8042: PNP: No PS/2 controller found. Probing ports directly.
[Mon Jul 8 21:37:18 2024] usb 1-1: new high-speed USB device number 2 using ehci-pci
[Mon Jul 8 21:37:18 2024] hub 1-1:1.0: USB hub found
[Mon Jul 8 21:37:18 2024] hub 1-1:1.0: 4 ports detected
[Mon Jul 8 21:37:19 2024] i8042: No controller found
[Mon Jul 8 21:37:19 2024] rtc_cmos 00:00: RTC can wake from S4
[Mon Jul 8 21:37:19 2024] clocksource: Switched to clocksource tsc
[Mon Jul 8 21:37:19 2024] rtc_cmos 00:00: rtc core: registered rtc_cmos as rtc0
[Mon Jul 8 21:37:19 2024] rtc_cmos 00:00: alarms up to one month, y3k, 114 bytes nvram
[Mon Jul 8 21:37:19 2024] i2c /dev entries driver
[Mon Jul 8 21:37:19 2024] i801_smbus 0000:00:1f.3: SMBus using PCI interrupt
[Mon Jul 8 21:37:19 2024] it87: Found IT8732F chip at 0xa30, revision 2
[Mon Jul 8 21:37:19 2024] md: raid0 personality registered for level 0
[Mon Jul 8 21:37:19 2024] md: raid1 personality registered for level 1
[Mon Jul 8 21:37:19 2024] md: raid10 personality registered for level 10
[Mon Jul 8 21:37:19 2024] md: raid6 personality registered for level 6
[Mon Jul 8 21:37:19 2024] md: raid5 personality registered for level 5
[Mon Jul 8 21:37:19 2024] md: raid4 personality registered for level 4
[Mon Jul 8 21:37:19 2024] device-mapper: ioctl: 4.34.0-ioctl (2015-10-28) initialised: dm-devel@redhat.com
[Mon Jul 8 21:37:19 2024] usbcore: registered new interface driver btusb
[Mon Jul 8 21:37:19 2024] usbcore: registered new interface driver usbhid
[Mon Jul 8 21:37:19 2024] usbhid: USB HID core driver
[Mon Jul 8 21:37:19 2024] ip_tables: (C) 2000-2006 Netfilter Core Team
[Mon Jul 8 21:37:19 2024] NET: Registered protocol family 10

```
[Mon Jul 8 21:37:19 2024] NET: Registered protocol family 17
[Mon Jul 8 21:37:19 2024] 8021q: 802.1Q VLAN Support v1.8
[Mon Jul 8 21:37:19 2024] Key type dns_resolver registered
[Mon Jul 8 21:37:19 2024] readynas_io_init: initializing ReadyNAS I/O.
[Mon Jul 8 21:37:19 2024] procfs_init: initializing ReadyNAS procfs.
[Mon Jul 8 21:37:19 2024] pwr_button_state_init: initializing ReadyNAS PWR button
state handler .
[Mon Jul 8 21:37:19 2024] button_init: initializing ReadyNAS button set.
[Mon Jul 8 21:37:19 2024] __button_init: button 'reset' gpio_it87:23n (IRQ)
[Mon Jul 8 21:37:19 2024] rn_button 'reset' IRQ#47
[Mon Jul 8 21:37:19 2024] __button_init: button 'front-board' gpio_ich:2 (IRQ)
[Mon Jul 8 21:37:19 2024] i2cfb_init: initializing I2C FB buttons gpio_ich:2 (IRQ)
[Mon Jul 8 21:37:19 2024] i2cfb_init: I2C adapter/chip addr I801/0x1c
[Mon Jul 8 21:37:19 2024] __button_init: button 'left' (I2CFB)
[Mon Jul 8 21:37:19 2024] __button_init: button 'right' (I2CFB)
[Mon Jul 8 21:37:19 2024] __button_init: button 'up' (I2CFB)
[Mon Jul 8 21:37:19 2024] __button_init: button 'down' (I2CFB)
[Mon Jul 8 21:37:19 2024] __button_init: button 'ok' (I2CFB)
[Mon Jul 8 21:37:19 2024] button 'front-board' IRQ#101
[Mon Jul 8 21:37:19 2024] input: rn_button as /devices/virtual/input/input2
[Mon Jul 8 21:37:19 2024] input: fb_button as /devices/virtual/input/input3
[Mon Jul 8 21:37:19 2024] readynas_io_init: initialization successfully completed.
[Mon Jul 8 21:37:19 2024] rn_oled_init: initializing rnx24 OLED front display.
[Mon Jul 8 21:37:19 2024] readynas_lcd_init: installing ReadyNAS LCD driver.
[Mon Jul 8 21:37:19 2024] readynas_led_init: installing ReadyNAS LED driver.
[Mon Jul 8 21:37:19 2024] register_led: registering LED "readynas:red:sata1"
[Mon Jul 8 21:37:19 2024] register_led: registering LED "readynas:red:sata2"
[Mon Jul 8 21:37:19 2024] register_led: registering LED "readynas:red:sata3"
[Mon Jul 8 21:37:19 2024] register_led: registering LED "readynas:red:sata4"
[Mon Jul 8 21:37:19 2024] microcode: CPU0 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: CPU1 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: CPU2 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: CPU3 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: Microcode Update Driver: v2.01
<tigran@aivazian.fsnet.co.uk>, Peter Oruba
[Mon Jul 8 21:37:19 2024] AVX2 version of gcm_enc/dec engaged.
[Mon Jul 8 21:37:19 2024] AES CTR mode by8 optimization enabled
[Mon Jul 8 21:37:19 2024] registered taskstats version 1
[Mon Jul 8 21:37:19 2024] Btrfs loaded, crc32c=crc32c-intel
[Mon Jul 8 21:37:19 2024] rtc_cmos 00:00: setting system clock to 2000-01-01
00:00:37 UTC (946684837)
[Mon Jul 8 21:37:19 2024] ALSA device list:
[Mon Jul 8 21:37:19 2024]   No soundcards found.
[Mon Jul 8 21:37:19 2024] Freeing unused kernel memory: 872K
[Mon Jul 8 21:37:19 2024] microcode: CPU0 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: CPU0 updated to revision 0x7000017, date =
2019-03-23
[Mon Jul 8 21:37:19 2024] microcode: CPU1 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: CPU1 updated to revision 0x7000017, date =
2019-03-23
```

```
[Mon Jul 8 21:37:19 2024] microcode: CPU2 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] microcode: CPU3 sig=0x50663, pf=0x10, revision=0x700000a
[Mon Jul 8 21:37:19 2024] vpd: loading out-of-tree module taints kernel.
[Mon Jul 8 21:37:19 2024] vpd: module license 'Proprietary' taints kernel.
[Mon Jul 8 21:37:19 2024] Disabling lock debugging due to kernel taint
[Mon Jul 8 21:37:19 2024] ReadyNAS VPD init
[Mon Jul 8 21:37:19 2024] IPv6: ADDRCONF(NETDEV_UP): eth0: link is not ready
[Mon Jul 8 21:37:19 2024] 8021q: adding VLAN 0 to HW filter on device eth0
[Mon Jul 8 21:37:19 2024] ixgbe 0000:03:00.0: registered PHC device on eth1
[Mon Jul 8 21:37:19 2024] IPv6: ADDRCONF(NETDEV_UP): eth1: link is not ready
[Mon Jul 8 21:37:19 2024] 8021q: adding VLAN 0 to HW filter on device eth1
[Mon Jul 8 21:37:20 2024] usb 3-1: new SuperSpeed USB device number 2 using
xhci_hcd
[Mon Jul 8 21:37:20 2024] usb-storage 3-1:1.0: USB Mass Storage device detected
[Mon Jul 8 21:37:20 2024] scsi host6: usb-storage 3-1:1.0
[Mon Jul 8 21:37:20 2024] usb 2-4: new high-speed USB device number 3 using
xhci_hcd
[Mon Jul 8 21:37:20 2024] usb-storage 2-4:1.0: USB Mass Storage device detected
[Mon Jul 8 21:37:20 2024] scsi host7: usb-storage 2-4:1.0
[Mon Jul 8 21:37:21 2024] random: nonblocking pool is initialized
[Mon Jul 8 21:37:22 2024] igb 0000:07:00.0 eth0: igb: eth0 NIC Link is Up 1000 Mbps
Full Duplex, Flow Control: RX/TX
[Mon Jul 8 21:37:22 2024] IPv6: ADDRCONF(NETDEV_CHANGE): eth0: link becomes ready
[Mon Jul 8 21:37:25 2024] scsi 6:0:0:0: Direct-Access Kingston DataTraveler 3.0
PMAP PQ: 0 ANSI: 6
[Mon Jul 8 21:37:25 2024] sd 6:0:0:0: Attached scsi generic sg4 type 0
[Mon Jul 8 21:37:25 2024] sd 6:0:0:0: [sde] 15138816 512-byte logical blocks: (7.75
GB/7.22 GiB)
[Mon Jul 8 21:37:25 2024] sd 6:0:0:0: [sde] Write Protect is off
[Mon Jul 8 21:37:25 2024] sd 6:0:0:0: [sde] Mode Sense: 45 00 00 00
[Mon Jul 8 21:37:25 2024] sd 6:0:0:0: [sde] Write cache: disabled, read cache:
enabled, doesn't support DPO or FUA
[Mon Jul 8 21:37:25 2024] sde: sde1
[Mon Jul 8 21:37:25 2024] sd 6:0:0:0: [sde] Attached SCSI removable disk
[Mon Jul 8 21:37:25 2024] scsi 7:0:0:0: Direct-Access USB DISK 3.0
PMAP PQ: 0 ANSI: 6
[Mon Jul 8 21:37:25 2024] sd 7:0:0:0: Attached scsi generic sg5 type 0
[Mon Jul 8 21:37:25 2024] sd 7:0:0:0: [sdf] 499712 512-byte logical blocks: (256
MB/244 MiB)
[Mon Jul 8 21:37:25 2024] sd 7:0:0:0: [sdf] Write Protect is off
[Mon Jul 8 21:37:25 2024] sd 7:0:0:0: [sdf] Mode Sense: 2b 00 00 08
[Mon Jul 8 21:37:25 2024] sd 7:0:0:0: [sdf] Write cache: disabled, read cache:
enabled, doesn't support DPO or FUA
[Mon Jul 8 21:37:25 2024] sdf: sdf1
[Mon Jul 8 21:37:25 2024] sd 7:0:0:0: [sdf] Attached SCSI removable disk
[Mon Jul 8 21:37:34 2024] md: md0 stopped.
[Mon Jul 8 21:37:34 2024] md: bind<sdb1>
[Mon Jul 8 21:37:34 2024] md: bind<sdcl>
[Mon Jul 8 21:37:34 2024] md: bind<sdd1>
[Mon Jul 8 21:37:34 2024] md: bind<sda1>
```

```
[Mon Jul 8 21:37:34 2024] md/raid1:md0: active with 4 out of 4 mirrors
[Mon Jul 8 21:37:34 2024] md0: detected capacity change from 0 to 4290772992
[Mon Jul 8 21:37:34 2024] md: md1 stopped.
[Mon Jul 8 21:37:34 2024] md: bind<sdb2>
[Mon Jul 8 21:37:34 2024] md: bind<sd2>
[Mon Jul 8 21:37:34 2024] md: bind<sdd2>
[Mon Jul 8 21:37:34 2024] md: bind<sda2>
[Mon Jul 8 21:37:34 2024] md/raid:md1: device sda2 operational as raid disk 0
[Mon Jul 8 21:37:34 2024] md/raid:md1: device sdd2 operational as raid disk 3
[Mon Jul 8 21:37:34 2024] md/raid:md1: device sd2 operational as raid disk 2
[Mon Jul 8 21:37:34 2024] md/raid:md1: device sdb2 operational as raid disk 1
[Mon Jul 8 21:37:34 2024] md/raid:md1: allocated 4362kB
[Mon Jul 8 21:37:34 2024] md/raid:md1: raid level 6 active with 4 out of 4 devices,
algorithm 2
[Mon Jul 8 21:37:34 2024] RAID conf printout:
[Mon Jul 8 21:37:34 2024] --- level:6 rd:4 wd:4
[Mon Jul 8 21:37:34 2024] disk 0, o:1, dev:sda2
[Mon Jul 8 21:37:34 2024] disk 1, o:1, dev:sdb2
[Mon Jul 8 21:37:34 2024] disk 2, o:1, dev:sd2
[Mon Jul 8 21:37:34 2024] disk 3, o:1, dev:sdd2
[Mon Jul 8 21:37:34 2024] md1: detected capacity change from 0 to 1072562176
[Mon Jul 8 21:37:34 2024] BTRFS: device label 0a43c7bc:root devid 1 transid 70
/dev/md0
[Mon Jul 8 21:37:34 2024] BTRFS info (device md0): has skinny extents
[Mon Jul 8 21:37:34 2024] systemd[1]: System time before build time, advancing
clock.
[Mon Jul 8 21:37:34 2024] systemd[1]: Failed to insert module 'kdbus': Function not
implemented
[Mon Jul 8 21:37:34 2024] systemd[1]: systemd 230 running in system mode. (+PAM
+AUDIT +SELINUX +IMA +APPARMOR +SMACK +SYSVINIT +UTMP +LIBCRYPTSETUP +GCRYPT +GNUTLS
+ACL +XZ +LZ4 +SECCOMP +BLKID +ELFUTILS +KMOD +IDN)
[Mon Jul 8 21:37:34 2024] systemd[1]: Detected architecture x86-64.
[Mon Jul 8 21:37:34 2024] systemd[1]: Set hostname to <nas-43-C7-BC>.
[Mon Jul 8 21:37:34 2024] systemd[1]: systemd-journald-audit.socket: Cannot add
dependency job, ignoring: Unit systemd-journald-audit.socket is masked.
[Mon Jul 8 21:37:34 2024] systemd[1]: systemd-journald-audit.socket: Cannot add
dependency job, ignoring: Unit systemd-journald-audit.socket is masked.
[Mon Jul 8 21:37:34 2024] systemd[1]: Listening on Journal Socket.
[Mon Jul 8 21:37:34 2024] systemd[1]: Listening on udev Control Socket.
[Mon Jul 8 21:37:34 2024] systemd[1]: Listening on /dev/initctl Compatibility Named
Pipe.
[Mon Jul 8 21:37:34 2024] systemd[1]: Created slice User and Session Slice.
[Mon Jul 8 21:37:34 2024] systemd[1]: Reached target Encrypted Volumes.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Forward Password Requests to Wall
Directory Watch.
[Mon Jul 8 21:37:34 2024] systemd[1]: Listening on Journal Socket (/dev/log).
[Mon Jul 8 21:37:34 2024] systemd[1]: Reached target Remote File Systems (Pre).
[Mon Jul 8 21:37:34 2024] systemd[1]: Listening on udev Kernel Socket.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Dispatch Password Requests to Console
Directory Watch.
```

```
[Mon Jul 8 21:37:34 2024] systemd[1]: Reached target Paths.
[Mon Jul 8 21:37:34 2024] systemd[1]: Set up automount Arbitrary Executable File
Formats File System Automount Point.
[Mon Jul 8 21:37:34 2024] systemd[1]: Reached target Remote File Systems.
[Mon Jul 8 21:37:34 2024] systemd[1]: Created slice System Slice.
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Remount Root and Kernel File
Systems...
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Create Static Device Nodes in
/dev...
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounting POSIX Message Queue File System...
[Mon Jul 8 21:37:34 2024] systemd[1]: Created slice system-getty.slice.
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Load Kernel Modules...
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Journal Service...
[Mon Jul 8 21:37:34 2024] systemd[1]: Reached target Slices.
[Mon Jul 8 21:37:34 2024] systemd[1]: Created slice system-serial\x2dgetty.slice.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started ReadyNAS LCD splasher.
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting ReadyNASOS system prep...
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounting Debug File System...
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounted Debug File System.
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounted POSIX Message Queue File System.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Remount Root and Kernel File Systems.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Create Static Device Nodes in /dev.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Load Kernel Modules.
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Apply Kernel Variables...
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounting Configuration File System...
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounting FUSE Control File System...
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting udev Kernel Device Manager...
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Load/Save Random Seed...
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting Rebuild Hardware Database...
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounted FUSE Control File System.
[Mon Jul 8 21:37:34 2024] systemd[1]: Mounted Configuration File System.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started ReadyNASOS system prep.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Apply Kernel Variables.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started Load/Save Random Seed.
[Mon Jul 8 21:37:34 2024] systemd[1]: Started udev Kernel Device Manager.
[Mon Jul 8 21:37:34 2024] systemd[1]: Starting MD arrays...
[Mon Jul 8 21:37:35 2024] systemd[1]: Started Rebuild Hardware Database.
[Mon Jul 8 21:37:35 2024] systemd[1]: Started Journal Service.
[Mon Jul 8 21:37:35 2024] systemd-journald[2067]: Received request to flush runtime
journal from PID 1
[Mon Jul 8 21:37:35 2024] md: md127 stopped.
[Mon Jul 8 21:37:35 2024] md: bind<sdb3>
[Mon Jul 8 21:37:35 2024] md: bind<sd3>
[Mon Jul 8 21:37:35 2024] md: bind<sdd3>
[Mon Jul 8 21:37:35 2024] md: bind<sda3>
[Mon Jul 8 21:37:35 2024] md/raid:md127: not clean -- starting background
reconstruction
[Mon Jul 8 21:37:35 2024] md/raid:md127: device sda3 operational as raid disk 0
[Mon Jul 8 21:37:35 2024] md/raid:md127: device sdd3 operational as raid disk 3
[Mon Jul 8 21:37:35 2024] md/raid:md127: device sdc3 operational as raid disk 2
```

[Mon Jul 8 21:37:35 2024] md/raid:md127: device sdb3 operational as raid disk 1
[Mon Jul 8 21:37:35 2024] md/raid:md127: allocated 4362kB
[Mon Jul 8 21:37:35 2024] md/raid:md127: raid level 5 active with 4 out of 4 devices, algorithm 2
[Mon Jul 8 21:37:35 2024] RAID conf printout:
[Mon Jul 8 21:37:35 2024] --- level:5 rd:4 wd:4
[Mon Jul 8 21:37:35 2024] disk 0, o:1, dev:sda3
[Mon Jul 8 21:37:35 2024] disk 1, o:1, dev:sdb3
[Mon Jul 8 21:37:35 2024] disk 2, o:1, dev:sd3
[Mon Jul 8 21:37:35 2024] disk 3, o:1, dev:sdd3
[Mon Jul 8 21:37:35 2024] md127: detected capacity change from 0 to 11987462651904
[Mon Jul 8 21:37:35 2024] md: resync of RAID array md127
[Mon Jul 8 21:37:35 2024] md: minimum guaranteed speed: 30000 KB/sec/disk.
[Mon Jul 8 21:37:35 2024] md: using maximum available idle IO bandwidth (but not more than 200000 KB/sec) for resync.
[Mon Jul 8 21:37:35 2024] md: using 128k window, over a total of 3902168832k.
[Mon Jul 8 21:37:35 2024] md: resuming resync of md127 from checkpoint.
[Mon Jul 8 21:37:35 2024] Adding 1047420k swap on /dev/md1. Priority:-1 extents:1 across:1047420k
[Mon Jul 8 21:37:35 2024] BTRFS: device label 0a43c7bc:data devid 1 transid 30 /dev/md127
[Mon Jul 8 21:37:39 2024] BTRFS info (device md127): has skinny extents
[Mon Jul 8 21:37:40 2024] IPv6: ADDRCONF(NETDEV_UP): eth0: link is not ready
[Mon Jul 8 21:37:40 2024] 8021q: adding VLAN 0 to HW filter on device eth0
[Mon Jul 8 21:37:44 2024] igb 0000:07:00.0 eth0: igb: eth0 NIC Link is Up 1000 Mbps Full Duplex, Flow Control: RX/TX
[Mon Jul 8 21:37:44 2024] IPv6: ADDRCONF(NETDEV_CHANGE): eth0: link becomes ready
[Mon Jul 8 21:37:49 2024] FAT-fs (sde1): Volume was not properly unmounted. Some data may be corrupt. Please run fsck.