

```
-- Logs begin at Sat 2018-05-12 08:01:20 CEST, end at Fri 2018-06-01
01:16:40 CEST. --
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4870 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 778 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 778 Comm: kworker/u2:7
Tainted: P          W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4871 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 778 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 778 Comm: kworker/u2:7
Tainted: P          W O      4.4.116.armada.1 #1
```

```
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4872 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 778 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 778 Comm: kworker/u2:7
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4873 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 778 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 778 Comm: kworker/u2:7
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4874 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 778 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 778 Comm: kworker/u2:7
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4875 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 778 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 778 Comm: kworker/u2:7
Tainted: P          W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4876 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
```

```
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4877 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4878 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4879 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
```

```
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b487a ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b487b ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b487c ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
```



```
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b487d ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P          W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b487e ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P          W O      4.4.116.armada.1 #1
```

```
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b487f ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4880 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4881 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4882 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P          W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace alb4f282bb2b4883 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
```

```
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4884 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
```

```
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4885 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:33 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:33 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:33 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:33 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:33 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:33 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:33 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:33 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:33 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:33 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:33 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:33 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4886 ]---
May 31 13:55:33 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:33 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:33 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:33 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:33 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:33 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
```

```
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b4887 ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
```

```
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b4888 ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b4889 ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
```



```
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace a1b4f282bb2b488a ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P          W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace a1b4f282bb2b488b ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P          W O      4.4.116.armada.1 #1
```

```
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace a1b4f282bb2b488c ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
```

```
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b488d ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b488e ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
```

```
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b488f ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 6 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 6 Comm: kworker/u2:0
Tainted: P          W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b4890 ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
```

```
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace a1b4f282bb2b4891 ]---
May 31 13:55:34 Banana_Stand kernel: -----[ cut here ]-----
May 31 13:55:34 Banana_Stand kernel: WARNING: CPU: 0 PID: 624 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 13:55:34 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 13:55:34 Banana_Stand kernel: CPU: 0 PID: 624 Comm: kworker/u2:4
Tainted: P      W O      4.4.116.armada.1 #1
May 31 13:55:34 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 13:55:34 Banana_Stand kernel: Workqueue: btrfs-worker
btrfs_worker_helper
May 31 13:55:34 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 13:55:34 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 13:55:34 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 13:55:34 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 13:55:34 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 13:55:34 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
```

```
May 31 13:55:34 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 13:55:34 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 13:55:34 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 13:55:34 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 13:55:34 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 13:55:34 Banana_Stand kernel: ---[ end trace alb4f282bb2b4892 ]---
May 31 13:56:08 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:08 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:09 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:09 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:09 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:10 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:12 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:12 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:13 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:13 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:14 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:14 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:14 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:14 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:15 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:15 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:15 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:16 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:18 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:18 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 13:56:18 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
```



```
May 31 14:07:02 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 14:07:02 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 14:07:02 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 14:07:02 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 14:07:02 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128555008 len 4096
May 31 14:07:05 Banana_Stand systemd-shutdown[1]: Sending SIGTERM to
remaining processes...
-- Reboot --
May 31 14:07:39 Banana_Stand kernel: Booting Linux on physical CPU 0x0
May 31 14:07:39 Banana_Stand kernel: Initializing cgroup subsys cpuset
May 31 14:07:39 Banana_Stand kernel: Initializing cgroup subsys cpu
May 31 14:07:39 Banana_Stand kernel: Initializing cgroup subsys cpuacct
May 31 14:07:39 Banana_Stand kernel: Linux version 4.4.116.armada.1
(jenkins@blocks) (gcc version 4.6.4 (Marvell GCC release 20160226-
c4af733b 64K MAXPAGESIZE ALIGN) ) #1 SMP Mon Feb 19 22:05:00 PST 2018
May 31 14:07:39 Banana_Stand kernel: CPU: ARMv7 Processor [561f5811]
revision 1 (ARMv7), cr=10c5387d
May 31 14:07:39 Banana_Stand kernel: CPU: PIPT / VIPT nonaliasing data
cache, PIPT instruction cache
May 31 14:07:39 Banana_Stand kernel: Machine model: NETGEAR ReadyNAS 104
May 31 14:07:39 Banana_Stand kernel: Memory policy: Data cache writeback
May 31 14:07:39 Banana_Stand kernel: On node 0 totalpages: 131072
May 31 14:07:39 Banana_Stand kernel: free_area_init_node: node 0, pgdat
c09f9740, node_mem_map dfaf9000
May 31 14:07:39 Banana_Stand kernel: Normal zone: 1280 pages used for
memmap
May 31 14:07:39 Banana_Stand kernel: Normal zone: 0 pages reserved
May 31 14:07:39 Banana_Stand kernel: Normal zone: 131072 pages, LIFO
batch:31
May 31 14:07:39 Banana_Stand kernel: CPU: All CPU(s) started in SVC mode.
May 31 14:07:39 Banana_Stand kernel: PERCPU: Embedded 12 pages/cpu
@dfadc000 s16960 r8192 d24000 u49152
May 31 14:07:39 Banana_Stand kernel: pcpu-alloc: s16960 r8192 d24000
u49152 alloc=12*4096
May 31 14:07:39 Banana_Stand kernel: pcpu-alloc: [0] 0
May 31 14:07:39 Banana_Stand kernel: Built 1 zonelists in Zone order,
mobility grouping on. Total pages: 129792
May 31 14:07:39 Banana_Stand kernel: Kernel command line:
console=ttyS0,115200 reason=normal bdtype=rn104
May 31 14:07:39 Banana_Stand kernel: PID hash table entries: 2048 (order:
1, 8192 bytes)
May 31 14:07:39 Banana_Stand kernel: Dentry cache hash table entries:
65536 (order: 6, 262144 bytes)
May 31 14:07:39 Banana_Stand kernel: Inode-cache hash table entries:
32768 (order: 5, 131072 bytes)
May 31 14:07:39 Banana_Stand kernel: Memory: 504676K/524288K available
(7451K kernel code, 292K rwdata, 2152K rodata, 292K init, 434K bss,
19612K reserved, 0K cma-reserved, 0K highmem)
May 31 14:07:39 Banana_Stand kernel: Virtual kernel memory layout:
```

```

vector      : 0xffff0000 -
0xffff1000  (   4 kB)
fixmap      : 0xffc00000 -
0xffff0000  (3072 kB)
vmalloc     : 0xe0800000 -
0xff800000  ( 496 MB)
lowmem      : 0xc0000000 -
0xe0000000  ( 512 MB)
pkmap       : 0xbfe00000 -
0xc0000000  (   2 MB)
modules     : 0xbf000000 -
0xbfe00000  (  14 MB)
            .text : 0xc0008000 -
0xc0968f20  (9604 kB)
            .init : 0xc0969000 -
0xc09b2000  ( 292 kB)
            .data : 0xc09b2000 -
0xc09fb020  ( 293 kB)
            .bss : 0xc09fb020 -
0xc0a67848  ( 435 kB)
May 31 14:07:39 Banana_Stand kernel: SLUB: HWalign=64, Order=0-3,
MinObjects=0, CPUs=1, Nodes=1
May 31 14:07:39 Banana_Stand kernel: Hierarchical RCU implementation.
May 31 14:07:39 Banana_Stand kernel:   Build-time adjustment of leaf
fanout to 32.
May 31 14:07:39 Banana_Stand kernel:   RCU restricting CPUs from
NR_CPUS=2 to nr_cpu_ids=1.
May 31 14:07:39 Banana_Stand kernel: RCU: Adjusting geometry for
rcu_fanout_leaf=32, nr_cpu_ids=1
May 31 14:07:39 Banana_Stand kernel: NR_IRQS:16 nr_irqs:16 16
May 31 14:07:39 Banana_Stand kernel: L2C: DT/platform modifies aux
control register: 0x12086300 -> 0x1a086302
May 31 14:07:39 Banana_Stand kernel: Aurora cache controller enabled, 4
ways, 256 kB
May 31 14:07:39 Banana_Stand kernel: Aurora: CACHE_ID 0x00000100,
AUX_CTRL 0x1a086302
May 31 14:07:39 Banana_Stand kernel: Switching to timer-based delay loop,
resolution 58ns
May 31 14:07:39 Banana_Stand kernel: sched_clock: 32 bits at 17MHz,
resolution 58ns, wraps every 124949592034ns
May 31 14:07:39 Banana_Stand kernel: clocksource:
armada_370_xp_clocksource: mask: 0xffffffff max_cycles: 0xffffffff,
max_idle_ns: 111205136870 ns
May 31 14:07:39 Banana_Stand kernel: Console: colour dummy device 80x30
May 31 14:07:39 Banana_Stand kernel: Calibrating delay loop (skipped),
value calculated using timer frequency.. 34.37 BogoMIPS (lpj=171868)
May 31 14:07:39 Banana_Stand kernel: pid_max: default: 32768 minimum: 301
May 31 14:07:39 Banana_Stand kernel: Security Framework initialized
May 31 14:07:39 Banana_Stand kernel: Mount-cache hash table entries: 1024
(order: 0, 4096 bytes)
May 31 14:07:39 Banana_Stand kernel: Mountpoint-cache hash table entries:
1024 (order: 0, 4096 bytes)
May 31 14:07:39 Banana_Stand kernel: Initializing cgroup subsys io
May 31 14:07:39 Banana_Stand kernel: Initializing cgroup subsys devices

```

```
May 31 14:07:39 Banana_Stand kernel: Initializing cgroup subsys freezer
May 31 14:07:39 Banana_Stand kernel: CPU: Testing write buffer coherency:
ok
May 31 14:07:39 Banana_Stand kernel: CPU0: thread -1, cpu 0, socket -1,
mpidr 0
May 31 14:07:39 Banana_Stand kernel: Setting up static identity map for
0x8280 - 0x82d8
May 31 14:07:39 Banana_Stand kernel: mvebu-soc-id: MVEBU SoC ID=0x6710,
Rev=0x1
May 31 14:07:39 Banana_Stand kernel: mvebu-pmsu: Initializing Power
Management Service Unit
May 31 14:07:39 Banana_Stand kernel: Brought up 1 CPUs
May 31 14:07:39 Banana_Stand kernel: SMP: Total of 1 processors activated
(34.37 BogomIPS).
May 31 14:07:39 Banana_Stand kernel: CPU: All CPU(s) started in SVC mode.
May 31 14:07:39 Banana_Stand kernel: devtmpfs: initialized
May 31 14:07:39 Banana_Stand kernel: VFP support v0.3: implementor 56
architecture 2 part 20 variant 9 rev 6
May 31 14:07:39 Banana_Stand kernel: clocksource: jiffies: mask:
0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 31 14:07:39 Banana_Stand kernel: futex hash table entries: 256
(order: 2, 16384 bytes)
May 31 14:07:39 Banana_Stand kernel: xor: measuring software checksum
speed
May 31 14:07:39 Banana_Stand kernel:      arm4regs  :   1078.000 MB/sec
May 31 14:07:39 Banana_Stand kernel:      8regs      :    652.400 MB/sec
May 31 14:07:39 Banana_Stand kernel:      32regs     :    843.200 MB/sec
May 31 14:07:39 Banana_Stand kernel: xor: using function: arm4regs
(1078.000 MB/sec)
May 31 14:07:39 Banana_Stand kernel: pinctrl core: initialized pinctrl
subsystem
May 31 14:07:39 Banana_Stand kernel: NET: Registered protocol family 16
May 31 14:07:39 Banana_Stand kernel: DMA: preallocated 256 KiB pool for
atomic coherent allocations
May 31 14:07:39 Banana_Stand kernel: raid6: int32x1  gen()   133 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x1  xor()   168 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x2  gen()   206 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x2  xor()   182 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x4  gen()   248 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x4  xor()   186 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x8  gen()   277 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: int32x8  xor()   171 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: using algorithm int32x8 gen()
277 MB/s
May 31 14:07:39 Banana_Stand kernel: raid6: .... xor() 171 MB/s, rmw
enabled
May 31 14:07:39 Banana_Stand kernel: raid6: using intx1 recovery
algorithm
May 31 14:07:39 Banana_Stand kernel: vgaarb: loaded
May 31 14:07:39 Banana_Stand kernel: SCSI subsystem initialized
May 31 14:07:39 Banana_Stand kernel: libata version 3.00 loaded.
May 31 14:07:39 Banana_Stand kernel: usbcore: registered new interface
driver usbfs
```


May 31 14:07:39 Banana_Stand kernel: usbcore: registered new interface driver hub
May 31 14:07:39 Banana_Stand kernel: usbcore: registered new device driver usb
May 31 14:07:39 Banana_Stand kernel: pps_core: LinuxPPS API ver. 1 registered
May 31 14:07:39 Banana_Stand kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 31 14:07:39 Banana_Stand kernel: PTP clock support registered
May 31 14:07:39 Banana_Stand kernel: Bluetooth: Core ver 2.21
May 31 14:07:39 Banana_Stand kernel: NET: Registered protocol family 31
May 31 14:07:39 Banana_Stand kernel: Bluetooth: HCI device and connection manager initialized
May 31 14:07:39 Banana_Stand kernel: Bluetooth: HCI socket layer initialized
May 31 14:07:39 Banana_Stand kernel: Bluetooth: L2CAP socket layer initialized
May 31 14:07:39 Banana_Stand kernel: Bluetooth: SCO socket layer initialized
May 31 14:07:39 Banana_Stand kernel: clocksource: Switched to clocksource armada_370_xp_clocksource
May 31 14:07:39 Banana_Stand kernel: FS-Cache: Loaded
May 31 14:07:39 Banana_Stand kernel: NET: Registered protocol family 2
May 31 14:07:39 Banana_Stand kernel: TCP established hash table entries: 4096 (order: 2, 16384 bytes)
May 31 14:07:39 Banana_Stand kernel: TCP bind hash table entries: 4096 (order: 4, 81920 bytes)
May 31 14:07:39 Banana_Stand kernel: TCP: Hash tables configured (established 4096 bind 4096)
May 31 14:07:39 Banana_Stand kernel: UDP hash table entries: 256 (order: 1, 12288 bytes)
May 31 14:07:39 Banana_Stand kernel: UDP-Lite hash table entries: 256 (order: 1, 12288 bytes)
May 31 14:07:39 Banana_Stand kernel: NET: Registered protocol family 1
May 31 14:07:39 Banana_Stand kernel: RPC: Registered named UNIX socket transport module.
May 31 14:07:39 Banana_Stand kernel: RPC: Registered udp transport module.
May 31 14:07:39 Banana_Stand kernel: RPC: Registered tcp transport module.
May 31 14:07:39 Banana_Stand kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
May 31 14:07:39 Banana_Stand kernel: PCI: CLS 0 bytes, default 64
May 31 14:07:39 Banana_Stand kernel: Unpacking initramfs...
May 31 14:07:39 Banana_Stand kernel: Freeing initrd memory: 3308K
May 31 14:07:39 Banana_Stand kernel: VFS: Disk quotas dquot_6.6.0
May 31 14:07:39 Banana_Stand kernel: VFS: Dquot-cache hash table entries: 1024 (order 0, 4096 bytes)
May 31 14:07:39 Banana_Stand kernel: NFS: Registering the id_resolver key type
May 31 14:07:39 Banana_Stand kernel: Key type id_resolver registered
May 31 14:07:39 Banana_Stand kernel: Key type id_legacy registered
May 31 14:07:39 Banana_Stand kernel: Installing knfsd (copyright (C) 1996 okir@monad.swb.de) .

```
May 31 14:07:39 Banana_Stand kernel: Key type cifs.spnego registered
May 31 14:07:39 Banana_Stand kernel: Key type cifs.idmap registered
May 31 14:07:39 Banana_Stand kernel: fuse init (API version 7.23)
May 31 14:07:39 Banana_Stand kernel: NET: Registered protocol family 38
May 31 14:07:39 Banana_Stand kernel: async_tx: api initialized (async)
May 31 14:07:39 Banana_Stand kernel: Block layer SCSI generic (bsg)
driver version 0.4 loaded (major 251)
May 31 14:07:39 Banana_Stand kernel: io scheduler noop registered
May 31 14:07:39 Banana_Stand kernel: io scheduler deadline registered
May 31 14:07:39 Banana_Stand kernel: io scheduler cfq registered
(default)
May 31 14:07:39 Banana_Stand kernel: io scheduler bfq registered
May 31 14:07:39 Banana_Stand kernel: BFQ I/O-scheduler: v7r11
May 31 14:07:39 Banana_Stand kernel: crc32: CRC_LE_BITS = 64, CRC_BE BITS
= 64
May 31 14:07:39 Banana_Stand kernel: crc32: self tests passed, processed
225944 bytes in 728001 nsec
May 31 14:07:39 Banana_Stand kernel: crc32c: CRC_LE_BITS = 64
May 31 14:07:39 Banana_Stand kernel: crc32c: self tests passed, processed
225944 bytes in 372728 nsec
May 31 14:07:39 Banana_Stand kernel: crc32_combine: 8373 self tests
passed
May 31 14:07:39 Banana_Stand kernel: crc32c_combine: 8373 self tests
passed
May 31 14:07:39 Banana_Stand kernel: armada-370-pinctrl d0018000.pin-
ctrl: registered pinctrl driver
May 31 14:07:39 Banana_Stand kernel: irq: Cannot allocate irq_descs @
IRQ39, assuming pre-allocated
May 31 14:07:39 Banana_Stand kernel: irq: Cannot allocate irq_descs @
IRQ71, assuming pre-allocated
May 31 14:07:39 Banana_Stand kernel: irq: Cannot allocate irq_descs @
IRQ103, assuming pre-allocated
May 31 14:07:39 Banana_Stand kernel: mvebu-pcie soc:pcie-controller: PCI
host bridge to bus 0000:00
May 31 14:07:39 Banana_Stand kernel: pci_bus 0000:00: root bus resource
[io 0x1000-0xffffffff]
May 31 14:07:39 Banana_Stand kernel: pci_bus 0000:00: root bus resource
[mem 0xf8000000-0xffdffffff]
May 31 14:07:39 Banana_Stand kernel: pci_bus 0000:00: root bus resource
[bus 00-ff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:01.0: [11ab:6710] type
01 class 0x060400
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: [11ab:6710] type
01 class 0x060400
May 31 14:07:39 Banana_Stand kernel: PCI: bus0: Fast back to back
transfers disabled
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:01.0: bridge
configuration invalid ([bus 00-00]), reconfiguring
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: bridge
configuration invalid ([bus 00-00]), reconfiguring
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: [1b73:1009] type
00 class 0x0c0330
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: reg 0x10: [mem
0x40000000-0x4000ffff 64bit]
```

May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: reg 0x18: [mem 0x40010000-0x40010fff 64bit]
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: reg 0x20: [mem 0x40011000-0x40011fff 64bit]
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: supports D1
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: PME# supported from D0 D1 D3hot D3cold
May 31 14:07:39 Banana_Stand kernel: PCI: bus1: Fast back to back transfers disabled
May 31 14:07:39 Banana_Stand kernel: pci_bus 0000:01: busn_res: [bus 01-ff] end is updated to 01
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: [1b4b:9215] type 00 class 0x010601
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x10: [io 0xffffffff8-0xfffffffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x14: [io 0xffffffffc-0xfffffffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x18: [io 0xffffffff8-0xfffffffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x1c: [io 0xffffffffc-0xfffffffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x20: [io 0xffffffffe0-0xfffffffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x24: [mem 0x42000000-0x420007ff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: reg 0x30: [mem 0xd0000000-0xd000ffff pref]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: PME# supported from D3hot
May 31 14:07:39 Banana_Stand kernel: PCI: bus2: Fast back to back transfers disabled
May 31 14:07:39 Banana_Stand kernel: pci_bus 0000:02: busn_res: [bus 02-ff] end is updated to 02
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:01.0: BAR 14: assigned [mem 0xf8000000-0xf80fffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: BAR 14: assigned [mem 0xf8100000-0xf81fffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: BAR 13: assigned [io 0x10000-0x10fff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: BAR 0: assigned [mem 0xf8000000-0xf80fffff 64bit]
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: BAR 2: assigned [mem 0xf8010000-0xf8010fff 64bit]
May 31 14:07:39 Banana_Stand kernel: pci 0000:01:00.0: BAR 4: assigned [mem 0xf8011000-0xf8011fff 64bit]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:01.0: PCI bridge to [bus 01]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:01.0: bridge window [mem 0xf8000000-0xf80fffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 6: assigned [mem 0xf8100000-0xf810ffff pref]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 5: assigned [mem 0xf8110000-0xf81107ff]

```
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 4: assigned
[io 0x10000-0x1001f]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 0: assigned
[io 0x10020-0x10027]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 2: assigned
[io 0x10028-0x1002f]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 1: assigned
[io 0x10030-0x10033]
May 31 14:07:39 Banana_Stand kernel: pci 0000:02:00.0: BAR 3: assigned
[io 0x10034-0x10037]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: PCI bridge to [bus
02]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: bridge window
[io 0x10000-0x10fff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: bridge window
[mem 0xf8100000-0xf81fffff]
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:01.0: enabling device
(0140 -> 0142)
May 31 14:07:39 Banana_Stand kernel: mv_xor d0060800.xor: Marvell shared
XOR driver
May 31 14:07:39 Banana_Stand kernel: mv_xor d0060800.xor: Marvell XOR
(Registers Mode): ( xor cpy intr )
May 31 14:07:39 Banana_Stand kernel: mv_xor d0060900.xor: Marvell shared
XOR driver
May 31 14:07:39 Banana_Stand kernel: mv_xor d0060900.xor: Marvell XOR
(Registers Mode): ( xor cpy intr )
May 31 14:07:39 Banana_Stand kernel: Serial: 8250/16550 driver, 2 ports,
IRQ sharing disabled
May 31 14:07:39 Banana_Stand kernel: console [ttyS0] disabled
May 31 14:07:39 Banana_Stand kernel: d0012000.serial: ttyS0 at MMIO
0xd0012000 (irq = 19, base_baud = 12500000) is a 16550A
May 31 14:07:39 Banana_Stand kernel: console [ttyS0] enabled
May 31 14:07:39 Banana_Stand kernel: loop: module loaded
May 31 14:07:39 Banana_Stand kernel: ahci 0000:02:00.0: version 3.0
May 31 14:07:39 Banana_Stand kernel: pci 0000:00:02.0: enabling device
(0140 -> 0143)
May 31 14:07:39 Banana_Stand kernel: ahci 0000:02:00.0: enabling device
(0146 -> 0147)
May 31 14:07:39 Banana_Stand kernel: ahci 0000:02:00.0: AHCI 0001.0000 32
slots 4 ports 6 Gbps 0xf impl SATA mode
May 31 14:07:39 Banana_Stand kernel: ahci 0000:02:00.0: flags: 64bit ncq
sntf led only pmp fbs pio slum part sxs
May 31 14:07:39 Banana_Stand kernel: scsi host0: ahci
May 31 14:07:39 Banana_Stand kernel: scsi host1: ahci
May 31 14:07:39 Banana_Stand kernel: scsi host2: ahci
May 31 14:07:39 Banana_Stand kernel: scsi host3: ahci
May 31 14:07:39 Banana_Stand kernel: ata1: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110100 irq 109
May 31 14:07:39 Banana_Stand kernel: ata2: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110180 irq 109
May 31 14:07:39 Banana_Stand kernel: ata3: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110200 irq 109
May 31 14:07:39 Banana_Stand kernel: ata4: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110280 irq 109
```

May 31 14:07:39 Banana_Stand kernel: sata_mv d00a0000.sata: version 1.28
May 31 14:07:39 Banana_Stand kernel: sata_mv d00a0000.sata: slots 32
ports 1
May 31 14:07:39 Banana_Stand kernel: scsi host4: sata_mv
May 31 14:07:39 Banana_Stand kernel: ata5: SATA max UDMA/133 irq 28
May 31 14:07:39 Banana_Stand kernel: Rounding down aligned max_sectors
from 4294967295 to 4294967288
May 31 14:07:39 Banana_Stand kernel: pxa3xx-nand d00d0000.nand: This
platform can't do DMA on this device
May 31 14:07:39 Banana_Stand kernel: nand: device found, Manufacturer ID:
0x2c, Chip ID: 0xf1
May 31 14:07:39 Banana_Stand kernel: nand: Micron MT29F1G08ABADAWP
May 31 14:07:39 Banana_Stand kernel: nand: 128 MiB, SLC, erase size: 128
KiB, page size: 2048, OOB size: 64
May 31 14:07:39 Banana_Stand kernel: pxa3xx-nand d00d0000.nand: ECC
strength 16, ECC step size 2048
May 31 14:07:39 Banana_Stand kernel: Bad block table found at page 65472,
version 0x01
May 31 14:07:39 Banana_Stand kernel: Bad block table found at page 65408,
version 0x01
May 31 14:07:39 Banana_Stand kernel: 5 ofpart partitions found on MTD
device pxa3xx_nand-0
May 31 14:07:39 Banana_Stand kernel: Creating 5 MTD partitions on
"pxa3xx_nand-0":
May 31 14:07:39 Banana_Stand kernel: 0x000000000000-0x000000180000 : "u-
boot"
May 31 14:07:39 Banana_Stand kernel: 0x000000180000-0x000000200000 : "u-
boot-env"
May 31 14:07:39 Banana_Stand kernel: 0x000000200000-0x000000800000 :
"uImage"
May 31 14:07:39 Banana_Stand kernel: 0x000000800000-0x000000c00000 :
"minirootfs"
May 31 14:07:39 Banana_Stand kernel: 0x000000c00000-0x0000008000000 :
"ubifs"
May 31 14:07:39 Banana_Stand kernel: Ethernet Channel Bonding Driver:
v3.7.1 (April 27, 2011)
May 31 14:07:39 Banana_Stand kernel: libphy: Fixed MDIO Bus: probed
May 31 14:07:39 Banana_Stand kernel: tun: Universal TUN/TAP device
driver, 1.6
May 31 14:07:39 Banana_Stand kernel: tun: (C) 1999-2004 Max Krasnyansky
<maxk@qualcomm.com>
May 31 14:07:39 Banana_Stand kernel: libphy: orion_mdio_bus: probed
May 31 14:07:39 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Using
device tree mac address e8:fc:af:e5:35:6c
May 31 14:07:39 Banana_Stand kernel: mvneta d0074000.ethernet eth1: Using
device tree mac address e8:fc:af:e5:35:6d
May 31 14:07:39 Banana_Stand kernel: ehci_hcd: USB 2.0 'Enhanced' Host
Controller (EHCI) Driver
May 31 14:07:39 Banana_Stand kernel: ehci-pci: EHCI PCI platform driver
May 31 14:07:39 Banana_Stand kernel: ehci-orion: EHCI orion driver
May 31 14:07:40 Banana_Stand kernel: orion-ehci d0050000.usb: EHCI Host
Controller
May 31 14:07:40 Banana_Stand kernel: orion-ehci d0050000.usb: new USB bus
registered, assigned bus number 1

May 31 14:07:40 Banana_Stand kernel: orion-ehci d0050000.usb: irq 25, io mem 0xd0050000
May 31 14:07:40 Banana_Stand kernel: orion-ehci d0050000.usb: USB 2.0 started, EHCI 1.00
May 31 14:07:40 Banana_Stand kernel: usb usb1: New USB device found, idVendor=1d6b, idProduct=0002
May 31 14:07:40 Banana_Stand kernel: usb usb1: New USB device strings: Mfr=3, Product=2, SerialNumber=1
May 31 14:07:40 Banana_Stand kernel: usb usb1: Product: EHCI Host Controller
May 31 14:07:40 Banana_Stand kernel: usb usb1: Manufacturer: Linux 4.4.116.armada.1 ehci_hcd
May 31 14:07:40 Banana_Stand kernel: usb usb1: SerialNumber: d0050000.usb
May 31 14:07:40 Banana_Stand kernel: hub 1-0:1.0: USB hub found
May 31 14:07:40 Banana_Stand kernel: hub 1-0:1.0: 1 port detected
May 31 14:07:40 Banana_Stand kernel: xhci_hcd 0000:01:00.0: xHCI Host Controller
May 31 14:07:40 Banana_Stand kernel: xhci_hcd 0000:01:00.0: new USB bus registered, assigned bus number 2
May 31 14:07:40 Banana_Stand kernel: xhci_hcd 0000:01:00.0: hcc params 0x200073a1 hci version 0x100 quirks 0x00080010
May 31 14:07:40 Banana_Stand kernel: usb usb2: New USB device found, idVendor=1d6b, idProduct=0002
May 31 14:07:40 Banana_Stand kernel: usb usb2: New USB device strings: Mfr=3, Product=2, SerialNumber=1
May 31 14:07:40 Banana_Stand kernel: usb usb2: Product: xHCI Host Controller
May 31 14:07:40 Banana_Stand kernel: usb usb2: Manufacturer: Linux 4.4.116.armada.1 xhci-hcd
May 31 14:07:40 Banana_Stand kernel: usb usb2: SerialNumber: 0000:01:00.0
May 31 14:07:40 Banana_Stand kernel: hub 2-0:1.0: USB hub found
May 31 14:07:40 Banana_Stand kernel: hub 2-0:1.0: 2 ports detected
May 31 14:07:40 Banana_Stand kernel: xhci_hcd 0000:01:00.0: xHCI Host Controller
May 31 14:07:40 Banana_Stand kernel: xhci_hcd 0000:01:00.0: new USB bus registered, assigned bus number 3
May 31 14:07:40 Banana_Stand kernel: usb usb3: We don't know the algorithms for LPM for this host, disabling LPM.
May 31 14:07:40 Banana_Stand kernel: usb usb3: New USB device found, idVendor=1d6b, idProduct=0003
May 31 14:07:40 Banana_Stand kernel: usb usb3: New USB device strings: Mfr=3, Product=2, SerialNumber=1
May 31 14:07:40 Banana_Stand kernel: usb usb3: Product: xHCI Host Controller
May 31 14:07:40 Banana_Stand kernel: usb usb3: Manufacturer: Linux 4.4.116.armada.1 xhci-hcd
May 31 14:07:40 Banana_Stand kernel: usb usb3: SerialNumber: 0000:01:00.0
May 31 14:07:40 Banana_Stand kernel: hub 3-0:1.0: USB hub found
May 31 14:07:40 Banana_Stand kernel: hub 3-0:1.0: 2 ports detected
May 31 14:07:40 Banana_Stand kernel: usbcore: registered new interface driver cdc_acm
May 31 14:07:40 Banana_Stand kernel: cdc_acm: USB Abstract Control Model driver for USB modems and ISDN adapters

May 31 14:07:40 Banana_Stand kernel: usbcore: registered new interface driver usblp
May 31 14:07:40 Banana_Stand kernel: usbcore: registered new interface driver usb-storage
May 31 14:07:40 Banana_Stand kernel: i2c /dev entries driver
May 31 14:07:40 Banana_Stand kernel: rtc-isl12057 0-0068: rtc core: registered rtc-isl12057 as rtc0
May 31 14:07:40 Banana_Stand kernel: pca953x 0-0023: interrupt support not compiled in
May 31 14:07:40 Banana_Stand kernel: md: raid0 personality registered for level 0
May 31 14:07:40 Banana_Stand kernel: md: raid1 personality registered for level 1
May 31 14:07:40 Banana_Stand kernel: md: raid10 personality registered for level 10
May 31 14:07:40 Banana_Stand kernel: md: raid6 personality registered for level 6
May 31 14:07:40 Banana_Stand kernel: md: raid5 personality registered for level 5
May 31 14:07:40 Banana_Stand kernel: md: raid4 personality registered for level 4
May 31 14:07:40 Banana_Stand kernel: device-mapper: ioctl: 4.34.0-ioctl (2015-10-28) initialised: dm-devel@redhat.com
May 31 14:07:40 Banana_Stand kernel: usbcore: registered new interface driver btusb
May 31 14:07:40 Banana_Stand kernel: usbcore: registered new interface driver usbhid
May 31 14:07:40 Banana_Stand kernel: usbhid: USB HID core driver
May 31 14:07:40 Banana_Stand kernel: ip_tables: (C) 2000-2006 Netfilter Core Team
May 31 14:07:40 Banana_Stand kernel: NET: Registered protocol family 10
May 31 14:07:40 Banana_Stand kernel: NET: Registered protocol family 17
May 31 14:07:40 Banana_Stand kernel: 8021q: 802.1Q VLAN Support v1.8
May 31 14:07:40 Banana_Stand kernel: Key type dns_resolver registered
May 31 14:07:40 Banana_Stand kernel: Registering SWP/SWPB emulation handler
May 31 14:07:40 Banana_Stand kernel: Btrfs loaded, crc32c=crc32c-generic
May 31 14:07:40 Banana_Stand kernel: input: gpio-keys as /devices/platform/gpio-keys/input/input0
May 31 14:07:40 Banana_Stand kernel: rtc-isl12057 0-0068: setting system clock to 2018-05-31 12:07:25 UTC (1527768445)
May 31 14:07:40 Banana_Stand kernel: ata5: SATA link down (SStatus 0 SControl F300)
May 31 14:07:40 Banana_Stand kernel: ata1: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:07:40 Banana_Stand kernel: ata2: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:07:40 Banana_Stand kernel: ata1.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:07:40 Banana_Stand kernel: ata1.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:07:40 Banana_Stand kernel: ata2.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133

May 31 14:07:40 Banana_Stand kernel: ata2.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:07:40 Banana_Stand kernel: ata2.00: configured for UDMA/133
May 31 14:07:40 Banana_Stand kernel: ata1.00: configured for UDMA/133
May 31 14:07:40 Banana_Stand kernel: scsi 0:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: [sda] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: [sda] 4096-byte physical blocks
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: [sda] Write Protect is off
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: [sda] Mode Sense: 00 3a 00 00
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: [sda] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: Attached scsi generic sg0 type 0
May 31 14:07:40 Banana_Stand kernel: scsi 1:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: [sdb] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: [sdb] 4096-byte physical blocks
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: [sdb] Write Protect is off
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: [sdb] Mode Sense: 00 3a 00 00
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: Attached scsi generic sg1 type 0
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: [sdb] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:07:40 Banana_Stand kernel: sda: sda1 sda2 sda3
May 31 14:07:40 Banana_Stand kernel: sd 0:0:0:0: [sda] Attached SCSI disk
May 31 14:07:40 Banana_Stand kernel: sdb: sdb1 sdb2 sdb3
May 31 14:07:40 Banana_Stand kernel: sd 1:0:0:0: [sdb] Attached SCSI disk
May 31 14:07:40 Banana_Stand kernel: ata4: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:07:40 Banana_Stand kernel: ata4.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:07:40 Banana_Stand kernel: ata4.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:07:40 Banana_Stand kernel: ata4.00: configured for UDMA/133
May 31 14:07:40 Banana_Stand kernel: ata3: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:07:40 Banana_Stand kernel: ata3.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:07:40 Banana_Stand kernel: ata3.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:07:40 Banana_Stand kernel: ata3.00: configured for UDMA/133
May 31 14:07:40 Banana_Stand kernel: scsi 2:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: [sdc] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)


```
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: [sd] 4096-byte physical
blocks
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: [sd] Write Protect is
off
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: [sd] Mode Sense: 00 3a
00 00
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: [sd] Write cache:
enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: Attached scsi generic
sg2 type 0
May 31 14:07:40 Banana_Stand kernel: scsi 3:0:0:0: Direct-Access      ATA
WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: [sdd] 7814037168 512-
byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: [sdd] 4096-byte physical
blocks
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: [sdd] Write Protect is
off
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: [sdd] Mode Sense: 00 3a
00 00
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: Attached scsi generic
sg3 type 0
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: [sdd] Write cache:
enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:07:40 Banana_Stand kernel:  sdc: sdc1 sdc2 sdc3
May 31 14:07:40 Banana_Stand kernel: sd 2:0:0:0: [sd] Attached SCSI disk
May 31 14:07:40 Banana_Stand kernel:  sdd: sdd1 sdd2 sdd3
May 31 14:07:40 Banana_Stand kernel: sd 3:0:0:0: [sdd] Attached SCSI disk
May 31 14:07:40 Banana_Stand kernel: Freeing unused kernel memory: 292K
May 31 14:07:40 Banana_Stand kernel: vpd: loading out-of-tree module
taints kernel.
May 31 14:07:40 Banana_Stand kernel: vpd: module license 'Proprietary'
taints kernel.
May 31 14:07:40 Banana_Stand kernel: Disabling lock debugging due to
kernel taint
May 31 14:07:40 Banana_Stand kernel: ReadyNAS VPD init
May 31 14:07:40 Banana_Stand kernel: ubi0: attaching mtd4
May 31 14:07:40 Banana_Stand kernel: random: nonblocking pool is
initialized
May 31 14:07:40 Banana_Stand kernel: ubi0: scanning is finished
May 31 14:07:40 Banana_Stand kernel: ubi0 warning:
ubi_calculate_reserved: number of bad PEBs (8) is above the expected
limit (1), not reserving any PEBs for bad PEB handling, will use
available PEBs (if any)
May 31 14:07:40 Banana_Stand kernel: ubi0: attached mtd4 (name "ubifs",
size 116 MiB)
May 31 14:07:40 Banana_Stand kernel: ubi0: PEB size: 131072 bytes (128
KiB), LEB size: 126976 bytes
May 31 14:07:40 Banana_Stand kernel: ubi0: min./max. I/O unit sizes:
2048/2048, sub-page size 2048
May 31 14:07:40 Banana_Stand kernel: ubi0: VID header offset: 2048
(aligned 2048), data offset: 4096
May 31 14:07:40 Banana_Stand kernel: ubi0: good PEBs: 920, bad PEBs: 8,
corrupted PEBs: 0
```

May 31 14:07:40 Banana_Stand kernel: ubi0: user volume: 1, internal volumes: 1, max. volumes count: 128
May 31 14:07:40 Banana_Stand kernel: ubi0: max/mean erase counter: 13/9, WL threshold: 4096, image sequence number: 1906814246
May 31 14:07:40 Banana_Stand kernel: ubi0: available PEBs: 9, total reserved PEBs: 911, PEBs reserved for bad PEB handling: 0
May 31 14:07:40 Banana_Stand kernel: ubi0: background thread "ubi_bgt0d" started, PID 889
May 31 14:07:40 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth1: link is not ready
May 31 14:07:40 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth0: link is not ready
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): background thread "ubifs_bgt0_0" started, PID 962
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): UBIFS: mounted UBI device 0, volume 0, name "rootfs"
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): LEB size: 126976 bytes (124 KiB), min./max. I/O unit sizes: 2048 bytes/2048 bytes
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): FS size: 113897472 bytes (108 MiB, 897 LEBs), journal size 5713920 bytes (5 MiB, 45 LEBs)
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): reserved for root: 4952683 bytes (4836 KiB)
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): media format: w4/r0 (latest is w4/r0), UUID A4101476-513D-4BB4-BCF5-6B69FF059458, small LPT model
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): un-mount UBI device 0
May 31 14:07:40 Banana_Stand kernel: UBIFS (ubi0:0): background thread "ubifs_bgt0_0" stops
May 31 14:07:40 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Link is Up - 1Gbps/Full - flow control rx/tx
May 31 14:07:40 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_CHANGE): eth0: link becomes ready
May 31 14:07:40 Banana_Stand kernel: md: md0 stopped.
May 31 14:07:40 Banana_Stand kernel: md: bind<sdb1>
May 31 14:07:40 Banana_Stand kernel: md: bind<sdc1>
May 31 14:07:40 Banana_Stand kernel: md: bind<sdd1>
May 31 14:07:40 Banana_Stand kernel: md: bind<sda1>
May 31 14:07:40 Banana_Stand kernel: md/raid1:md0: active with 4 out of 4 mirrors
May 31 14:07:40 Banana_Stand kernel: md0: detected capacity change from 0 to 4290772992
May 31 14:07:40 Banana_Stand kernel: md: md1 stopped.
May 31 14:07:40 Banana_Stand kernel: md: bind<sdb2>
May 31 14:07:40 Banana_Stand kernel: md: bind<sdc2>
May 31 14:07:40 Banana_Stand kernel: md: bind<sdd2>
May 31 14:07:40 Banana_Stand kernel: md: bind<sda2>
May 31 14:07:40 Banana_Stand kernel: md/raid:md1: device sda2 operational as raid disk 0
May 31 14:07:40 Banana_Stand kernel: md/raid:md1: device sdd2 operational as raid disk 3
May 31 14:07:40 Banana_Stand kernel: md/raid:md1: device sdc2 operational as raid disk 2

May 31 14:07:40 Banana_Stand kernel: md/raid:md1: device sdb2 operational as raid disk 1
May 31 14:07:40 Banana_Stand kernel: md/raid:md1: allocated 4294kB
May 31 14:07:40 Banana_Stand kernel: md/raid:md1: raid level 6 active with 4 out of 4 devices, algorithm 2
May 31 14:07:40 Banana_Stand kernel: RAID conf printout:
May 31 14:07:40 Banana_Stand kernel: --- level:6 rd:4 wd:4
May 31 14:07:40 Banana_Stand kernel: disk 0, o:1, dev:sda2
May 31 14:07:40 Banana_Stand kernel: disk 1, o:1, dev:sdb2
May 31 14:07:40 Banana_Stand kernel: disk 2, o:1, dev:sd2
May 31 14:07:40 Banana_Stand kernel: disk 3, o:1, dev:sdd2
May 31 14:07:40 Banana_Stand kernel: md1: detected capacity change from 0 to 1072562176
May 31 14:07:40 Banana_Stand kernel: EXT4-fs (md0): mounted filesystem with ordered data mode. Opts: (null)
May 31 14:07:40 Banana_Stand systemd[1]: Failed to insert module 'kdbus': Function not implemented
May 31 14:07:40 Banana_Stand systemd[1]: systemd 230 running in system mode. (+PAM +AUDIT +SELINUX +IMA +APPARMOR +SMACK +SYSVINIT +UTMP +LIBCRYPTSETUP +GCRYPT +GNUTLS +ACL +XZ +LZ4 +SECCOMP +BLKID +ELFUTILS +KMOD +IDN)
May 31 14:07:40 Banana_Stand systemd[1]: Detected architecture arm.
May 31 14:07:40 Banana_Stand systemd[1]: Set hostname to <Banana_Stand>.
May 31 14:07:40 Banana_Stand systemd[1]: Listening on udev Kernel Socket.
May 31 14:07:40 Banana_Stand systemd[1]: Listening on Journal Socket.
May 31 14:07:40 Banana_Stand systemd[1]: Started Dispatch Password Requests to Console Directory Watch.
May 31 14:07:40 Banana_Stand systemd[1]: Listening on udev Control Socket.
May 31 14:07:40 Banana_Stand systemd[1]: Listening on Journal Socket (/dev/log).
May 31 14:07:40 Banana_Stand systemd[1]: Created slice User and Session Slice.
May 31 14:07:40 Banana_Stand systemd[1]: Started Forward Password Requests to Wall Directory Watch.
May 31 14:07:40 Banana_Stand systemd[1]: Reached target Paths.
May 31 14:07:40 Banana_Stand systemd[1]: Listening on /dev/initctl Compatibility Named Pipe.
May 31 14:07:40 Banana_Stand systemd[1]: Reached target Encrypted Volumes.
May 31 14:07:40 Banana_Stand systemd[1]: Created slice System Slice.
May 31 14:07:40 Banana_Stand systemd[1]: Mounting RPC Pipe File System...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Create list of required static device nodes for the current kernel...
May 31 14:07:40 Banana_Stand systemd[1]: Reached target Slices.
May 31 14:07:40 Banana_Stand systemd[1]: Mounting POSIX Message Queue File System...
May 31 14:07:40 Banana_Stand systemd[1]: Created slice system-serial\x2dgetty.slice.
May 31 14:07:40 Banana_Stand systemd[1]: Created slice system-getty.slice.
May 31 14:07:40 Banana_Stand systemd[1]: Starting Remount Root and Kernel File Systems...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Journal Service...

```
May 31 14:07:40 Banana_Stand systemd[1]: Started ReadyNAS LCD splasher.
May 31 14:07:40 Banana_Stand systemd[1]: Starting ReadyNASOS system
prep...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Load Kernel Modules...
May 31 14:07:40 Banana_Stand systemd[1]: Mounting RPC Pipe File System...
May 31 14:07:40 Banana_Stand systemd[1]: Mounted RPC Pipe File System.
May 31 14:07:40 Banana_Stand systemd[1]: Mounted RPC Pipe File System.
May 31 14:07:40 Banana_Stand systemd[1]: Mounted POSIX Message Queue File
System.
May 31 14:07:40 Banana_Stand systemd[1]: Started Create list of required
static device nodes for the current kernel.
May 31 14:07:40 Banana_Stand systemd[1]: Started Remount Root and Kernel
File Systems.
May 31 14:07:40 Banana_Stand systemd[1]: Started ReadyNASOS system prep.
May 31 14:07:40 Banana_Stand systemd[1]: Started Load Kernel Modules.
May 31 14:07:40 Banana_Stand systemd[1]: Mounting FUSE Control File
System...
May 31 14:07:40 Banana_Stand systemd[1]: Mounting Configuration File
System...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Apply Kernel
Variables...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Rebuild Hardware
Database...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Load/Save Random
Seed...
May 31 14:07:40 Banana_Stand systemd[1]: Starting Create Static Device
Nodes in /dev...
May 31 14:07:40 Banana_Stand systemd[1]: Mounted Configuration File
System.
May 31 14:07:40 Banana_Stand systemd[1]: Mounted FUSE Control File
System.
May 31 14:07:40 Banana_Stand systemd[1]: Started Apply Kernel Variables.
May 31 14:07:40 Banana_Stand systemd[1]: Started Load/Save Random Seed.
May 31 14:07:40 Banana_Stand systemd[1]: Started Create Static Device
Nodes in /dev.
May 31 14:07:40 Banana_Stand systemd[1]: Starting udev Kernel Device
Manager...
May 31 14:07:40 Banana_Stand systemd[1]: Started udev Kernel Device
Manager.
May 31 14:07:40 Banana_Stand systemd[1]: Starting MD arrays...
May 31 14:07:40 Banana_Stand systemd[1]: Started Journal Service.
May 31 14:07:41 Banana_Stand kernel: md: md127 stopped.
May 31 14:07:41 Banana_Stand kernel: md: bind<sdb3>
May 31 14:07:41 Banana_Stand kernel: md: bind<sdc3>
May 31 14:07:41 Banana_Stand kernel: md: bind<sdd3>
May 31 14:07:41 Banana_Stand kernel: md: bind<sda3>
May 31 14:07:41 Banana_Stand kernel: md/raid:md127: device sda3
operational as raid disk 0
May 31 14:07:41 Banana_Stand kernel: md/raid:md127: device sdd3
operational as raid disk 3
May 31 14:07:41 Banana_Stand kernel: md/raid:md127: device sdc3
operational as raid disk 2
May 31 14:07:41 Banana_Stand kernel: md/raid:md127: device sdb3
operational as raid disk 1
```

May 31 14:07:41 Banana_Stand kernel: md/raid:md127: allocated 4294kB
May 31 14:07:41 Banana_Stand kernel: md/raid:md127: raid level 5 active
with 4 out of 4 devices, algorithm 2
May 31 14:07:41 Banana_Stand kernel: RAID conf printout:
May 31 14:07:41 Banana_Stand kernel: --- level:5 rd:4 wd:4
May 31 14:07:41 Banana_Stand kernel: disk 0, o:1, dev:sda3
May 31 14:07:41 Banana_Stand kernel: disk 1, o:1, dev:sdb3
May 31 14:07:41 Banana_Stand kernel: disk 2, o:1, dev:sd3
May 31 14:07:41 Banana_Stand kernel: disk 3, o:1, dev:sdd3
May 31 14:07:41 Banana_Stand kernel: md127: detected capacity change from
0 to 11987456360448
May 31 14:07:41 Banana_Stand kernel: Adding 1047420k swap on /dev/md1.
Priority:-1 extents:1 across:1047420k
May 31 14:07:41 Banana_Stand kernel: BTRFS: device label 2fe5356c:data
devid 1 transid 39053 /dev/md127
May 31 14:07:42 Banana_Stand kernel: BTRFS info (device md127): setting
nodatasum
May 31 14:07:42 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:42 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:42 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS warning (device md127): failed
to read tree root
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS warning (device md127): failed
to read tree root
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127145984 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127145984 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127145984 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127145984 len 4096

```
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127145984 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127145984 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS warning (device md127): failed
to read tree root
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:07:43 Banana_Stand kernel: BTRFS warning (device md127): failed
to read tree root
May 31 14:08:30 Banana_Stand kernel: BTRFS info (device md127): checking
UUID tree
May 31 14:08:31 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth0:
link is not ready
May 31 14:08:33 Banana_Stand kernel: NFSD: Using /var/lib/nfs/v4recovery
as the NFSv4 state recovery directory
May 31 14:08:33 Banana_Stand kernel: NFSD: starting 90-second grace
period (net c09f1500)
May 31 14:08:36 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Link
is Up - 1Gbps/Full - flow control rx/tx
May 31 14:08:36 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_CHANGE): eth0:
link becomes ready
May 31 14:09:26 Banana_Stand kernel: nfsd: last server has exited,
flushing export cache
May 31 14:09:27 Banana_Stand kernel: NFSD: Using /var/lib/nfs/v4recovery
as the NFSv4 state recovery directory
May 31 14:09:27 Banana_Stand kernel: NFSD: starting 90-second grace
period (net c09f1500)
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P O 4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
```

```
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f5824d ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f5824e ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
```

```
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f5824f ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
```



```
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58250 ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58251 ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
```

```
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58252 ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58253 ]---
```

```
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58254 ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
```

```
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58255 ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:39 Banana_Stand kernel: ---[ end trace 236bf038d4f58256 ]---
May 31 14:17:39 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:39 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:39 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:39 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:39 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
```

```
May 31 14:17:39 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:39 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:39 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:39 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:39 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:39 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:39 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:39 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:39 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:39 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:39 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:39 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58257 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P          W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
```

```
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58258 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58259 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
```

```
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f5825a ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f5825b ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
```

```
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f5825c ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
```



```
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f5825d ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f5825e ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
```

```
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f5825f ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58260 ]---
```

```
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58261 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
```

```
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58262 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58263 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
```

```
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58264 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P          W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
```

```
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58265 ]---
May 31 14:17:40 Banana_Stand kernel: -----[ cut here ]-----
May 31 14:17:40 Banana_Stand kernel: WARNING: CPU: 0 PID: 1118 at
fs/btrfs/disk-io.c:541 btree_csum_one_bio+0x10c/0x118()
May 31 14:17:40 Banana_Stand kernel: Modules linked in: vpd(PO)
May 31 14:17:40 Banana_Stand kernel: CPU: 0 PID: 1118 Comm: kworker/u3:0
Tainted: P      W O      4.4.116.armada.1 #1
May 31 14:17:40 Banana_Stand kernel: Hardware name: Marvell Armada 370/XP
(Device Tree)
May 31 14:17:40 Banana_Stand kernel: Workqueue: btrfs-worker-high
btrfs_worker_helper
May 31 14:17:40 Banana_Stand kernel: [<c0015f44>] (unwind_backtrace) from
[<c00120fc>] (show_stack+0x10/0x18)
May 31 14:17:40 Banana_Stand kernel: [<c00120fc>] (show_stack) from
[<c03a6080>] (dump_stack+0x78/0x9c)
May 31 14:17:40 Banana_Stand kernel: [<c03a6080>] (dump_stack) from
[<c00249c8>] (warn_slowpath_common+0x74/0xac)
May 31 14:17:40 Banana_Stand kernel: [<c00249c8>] (warn_slowpath_common)
from [<c0024a1c>] (warn_slowpath_null+0x1c/0x28)
May 31 14:17:40 Banana_Stand kernel: [<c0024a1c>] (warn_slowpath_null)
from [<c02aab64>] (btree_csum_one_bio+0x10c/0x118)
May 31 14:17:40 Banana_Stand kernel: [<c02aab64>] (btree_csum_one_bio)
from [<c02a93e4>] (run_one_async_start+0x34/0x48)
May 31 14:17:40 Banana_Stand kernel: [<c02a93e4>] (run_one_async_start)
from [<c02eaed0>] (normal_work_helper+0x84/0x1a4)
May 31 14:17:40 Banana_Stand kernel: [<c02eaed0>] (normal_work_helper)
from [<c0038148>] (process_one_work+0x11c/0x334)
May 31 14:17:40 Banana_Stand kernel: [<c0038148>] (process_one_work) from
[<c00383c8>] (worker_thread+0x30/0x49c)
May 31 14:17:40 Banana_Stand kernel: [<c00383c8>] (worker_thread) from
[<c003d4b0>] (kthread+0x104/0x124)
May 31 14:17:40 Banana_Stand kernel: [<c003d4b0>] (kthread) from
[<c000f580>] (ret_from_fork+0x14/0x34)
May 31 14:17:40 Banana_Stand kernel: ---[ end trace 236bf038d4f58266 ]---
May 31 14:17:45 Banana_Stand systemd-shutdown[1]: Sending SIGTERM to
remaining processes...
-- Reboot --
May 31 14:18:20 Banana_Stand kernel: Booting Linux on physical CPU 0x0
May 31 14:18:20 Banana_Stand kernel: Initializing cgroup subsys cpuset
May 31 14:18:20 Banana_Stand kernel: Initializing cgroup subsys cpu
May 31 14:18:20 Banana_Stand kernel: Initializing cgroup subsys cpuacct
May 31 14:18:20 Banana_Stand kernel: Linux version 4.4.116.armada.1
(jenkins@blocks) (gcc version 4.6.4 (Marvell GCC release 20160226-
c4af733b 64K MAXPAGESIZE ALIGN) ) #1 SMP Mon Feb 19 22:05:00 PST 2018
May 31 14:18:20 Banana_Stand kernel: CPU: ARMv7 Processor [561f5811]
revision 1 (ARMv7), cr=10c5387d
May 31 14:18:20 Banana_Stand kernel: CPU: PIPT / VIPT nonaliasing data
cache, PIPT instruction cache
May 31 14:18:20 Banana_Stand kernel: Machine model: NETGEAR ReadyNAS 104
May 31 14:18:20 Banana_Stand kernel: Memory policy: Data cache writeback
```

```

May 31 14:18:20 Banana_Stand kernel: On node 0 totalpages: 131072
May 31 14:18:20 Banana_Stand kernel: free_area_init_node: node 0, pgdat
c09f9740, node_mem_map dfaf9000
May 31 14:18:20 Banana_Stand kernel: Normal zone: 1280 pages used for
memmap
May 31 14:18:20 Banana_Stand kernel: Normal zone: 0 pages reserved
May 31 14:18:20 Banana_Stand kernel: Normal zone: 131072 pages, LIFO
batch:31
May 31 14:18:20 Banana_Stand kernel: CPU: All CPU(s) started in SVC mode.
May 31 14:18:20 Banana_Stand kernel: PERCPU: Embedded 12 pages/cpu
@dfadc000 s16960 r8192 d24000 u49152
May 31 14:18:20 Banana_Stand kernel: pcpu-alloc: s16960 r8192 d24000
u49152 alloc=12*4096
May 31 14:18:20 Banana_Stand kernel: pcpu-alloc: [0] 0
May 31 14:18:20 Banana_Stand kernel: Built 1 zonelists in Zone order,
mobility grouping on. Total pages: 129792
May 31 14:18:20 Banana_Stand kernel: Kernel command line:
console=ttyS0,115200 reason=normal bdtype=rn104
May 31 14:18:20 Banana_Stand kernel: PID hash table entries: 2048 (order:
1, 8192 bytes)
May 31 14:18:20 Banana_Stand kernel: Dentry cache hash table entries:
65536 (order: 6, 262144 bytes)
May 31 14:18:20 Banana_Stand kernel: Inode-cache hash table entries:
32768 (order: 5, 131072 bytes)
May 31 14:18:20 Banana_Stand kernel: Memory: 504676K/524288K available
(7451K kernel code, 292K rwddata, 2152K rodata, 292K init, 434K bss,
19612K reserved, 0K cma-reserved, 0K highmem)
May 31 14:18:20 Banana_Stand kernel: Virtual kernel memory layout:
vector : 0xffff0000 -
0xffff1000 ( 4 kB)
fixmap : 0xffc00000 -
0xffff0000 (3072 kB)
vmalloc : 0xe0800000 -
0xff800000 ( 496 MB)
lowmem : 0xc0000000 -
0xe0000000 ( 512 MB)
pkmap : 0xbfe00000 -
0xc0000000 ( 2 MB)
modules : 0xbf000000 -
0xbfe00000 ( 14 MB)
.text : 0xc0008000 -
0xc0968f20 (9604 kB)
.init : 0xc0969000 -
0xc09b2000 ( 292 kB)
.data : 0xc09b2000 -
0xc09fb020 ( 293 kB)
.bss : 0xc09fb020 -
0xc0a67848 ( 435 kB)
May 31 14:18:20 Banana_Stand kernel: SLUB: HWalign=64, Order=0-3,
MinObjects=0, CPUs=1, Nodes=1
May 31 14:18:20 Banana_Stand kernel: Hierarchical RCU implementation.
May 31 14:18:20 Banana_Stand kernel: Build-time adjustment of leaf
fanout to 32.

```

May 31 14:18:20 Banana_Stand kernel: RCU restricting CPUs from NR_CPUS=2 to nr_cpu_ids=1.
May 31 14:18:20 Banana_Stand kernel: RCU: Adjusting geometry for rcu_fanout_leaf=32, nr_cpu_ids=1
May 31 14:18:20 Banana_Stand kernel: NR_IRQS:16 nr_irqs:16 16
May 31 14:18:20 Banana_Stand kernel: L2C: DT/platform modifies aux control register: 0x12086300 -> 0x1a086302
May 31 14:18:20 Banana_Stand kernel: Aurora cache controller enabled, 4 ways, 256 kB
May 31 14:18:20 Banana_Stand kernel: Aurora: CACHE_ID 0x00000100, AUX_CTRL 0x1a086302
May 31 14:18:20 Banana_Stand kernel: Switching to timer-based delay loop, resolution 58ns
May 31 14:18:20 Banana_Stand kernel: sched_clock: 32 bits at 17MHz, resolution 58ns, wraps every 124949592034ns
May 31 14:18:20 Banana_Stand kernel: clocksource: armada_370_xp_clocksource: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 111205136870 ns
May 31 14:18:20 Banana_Stand kernel: Console: colour dummy device 80x30
May 31 14:18:20 Banana_Stand kernel: Calibrating delay loop (skipped), value calculated using timer frequency.. 34.37 BogoMIPS (lpj=171868)
May 31 14:18:20 Banana_Stand kernel: pid_max: default: 32768 minimum: 301
May 31 14:18:20 Banana_Stand kernel: Security Framework initialized
May 31 14:18:20 Banana_Stand kernel: Mount-cache hash table entries: 1024 (order: 0, 4096 bytes)
May 31 14:18:20 Banana_Stand kernel: Mountpoint-cache hash table entries: 1024 (order: 0, 4096 bytes)
May 31 14:18:20 Banana_Stand kernel: Initializing cgroup subsys io
May 31 14:18:20 Banana_Stand kernel: Initializing cgroup subsys devices
May 31 14:18:20 Banana_Stand kernel: Initializing cgroup subsys freezer
May 31 14:18:20 Banana_Stand kernel: CPU: Testing write buffer coherency: ok
May 31 14:18:20 Banana_Stand kernel: CPU0: thread -1, cpu 0, socket -1, mpidr 0
May 31 14:18:20 Banana_Stand kernel: Setting up static identity map for 0x8280 - 0x82d8
May 31 14:18:20 Banana_Stand kernel: mvebu-soc-id: MVEBU SoC ID=0x6710, Rev=0x1
May 31 14:18:20 Banana_Stand kernel: mvebu-pmsu: Initializing Power Management Service Unit
May 31 14:18:20 Banana_Stand kernel: Brought up 1 CPUs
May 31 14:18:20 Banana_Stand kernel: SMP: Total of 1 processors activated (34.37 BogoMIPS).
May 31 14:18:20 Banana_Stand kernel: CPU: All CPU(s) started in SVC mode.
May 31 14:18:20 Banana_Stand kernel: devtmpfs: initialized
May 31 14:18:20 Banana_Stand kernel: VFP support v0.3: implementor 56 architecture 2 part 20 variant 9 rev 6
May 31 14:18:20 Banana_Stand kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 31 14:18:20 Banana_Stand kernel: futex hash table entries: 256 (order: 2, 16384 bytes)
May 31 14:18:20 Banana_Stand kernel: xor: measuring software checksum speed
May 31 14:18:20 Banana_Stand kernel: arm4regs : 1078.000 MB/sec


```
May 31 14:18:20 Banana_Stand kernel:      8regs      :    652.400 MB/sec
May 31 14:18:20 Banana_Stand kernel:     32regs      :    843.200 MB/sec
May 31 14:18:20 Banana_Stand kernel: xor: using function: arm4regs
(1078.000 MB/sec)
May 31 14:18:20 Banana_Stand kernel: pinctrl core: initialized pinctrl
subsystem
May 31 14:18:20 Banana_Stand kernel: NET: Registered protocol family 16
May 31 14:18:20 Banana_Stand kernel: DMA: preallocated 256 KiB pool for
atomic coherent allocations
May 31 14:18:20 Banana_Stand kernel: raid6: int32x1  gen()    133 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x1  xor()    168 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x2  gen()    206 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x2  xor()    182 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x4  gen()    248 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x4  xor()    186 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x8  gen()    277 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: int32x8  xor()    171 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: using algorithm int32x8 gen()
277 MB/s
May 31 14:18:20 Banana_Stand kernel: raid6: .... xor() 171 MB/s, rmw
enabled
May 31 14:18:20 Banana_Stand kernel: raid6: using intx1 recovery
algorithm
May 31 14:18:20 Banana_Stand kernel: vgaarb: loaded
May 31 14:18:20 Banana_Stand kernel: SCSI subsystem initialized
May 31 14:18:20 Banana_Stand kernel: libata version 3.00 loaded.
May 31 14:18:20 Banana_Stand kernel: usbcore: registered new interface
driver usbfs
May 31 14:18:20 Banana_Stand kernel: usbcore: registered new interface
driver hub
May 31 14:18:20 Banana_Stand kernel: usbcore: registered new device
driver usb
May 31 14:18:20 Banana_Stand kernel: pps_core: LinuxPPS API ver. 1
registered
May 31 14:18:20 Banana_Stand kernel: pps_core: Software ver. 5.3.6 -
Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 31 14:18:20 Banana_Stand kernel: PTP clock support registered
May 31 14:18:20 Banana_Stand kernel: Bluetooth: Core ver 2.21
May 31 14:18:20 Banana_Stand kernel: NET: Registered protocol family 31
May 31 14:18:20 Banana_Stand kernel: Bluetooth: HCI device and connection
manager initialized
May 31 14:18:20 Banana_Stand kernel: Bluetooth: HCI socket layer
initialized
May 31 14:18:20 Banana_Stand kernel: Bluetooth: L2CAP socket layer
initialized
May 31 14:18:20 Banana_Stand kernel: Bluetooth: SCO socket layer
initialized
May 31 14:18:20 Banana_Stand kernel: clocksource: Switched to clocksource
armada_370_xp_clocksource
May 31 14:18:20 Banana_Stand kernel: FS-Cache: Loaded
May 31 14:18:20 Banana_Stand kernel: NET: Registered protocol family 2
May 31 14:18:20 Banana_Stand kernel: TCP established hash table entries:
4096 (order: 2, 16384 bytes)
```

May 31 14:18:20 Banana_Stand kernel: TCP bind hash table entries: 4096 (order: 4, 81920 bytes)
May 31 14:18:20 Banana_Stand kernel: TCP: Hash tables configured (established 4096 bind 4096)
May 31 14:18:20 Banana_Stand kernel: UDP hash table entries: 256 (order: 1, 12288 bytes)
May 31 14:18:20 Banana_Stand kernel: UDP-Lite hash table entries: 256 (order: 1, 12288 bytes)
May 31 14:18:20 Banana_Stand kernel: NET: Registered protocol family 1
May 31 14:18:20 Banana_Stand kernel: RPC: Registered named UNIX socket transport module.
May 31 14:18:20 Banana_Stand kernel: RPC: Registered udp transport module.
May 31 14:18:20 Banana_Stand kernel: RPC: Registered tcp transport module.
May 31 14:18:20 Banana_Stand kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
May 31 14:18:20 Banana_Stand kernel: PCI: CLS 0 bytes, default 64
May 31 14:18:20 Banana_Stand kernel: Unpacking initramfs...
May 31 14:18:20 Banana_Stand kernel: Freeing initrd memory: 3308K
May 31 14:18:20 Banana_Stand kernel: VFS: Disk quotas dquot_6.6.0
May 31 14:18:20 Banana_Stand kernel: VFS: Dquot-cache hash table entries: 1024 (order 0, 4096 bytes)
May 31 14:18:20 Banana_Stand kernel: NFS: Registering the id_resolver key type
May 31 14:18:20 Banana_Stand kernel: Key type id_resolver registered
May 31 14:18:20 Banana_Stand kernel: Key type id_legacy registered
May 31 14:18:20 Banana_Stand kernel: Installing knfsd (copyright (C) 1996 okir@monad.swb.de) .
May 31 14:18:20 Banana_Stand kernel: Key type cifs.spnego registered
May 31 14:18:20 Banana_Stand kernel: Key type cifs.idmap registered
May 31 14:18:20 Banana_Stand kernel: fuse init (API version 7.23)
May 31 14:18:20 Banana_Stand kernel: NET: Registered protocol family 38
May 31 14:18:20 Banana_Stand kernel: async_tx: api initialized (async)
May 31 14:18:20 Banana_Stand kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 251)
May 31 14:18:20 Banana_Stand kernel: io scheduler noop registered
May 31 14:18:20 Banana_Stand kernel: io scheduler deadline registered
May 31 14:18:20 Banana_Stand kernel: io scheduler cfq registered (default)
May 31 14:18:20 Banana_Stand kernel: io scheduler bfq registered
May 31 14:18:20 Banana_Stand kernel: BFQ I/O-scheduler: v7r11
May 31 14:18:20 Banana_Stand kernel: crc32: CRC_LE_BITS = 64, CRC_BE BITS = 64
May 31 14:18:20 Banana_Stand kernel: crc32: self tests passed, processed 225944 bytes in 727826 nsec
May 31 14:18:20 Banana_Stand kernel: crc32c: CRC_LE_BITS = 64
May 31 14:18:20 Banana_Stand kernel: crc32c: self tests passed, processed 225944 bytes in 372727 nsec
May 31 14:18:20 Banana_Stand kernel: crc32_combine: 8373 self tests passed
May 31 14:18:20 Banana_Stand kernel: crc32c_combine: 8373 self tests passed

May 31 14:18:20 Banana_Stand kernel: armada-370-pinctrl d0018000.pinctrl: registered pinctrl driver
May 31 14:18:20 Banana_Stand kernel: irq: Cannot allocate irq_descs @ IRQ39, assuming pre-allocated
May 31 14:18:20 Banana_Stand kernel: irq: Cannot allocate irq_descs @ IRQ71, assuming pre-allocated
May 31 14:18:20 Banana_Stand kernel: irq: Cannot allocate irq_descs @ IRQ103, assuming pre-allocated
May 31 14:18:20 Banana_Stand kernel: mvebu-pcie soc:pcie-controller: PCI host bridge to bus 0000:00
May 31 14:18:20 Banana_Stand kernel: pci_bus 0000:00: root bus resource [io 0x1000-0xffffffff]
May 31 14:18:20 Banana_Stand kernel: pci_bus 0000:00: root bus resource [mem 0xf8000000-0xffdfdfdf]
May 31 14:18:20 Banana_Stand kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:01.0: [11ab:6710] type 01 class 0x060400
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: [11ab:6710] type 01 class 0x060400
May 31 14:18:20 Banana_Stand kernel: PCI: bus0: Fast back to back transfers disabled
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:01.0: bridge configuration invalid ([bus 00-00]), reconfiguring
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: bridge configuration invalid ([bus 00-00]), reconfiguring
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: [1b73:1009] type 00 class 0x0c0330
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: reg 0x10: [mem 0x40000000-0x4000ffff 64bit]
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: reg 0x18: [mem 0x40010000-0x40010fff 64bit]
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: reg 0x20: [mem 0x40011000-0x40011fff 64bit]
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: supports D1
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: PME# supported from D0 D1 D3hot D3cold
May 31 14:18:20 Banana_Stand kernel: PCI: bus1: Fast back to back transfers disabled
May 31 14:18:20 Banana_Stand kernel: pci_bus 0000:01: busn_res: [bus 01-ff] end is updated to 01
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: [1b4b:9215] type 00 class 0x010601
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x10: [io 0xffffffff8-0xfffffffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x14: [io 0xffffffffc-0xfffffffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x18: [io 0xffffffff8-0xfffffffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x1c: [io 0xffffffffc-0xfffffffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x20: [io 0xffffffffe0-0xfffffffff]

May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x24: [mem 0x42000000-0x420007ff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: reg 0x30: [mem 0xd0000000-0xd000ffff pref]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: PME# supported from D3hot
May 31 14:18:20 Banana_Stand kernel: PCI: bus2: Fast back to back transfers disabled
May 31 14:18:20 Banana_Stand kernel: pci_bus 0000:02: busn_res: [bus 02-ff] end is updated to 02
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:01.0: BAR 14: assigned [mem 0xf8000000-0xf80fffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: BAR 14: assigned [mem 0xf8100000-0xf81fffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: BAR 13: assigned [io 0x10000-0x10fff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: BAR 0: assigned [mem 0xf8000000-0xf800ffff 64bit]
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: BAR 2: assigned [mem 0xf8010000-0xf8010fff 64bit]
May 31 14:18:20 Banana_Stand kernel: pci 0000:01:00.0: BAR 4: assigned [mem 0xf8011000-0xf8011fff 64bit]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:01.0: PCI bridge to [bus 01]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:01.0: bridge window [mem 0xf8000000-0xf80fffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 6: assigned [mem 0xf8100000-0xf810ffff pref]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 5: assigned [mem 0xf8110000-0xf81107ff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 4: assigned [io 0x10000-0x1001f]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 0: assigned [io 0x10020-0x10027]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 2: assigned [io 0x10028-0x1002f]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 1: assigned [io 0x10030-0x10033]
May 31 14:18:20 Banana_Stand kernel: pci 0000:02:00.0: BAR 3: assigned [io 0x10034-0x10037]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: PCI bridge to [bus 02]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: bridge window [io 0x10000-0x10fff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: bridge window [mem 0xf8100000-0xf81fffff]
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:01.0: enabling device (0140 -> 0142)
May 31 14:18:20 Banana_Stand kernel: mv_xor d0060800.xor: Marvell shared XOR driver
May 31 14:18:20 Banana_Stand kernel: mv_xor d0060800.xor: Marvell XOR (Registers Mode): (xor cpy intr)
May 31 14:18:20 Banana_Stand kernel: mv_xor d0060900.xor: Marvell shared XOR driver

May 31 14:18:20 Banana_Stand kernel: mv_xor d0060900.xor: Marvell XOR
(Registers Mode): (xor cpy intr)
May 31 14:18:20 Banana_Stand kernel: Serial: 8250/16550 driver, 2 ports,
IRQ sharing disabled
May 31 14:18:20 Banana_Stand kernel: console [ttyS0] disabled
May 31 14:18:20 Banana_Stand kernel: d0012000.serial: ttyS0 at MMIO
0xd0012000 (irq = 19, base_baud = 12500000) is a 16550A
May 31 14:18:20 Banana_Stand kernel: console [ttyS0] enabled
May 31 14:18:20 Banana_Stand kernel: loop: module loaded
May 31 14:18:20 Banana_Stand kernel: ahci 0000:02:00.0: version 3.0
May 31 14:18:20 Banana_Stand kernel: pci 0000:00:02.0: enabling device
(0140 -> 0143)
May 31 14:18:20 Banana_Stand kernel: ahci 0000:02:00.0: enabling device
(0146 -> 0147)
May 31 14:18:20 Banana_Stand kernel: ahci 0000:02:00.0: AHCI 0001.0000 32
slots 4 ports 6 Gbps 0xf impl SATA mode
May 31 14:18:21 Banana_Stand kernel: ahci 0000:02:00.0: flags: 64bit ncq
sntf led only pmp fbs pio slum part sxs
May 31 14:18:21 Banana_Stand kernel: scsi host0: ahci
May 31 14:18:21 Banana_Stand kernel: scsi host1: ahci
May 31 14:18:21 Banana_Stand kernel: scsi host2: ahci
May 31 14:18:21 Banana_Stand kernel: scsi host3: ahci
May 31 14:18:21 Banana_Stand kernel: ata1: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110100 irq 109
May 31 14:18:21 Banana_Stand kernel: ata2: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110180 irq 109
May 31 14:18:21 Banana_Stand kernel: ata3: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110200 irq 109
May 31 14:18:21 Banana_Stand kernel: ata4: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110280 irq 109
May 31 14:18:21 Banana_Stand kernel: sata_mv d00a0000.sata: version 1.28
May 31 14:18:21 Banana_Stand kernel: sata_mv d00a0000.sata: slots 32
ports 1
May 31 14:18:21 Banana_Stand kernel: scsi host4: sata_mv
May 31 14:18:21 Banana_Stand kernel: ata5: SATA max UDMA/133 irq 28
May 31 14:18:21 Banana_Stand kernel: Rounding down aligned max_sectors
from 4294967295 to 4294967288
May 31 14:18:21 Banana_Stand kernel: pxa3xx-nand d00d0000.nand: This
platform can't do DMA on this device
May 31 14:18:21 Banana_Stand kernel: nand: device found, Manufacturer ID:
0x2c, Chip ID: 0xf1
May 31 14:18:21 Banana_Stand kernel: nand: Micron MT29F1G08ABADAWP
May 31 14:18:21 Banana_Stand kernel: nand: 128 MiB, SLC, erase size: 128
KiB, page size: 2048, OOB size: 64
May 31 14:18:21 Banana_Stand kernel: pxa3xx-nand d00d0000.nand: ECC
strength 16, ECC step size 2048
May 31 14:18:21 Banana_Stand kernel: Bad block table found at page 65472,
version 0x01
May 31 14:18:21 Banana_Stand kernel: Bad block table found at page 65408,
version 0x01
May 31 14:18:21 Banana_Stand kernel: 5 ofpart partitions found on MTD
device pxa3xx_nand-0
May 31 14:18:21 Banana_Stand kernel: Creating 5 MTD partitions on
"pxa3xx_nand-0":

May 31 14:18:21 Banana_Stand kernel: 0x000000000000-0x000000180000 : "u-boot"
May 31 14:18:21 Banana_Stand kernel: 0x000000180000-0x000000200000 : "u-boot-env"
May 31 14:18:21 Banana_Stand kernel: 0x000000200000-0x000000800000 : "uImage"
May 31 14:18:21 Banana_Stand kernel: 0x000000800000-0x000000c00000 : "minirootfs"
May 31 14:18:21 Banana_Stand kernel: 0x000000c00000-0x0000008000000 : "ubifs"
May 31 14:18:21 Banana_Stand kernel: Ethernet Channel Bonding Driver: v3.7.1 (April 27, 2011)
May 31 14:18:21 Banana_Stand kernel: libphy: Fixed MDIO Bus: probed
May 31 14:18:21 Banana_Stand kernel: tun: Universal TUN/TAP device driver, 1.6
May 31 14:18:21 Banana_Stand kernel: tun: (C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>
May 31 14:18:21 Banana_Stand kernel: libphy: orion_mdio_bus: probed
May 31 14:18:21 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Using device tree mac address e8:fc:af:e5:35:6c
May 31 14:18:21 Banana_Stand kernel: mvneta d0074000.ethernet eth1: Using device tree mac address e8:fc:af:e5:35:6d
May 31 14:18:21 Banana_Stand kernel: ehci_hcd: USB 2.0 'Enhanced' Host Controller (EHCI) Driver
May 31 14:18:21 Banana_Stand kernel: ehci-pci: EHCI PCI platform driver
May 31 14:18:21 Banana_Stand kernel: ehci-orion: EHCI orion driver
May 31 14:18:21 Banana_Stand kernel: orion-ehci d0050000.usb: EHCI Host Controller
May 31 14:18:21 Banana_Stand kernel: orion-ehci d0050000.usb: new USB bus registered, assigned bus number 1
May 31 14:18:21 Banana_Stand kernel: orion-ehci d0050000.usb: irq 25, io mem 0xd0050000
May 31 14:18:21 Banana_Stand kernel: orion-ehci d0050000.usb: USB 2.0 started, EHCI 1.00
May 31 14:18:21 Banana_Stand kernel: usb usb1: New USB device found, idVendor=1d6b, idProduct=0002
May 31 14:18:21 Banana_Stand kernel: usb usb1: New USB device strings: Mfr=3, Product=2, SerialNumber=1
May 31 14:18:21 Banana_Stand kernel: usb usb1: Product: EHCI Host Controller
May 31 14:18:21 Banana_Stand kernel: usb usb1: Manufacturer: Linux 4.4.116.armada.1 ehci_hcd
May 31 14:18:21 Banana_Stand kernel: usb usb1: SerialNumber: d0050000.usb
May 31 14:18:21 Banana_Stand kernel: hub 1-0:1.0: USB hub found
May 31 14:18:21 Banana_Stand kernel: hub 1-0:1.0: 1 port detected
May 31 14:18:21 Banana_Stand kernel: xhci_hcd 0000:01:00.0: xHCI Host Controller
May 31 14:18:21 Banana_Stand kernel: xhci_hcd 0000:01:00.0: new USB bus registered, assigned bus number 2
May 31 14:18:21 Banana_Stand kernel: xhci_hcd 0000:01:00.0: hcc params 0x200073a1 hci version 0x100 quirks 0x00080010
May 31 14:18:21 Banana_Stand kernel: usb usb2: New USB device found, idVendor=1d6b, idProduct=0002

May 31 14:18:21 Banana_Stand kernel: usb usb2: New USB device strings:
Mfr=3, Product=2, SerialNumber=1
May 31 14:18:21 Banana_Stand kernel: usb usb2: Product: xHCI Host
Controller
May 31 14:18:21 Banana_Stand kernel: usb usb2: Manufacturer: Linux
4.4.116.armada.1 xhci-hcd
May 31 14:18:21 Banana_Stand kernel: usb usb2: SerialNumber: 0000:01:00.0
May 31 14:18:21 Banana_Stand kernel: hub 2-0:1.0: USB hub found
May 31 14:18:21 Banana_Stand kernel: hub 2-0:1.0: 2 ports detected
May 31 14:18:21 Banana_Stand kernel: xhci_hcd 0000:01:00.0: xHCI Host
Controller
May 31 14:18:21 Banana_Stand kernel: xhci_hcd 0000:01:00.0: new USB bus
registered, assigned bus number 3
May 31 14:18:21 Banana_Stand kernel: usb usb3: We don't know the
algorithms for LPM for this host, disabling LPM.
May 31 14:18:21 Banana_Stand kernel: usb usb3: New USB device found,
idVendor=1d6b, idProduct=0003
May 31 14:18:21 Banana_Stand kernel: usb usb3: New USB device strings:
Mfr=3, Product=2, SerialNumber=1
May 31 14:18:21 Banana_Stand kernel: usb usb3: Product: xHCI Host
Controller
May 31 14:18:21 Banana_Stand kernel: usb usb3: Manufacturer: Linux
4.4.116.armada.1 xhci-hcd
May 31 14:18:21 Banana_Stand kernel: usb usb3: SerialNumber: 0000:01:00.0
May 31 14:18:21 Banana_Stand kernel: hub 3-0:1.0: USB hub found
May 31 14:18:21 Banana_Stand kernel: hub 3-0:1.0: 2 ports detected
May 31 14:18:21 Banana_Stand kernel: usbcore: registered new interface
driver cdc_acm
May 31 14:18:21 Banana_Stand kernel: cdc_acm: USB Abstract Control Model
driver for USB modems and ISDN adapters
May 31 14:18:21 Banana_Stand kernel: usbcore: registered new interface
driver usblp
May 31 14:18:21 Banana_Stand kernel: usbcore: registered new interface
driver usb-storage
May 31 14:18:21 Banana_Stand kernel: i2c /dev entries driver
May 31 14:18:21 Banana_Stand kernel: rtc-isl12057 0-0068: rtc core:
registered rtc-isl12057 as rtc0
May 31 14:18:21 Banana_Stand kernel: pca953x 0-0023: interrupt support
not compiled in
May 31 14:18:21 Banana_Stand kernel: md: raid0 personality registered for
level 0
May 31 14:18:21 Banana_Stand kernel: md: raid1 personality registered for
level 1
May 31 14:18:21 Banana_Stand kernel: md: raid10 personality registered
for level 10
May 31 14:18:21 Banana_Stand kernel: md: raid6 personality registered for
level 6
May 31 14:18:21 Banana_Stand kernel: md: raid5 personality registered for
level 5
May 31 14:18:21 Banana_Stand kernel: md: raid4 personality registered for
level 4
May 31 14:18:21 Banana_Stand kernel: device-mapper: ioctl: 4.34.0-ioctl
(2015-10-28) initialised: dm-devel@redhat.com

May 31 14:18:21 Banana_Stand kernel: usbcore: registered new interface driver btusb
May 31 14:18:21 Banana_Stand kernel: usbcore: registered new interface driver usbhid
May 31 14:18:21 Banana_Stand kernel: usbhid: USB HID core driver
May 31 14:18:21 Banana_Stand kernel: ip_tables: (C) 2000-2006 Netfilter Core Team
May 31 14:18:21 Banana_Stand kernel: NET: Registered protocol family 10
May 31 14:18:21 Banana_Stand kernel: NET: Registered protocol family 17
May 31 14:18:21 Banana_Stand kernel: 8021q: 802.1Q VLAN Support v1.8
May 31 14:18:21 Banana_Stand kernel: Key type dns_resolver registered
May 31 14:18:21 Banana_Stand kernel: Registering SWP/SWPB emulation handler
May 31 14:18:21 Banana_Stand kernel: Btrfs loaded, crc32c=crc32c-generic
May 31 14:18:21 Banana_Stand kernel: input: gpio-keys as /devices/platform/gpio-keys/input/input0
May 31 14:18:21 Banana_Stand kernel: rtc-isl12057 0-0068: setting system clock to 2018-05-31 12:18:06 UTC (1527769086)
May 31 14:18:21 Banana_Stand kernel: ata5: SATA link down (SStatus 0 SControl F300)
May 31 14:18:21 Banana_Stand kernel: ata1: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:18:21 Banana_Stand kernel: ata2: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:18:21 Banana_Stand kernel: ata1.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:18:21 Banana_Stand kernel: ata1.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:18:21 Banana_Stand kernel: ata2.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:18:21 Banana_Stand kernel: ata2.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:18:21 Banana_Stand kernel: ata2.00: configured for UDMA/133
May 31 14:18:21 Banana_Stand kernel: ata1.00: configured for UDMA/133
May 31 14:18:21 Banana_Stand kernel: scsi 0:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: [sda] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: [sda] 4096-byte physical blocks
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: [sda] Write Protect is off
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: [sda] Mode Sense: 00 3a 00 00
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: [sda] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: Attached scsi generic sg0 type 0
May 31 14:18:21 Banana_Stand kernel: scsi 1:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: [sdb] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: [sdb] 4096-byte physical blocks

May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: [sdb] Write Protect is off
May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: [sdb] Mode Sense: 00 3a 00 00
May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: Attached scsi generic sg1 type 0
May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: [sdb] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:18:21 Banana_Stand kernel: sda: sda1 sda2 sda3
May 31 14:18:21 Banana_Stand kernel: sd 0:0:0:0: [sda] Attached SCSI disk
May 31 14:18:21 Banana_Stand kernel: sdb: sdb1 sdb2 sdb3
May 31 14:18:21 Banana_Stand kernel: sd 1:0:0:0: [sdb] Attached SCSI disk
May 31 14:18:21 Banana_Stand kernel: ata4: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:18:21 Banana_Stand kernel: ata4.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:18:21 Banana_Stand kernel: ata4.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:18:21 Banana_Stand kernel: ata4.00: configured for UDMA/133
May 31 14:18:21 Banana_Stand kernel: ata3: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:18:21 Banana_Stand kernel: ata3.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:18:21 Banana_Stand kernel: ata3.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:18:21 Banana_Stand kernel: ata3.00: configured for UDMA/133
May 31 14:18:21 Banana_Stand kernel: scsi 2:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: [sdc] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: [sdc] 4096-byte physical blocks
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: [sdc] Write Protect is off
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: [sdc] Mode Sense: 00 3a 00 00
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: [sdc] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: Attached scsi generic sg2 type 0
May 31 14:18:21 Banana_Stand kernel: scsi 3:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: [sdd] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: [sdd] 4096-byte physical blocks
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: [sdd] Write Protect is off
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: [sdd] Mode Sense: 00 3a 00 00
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: Attached scsi generic sg3 type 0
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: [sdd] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA

May 31 14:18:21 Banana_Stand kernel: sdc: sdc1 sdc2 sdc3
May 31 14:18:21 Banana_Stand kernel: sd 2:0:0:0: [sdc] Attached SCSI disk
May 31 14:18:21 Banana_Stand kernel: sdd: sdd1 sdd2 sdd3
May 31 14:18:21 Banana_Stand kernel: sd 3:0:0:0: [sdd] Attached SCSI disk
May 31 14:18:21 Banana_Stand kernel: Freeing unused kernel memory: 292K
May 31 14:18:21 Banana_Stand kernel: vpd: loading out-of-tree module
taints kernel.
May 31 14:18:21 Banana_Stand kernel: vpd: module license 'Proprietary'
taints kernel.
May 31 14:18:21 Banana_Stand kernel: Disabling lock debugging due to
kernel taint
May 31 14:18:21 Banana_Stand kernel: ReadyNAS VPD init
May 31 14:18:21 Banana_Stand kernel: ubi0: attaching mtd4
May 31 14:18:21 Banana_Stand kernel: random: nonblocking pool is
initialized
May 31 14:18:21 Banana_Stand kernel: ubi0: scanning is finished
May 31 14:18:21 Banana_Stand kernel: ubi0 warning:
ubi_calculate_reserved: number of bad PEBs (8) is above the expected
limit (1), not reserving any PEBs for bad PEB handling, will use
available PEBs (if any)
May 31 14:18:21 Banana_Stand kernel: ubi0: attached mtd4 (name "ubifs",
size 116 MiB)
May 31 14:18:21 Banana_Stand kernel: ubi0: PEB size: 131072 bytes (128
KiB), LEB size: 126976 bytes
May 31 14:18:21 Banana_Stand kernel: ubi0: min./max. I/O unit sizes:
2048/2048, sub-page size 2048
May 31 14:18:21 Banana_Stand kernel: ubi0: VID header offset: 2048
(aligned 2048), data offset: 4096
May 31 14:18:21 Banana_Stand kernel: ubi0: good PEBs: 920, bad PEBs: 8,
corrupted PEBs: 0
May 31 14:18:21 Banana_Stand kernel: ubi0: user volume: 1, internal
volumes: 1, max. volumes count: 128
May 31 14:18:21 Banana_Stand kernel: ubi0: max/mean erase counter: 13/9,
WL threshold: 4096, image sequence number: 1906814246
May 31 14:18:21 Banana_Stand kernel: ubi0: available PEBs: 9, total
reserved PEBs: 911, PEBs reserved for bad PEB handling: 0
May 31 14:18:21 Banana_Stand kernel: ubi0: background thread "ubi_bgt0d"
started, PID 889
May 31 14:18:21 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth1:
link is not ready
May 31 14:18:21 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth0:
link is not ready
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): background thread
"ubifs_bgt0_0" started, PID 962
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): UBIFS: mounted UBI
device 0, volume 0, name "rootfs"
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): LEB size: 126976
bytes (124 KiB), min./max. I/O unit sizes: 2048 bytes/2048 bytes
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): FS size: 113897472
bytes (108 MiB, 897 LEBs), journal size 5713920 bytes (5 MiB, 45 LEBs)
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): reserved for root:
4952683 bytes (4836 KiB)

```
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): media format: w4/r0
(latest is w4/r0), UUID A4101476-513D-4BB4-BCF5-6B69FF059458, small LPT
model
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): un-mount UBI device
0
May 31 14:18:21 Banana_Stand kernel: UBIFS (ubi0:0): background thread
"ubifs_bgt0_0" stops
May 31 14:18:21 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Link
is Up - 1Gbps/Full - flow control rx/tx
May 31 14:18:21 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_CHANGE): eth0:
link becomes ready
May 31 14:18:21 Banana_Stand kernel: md: md0 stopped.
May 31 14:18:21 Banana_Stand kernel: md: bind<sdb1>
May 31 14:18:21 Banana_Stand kernel: md: bind<sdc1>
May 31 14:18:21 Banana_Stand kernel: md: bind<sdd1>
May 31 14:18:21 Banana_Stand kernel: md: bind<sda1>
May 31 14:18:21 Banana_Stand kernel: md/raid1:md0: active with 4 out of 4
mirrors
May 31 14:18:21 Banana_Stand kernel: md0: detected capacity change from 0
to 4290772992
May 31 14:18:21 Banana_Stand kernel: md: md1 stopped.
May 31 14:18:21 Banana_Stand kernel: md: bind<sdb2>
May 31 14:18:21 Banana_Stand kernel: md: bind<sdc2>
May 31 14:18:21 Banana_Stand kernel: md: bind<sdd2>
May 31 14:18:21 Banana_Stand kernel: md: bind<sda2>
May 31 14:18:21 Banana_Stand kernel: md/raid:md1: device sda2 operational
as raid disk 0
May 31 14:18:21 Banana_Stand kernel: md/raid:md1: device sdd2 operational
as raid disk 3
May 31 14:18:21 Banana_Stand kernel: md/raid:md1: device sdc2 operational
as raid disk 2
May 31 14:18:21 Banana_Stand kernel: md/raid:md1: device sdb2 operational
as raid disk 1
May 31 14:18:21 Banana_Stand kernel: md/raid:md1: allocated 4294kB
May 31 14:18:21 Banana_Stand kernel: md/raid:md1: raid level 6 active
with 4 out of 4 devices, algorithm 2
May 31 14:18:21 Banana_Stand kernel: RAID conf printout:
May 31 14:18:21 Banana_Stand kernel: --- level:6 rd:4 wd:4
May 31 14:18:21 Banana_Stand kernel: disk 0, o:1, dev:sda2
May 31 14:18:21 Banana_Stand kernel: disk 1, o:1, dev:sdb2
May 31 14:18:21 Banana_Stand kernel: disk 2, o:1, dev:sdc2
May 31 14:18:21 Banana_Stand kernel: disk 3, o:1, dev:sdd2
May 31 14:18:21 Banana_Stand kernel: md1: detected capacity change from 0
to 1072562176
May 31 14:18:21 Banana_Stand kernel: EXT4-fs (md0): mounted filesystem
with ordered data mode. Opts: (null)
May 31 14:18:21 Banana_Stand systemd[1]: Failed to insert module 'kdbus':
Function not implemented
May 31 14:18:21 Banana_Stand systemd[1]: systemd 230 running in system
mode. (+PAM +AUDIT +SELINUX +IMA +APPARMOR +SMACK +SYSVINIT +UTMP
+LIBCRYPTSETUP +GCRYPT +GNUTLS +ACL +XZ +LZ4 +SECCOMP +BLKID +ELFUTILS
+KMOD +IDN)
May 31 14:18:21 Banana_Stand systemd[1]: Detected architecture arm.
May 31 14:18:21 Banana_Stand systemd[1]: Set hostname to <Banana_Stand>.
```

May 31 14:18:21 Banana_Stand systemd[1]: Started Dispatch Password Requests to Console Directory Watch.
May 31 14:18:21 Banana_Stand systemd[1]: Created slice System Slice.
May 31 14:18:21 Banana_Stand systemd[1]: Reached target Encrypted Volumes.
May 31 14:18:21 Banana_Stand systemd[1]: Created slice system-getty.slice.
May 31 14:18:21 Banana_Stand systemd[1]: Listening on udev Control Socket.
May 31 14:18:21 Banana_Stand systemd[1]: Created slice User and Session Slice.
May 31 14:18:21 Banana_Stand systemd[1]: Reached target Slices.
May 31 14:18:21 Banana_Stand systemd[1]: Created slice system-serial\x2dgetty.slice.
May 31 14:18:21 Banana_Stand systemd[1]: Started Forward Password Requests to Wall Directory Watch.
May 31 14:18:21 Banana_Stand systemd[1]: Reached target Paths.
May 31 14:18:21 Banana_Stand systemd[1]: Listening on Journal Socket.
May 31 14:18:21 Banana_Stand systemd[1]: Mounting RPC Pipe File System...
May 31 14:18:21 Banana_Stand systemd[1]: Mounting POSIX Message Queue File System...
May 31 14:18:21 Banana_Stand systemd[1]: Starting Load Kernel Modules...
May 31 14:18:21 Banana_Stand systemd[1]: Starting Remount Root and Kernel File Systems...
May 31 14:18:21 Banana_Stand systemd[1]: Started ReadyNAS LCD splasher.
May 31 14:18:21 Banana_Stand systemd[1]: Starting ReadyNASOS system prep...
May 31 14:18:21 Banana_Stand systemd[1]: Listening on Journal Socket (/dev/log).
May 31 14:18:21 Banana_Stand systemd[1]: Starting Journal Service...
May 31 14:18:21 Banana_Stand systemd[1]: Starting Create list of required static device nodes for the current kernel...
May 31 14:18:21 Banana_Stand systemd[1]: Listening on /dev/initctl Compatibility Named Pipe.
May 31 14:18:21 Banana_Stand systemd[1]: Mounting RPC Pipe File System...
May 31 14:18:21 Banana_Stand systemd[1]: Listening on udev Kernel Socket.
May 31 14:18:21 Banana_Stand systemd[1]: Mounted RPC Pipe File System.
May 31 14:18:21 Banana_Stand systemd[1]: Mounted POSIX Message Queue File System.
May 31 14:18:21 Banana_Stand systemd[1]: Started Load Kernel Modules.
May 31 14:18:21 Banana_Stand systemd[1]: Started Remount Root and Kernel File Systems.
May 31 14:18:21 Banana_Stand systemd[1]: Started ReadyNASOS system prep.
May 31 14:18:21 Banana_Stand systemd[1]: Started Create list of required static device nodes for the current kernel.
May 31 14:18:21 Banana_Stand systemd[1]: Mounted RPC Pipe File System.
May 31 14:18:21 Banana_Stand systemd[1]: Starting Create Static Device Nodes in /dev...
May 31 14:18:21 Banana_Stand systemd[1]: Starting Load/Save Random Seed...
May 31 14:18:21 Banana_Stand systemd[1]: Starting Rebuild Hardware Database...
May 31 14:18:21 Banana_Stand systemd[1]: Mounting Configuration File System...

```
May 31 14:18:21 Banana_Stand systemd[1]: Starting Apply Kernel
Variables...
May 31 14:18:21 Banana_Stand systemd[1]: Mounting FUSE Control File
System...
May 31 14:18:21 Banana_Stand systemd[1]: Mounted Configuration File
System.
May 31 14:18:21 Banana_Stand systemd[1]: Started Create Static Device
Nodes in /dev.
May 31 14:18:21 Banana_Stand systemd[1]: Started Load/Save Random Seed.
May 31 14:18:21 Banana_Stand systemd[1]: Started Apply Kernel Variables.
May 31 14:18:21 Banana_Stand systemd[1]: Mounted FUSE Control File
System.
May 31 14:18:21 Banana_Stand systemd[1]: Starting udev Kernel Device
Manager...
May 31 14:18:21 Banana_Stand systemd[1]: Started udev Kernel Device
Manager.
May 31 14:18:21 Banana_Stand systemd[1]: Starting MD arrays...
May 31 14:18:21 Banana_Stand systemd[1]: Started Journal Service.
May 31 14:18:22 Banana_Stand kernel: md: md127 stopped.
May 31 14:18:22 Banana_Stand kernel: md: bind<sdb3>
May 31 14:18:22 Banana_Stand kernel: md: bind<sdc3>
May 31 14:18:22 Banana_Stand kernel: md: bind<sdd3>
May 31 14:18:22 Banana_Stand kernel: md: bind<sda3>
May 31 14:18:22 Banana_Stand kernel: md/raid:md127: device sda3
operational as raid disk 0
May 31 14:18:22 Banana_Stand kernel: md/raid:md127: device sdd3
operational as raid disk 3
May 31 14:18:22 Banana_Stand kernel: md/raid:md127: device sdc3
operational as raid disk 2
May 31 14:18:22 Banana_Stand kernel: md/raid:md127: device sdb3
operational as raid disk 1
May 31 14:18:22 Banana_Stand kernel: md/raid:md127: allocated 4294kB
May 31 14:18:22 Banana_Stand kernel: md/raid:md127: raid level 5 active
with 4 out of 4 devices, algorithm 2
May 31 14:18:22 Banana_Stand kernel: RAID conf printout:
May 31 14:18:22 Banana_Stand kernel: --- level:5 rd:4 wd:4
May 31 14:18:22 Banana_Stand kernel: disk 0, o:1, dev:sda3
May 31 14:18:22 Banana_Stand kernel: disk 1, o:1, dev:sdb3
May 31 14:18:22 Banana_Stand kernel: disk 2, o:1, dev:sdc3
May 31 14:18:22 Banana_Stand kernel: disk 3, o:1, dev:sdd3
May 31 14:18:22 Banana_Stand kernel: md127: detected capacity change from
0 to 11987456360448
May 31 14:18:22 Banana_Stand kernel: BTRFS: device label 2fe5356c:data
devid 1 transid 39053 /dev/md127
May 31 14:18:22 Banana_Stand kernel: Adding 1047420k swap on /dev/md1.
Priority:-1 extents:1 across:1047420k
May 31 14:18:23 Banana_Stand kernel: BTRFS info (device md127): setting
nodatasum
May 31 14:18:23 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:18:23 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:18:23 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
```


May 31 14:18:24 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:18:24 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:18:24 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:18:24 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36126261248 len 4096
May 31 14:18:24 Banana_Stand kernel: BTRFS warning (device md127): failed
to read tree root
May 31 14:18:24 Banana_Stand kernel: BTRFS error (device md127):
open_ctree failed
May 31 14:18:31 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth0:
link is not ready
May 31 14:18:32 Banana_Stand kernel: NFSD: Using /var/lib/nfs/v4recovery
as the NFSv4 state recovery directory
May 31 14:18:32 Banana_Stand kernel: NFSD: starting 90-second grace
period (net c09f1500)
May 31 14:18:36 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Link
is Up - 1Gbps/Full - flow control rx/tx
May 31 14:18:36 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_CHANGE): eth0:
link becomes ready
May 31 14:18:37 Banana_Stand kernel: Adjusting armada_370_xp_clocksource
more than 11% (-2074194465 vs -2127872810)
May 31 14:19:16 Banana_Stand kernel: nfsd: last server has exited,
flushing export cache
May 31 14:19:16 Banana_Stand kernel: NFSD: Using /var/lib/nfs/v4recovery
as the NFSv4 state recovery directory
May 31 14:19:16 Banana_Stand kernel: NFSD: starting 90-second grace
period (net c09f1500)
May 31 14:33:31 Banana_Stand kernel: nr_pdflush_threads exported in /proc
is scheduled for removal
May 31 14:44:03 Banana_Stand systemd-shutdown[1]: Sending SIGTERM to
remaining processes...
-- Reboot --
May 31 14:50:42 Banana_Stand kernel: Booting Linux on physical CPU 0x0
May 31 14:50:42 Banana_Stand kernel: Initializing cgroup subsys cpuset
May 31 14:50:42 Banana_Stand kernel: Initializing cgroup subsys cpu
May 31 14:50:42 Banana_Stand kernel: Initializing cgroup subsys cpuacct
May 31 14:50:42 Banana_Stand kernel: Linux version 4.4.116.armada.1
(jenkins@blocks) (gcc version 4.6.4 (Marvell GCC release 20160226-
c4af733b 64K MAXPAGESIZE ALIGN)) #1 SMP Mon Feb 19 22:05:00 PST 2018
May 31 14:50:42 Banana_Stand kernel: CPU: ARMv7 Processor [561f5811]
revision 1 (ARMv7), cr=10c5387d
May 31 14:50:42 Banana_Stand kernel: CPU: PIPT / VIPT nonaliasing data
cache, PIPT instruction cache
May 31 14:50:42 Banana_Stand kernel: Machine model: NETGEAR ReadyNAS 104
May 31 14:50:42 Banana_Stand kernel: Memory policy: Data cache writeback
May 31 14:50:42 Banana_Stand kernel: On node 0 totalpages: 131072
May 31 14:50:42 Banana_Stand kernel: free_area_init_node: node 0, pgdat
c09f9740, node_mem_map dfaf9000
May 31 14:50:42 Banana_Stand kernel: Normal zone: 1280 pages used for
memmap
May 31 14:50:42 Banana_Stand kernel: Normal zone: 0 pages reserved

```

May 31 14:50:42 Banana_Stand kernel: Normal zone: 131072 pages, LIFO
batch:31
May 31 14:50:42 Banana_Stand kernel: CPU: All CPU(s) started in SVC mode.
May 31 14:50:42 Banana_Stand kernel: PERCPU: Embedded 12 pages/cpu
@dfadc000 s16960 r8192 d24000 u49152
May 31 14:50:42 Banana_Stand kernel: pcpu-alloc: s16960 r8192 d24000
u49152 alloc=12*4096
May 31 14:50:42 Banana_Stand kernel: pcpu-alloc: [0] 0
May 31 14:50:42 Banana_Stand kernel: Built 1 zonelists in Zone order,
mobility grouping on. Total pages: 129792
May 31 14:50:42 Banana_Stand kernel: Kernel command line:
console=ttyS0,115200 reason=normal bdtype=rn104
May 31 14:50:42 Banana_Stand kernel: PID hash table entries: 2048 (order:
1, 8192 bytes)
May 31 14:50:42 Banana_Stand kernel: Dentry cache hash table entries:
65536 (order: 6, 262144 bytes)
May 31 14:50:42 Banana_Stand kernel: Inode-cache hash table entries:
32768 (order: 5, 131072 bytes)
May 31 14:50:42 Banana_Stand kernel: Memory: 504676K/524288K available
(7451K kernel code, 292K rwdatas, 2152K rodata, 292K init, 434K bss,
19612K reserved, 0K cma-reserved, 0K highmem)
May 31 14:50:42 Banana_Stand kernel: Virtual kernel memory layout:
vector : 0xffff0000 -
0xffff1000 ( 4 kB)
fixmap : 0xffc00000 -
0xffff0000 (3072 kB)
vmalloc : 0xe0800000 -
0xff800000 ( 496 MB)
lowmem : 0xc0000000 -
0xe0000000 ( 512 MB)
pkmap : 0xbfe00000 -
0xc0000000 ( 2 MB)
modules : 0xbf000000 -
0xbfe00000 ( 14 MB)
.text : 0xc0008000 -
0xc0968f20 (9604 kB)
.init : 0xc0969000 -
0xc09b2000 ( 292 kB)
.data : 0xc09b2000 -
0xc09fb020 ( 293 kB)
.bss : 0xc09fb020 -
0xc0a67848 ( 435 kB)
May 31 14:50:42 Banana_Stand kernel: SLUB: HWalign=64, Order=0-3,
MinObjects=0, CPUs=1, Nodes=1
May 31 14:50:42 Banana_Stand kernel: Hierarchical RCU implementation.
May 31 14:50:42 Banana_Stand kernel: Build-time adjustment of leaf
fanout to 32.
May 31 14:50:42 Banana_Stand kernel: RCU restricting CPUs from
NR_CPUS=2 to nr_cpu_ids=1.
May 31 14:50:42 Banana_Stand kernel: RCU: Adjusting geometry for
rcu_fanout_leaf=32, nr_cpu_ids=1
May 31 14:50:42 Banana_Stand kernel: NR_IRQS:16 nr_irqs:16 16
May 31 14:50:42 Banana_Stand kernel: L2C: DT/platform modifies aux
control register: 0x12086300 -> 0x1a086302

```


May 31 14:50:42 Banana_Stand kernel: Aurora cache controller enabled, 4 ways, 256 kB
May 31 14:50:42 Banana_Stand kernel: Aurora: CACHE_ID 0x00000100, AUX_CTRL 0x1a086302
May 31 14:50:42 Banana_Stand kernel: Switching to timer-based delay loop, resolution 58ns
May 31 14:50:42 Banana_Stand kernel: sched_clock: 32 bits at 17MHz, resolution 58ns, wraps every 124949592034ns
May 31 14:50:42 Banana_Stand kernel: clocksource: armada_370_xp_clocksource: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 111205136870 ns
May 31 14:50:42 Banana_Stand kernel: Console: colour dummy device 80x30
May 31 14:50:42 Banana_Stand kernel: Calibrating delay loop (skipped), value calculated using timer frequency.. 34.37 BogoMIPS (lpj=171868)
May 31 14:50:42 Banana_Stand kernel: pid_max: default: 32768 minimum: 301
May 31 14:50:42 Banana_Stand kernel: Security Framework initialized
May 31 14:50:42 Banana_Stand kernel: Mount-cache hash table entries: 1024 (order: 0, 4096 bytes)
May 31 14:50:42 Banana_Stand kernel: Mountpoint-cache hash table entries: 1024 (order: 0, 4096 bytes)
May 31 14:50:42 Banana_Stand kernel: Initializing cgroup subsys io
May 31 14:50:42 Banana_Stand kernel: Initializing cgroup subsys devices
May 31 14:50:42 Banana_Stand kernel: Initializing cgroup subsys freezer
May 31 14:50:42 Banana_Stand kernel: CPU: Testing write buffer coherency: ok
May 31 14:50:42 Banana_Stand kernel: CPU0: thread -1, cpu 0, socket -1, mpidr 0
May 31 14:50:42 Banana_Stand kernel: Setting up static identity map for 0x8280 - 0x82d8
May 31 14:50:42 Banana_Stand kernel: mvebu-soc-id: MVEBU SoC ID=0x6710, Rev=0x1
May 31 14:50:42 Banana_Stand kernel: mvebu-pmsu: Initializing Power Management Service Unit
May 31 14:50:42 Banana_Stand kernel: Brought up 1 CPUs
May 31 14:50:42 Banana_Stand kernel: SMP: Total of 1 processors activated (34.37 BogoMIPS).
May 31 14:50:42 Banana_Stand kernel: CPU: All CPU(s) started in SVC mode.
May 31 14:50:42 Banana_Stand kernel: devtmpfs: initialized
May 31 14:50:42 Banana_Stand kernel: VFP support v0.3: implementor 56 architecture 2 part 20 variant 9 rev 6
May 31 14:50:42 Banana_Stand kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 31 14:50:42 Banana_Stand kernel: futex hash table entries: 256 (order: 2, 16384 bytes)
May 31 14:50:42 Banana_Stand kernel: xor: measuring software checksum speed
May 31 14:50:42 Banana_Stand kernel: arm4regs : 1078.000 MB/sec
May 31 14:50:42 Banana_Stand kernel: 8regs : 652.400 MB/sec
May 31 14:50:42 Banana_Stand kernel: 32regs : 843.200 MB/sec
May 31 14:50:42 Banana_Stand kernel: xor: using function: arm4regs (1078.000 MB/sec)
May 31 14:50:42 Banana_Stand kernel: pinctrl core: initialized pinctrl subsystem
May 31 14:50:42 Banana_Stand kernel: NET: Registered protocol family 16

```
May 31 14:50:42 Banana_Stand kernel: DMA: preallocated 256 KiB pool for
atomic coherent allocations
May 31 14:50:42 Banana_Stand kernel: raid6: int32x1 gen() 133 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x1 xor() 168 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x2 gen() 206 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x2 xor() 182 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x4 gen() 248 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x4 xor() 186 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x8 gen() 277 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: int32x8 xor() 171 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: using algorithm int32x8 gen()
277 MB/s
May 31 14:50:42 Banana_Stand kernel: raid6: .... xor() 171 MB/s, rmw
enabled
May 31 14:50:42 Banana_Stand kernel: raid6: using intx1 recovery
algorithm
May 31 14:50:42 Banana_Stand kernel: vgaarb: loaded
May 31 14:50:42 Banana_Stand kernel: SCSI subsystem initialized
May 31 14:50:42 Banana_Stand kernel: libata version 3.00 loaded.
May 31 14:50:42 Banana_Stand kernel: usbcore: registered new interface
driver usbfs
May 31 14:50:42 Banana_Stand kernel: usbcore: registered new interface
driver hub
May 31 14:50:42 Banana_Stand kernel: usbcore: registered new device
driver usb
May 31 14:50:42 Banana_Stand kernel: pps_core: LinuxPPS API ver. 1
registered
May 31 14:50:42 Banana_Stand kernel: pps_core: Software ver. 5.3.6 -
Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 31 14:50:42 Banana_Stand kernel: PTP clock support registered
May 31 14:50:42 Banana_Stand kernel: Bluetooth: Core ver 2.21
May 31 14:50:42 Banana_Stand kernel: NET: Registered protocol family 31
May 31 14:50:42 Banana_Stand kernel: Bluetooth: HCI device and connection
manager initialized
May 31 14:50:42 Banana_Stand kernel: Bluetooth: HCI socket layer
initialized
May 31 14:50:42 Banana_Stand kernel: Bluetooth: L2CAP socket layer
initialized
May 31 14:50:42 Banana_Stand kernel: Bluetooth: SCO socket layer
initialized
May 31 14:50:42 Banana_Stand kernel: clocksource: Switched to clocksource
armada_370_xp_clocksource
May 31 14:50:42 Banana_Stand kernel: FS-Cache: Loaded
May 31 14:50:42 Banana_Stand kernel: NET: Registered protocol family 2
May 31 14:50:42 Banana_Stand kernel: TCP established hash table entries:
4096 (order: 2, 16384 bytes)
May 31 14:50:42 Banana_Stand kernel: TCP bind hash table entries: 4096
(order: 4, 81920 bytes)
May 31 14:50:42 Banana_Stand kernel: TCP: Hash tables configured
(established 4096 bind 4096)
May 31 14:50:42 Banana_Stand kernel: UDP hash table entries: 256 (order:
1, 12288 bytes)
May 31 14:50:42 Banana_Stand kernel: UDP-Lite hash table entries: 256
(order: 1, 12288 bytes)
```

May 31 14:50:42 Banana_Stand kernel: NET: Registered protocol family 1
May 31 14:50:42 Banana_Stand kernel: RPC: Registered named UNIX socket transport module.
May 31 14:50:42 Banana_Stand kernel: RPC: Registered udp transport module.
May 31 14:50:42 Banana_Stand kernel: RPC: Registered tcp transport module.
May 31 14:50:42 Banana_Stand kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
May 31 14:50:42 Banana_Stand kernel: PCI: CLS 0 bytes, default 64
May 31 14:50:42 Banana_Stand kernel: Unpacking initramfs...
May 31 14:50:42 Banana_Stand kernel: Freeing initrd memory: 3308K
May 31 14:50:42 Banana_Stand kernel: VFS: Disk quotas dquot_6.6.0
May 31 14:50:42 Banana_Stand kernel: VFS: Dquot-cache hash table entries: 1024 (order 0, 4096 bytes)
May 31 14:50:42 Banana_Stand kernel: NFS: Registering the id_resolver key type
May 31 14:50:42 Banana_Stand kernel: Key type id_resolver registered
May 31 14:50:42 Banana_Stand kernel: Key type id_legacy registered
May 31 14:50:42 Banana_Stand kernel: Installing knfsd (copyright (C) 1996 okir@monad.swb.de).
May 31 14:50:42 Banana_Stand kernel: Key type cifs.spnego registered
May 31 14:50:42 Banana_Stand kernel: Key type cifs.idmap registered
May 31 14:50:42 Banana_Stand kernel: fuse init (API version 7.23)
May 31 14:50:42 Banana_Stand kernel: NET: Registered protocol family 38
May 31 14:50:42 Banana_Stand kernel: async_tx: api initialized (async)
May 31 14:50:42 Banana_Stand kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 251)
May 31 14:50:42 Banana_Stand kernel: io scheduler noop registered
May 31 14:50:42 Banana_Stand kernel: io scheduler deadline registered
May 31 14:50:42 Banana_Stand kernel: io scheduler cfq registered (default)
May 31 14:50:42 Banana_Stand kernel: io scheduler bfq registered
May 31 14:50:42 Banana_Stand kernel: BFQ I/O-scheduler: v7r11
May 31 14:50:42 Banana_Stand kernel: crc32: CRC_LE_BITS = 64, CRC_BE BITS = 64
May 31 14:50:42 Banana_Stand kernel: crc32: self tests passed, processed 225944 bytes in 727884 nsec
May 31 14:50:42 Banana_Stand kernel: crc32c: CRC_LE_BITS = 64
May 31 14:50:42 Banana_Stand kernel: crc32c: self tests passed, processed 225944 bytes in 372728 nsec
May 31 14:50:42 Banana_Stand kernel: crc32_combine: 8373 self tests passed
May 31 14:50:42 Banana_Stand kernel: crc32c_combine: 8373 self tests passed
May 31 14:50:42 Banana_Stand kernel: armada-370-pinctrl d0018000.pinctrl: registered pinctrl driver
May 31 14:50:42 Banana_Stand kernel: irq: Cannot allocate irq_descs @ IRQ39, assuming pre-allocated
May 31 14:50:42 Banana_Stand kernel: irq: Cannot allocate irq_descs @ IRQ71, assuming pre-allocated
May 31 14:50:42 Banana_Stand kernel: irq: Cannot allocate irq_descs @ IRQ103, assuming pre-allocated

May 31 14:50:42 Banana_Stand kernel: mvebu-pcie soc:pcie-controller: PCI host bridge to bus 0000:00
May 31 14:50:42 Banana_Stand kernel: pci_bus 0000:00: root bus resource [io 0x1000-0xffffffff]
May 31 14:50:42 Banana_Stand kernel: pci_bus 0000:00: root bus resource [mem 0xf8000000-0xffdf0000]
May 31 14:50:42 Banana_Stand kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:01.0: [11ab:6710] type 01 class 0x060400
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:02.0: [11ab:6710] type 01 class 0x060400
May 31 14:50:42 Banana_Stand kernel: PCI: bus0: Fast back to back transfers disabled
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:01.0: bridge configuration invalid ([bus 00-00]), reconfiguring
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:02.0: bridge configuration invalid ([bus 00-00]), reconfiguring
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: [1b73:1009] type 00 class 0x0c0330
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: reg 0x10: [mem 0x40000000-0x4000ffff 64bit]
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: reg 0x18: [mem 0x40010000-0x40010fff 64bit]
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: reg 0x20: [mem 0x40011000-0x40011fff 64bit]
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: supports D1
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: PME# supported from D0 D1 D3hot D3cold
May 31 14:50:42 Banana_Stand kernel: PCI: bus1: Fast back to back transfers disabled
May 31 14:50:42 Banana_Stand kernel: pci_bus 0000:01: busn_res: [bus 01-ff] end is updated to 01
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: [1b4b:9215] type 00 class 0x010601
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x10: [io 0xffffffff8-0xfffffffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x14: [io 0xffffffffc-0xfffffffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x18: [io 0xffffffff8-0xfffffffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x1c: [io 0xffffffffc-0xfffffffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x20: [io 0xffffffffe0-0xfffffffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x24: [mem 0x42000000-0x420007ff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: reg 0x30: [mem 0xd0000000-0xd000ffff pref]
May 31 14:50:42 Banana_Stand kernel: pci 0000:02:00.0: PME# supported from D3hot
May 31 14:50:42 Banana_Stand kernel: PCI: bus2: Fast back to back transfers disabled

```
May 31 14:50:42 Banana_Stand kernel: pci_bus 0000:02: busn_res: [bus 02-ff] end is updated to 02
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:01.0: BAR 14: assigned [mem 0xf8000000-0xf80fffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:02.0: BAR 14: assigned [mem 0xf8100000-0xf81fffff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:00:02.0: BAR 13: assigned [io 0x10000-0x10fff]
May 31 14:50:42 Banana_Stand kernel: pci 0000:01:00.0: BAR 0: assigned [mem 0xf8000000-0xf800ffff 64bit]
May 31 14:50:43 Banana_Stand kernel: pci 0000:01:00.0: BAR 2: assigned [mem 0xf8010000-0xf8010fff 64bit]
May 31 14:50:43 Banana_Stand kernel: pci 0000:01:00.0: BAR 4: assigned [mem 0xf8011000-0xf8011fff 64bit]
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:01.0: PCI bridge to [bus 01]
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:01.0: bridge window [mem 0xf8000000-0xf80fffff]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 6: assigned [mem 0xf8100000-0xf810ffff pref]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 5: assigned [mem 0xf8110000-0xf81107ff]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 4: assigned [io 0x10000-0x1001f]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 0: assigned [io 0x10020-0x10027]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 2: assigned [io 0x10028-0x1002f]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 1: assigned [io 0x10030-0x10033]
May 31 14:50:43 Banana_Stand kernel: pci 0000:02:00.0: BAR 3: assigned [io 0x10034-0x10037]
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:02.0: PCI bridge to [bus 02]
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:02.0: bridge window [io 0x10000-0x10fff]
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:02.0: bridge window [mem 0xf8100000-0xf81fffff]
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:01.0: enabling device (0140 -> 0142)
May 31 14:50:43 Banana_Stand kernel: mv_xor d0060800.xor: Marvell shared XOR driver
May 31 14:50:43 Banana_Stand kernel: mv_xor d0060800.xor: Marvell XOR (Registers Mode): ( xor cpy intr )
May 31 14:50:43 Banana_Stand kernel: mv_xor d0060900.xor: Marvell shared XOR driver
May 31 14:50:43 Banana_Stand kernel: mv_xor d0060900.xor: Marvell XOR (Registers Mode): ( xor cpy intr )
May 31 14:50:43 Banana_Stand kernel: Serial: 8250/16550 driver, 2 ports, IRQ sharing disabled
May 31 14:50:43 Banana_Stand kernel: console [ttyS0] disabled
May 31 14:50:43 Banana_Stand kernel: d0012000.serial: ttyS0 at MMIO 0xd0012000 (irq = 19, base_baud = 12500000) is a 16550A
May 31 14:50:43 Banana_Stand kernel: console [ttyS0] enabled
```

```
May 31 14:50:43 Banana_Stand kernel: loop: module loaded
May 31 14:50:43 Banana_Stand kernel: ahci 0000:02:00.0: version 3.0
May 31 14:50:43 Banana_Stand kernel: pci 0000:00:02.0: enabling device
(0140 -> 0143)
May 31 14:50:43 Banana_Stand kernel: ahci 0000:02:00.0: enabling device
(0146 -> 0147)
May 31 14:50:43 Banana_Stand kernel: ahci 0000:02:00.0: AHCI 0001.0000 32
slots 4 ports 6 Gbps 0xf impl SATA mode
May 31 14:50:43 Banana_Stand kernel: ahci 0000:02:00.0: flags: 64bit ncq
sntf led only pmp fbs pio slum part sxs
May 31 14:50:43 Banana_Stand kernel: scsi host0: ahci
May 31 14:50:43 Banana_Stand kernel: scsi host1: ahci
May 31 14:50:43 Banana_Stand kernel: scsi host2: ahci
May 31 14:50:43 Banana_Stand kernel: scsi host3: ahci
May 31 14:50:43 Banana_Stand kernel: ata1: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110100 irq 109
May 31 14:50:43 Banana_Stand kernel: ata2: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110180 irq 109
May 31 14:50:43 Banana_Stand kernel: ata3: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110200 irq 109
May 31 14:50:43 Banana_Stand kernel: ata4: SATA max UDMA/133 abar
m2048@0xf8110000 port 0xf8110280 irq 109
May 31 14:50:43 Banana_Stand kernel: sata_mv d00a0000.sata: version 1.28
May 31 14:50:43 Banana_Stand kernel: sata_mv d00a0000.sata: slots 32
ports 1
May 31 14:50:43 Banana_Stand kernel: scsi host4: sata_mv
May 31 14:50:43 Banana_Stand kernel: ata5: SATA max UDMA/133 irq 28
May 31 14:50:43 Banana_Stand kernel: Rounding down aligned max_sectors
from 4294967295 to 4294967288
May 31 14:50:43 Banana_Stand kernel: pxa3xx-nand d00d0000.nand: This
platform can't do DMA on this device
May 31 14:50:43 Banana_Stand kernel: nand: device found, Manufacturer ID:
0x2c, Chip ID: 0xf1
May 31 14:50:43 Banana_Stand kernel: nand: Micron MT29F1G08ABADAWP
May 31 14:50:43 Banana_Stand kernel: nand: 128 MiB, SLC, erase size: 128
KiB, page size: 2048, OOB size: 64
May 31 14:50:43 Banana_Stand kernel: pxa3xx-nand d00d0000.nand: ECC
strength 16, ECC step size 2048
May 31 14:50:43 Banana_Stand kernel: Bad block table found at page 65472,
version 0x01
May 31 14:50:43 Banana_Stand kernel: Bad block table found at page 65408,
version 0x01
May 31 14:50:43 Banana_Stand kernel: 5 ofpart partitions found on MTD
device pxa3xx_nand-0
May 31 14:50:43 Banana_Stand kernel: Creating 5 MTD partitions on
"pxa3xx_nand-0":
May 31 14:50:43 Banana_Stand kernel: 0x000000000000-0x000000180000 : "u-
boot"
May 31 14:50:43 Banana_Stand kernel: 0x000000180000-0x000000200000 : "u-
boot-env"
May 31 14:50:43 Banana_Stand kernel: 0x000000200000-0x000000800000 :
"uImage"
May 31 14:50:43 Banana_Stand kernel: 0x000000800000-0x000000c00000 :
"minirootfs"
```

May 31 14:50:43 Banana_Stand kernel: 0x000000c00000-0x000008000000 :
"ubifs"
May 31 14:50:43 Banana_Stand kernel: Ethernet Channel Bonding Driver:
v3.7.1 (April 27, 2011)
May 31 14:50:43 Banana_Stand kernel: libphy: Fixed MDIO Bus: probed
May 31 14:50:43 Banana_Stand kernel: tun: Universal TUN/TAP device
driver, 1.6
May 31 14:50:43 Banana_Stand kernel: tun: (C) 1999-2004 Max Krasnyansky
<maxk@qualcomm.com>
May 31 14:50:43 Banana_Stand kernel: libphy: orion_mdio_bus: probed
May 31 14:50:43 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Using
device tree mac address e8:fc:af:e5:35:6c
May 31 14:50:43 Banana_Stand kernel: mvneta d0074000.ethernet eth1: Using
device tree mac address e8:fc:af:e5:35:6d
May 31 14:50:43 Banana_Stand kernel: ehci_hcd: USB 2.0 'Enhanced' Host
Controller (EHCI) Driver
May 31 14:50:43 Banana_Stand kernel: ehci-pci: EHCI PCI platform driver
May 31 14:50:43 Banana_Stand kernel: ehci-orion: EHCI orion driver
May 31 14:50:43 Banana_Stand kernel: orion-ehci d0050000.usb: EHCI Host
Controller
May 31 14:50:43 Banana_Stand kernel: orion-ehci d0050000.usb: new USB bus
registered, assigned bus number 1
May 31 14:50:43 Banana_Stand kernel: orion-ehci d0050000.usb: irq 25, io
mem 0xd0050000
May 31 14:50:43 Banana_Stand kernel: orion-ehci d0050000.usb: USB 2.0
started, EHCI 1.00
May 31 14:50:43 Banana_Stand kernel: usb usb1: New USB device found,
idVendor=1d6b, idProduct=0002
May 31 14:50:43 Banana_Stand kernel: usb usb1: New USB device strings:
Mfr=3, Product=2, SerialNumber=1
May 31 14:50:43 Banana_Stand kernel: usb usb1: Product: EHCI Host
Controller
May 31 14:50:43 Banana_Stand kernel: usb usb1: Manufacturer: Linux
4.4.116.armada.1 ehci_hcd
May 31 14:50:43 Banana_Stand kernel: usb usb1: SerialNumber: d0050000.usb
May 31 14:50:43 Banana_Stand kernel: hub 1-0:1.0: USB hub found
May 31 14:50:43 Banana_Stand kernel: hub 1-0:1.0: 1 port detected
May 31 14:50:43 Banana_Stand kernel: xhci_hcd 0000:01:00.0: xHCI Host
Controller
May 31 14:50:43 Banana_Stand kernel: xhci_hcd 0000:01:00.0: new USB bus
registered, assigned bus number 2
May 31 14:50:43 Banana_Stand kernel: xhci_hcd 0000:01:00.0: hcc params
0x200073a1 hci version 0x100 quirks 0x00080010
May 31 14:50:43 Banana_Stand kernel: usb usb2: New USB device found,
idVendor=1d6b, idProduct=0002
May 31 14:50:43 Banana_Stand kernel: usb usb2: New USB device strings:
Mfr=3, Product=2, SerialNumber=1
May 31 14:50:43 Banana_Stand kernel: usb usb2: Product: xHCI Host
Controller
May 31 14:50:43 Banana_Stand kernel: usb usb2: Manufacturer: Linux
4.4.116.armada.1 xhci-hcd
May 31 14:50:43 Banana_Stand kernel: usb usb2: SerialNumber: 0000:01:00.0
May 31 14:50:43 Banana_Stand kernel: hub 2-0:1.0: USB hub found
May 31 14:50:43 Banana_Stand kernel: hub 2-0:1.0: 2 ports detected

May 31 14:50:43 Banana_Stand kernel: xhci_hcd 0000:01:00.0: xHCI Host Controller
May 31 14:50:43 Banana_Stand kernel: xhci_hcd 0000:01:00.0: new USB bus registered, assigned bus number 3
May 31 14:50:43 Banana_Stand kernel: usb usb3: We don't know the algorithms for LPM for this host, disabling LPM.
May 31 14:50:43 Banana_Stand kernel: usb usb3: New USB device found, idVendor=1d6b, idProduct=0003
May 31 14:50:43 Banana_Stand kernel: usb usb3: New USB device strings: Mfr=3, Product=2, SerialNumber=1
May 31 14:50:43 Banana_Stand kernel: usb usb3: Product: xHCI Host Controller
May 31 14:50:43 Banana_Stand kernel: usb usb3: Manufacturer: Linux 4.4.116.armada.1 xhci-hcd
May 31 14:50:43 Banana_Stand kernel: usb usb3: SerialNumber: 0000:01:00.0
May 31 14:50:43 Banana_Stand kernel: hub 3-0:1.0: USB hub found
May 31 14:50:43 Banana_Stand kernel: hub 3-0:1.0: 2 ports detected
May 31 14:50:43 Banana_Stand kernel: usbcore: registered new interface driver cdc_acm
May 31 14:50:43 Banana_Stand kernel: cdc_acm: USB Abstract Control Model driver for USB modems and ISDN adapters
May 31 14:50:43 Banana_Stand kernel: usbcore: registered new interface driver usblp
May 31 14:50:43 Banana_Stand kernel: usbcore: registered new interface driver usb-storage
May 31 14:50:43 Banana_Stand kernel: i2c /dev entries driver
May 31 14:50:43 Banana_Stand kernel: rtc-isl12057 0-0068: rtc core: registered rtc-isl12057 as rtc0
May 31 14:50:43 Banana_Stand kernel: pca953x 0-0023: interrupt support not compiled in
May 31 14:50:43 Banana_Stand kernel: md: raid0 personality registered for level 0
May 31 14:50:43 Banana_Stand kernel: md: raid1 personality registered for level 1
May 31 14:50:43 Banana_Stand kernel: md: raid10 personality registered for level 10
May 31 14:50:43 Banana_Stand kernel: md: raid6 personality registered for level 6
May 31 14:50:43 Banana_Stand kernel: md: raid5 personality registered for level 5
May 31 14:50:43 Banana_Stand kernel: md: raid4 personality registered for level 4
May 31 14:50:43 Banana_Stand kernel: device-mapper: ioctl: 4.34.0-ioctl (2015-10-28) initialised: dm-devel@redhat.com
May 31 14:50:43 Banana_Stand kernel: usbcore: registered new interface driver btusb
May 31 14:50:43 Banana_Stand kernel: usbcore: registered new interface driver usbhid
May 31 14:50:43 Banana_Stand kernel: usbhid: USB HID core driver
May 31 14:50:43 Banana_Stand kernel: ip_tables: (C) 2000-2006 Netfilter Core Team
May 31 14:50:43 Banana_Stand kernel: NET: Registered protocol family 10
May 31 14:50:43 Banana_Stand kernel: NET: Registered protocol family 17
May 31 14:50:43 Banana_Stand kernel: 8021q: 802.1Q VLAN Support v1.8

May 31 14:50:43 Banana_Stand kernel: Key type dns_resolver registered
May 31 14:50:43 Banana_Stand kernel: Registering SWP/SWPB emulation handler
May 31 14:50:43 Banana_Stand kernel: Btrfs loaded, crc32c=crc32c-generic
May 31 14:50:43 Banana_Stand kernel: input: gpio-keys as /devices/platform/gpio-keys/input/input0
May 31 14:50:43 Banana_Stand kernel: rtc-isl12057 0-0068: setting system clock to 2018-05-31 12:50:27 UTC (1527771027)
May 31 14:50:43 Banana_Stand kernel: ata5: SATA link down (SStatus 0 SControl F300)
May 31 14:50:43 Banana_Stand kernel: ata2: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:50:43 Banana_Stand kernel: ata1: SATA link up 6.0 Gbps (SStatus 133 SControl 300)
May 31 14:50:43 Banana_Stand kernel: ata1.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:50:43 Banana_Stand kernel: ata1.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:50:43 Banana_Stand kernel: ata2.00: ATA-9: WDC WD40EFRX-68WT0N0, 82.00A82, max UDMA/133
May 31 14:50:43 Banana_Stand kernel: ata2.00: 7814037168 sectors, multi 0: LBA48 NCQ (depth 31/32), AA
May 31 14:50:43 Banana_Stand kernel: ata1.00: configured for UDMA/133
May 31 14:50:43 Banana_Stand kernel: ata2.00: configured for UDMA/133
May 31 14:50:43 Banana_Stand kernel: scsi 0:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: [sda] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: [sda] 4096-byte physical blocks
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: [sda] Write Protect is off
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: [sda] Mode Sense: 00 3a 00 00
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: [sda] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: Attached scsi generic sg0 type 0
May 31 14:50:43 Banana_Stand kernel: scsi 1:0:0:0: Direct-Access ATA WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: Attached scsi generic sg1 type 0
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: [sdb] 7814037168 512-byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: [sdb] 4096-byte physical blocks
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: [sdb] Write Protect is off
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: [sdb] Mode Sense: 00 3a 00 00
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: [sdb] Write cache: enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:50:43 Banana_Stand kernel: sda: sda1 sda2 sda3
May 31 14:50:43 Banana_Stand kernel: sd 0:0:0:0: [sda] Attached SCSI disk

```
May 31 14:50:43 Banana_Stand kernel: sdb: sdb1 sdb2 sdb3
May 31 14:50:43 Banana_Stand kernel: sd 1:0:0:0: [sdb] Attached SCSI disk
May 31 14:50:43 Banana_Stand kernel: ata3: SATA link up 6.0 Gbps (SStatus
133 SControl 300)
May 31 14:50:43 Banana_Stand kernel: ata3.00: ATA-9: WDC WD40EFRX-
68WT0N0, 82.00A82, max UDMA/133
May 31 14:50:43 Banana_Stand kernel: ata3.00: 7814037168 sectors, multi
0: LBA48 NCQ (depth 31/32), AA
May 31 14:50:43 Banana_Stand kernel: ata3.00: configured for UDMA/133
May 31 14:50:43 Banana_Stand kernel: scsi 2:0:0:0: Direct-Access ATA
WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: [sdc] 7814037168 512-
byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: [sdc] 4096-byte physical
blocks
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: [sdc] Write Protect is
off
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: [sdc] Mode Sense: 00 3a
00 00
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: [sdc] Write cache:
enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: Attached scsi generic
sg2 type 0
May 31 14:50:43 Banana_Stand kernel: ata4: SATA link up 6.0 Gbps (SStatus
133 SControl 300)
May 31 14:50:43 Banana_Stand kernel: ata4.00: ATA-9: WDC WD40EFRX-
68WT0N0, 82.00A82, max UDMA/133
May 31 14:50:43 Banana_Stand kernel: ata4.00: 7814037168 sectors, multi
0: LBA48 NCQ (depth 31/32), AA
May 31 14:50:43 Banana_Stand kernel: ata4.00: configured for UDMA/133
May 31 14:50:43 Banana_Stand kernel: scsi 3:0:0:0: Direct-Access ATA
WDC WD40EFRX-68W 0A82 PQ: 0 ANSI: 5
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: [sdd] 7814037168 512-
byte logical blocks: (4.00 TB/3.64 TiB)
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: [sdd] 4096-byte physical
blocks
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: [sdd] Write Protect is
off
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: [sdd] Mode Sense: 00 3a
00 00
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: [sdd] Write cache:
enabled, read cache: enabled, doesn't support DPO or FUA
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: Attached scsi generic
sg3 type 0
May 31 14:50:43 Banana_Stand kernel: sdc: sdc1 sdc2 sdc3
May 31 14:50:43 Banana_Stand kernel: sd 2:0:0:0: [sdc] Attached SCSI disk
May 31 14:50:43 Banana_Stand kernel: sdd: sdd1 sdd2 sdd3
May 31 14:50:43 Banana_Stand kernel: sd 3:0:0:0: [sdd] Attached SCSI disk
May 31 14:50:43 Banana_Stand kernel: Freeing unused kernel memory: 292K
May 31 14:50:43 Banana_Stand kernel: vpd: loading out-of-tree module
taints kernel.
May 31 14:50:43 Banana_Stand kernel: vpd: module license 'Proprietary'
taints kernel.
```

May 31 14:50:43 Banana_Stand kernel: Disabling lock debugging due to kernel taint
May 31 14:50:43 Banana_Stand kernel: ReadyNAS VPD init
May 31 14:50:43 Banana_Stand kernel: ubi0: attaching mtd4
May 31 14:50:43 Banana_Stand kernel: random: nonblocking pool is initialized
May 31 14:50:43 Banana_Stand kernel: ubi0: scanning is finished
May 31 14:50:43 Banana_Stand kernel: ubi0 warning: ubi_calculate_reserved: number of bad PEBs (8) is above the expected limit (1), not reserving any PEBs for bad PEB handling, will use available PEBs (if any)
May 31 14:50:43 Banana_Stand kernel: ubi0: attached mtd4 (name "ubifs", size 116 MiB)
May 31 14:50:43 Banana_Stand kernel: ubi0: PEB size: 131072 bytes (128 KiB), LEB size: 126976 bytes
May 31 14:50:43 Banana_Stand kernel: ubi0: min./max. I/O unit sizes: 2048/2048, sub-page size 2048
May 31 14:50:43 Banana_Stand kernel: ubi0: VID header offset: 2048 (aligned 2048), data offset: 4096
May 31 14:50:43 Banana_Stand kernel: ubi0: good PEBs: 920, bad PEBs: 8, corrupted PEBs: 0
May 31 14:50:43 Banana_Stand kernel: ubi0: user volume: 1, internal volumes: 1, max. volumes count: 128
May 31 14:50:43 Banana_Stand kernel: ubi0: max/mean erase counter: 13/9, WL threshold: 4096, image sequence number: 1906814246
May 31 14:50:43 Banana_Stand kernel: ubi0: available PEBs: 9, total reserved PEBs: 911, PEBs reserved for bad PEB handling: 0
May 31 14:50:43 Banana_Stand kernel: ubi0: background thread "ubi_bgt0d" started, PID 889
May 31 14:50:43 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth1: link is not ready
May 31 14:50:43 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth0: link is not ready
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): background thread "ubifs_bgt0_0" started, PID 962
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): UBIFS: mounted UBI device 0, volume 0, name "rootfs"
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): LEB size: 126976 bytes (124 KiB), min./max. I/O unit sizes: 2048 bytes/2048 bytes
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): FS size: 113897472 bytes (108 MiB, 897 LEBs), journal size 5713920 bytes (5 MiB, 45 LEBs)
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): reserved for root: 4952683 bytes (4836 KiB)
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): media format: w4/r0 (latest is w4/r0), UUID A4101476-513D-4BB4-BCF5-6B69FF059458, small LPT model
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): un-mount UBI device 0
May 31 14:50:43 Banana_Stand kernel: UBIFS (ubi0:0): background thread "ubifs_bgt0_0" stops
May 31 14:50:43 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Link is Up - 1Gbps/Full - flow control rx/tx
May 31 14:50:43 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_CHANGE): eth0: link becomes ready

```
May 31 14:50:43 Banana_Stand kernel: md: md0 stopped.
May 31 14:50:43 Banana_Stand kernel: md: bind<sdb1>
May 31 14:50:43 Banana_Stand kernel: md: bind<sdc1>
May 31 14:50:43 Banana_Stand kernel: md: bind<sdd1>
May 31 14:50:43 Banana_Stand kernel: md: bind<sda1>
May 31 14:50:43 Banana_Stand kernel: md/raid1:md0: active with 4 out of 4
mirrors
May 31 14:50:43 Banana_Stand kernel: md0: detected capacity change from 0
to 4290772992
May 31 14:50:43 Banana_Stand kernel: md: md1 stopped.
May 31 14:50:43 Banana_Stand kernel: md: bind<sdb2>
May 31 14:50:43 Banana_Stand kernel: md: bind<sdc2>
May 31 14:50:43 Banana_Stand kernel: md: bind<sdd2>
May 31 14:50:43 Banana_Stand kernel: md: bind<sda2>
May 31 14:50:43 Banana_Stand kernel: md/raid:md1: device sda2 operational
as raid disk 0
May 31 14:50:43 Banana_Stand kernel: md/raid:md1: device sdd2 operational
as raid disk 3
May 31 14:50:43 Banana_Stand kernel: md/raid:md1: device sdc2 operational
as raid disk 2
May 31 14:50:43 Banana_Stand kernel: md/raid:md1: device sdb2 operational
as raid disk 1
May 31 14:50:43 Banana_Stand kernel: md/raid:md1: allocated 4294kB
May 31 14:50:43 Banana_Stand kernel: md/raid:md1: raid level 6 active
with 4 out of 4 devices, algorithm 2
May 31 14:50:43 Banana_Stand kernel: RAID conf printout:
May 31 14:50:43 Banana_Stand kernel: --- level:6 rd:4 wd:4
May 31 14:50:43 Banana_Stand kernel: disk 0, o:1, dev:sda2
May 31 14:50:43 Banana_Stand kernel: disk 1, o:1, dev:sdb2
May 31 14:50:43 Banana_Stand kernel: disk 2, o:1, dev:sdc2
May 31 14:50:43 Banana_Stand kernel: disk 3, o:1, dev:sdd2
May 31 14:50:43 Banana_Stand kernel: md1: detected capacity change from 0
to 1072562176
May 31 14:50:43 Banana_Stand kernel: EXT4-fs (md0): mounted filesystem
with ordered data mode. Opts: (null)
May 31 14:50:43 Banana_Stand systemd[1]: Failed to insert module 'kdbus':
Function not implemented
May 31 14:50:43 Banana_Stand systemd[1]: systemd 230 running in system
mode. (+PAM +AUDIT +SELINUX +IMA +APPARMOR +SMACK +SYSVINIT +UTMP
+LIBCRYPTSETUP +GCRYPT +GNUTLS +ACL +XZ +LZ4 +SECCOMP +BLKID +ELFUTILS
+KMOD +IDN)
May 31 14:50:43 Banana_Stand systemd[1]: Detected architecture arm.
May 31 14:50:43 Banana_Stand systemd[1]: Set hostname to <Banana_Stand>.
May 31 14:50:43 Banana_Stand systemd[1]: Listening on Journal Socket
(/dev/log).
May 31 14:50:43 Banana_Stand systemd[1]: Started Forward Password
Requests to Wall Directory Watch.
May 31 14:50:43 Banana_Stand systemd[1]: Started Dispatch Password
Requests to Console Directory Watch.
May 31 14:50:43 Banana_Stand systemd[1]: Reached target Paths.
May 31 14:50:43 Banana_Stand systemd[1]: Reached target Encrypted
Volumes.
May 31 14:50:43 Banana_Stand systemd[1]: Listening on udev Kernel Socket.
May 31 14:50:43 Banana_Stand systemd[1]: Created slice System Slice.
```

May 31 14:50:43 Banana_Stand systemd[1]: Created slice system-getty.slice.
May 31 14:50:43 Banana_Stand systemd[1]: Created slice system-serial\x2dgetty.slice.
May 31 14:50:43 Banana_Stand systemd[1]: Listening on Journal Socket.
May 31 14:50:43 Banana_Stand systemd[1]: Mounting RPC Pipe File System...
May 31 14:50:43 Banana_Stand systemd[1]: Starting Remount Root and Kernel File Systems...
May 31 14:50:43 Banana_Stand systemd[1]: Starting Load Kernel Modules...
May 31 14:50:43 Banana_Stand systemd[1]: Mounting POSIX Message Queue File System...
May 31 14:50:43 Banana_Stand systemd[1]: Listening on udev Control Socket.
May 31 14:50:43 Banana_Stand systemd[1]: Started ReadyNAS LCD splasher.
May 31 14:50:43 Banana_Stand systemd[1]: Starting ReadyNASOS system prep...
May 31 14:50:43 Banana_Stand systemd[1]: Listening on /dev/initctl Compatibility Named Pipe.
May 31 14:50:43 Banana_Stand systemd[1]: Starting Create list of required static device nodes for the current kernel...
May 31 14:50:43 Banana_Stand systemd[1]: Created slice User and Session Slice.
May 31 14:50:43 Banana_Stand systemd[1]: Reached target Slices.
May 31 14:50:43 Banana_Stand systemd[1]: Starting Journal Service...
May 31 14:50:43 Banana_Stand systemd[1]: Mounting RPC Pipe File System...
May 31 14:50:43 Banana_Stand systemd[1]: Mounted RPC Pipe File System.
May 31 14:50:43 Banana_Stand systemd[1]: Mounted POSIX Message Queue File System.
May 31 14:50:43 Banana_Stand systemd[1]: Mounted RPC Pipe File System.
May 31 14:50:43 Banana_Stand systemd[1]: Started Remount Root and Kernel File Systems.
May 31 14:50:43 Banana_Stand systemd[1]: Started Load Kernel Modules.
May 31 14:50:43 Banana_Stand systemd[1]: Started ReadyNASOS system prep.
May 31 14:50:43 Banana_Stand systemd[1]: Started Create list of required static device nodes for the current kernel.
May 31 14:50:43 Banana_Stand systemd[1]: Starting Create Static Device Nodes in /dev...
May 31 14:50:43 Banana_Stand systemd[1]: Mounting FUSE Control File System...
May 31 14:50:43 Banana_Stand systemd[1]: Starting Apply Kernel Variables...
May 31 14:50:43 Banana_Stand systemd[1]: Mounting Configuration File System...
May 31 14:50:43 Banana_Stand systemd[1]: Starting Load/Save Random Seed...
May 31 14:50:43 Banana_Stand systemd[1]: Starting Rebuild Hardware Database...
May 31 14:50:43 Banana_Stand systemd[1]: Mounted Configuration File System.
May 31 14:50:43 Banana_Stand systemd[1]: Mounted FUSE Control File System.
May 31 14:50:43 Banana_Stand systemd[1]: Started Create Static Device Nodes in /dev.
May 31 14:50:43 Banana_Stand systemd[1]: Started Apply Kernel Variables.

```
May 31 14:50:43 Banana_Stand systemd[1]: Started Load/Save Random Seed.
May 31 14:50:43 Banana_Stand systemd[1]: Starting udev Kernel Device
Manager...
May 31 14:50:43 Banana_Stand systemd[1]: Started udev Kernel Device
Manager.
May 31 14:50:43 Banana_Stand systemd[1]: Starting MD arrays...
May 31 14:50:43 Banana_Stand systemd[1]: Started Journal Service.
May 31 14:50:44 Banana_Stand kernel: md: md127 stopped.
May 31 14:50:44 Banana_Stand kernel: md: bind<sdb3>
May 31 14:50:44 Banana_Stand kernel: md: bind<sdc3>
May 31 14:50:44 Banana_Stand kernel: md: bind<sdd3>
May 31 14:50:44 Banana_Stand kernel: md: bind<sda3>
May 31 14:50:44 Banana_Stand kernel: md/raid:md127: device sda3
operational as raid disk 0
May 31 14:50:44 Banana_Stand kernel: md/raid:md127: device sdd3
operational as raid disk 3
May 31 14:50:44 Banana_Stand kernel: md/raid:md127: device sdc3
operational as raid disk 2
May 31 14:50:44 Banana_Stand kernel: md/raid:md127: device sdb3
operational as raid disk 1
May 31 14:50:44 Banana_Stand kernel: md/raid:md127: allocated 4294kB
May 31 14:50:44 Banana_Stand kernel: md/raid:md127: raid level 5 active
with 4 out of 4 devices, algorithm 2
May 31 14:50:44 Banana_Stand kernel: RAID conf printout:
May 31 14:50:44 Banana_Stand kernel: --- level:5 rd:4 wd:4
May 31 14:50:44 Banana_Stand kernel: disk 0, o:1, dev:sda3
May 31 14:50:44 Banana_Stand kernel: disk 1, o:1, dev:sdb3
May 31 14:50:44 Banana_Stand kernel: disk 2, o:1, dev:sdc3
May 31 14:50:44 Banana_Stand kernel: disk 3, o:1, dev:sdd3
May 31 14:50:44 Banana_Stand kernel: md127: detected capacity change from
0 to 11987456360448
May 31 14:50:45 Banana_Stand kernel: Adding 1047420k swap on /dev/md1.
Priority:-1 extents:1 across:1047420k
May 31 14:50:45 Banana_Stand kernel: BTRFS: device label 2fe5356c:data
devid 1 transid 39053 /dev/md127
May 31 14:50:45 Banana_Stand kernel: BTRFS info (device md127): setting
nodatasum
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36127408128 len 4096
May 31 14:50:46 Banana_Stand kernel: BTRFS warning (device md127): failed
to read tree root
May 31 14:50:46 Banana_Stand kernel: BTRFS critical (device md127):
unable to find logical 36128522240 len 4096
```


May 31 14:50:46 Banana_Stand kernel: BTRFS error (device md127):
open_ctree failed
May 31 14:50:53 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_UP): eth0:
link is not ready
May 31 14:50:54 Banana_Stand kernel: NFSD: Using /var/lib/nfs/v4recovery
as the NFSv4 state recovery directory
May 31 14:50:54 Banana_Stand kernel: NFSD: starting 90-second grace
period (net c09f1500)
May 31 14:50:58 Banana_Stand kernel: mvneta d0070000.ethernet eth0: Link
is Up - 1Gbps/Full - flow control rx/tx
May 31 14:50:58 Banana_Stand kernel: IPv6: ADDRCONF(NETDEV_CHANGE): eth0:
link becomes ready
May 31 14:51:44 Banana_Stand kernel: nfsd: last server has exited,
flushing export cache
May 31 14:51:44 Banana_Stand kernel: NFSD: Using /var/lib/nfs/v4recovery
as the NFSv4 state recovery directory
May 31 14:51:44 Banana_Stand kernel: NFSD: starting 90-second grace
period (net c09f1500)
May 31 15:17:53 Banana_Stand kernel: nr_pdflush_threads exported in /proc
is scheduled for removal