

eth0 Link encap:Ethernet HWaddr b0:b9:8a:43:a2:b0
inet addr:192.168.2.231 Bcast:192.168.2.255 Mask:255.255.255.0
inet6 addr: fe80::b2b9:8aff:fe43:a2b0/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:22800058 errors:0 dropped:0 overruns:0 frame:0
TX packets:3764098 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:28478304143 (26.5 GiB) TX bytes:1019814749 (972.5 MiB)
Memory:dfef0000-dfef7fff

eth1 Link encap:Ethernet HWaddr b0:b9:8a:43:a2:b1
inet addr:192.168.2.223 Bcast:192.168.2.255 Mask:255.255.255.0
inet6 addr: fe80::b2b9:8aff:fe43:a2b1/64 Scope:Link
UP BROADCAST RUNNING MULTICAST DYNAMIC MTU:1500 Metric:1
RX packets:205909730 errors:0 dropped:1132 overruns:297 frame:0
TX packets:98126895 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:241589816035 (224.9 GiB) TX bytes:14996795954 (13.9 GiB)
Memory:dfef40000-dfef5fff

eth2 Link encap:Ethernet HWaddr b0:b9:8a:43:a2:b2
UP BROADCAST MULTICAST MTU:1500 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
Memory:dfef20000-dfef3fff

eth3 Link encap:Ethernet HWaddr b0:b9:8a:43:a2:b3
UP BROADCAST MULTICAST MTU:1500 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
Memory:dfef00000-dfef1fff

lo Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
inet6 addr: ::1/128 Scope:Host
UP LOOPBACK RUNNING MTU:65536 Metric:1
RX packets:790 errors:0 dropped:0 overruns:0 frame:0
TX packets:790 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1
RX bytes:76788 (74.9 KiB) TX bytes:76788 (74.9 KiB)

Kernel IP routing table

Destination	Gateway	Genmask	Flags	MSS	Window	irtt	Iface
0.0.0.0	192.168.2.1	0.0.0.0	UG	0	0	0	eth0
192.168.2.0	0.0.0.0	255.255.255.0	U	0	0	0	eth1
192.168.2.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.2.1	0.0.0.0	255.255.255.255	UH	0	0	0	eth0
192.168.2.1	0.0.0.0	255.255.255.255	UH	0	0	0	eth1

iface eth0 inet dhcp

mtu 1500

iface eth1 inet dhcp

mtu 1500

Settings for eth0:

Supported ports: [TP]

Supported link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full

1000baseT/Full

Supported pause frame use: Symmetric

Supports auto-negotiation: Yes

Advertised link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full

1000baseT/Full

Advertised pause frame use: Symmetric

Advertised auto-negotiation: Yes

Speed: 1000Mb/s

Duplex: Full

Port: Twisted Pair

PHYAD: 0

Transceiver: internal

Auto-negotiation: on

MDI-X: off (auto)

Supports Wake-on: pumbg

Wake-on: d

Current message level: 0x00000007 (7)

drv probe link

Link detected: yes

Settings for eth1:

Supported ports: [TP]

Supported link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full

1000baseT/Full

Supported pause frame use: Symmetric

Supports auto-negotiation: Yes

Advertised link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full
1000baseT/Full

Advertised pause frame use: Symmetric

Advertised auto-negotiation: Yes

Speed: 1000Mb/s

Duplex: Full

Port: Twisted Pair

PHYAD: 1

Transceiver: internal

Auto-negotiation: on

MDI-X: off (auto)

Supports Wake-on: pumbg

Wake-on: d

Current message level: 0x00000007 (7)

drv probe link

Link detected: yes

Settings for eth2:

Supported ports: [TP]

Supported link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full

1000baseT/Full

Supported pause frame use: Symmetric

Supports auto-negotiation: Yes

Advertised link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full

1000baseT/Full

Advertised pause frame use: Symmetric

Advertised auto-negotiation: Yes

Speed: Unknown!

Duplex: Unknown! (255)

Port: Twisted Pair

PHYAD: 2

Transceiver: internal

Auto-negotiation: on

MDI-X: off (auto)

Supports Wake-on: pumbg

Wake-on: d

Current message level: 0x00000007 (7)

drv probe link

Link detected: no

Settings for eth3:

Supported ports: [TP]

Supported link modes: 10baseT/Half 10baseT/Full

100baseT/Half 100baseT/Full

1000baseT/Full
Supported pause frame use: Symmetric
Supports auto-negotiation: Yes
Advertised link modes: 10baseT/Half 10baseT/Full
100baseT/Half 100baseT/Full
1000baseT/Full
Advertised pause frame use: Symmetric
Advertised auto-negotiation: Yes
Speed: Unknown!
Duplex: Unknown! (255)
Port: Twisted Pair
PHYAD: 3
Transceiver: internal
Auto-negotiation: on
MDI-X: off (auto)
Supports Wake-on: pumbg
Wake-on: d
Current message level: 0x00000007 (7)
drv probe link
Link detected: no

/net/connman/service/ethernet_b0b98a43a2b0_cable

Type = ethernet
Security = []
State = ready
Favorite = True
Immutable = False
AutoConnect = True
Name = Wired
Ethernet = [Method=auto, Interface=eth0, Address=B0:B9:8A:43:A2:B0, MTU=1500]
IPv4 = [Method=manual, Address=192.168.2.231, Netmask=255.255.255.0,
Gateway=192.168.2.1]
IPv4.Configuration = [Method=manual, Address=192.168.2.231, Netmask=255.255.255.0,
Gateway=192.168.2.1]
IPv6 = []
IPv6.Configuration = [Method=auto, Privacy=disabled]
Nameservers = [192.168.2.1]
Nameservers.Configuration = [192.168.2.1]
Timeservers = [192.168.2.1, time-e.netgear.com, time-a.netgear.com]
Timeservers.Configuration = []
Routes = []
Routes.Configuration = []
Domains = []
Domains.Configuration = []
Proxy = [Method=direct]

Proxy.Configuration = []
Provider = []
/net/connman/service/ethernet_b0b98a43a2b1_cable
Type = ethernet
Security = []
State = ready
Favorite = True
Immutable = False
AutoConnect = True
Name = Wired
Ethernet = [Method=auto, Interface=eth1, Address=B0:B9:8A:43:A2:B1, MTU=1500]
IPv4 = [Method=manual, Address=192.168.2.223, Netmask=255.255.255.0]
IPv4.Configuration = [Method=manual, Address=192.168.2.223, Netmask=255.255.255.0,
Gateway=192.168.2.1]
IPv6 = []
IPv6.Configuration = [Method=auto, Privacy=disabled]
Nameservers = [192.168.2.1]
Nameservers.Configuration = [192.168.2.1]
Timeservers = [192.168.2.1, time-e.netgear.com, time-a.netgear.com]
Timeservers.Configuration = [192.168.2.1, time-e.netgear.com, time-a.netgear.com]
Routes = []
Routes.Configuration = []
Domains = []
Domains.Configuration = []
Proxy = [Method=direct]
Proxy.Configuration = []
Provider = []