

System

Logs begin at Sat 2019-11-30 12:21:17 AEDT, end at Fri 2020-01-10 08:59:06 AEDT. --
Jan 02 14:31:58 NAS msmtppq[23062]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 14:32:23 NAS msmtppq[23325]: 11 more mails from queue failed to send with rc = 77
Jan 02 14:33:42 NAS connmand[2208]: ntp: adjust (slew): -0.015944 sec
Jan 02 14:41:26 NAS msmtppq[23963]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 14:41:51 NAS msmtppq[24234]: 11 more mails from queue failed to send with rc = 77
Jan 02 14:50:47 NAS connmand[2208]: ntp: adjust (slew): +0.004882 sec
Jan 02 14:51:55 NAS msmtppq[24968]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 14:52:20 NAS msmtppq[25191]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:01:24 NAS msmtppq[25868]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 15:01:49 NAS msmtppq[26108]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:04:16 NAS mdadm[2200]: Rebuild60 event detected on md device /dev/md127, component device recovery
Jan 02 15:08:18 NAS connmand[2208]: ntp: adjust (slew): +0.003904 sec
Jan 02 15:11:54 NAS msmtppq[27082]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 15:12:21 NAS msmtppq[27363]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:17:01 NAS CRON[27801]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 15:17:01 NAS CRON[27802]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 15:17:01 NAS CRON[27801]: pam_unix(cron:session): session closed for user root
Jan 02 15:21:25 NAS msmtppq[28156]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 15:21:50 NAS msmtppq[28391]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:25:22 NAS connmand[2208]: ntp: adjust (slew): +0.019314 sec
Jan 02 15:31:54 NAS msmtppq[29161]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 15:32:18 NAS msmtppq[29390]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:41:21 NAS msmtppq[30049]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 15:41:47 NAS msmtppq[30325]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:42:27 NAS connmand[2208]: ntp: adjust (slew): -0.005161 sec
Jan 02 15:51:51 NAS msmtppq[31046]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 15:52:16 NAS msmtppq[31282]: 11 more mails from queue failed to send with rc = 77
Jan 02 15:59:32 NAS connmand[2208]: ntp: adjust (slew): -0.024686 sec
Jan 02 16:01:19 NAS msmtppq[31939]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 16:01:43 NAS msmtppq[32172]: 11 more mails from queue failed to send with rc = 77
Jan 02 16:11:46 NAS msmtppq[471]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 02 16:12:10 NAS msmtpq[767]: 11 more mails from queue failed to send with rc = 77
Jan 02 16:16:36 NAS connmand[2208]: ntp: adjust (slew): +0.007820 sec
Jan 02 16:17:02 NAS CRON[1332]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 16:17:02 NAS CRON[1333]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 16:17:02 NAS CRON[1332]: pam_unix(cron:session): session closed for user root
Jan 02 16:21:13 NAS msmtpq[1662]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 16:21:37 NAS msmtpq[1947]: 11 more mails from queue failed to send with rc = 77
Jan 02 16:31:40 NAS msmtpq[2707]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 16:32:04 NAS msmtpq[2965]: 11 more mails from queue failed to send with rc = 77
Jan 02 16:33:40 NAS connmand[2208]: ntp: adjust (slew): +0.003941 sec
Jan 02 16:41:07 NAS msmtpq[3660]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 16:41:31 NAS msmtpq[3913]: 11 more mails from queue failed to send with rc = 77
Jan 02 16:50:50 NAS connmand[2208]: ntp: adjust (slew): +0.000118 sec
Jan 02 16:51:34 NAS msmtpq[4620]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 16:51:58 NAS msmtpq[4879]: 11 more mails from queue failed to send with rc = 77
Jan 02 17:02:01 NAS msmtpq[5599]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 17:02:25 NAS msmtpq[5845]: 11 more mails from queue failed to send with rc = 77
Jan 02 17:08:18 NAS connmand[2208]: ntp: adjust (slew): +0.002115 sec
Jan 02 17:11:27 NAS msmtpq[6498]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 17:11:52 NAS msmtpq[6739]: 11 more mails from queue failed to send with rc = 77
Jan 02 17:17:01 NAS CRON[7261]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 17:17:01 NAS CRON[7262]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 17:17:01 NAS CRON[7261]: pam_unix(cron:session): session closed for user root
Jan 02 17:21:55 NAS msmtpq[7651]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 17:22:19 NAS msmtpq[7924]: 11 more mails from queue failed to send with rc = 77
Jan 02 17:25:23 NAS connmand[2208]: ntp: adjust (slew): -0.001250 sec
Jan 02 17:31:23 NAS msmtpq[8625]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 17:31:48 NAS msmtpq[8876]: 11 more mails from queue failed to send with rc = 77
Jan 02 17:41:52 NAS msmtpq[9691]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 17:42:21 NAS msmtpq[9930]: 11 more mails from queue failed to send with rc = 77
Jan 02 17:42:27 NAS connmand[2208]: ntp: adjust (slew): +0.001065 sec
Jan 02 17:51:25 NAS msmtpq[10752]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpl rc = 77
Jan 02 17:51:50 NAS msmtpq[11025]: 11 more mails from queue failed to send with rc = 77

Jan 02 17:59:32 NAS connmand[2208]: ntp: adjust (slew): +0.017826 sec
Jan 02 18:01:54 NAS msmtppq[11896]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 18:02:23 NAS msmtppq[12146]: 11 more mails from queue failed to send with rc = 77
Jan 02 18:11:27 NAS msmtppq[12937]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 18:11:52 NAS msmtppq[13174]: 11 more mails from queue failed to send with rc = 77
Jan 02 18:16:37 NAS connmand[2208]: ntp: adjust (slew): -0.003934 sec
Jan 02 18:17:02 NAS CRON[13774]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 18:17:02 NAS CRON[13775]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 18:17:02 NAS CRON[13774]: pam_unix(cron:session): session closed for user root
Jan 02 18:21:55 NAS msmtppq[14186]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 18:22:22 NAS msmtppq[14456]: 11 more mails from queue failed to send with rc = 77
Jan 02 18:31:26 NAS msmtppq[15241]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 18:31:51 NAS msmtppq[15484]: 11 more mails from queue failed to send with rc = 77
Jan 02 18:33:42 NAS connmand[2208]: ntp: adjust (slew): -0.016589 sec
Jan 02 18:41:54 NAS msmtppq[16322]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 18:42:24 NAS msmtppq[16601]: 11 more mails from queue failed to send with rc = 77
Jan 02 18:50:47 NAS connmand[2208]: ntp: adjust (slew): +0.016368 sec
Jan 02 18:51:27 NAS msmtppq[17331]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 18:51:52 NAS msmtppq[17602]: 11 more mails from queue failed to send with rc = 77
Jan 02 19:01:56 NAS msmtppq[18445]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 19:02:21 NAS msmtppq[18684]: 11 more mails from queue failed to send with rc = 77
Jan 02 19:08:19 NAS connmand[2208]: ntp: adjust (slew): -0.033785 sec
Jan 02 19:11:25 NAS msmtppq[19463]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 19:11:52 NAS msmtppq[19698]: 11 more mails from queue failed to send with rc = 77
Jan 02 19:17:01 NAS CRON[20311]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 19:17:01 NAS CRON[20313]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 19:17:01 NAS CRON[20311]: pam_unix(cron:session): session closed for user root
Jan 02 19:21:56 NAS msmtppq[20701]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 19:22:21 NAS msmtppq[20976]: 11 more mails from queue failed to send with rc = 77
Jan 02 19:25:38 NAS connmand[2208]: ntp: adjust (slew): +0.007820 sec
Jan 02 19:31:25 NAS msmtppq[21756]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 19:31:55 NAS msmtppq[21995]: 11 more mails from queue failed to send with rc = 77

Jan 02 19:41:58 NAS msmtppq[22838]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 19:42:24 NAS msmtppq[23080]: 11 more mails from queue failed to send with rc = 77
Jan 02 19:42:42 NAS connmand[2208]: ntp: adjust (slew): +0.050098 sec
Jan 02 19:51:28 NAS msmtppq[23773]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 19:51:59 NAS msmtppq[24052]: 11 more mails from queue failed to send with rc = 77
Jan 02 19:59:47 NAS connmand[2208]: ntp: adjust (slew): -0.052067 sec
Jan 02 20:02:04 NAS msmtppq[24816]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 20:02:30 NAS msmtppq[25070]: 11 more mails from queue failed to send with rc = 77
Jan 02 20:11:34 NAS msmtppq[25766]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 20:12:06 NAS msmtppq[26035]: 11 more mails from queue failed to send with rc = 77
Jan 02 20:16:53 NAS connmand[2208]: ntp: adjust (slew): -0.000018 sec
Jan 02 20:17:01 NAS CRON[26541]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 20:17:01 NAS CRON[26542]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 20:17:01 NAS CRON[26541]: pam_unix(cron:session): session closed for user root
Jan 02 20:21:10 NAS msmtppq[26868]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 20:21:40 NAS msmtppq[27113]: 11 more mails from queue failed to send with rc = 77
Jan 02 20:31:44 NAS msmtppq[27952]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 20:32:09 NAS msmtppq[28181]: 11 more mails from queue failed to send with rc = 77
Jan 02 20:33:57 NAS connmand[2208]: ntp: adjust (slew): +0.004584 sec
Jan 02 20:41:13 NAS msmtppq[28866]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 20:41:38 NAS msmtppq[29139]: 11 more mails from queue failed to send with rc = 77
Jan 02 20:51:01 NAS connmand[2208]: ntp: adjust (slew): +0.005856 sec
Jan 02 20:51:42 NAS msmtppq[29892]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 20:52:08 NAS msmtppq[30126]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:01:12 NAS msmtppq[30793]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 21:01:37 NAS msmtppq[31041]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:08:20 NAS connmand[2208]: ntp: adjust (slew): -0.010573 sec
Jan 02 21:11:41 NAS msmtppq[31788]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 21:12:06 NAS msmtppq[32057]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:17:01 NAS CRON[32539]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 21:17:01 NAS CRON[32542]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 21:17:01 NAS CRON[32539]: pam_unix(cron:session): session closed for user root

Jan 02 21:21:10 NAS msmtppq[421]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 21:21:36 NAS msmtppq[693]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:25:25 NAS connmand[2208]: ntp: adjust (slew): +0.040564 sec
Jan 02 21:31:41 NAS msmtppq[1500]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 21:32:06 NAS msmtppq[1732]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:41:11 NAS msmtppq[2487]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 21:41:36 NAS msmtppq[2776]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:42:32 NAS connmand[2208]: ntp: adjust (slew): -0.033988 sec
Jan 02 21:51:40 NAS msmtppq[3610]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 21:52:05 NAS msmtppq[3844]: 11 more mails from queue failed to send with rc = 77
Jan 02 21:59:38 NAS connmand[2208]: ntp: adjust (slew): +0.023718 sec
Jan 02 22:01:09 NAS msmtppq[4553]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 22:01:34 NAS msmtppq[4799]: 11 more mails from queue failed to send with rc = 77
Jan 02 22:11:37 NAS msmtppq[5526]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 22:12:02 NAS msmtppq[5797]: 11 more mails from queue failed to send with rc = 77
Jan 02 22:16:42 NAS connmand[2208]: ntp: adjust (slew): -0.017496 sec
Jan 02 22:17:01 NAS CRON[6252]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 22:17:01 NAS CRON[6253]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 22:17:01 NAS CRON[6252]: pam_unix(cron:session): session closed for user root
Jan 02 22:21:07 NAS msmtppq[6566]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 22:21:32 NAS msmtppq[6838]: 11 more mails from queue failed to send with rc = 77
Jan 02 22:31:36 NAS msmtppq[7574]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 22:32:00 NAS msmtppq[7809]: 11 more mails from queue failed to send with rc = 77
Jan 02 22:33:47 NAS connmand[2208]: ntp: adjust (slew): -0.023985 sec
Jan 02 22:41:04 NAS msmtppq[8456]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 22:41:29 NAS msmtppq[8694]: 11 more mails from queue failed to send with rc = 77
Jan 02 22:50:51 NAS connmand[2208]: ntp: adjust (slew): +0.027023 sec
Jan 02 22:51:33 NAS msmtppq[9423]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 22:51:57 NAS msmtppq[9683]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:02:01 NAS msmtppq[10419]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 23:02:26 NAS msmtppq[10669]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:08:22 NAS connmand[2208]: ntp: adjust (slew): +0.003904 sec
Jan 02 23:11:30 NAS msmtppq[11332]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 02 23:11:58 NAS msmtppq[11566]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:17:02 NAS CRON[12067]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 02 23:17:02 NAS CRON[12068]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 02 23:17:02 NAS CRON[12067]: pam_unix(cron:session): session closed for user root
Jan 02 23:22:02 NAS msmtppq[12449]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 23:22:26 NAS msmtppq[12723]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:25:32 NAS connmand[2208]: ntp: adjust (slew): +0.016125 sec
Jan 02 23:31:31 NAS msmtppq[13362]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 23:31:55 NAS msmtppq[13598]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:41:59 NAS msmtppq[14302]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 23:42:23 NAS msmtppq[14537]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:42:37 NAS connmand[2208]: ntp: adjust (slew): -0.032633 sec
Jan 02 23:51:27 NAS msmtppq[15207]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 02 23:51:53 NAS msmtppq[15467]: 11 more mails from queue failed to send with rc = 77
Jan 02 23:59:42 NAS connmand[2208]: ntp: adjust (slew): +0.004412 sec
Jan 03 00:01:57 NAS msmtppq[16172]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 00:02:21 NAS msmtppq[16443]: 11 more mails from queue failed to send with rc = 77
Jan 03 00:11:25 NAS msmtppq[17112]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 00:11:51 NAS msmtppq[17346]: 11 more mails from queue failed to send with rc = 77
Jan 03 00:16:47 NAS connmand[2208]: ntp: adjust (slew): +0.030716 sec
Jan 03 00:17:01 NAS CRON[17841]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 00:17:01 NAS CRON[17842]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 00:17:01 NAS CRON[17841]: pam_unix(cron:session): session closed for user root
Jan 03 00:21:55 NAS msmtppq[18224]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 00:22:19 NAS msmtppq[18456]: 11 more mails from queue failed to send with rc = 77
Jan 03 00:31:23 NAS msmtppq[19098]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 00:31:48 NAS msmtppq[19372]: 11 more mails from queue failed to send with rc = 77
Jan 03 00:33:52 NAS connmand[2208]: ntp: adjust (slew): -0.037442 sec
Jan 03 00:41:51 NAS msmtppq[20097]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 00:42:16 NAS msmtppq[20337]: 11 more mails from queue failed to send with rc = 77
Jan 03 00:50:57 NAS connmand[2208]: ntp: adjust (slew): +0.006251 sec
Jan 03 00:51:20 NAS msmtppq[21010]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 00:51:44 NAS msmtppq[21246]: 11 more mails from queue failed to send with rc = 77

Jan 03 01:00:49 NAS msmtpq[21895]: mail for [-C /etc/msmtpc
malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code
was 77

Jan 03 01:00:49 NAS msmtpq[21897]: enqueued mail as : [2020-01-03-01.00.46] (-C
/etc/msmtpc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 01:01:54 NAS msmtpq[22002]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 01:02:22 NAS msmtpq[22299]: 12 more mails from queue failed to send with rc = 77

Jan 03 01:08:20 NAS connmand[2208]: ntp: adjust (slew): +0.012549 sec

Jan 03 01:11:41 NAS msmtpq[22969]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 01:12:07 NAS msmtpq[23218]: 12 more mails from queue failed to send with rc = 77

Jan 03 01:17:01 NAS CRON[23697]: pam_unix(cron:session): session opened for user root by
(uid=0)

Jan 03 01:17:01 NAS CRON[23698]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)

Jan 03 01:17:01 NAS CRON[23697]: pam_unix(cron:session): session closed for user root

Jan 03 01:21:12 NAS msmtpq[24015]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 01:21:39 NAS msmtpq[24308]: 12 more mails from queue failed to send with rc = 77

Jan 03 01:25:25 NAS connmand[2208]: ntp: adjust (slew): +0.017902 sec

Jan 03 01:31:43 NAS msmtpq[25021]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 01:32:10 NAS msmtpq[25275]: 12 more mails from queue failed to send with rc = 77

Jan 03 01:41:13 NAS msmtpq[25917]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 01:41:40 NAS msmtpq[26178]: 12 more mails from queue failed to send with rc = 77

Jan 03 01:42:30 NAS connmand[2208]: ntp: adjust (slew): -0.019073 sec

Jan 03 01:51:44 NAS msmtpq[26886]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 01:52:12 NAS msmtpq[27178]: 12 more mails from queue failed to send with rc = 77

Jan 03 01:59:35 NAS connmand[2208]: ntp: adjust (slew): -0.023458 sec

Jan 03 02:01:17 NAS msmtpq[27826]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 02:01:48 NAS msmtpq[28089]: 12 more mails from queue failed to send with rc = 77

Jan 03 02:11:52 NAS msmtpq[28804]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 02:12:18 NAS msmtpq[29053]: 12 more mails from queue failed to send with rc = 77

Jan 03 02:16:40 NAS connmand[2208]: ntp: adjust (slew): +0.010659 sec

Jan 03 02:17:01 NAS CRON[29534]: pam_unix(cron:session): session opened for user root by
(uid=0)

Jan 03 02:17:01 NAS CRON[29535]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)

Jan 03 02:17:01 NAS CRON[29534]: pam_unix(cron:session): session closed for user root

Jan 03 02:21:22 NAS msmtpq[29848]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 03 02:21:49 NAS msmtpq[30146]: 12 more mails from queue failed to send with rc = 77

Jan 03 02:31:52 NAS msmtppq[30809]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 02:32:20 NAS msmtppq[31095]: 12 more mails from queue failed to send with rc = 77
Jan 03 02:33:44 NAS connmand[2208]: ntp: adjust (slew): +0.005050 sec
Jan 03 02:41:24 NAS msmtppq[31734]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 02:41:51 NAS msmtppq[31997]: 12 more mails from queue failed to send with rc = 77
Jan 03 02:50:49 NAS connmand[2208]: ntp: adjust (slew): +0.033317 sec
Jan 03 02:51:55 NAS msmtppq[32703]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 02:52:23 NAS msmtppq[539]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:01:27 NAS msmtppq[1214]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 03:01:57 NAS msmtppq[1500]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:08:20 NAS connmand[2208]: ntp: adjust (slew): -0.046378 sec
Jan 03 03:12:01 NAS msmtppq[2219]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 03:12:29 NAS msmtppq[2519]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:17:01 NAS CRON[3013]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 03:17:01 NAS CRON[3014]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 03:17:01 NAS CRON[3013]: pam_unix(cron:session): session closed for user root
Jan 03 03:21:32 NAS msmtppq[3360]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 03:21:59 NAS msmtppq[3664]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:25:24 NAS connmand[2208]: ntp: adjust (slew): +0.032194 sec
Jan 03 03:31:04 NAS msmtppq[4285]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 03:31:31 NAS msmtppq[4570]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:41:35 NAS msmtppq[5280]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 03:42:02 NAS msmtppq[5530]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:42:29 NAS connmand[2208]: ntp: adjust (slew): -0.032912 sec
Jan 03 03:51:06 NAS msmtppq[6160]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 03:51:33 NAS msmtppq[6463]: 12 more mails from queue failed to send with rc = 77
Jan 03 03:59:34 NAS connmand[2208]: ntp: adjust (slew): +0.008663 sec
Jan 03 04:01:37 NAS msmtppq[7167]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 04:02:06 NAS msmtppq[7418]: 12 more mails from queue failed to send with rc = 77
Jan 03 04:11:10 NAS msmtppq[8064]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 04:11:38 NAS msmtppq[8324]: 12 more mails from queue failed to send with rc = 77
Jan 03 04:16:39 NAS connmand[2208]: ntp: adjust (slew): +0.033336 sec
Jan 03 04:17:01 NAS CRON[8864]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 04:17:02 NAS CRON[8865]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 04:17:02 NAS CRON[8864]: pam_unix(cron:session): session closed for user root

Jan 03 04:21:43 NAS msmtppq[9207]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 04:22:10 NAS msmtppq[9500]: 12 more mails from queue failed to send with rc = 77

Jan 03 04:31:14 NAS msmtppq[10175]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 04:31:41 NAS msmtppq[10435]: 12 more mails from queue failed to send with rc = 77

Jan 03 04:33:44 NAS connmand[2208]: ntp: adjust (slew): -0.040397 sec

Jan 03 04:41:44 NAS msmtppq[11163]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 04:42:12 NAS msmtppq[11423]: 12 more mails from queue failed to send with rc = 77

Jan 03 04:50:48 NAS connmand[2208]: ntp: adjust (slew): +0.006939 sec

Jan 03 04:51:16 NAS msmtppq[12088]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 04:51:44 NAS msmtppq[12386]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:01:47 NAS msmtppq[13083]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 05:02:16 NAS msmtppq[13342]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:08:20 NAS connmand[2208]: ntp: adjust (slew): +0.004269 sec

Jan 03 05:11:19 NAS msmtppq[13978]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 05:11:47 NAS msmtppq[14244]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:17:01 NAS CRON[14767]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 05:17:01 NAS CRON[14768]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 05:17:01 NAS CRON[14767]: pam_unix(cron:session): session closed for user root

Jan 03 05:21:51 NAS msmtppq[15096]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 05:22:19 NAS msmtppq[15378]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:25:24 NAS connmand[2208]: ntp: adjust (slew): +0.025463 sec

Jan 03 05:31:23 NAS msmtppq[16029]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 05:31:50 NAS msmtppq[16290]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:41:54 NAS msmtppq[16994]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 05:42:21 NAS msmtppq[17255]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:42:29 NAS connmand[2208]: ntp: adjust (slew): -0.032305 sec

Jan 03 05:51:25 NAS msmtppq[17935]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 05:51:52 NAS msmtppq[18217]: 12 more mails from queue failed to send with rc = 77

Jan 03 05:59:34 NAS connmand[2208]: ntp: adjust (slew): +0.005547 sec

Jan 03 06:02:06 NAS msmtppq[18963]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 06:02:34 NAS msmtppq[19233]: 12 more mails from queue failed to send with rc = 77

Jan 03 06:11:38 NAS msmtppq[19886]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 06:12:05 NAS msmtppq[20173]: 12 more mails from queue failed to send with rc = 77
Jan 03 06:16:38 NAS connmand[2208]: ntp: adjust (slew): +0.009580 sec
Jan 03 06:17:01 NAS CRON[20635]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 06:17:01 NAS CRON[20638]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 06:17:01 NAS CRON[20635]: pam_unix(cron:session): session closed for user root
Jan 03 06:21:11 NAS msmtppq[20977]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 06:21:40 NAS msmtppq[21236]: 12 more mails from queue failed to send with rc = 77
Jan 03 06:25:01 NAS CRON[21454]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 06:25:01 NAS CRON[21457]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))
Jan 03 06:25:01 NAS CRON[21454]: pam_unix(cron:session): session closed for user root
Jan 03 06:31:44 NAS msmtppq[21952]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 06:32:11 NAS msmtppq[22207]: 12 more mails from queue failed to send with rc = 77
Jan 03 06:33:43 NAS connmand[2208]: ntp: adjust (slew): +0.014803 sec
Jan 03 06:41:15 NAS msmtppq[22855]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 06:41:42 NAS msmtppq[23148]: 12 more mails from queue failed to send with rc = 77
Jan 03 06:50:48 NAS connmand[2208]: ntp: adjust (slew): -0.031456 sec
Jan 03 06:51:47 NAS msmtppq[23861]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 06:52:14 NAS msmtppq[24123]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:01:18 NAS msmtppq[24793]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 07:01:47 NAS msmtppq[25058]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:08:20 NAS connmand[2208]: ntp: adjust (slew): +0.005457 sec
Jan 03 07:11:51 NAS msmtppq[25805]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 07:12:19 NAS msmtppq[26094]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:17:01 NAS CRON[26547]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 07:17:01 NAS CRON[26548]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 07:17:01 NAS CRON[26547]: pam_unix(cron:session): session closed for user root
Jan 03 07:21:23 NAS msmtppq[26896]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 07:21:51 NAS msmtppq[27166]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:25:24 NAS connmand[2208]: ntp: adjust (slew): +0.032806 sec
Jan 03 07:27:42 NAS mdadm[2200]: Rebuild80 event detected on md device /dev/md127, component device recovery

Jan 03 07:31:55 NAS msmtppq[27871]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 07:32:23 NAS msmtppq[28127]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:41:27 NAS msmtppq[28782]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 07:41:54 NAS msmtppq[29068]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:42:29 NAS connmand[2208]: ntp: adjust (slew): -0.040833 sec
Jan 03 07:51:58 NAS msmtppq[29774]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 07:52:26 NAS msmtppq[30041]: 12 more mails from queue failed to send with rc = 77
Jan 03 07:59:34 NAS connmand[2208]: ntp: adjust (slew): +0.031112 sec
Jan 03 08:01:31 NAS msmtppq[30686]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 08:01:58 NAS msmtppq[30976]: 12 more mails from queue failed to send with rc = 77
Jan 03 08:12:02 NAS msmtppq[31750]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 08:12:30 NAS msmtppq[32055]: 12 more mails from queue failed to send with rc = 77
Jan 03 08:16:39 NAS connmand[2208]: ntp: adjust (slew): +0.001138 sec
Jan 03 08:17:02 NAS CRON[32530]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 08:17:02 NAS CRON[32532]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 08:17:02 NAS CRON[32530]: pam_unix(cron:session): session closed for user root
Jan 03 08:21:34 NAS msmtppq[438]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 08:22:01 NAS msmtppq[726]: 12 more mails from queue failed to send with rc = 77
Jan 03 08:31:05 NAS msmtppq[1462]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 08:31:33 NAS msmtppq[1760]: 12 more mails from queue failed to send with rc = 77
Jan 03 08:33:44 NAS connmand[2208]: ntp: adjust (slew): -0.040430 sec
Jan 03 08:41:37 NAS msmtppq[2554]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 08:42:07 NAS msmtppq[2842]: 12 more mails from queue failed to send with rc = 77
Jan 03 08:50:49 NAS connmand[2208]: ntp: adjust (slew): +0.039480 sec
Jan 03 08:51:11 NAS msmtppq[3616]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 08:51:39 NAS msmtppq[3886]: 12 more mails from queue failed to send with rc = 77
Jan 03 09:01:44 NAS msmtppq[4664]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 09:02:13 NAS msmtppq[4955]: 12 more mails from queue failed to send with rc = 77
Jan 03 09:08:21 NAS connmand[2208]: ntp: adjust (slew): -0.035926 sec
Jan 03 09:11:17 NAS msmtppq[5666]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 09:11:45 NAS msmtppq[5934]: 12 more mails from queue failed to send with rc = 77
Jan 03 09:17:01 NAS CRON[6440]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 09:17:01 NAS CRON[6441]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 09:17:01 NAS CRON[6440]: pam_unix(cron:session): session closed for user root

Jan 03 09:21:49 NAS msmtppq[6824]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 09:22:16 NAS msmtppq[7085]: 12 more mails from queue failed to send with rc = 77

Jan 03 09:25:26 NAS connmand[2208]: ntp: adjust (slew): +0.056949 sec

Jan 03 09:31:20 NAS msmtppq[7768]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 09:31:49 NAS msmtppq[8065]: 12 more mails from queue failed to send with rc = 77

Jan 03 09:41:54 NAS msmtppq[8822]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 09:42:24 NAS msmtppq[9086]: 12 more mails from queue failed to send with rc = 77

Jan 03 09:42:31 NAS connmand[2208]: ntp: adjust (slew): -0.061509 sec

Jan 03 09:51:29 NAS msmtppq[9839]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 09:51:56 NAS msmtppq[10131]: 12 more mails from queue failed to send with rc = 77

Jan 03 09:59:35 NAS connmand[2208]: ntp: adjust (slew): +0.082294 sec

Jan 03 10:02:01 NAS msmtppq[10896]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 10:02:30 NAS msmtppq[11176]: 12 more mails from queue failed to send with rc = 77

Jan 03 10:11:35 NAS msmtppq[11869]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 10:12:04 NAS msmtppq[12124]: 12 more mails from queue failed to send with rc = 77

Jan 03 10:16:40 NAS connmand[2208]: ntp: adjust (slew): -0.052407 sec

Jan 03 10:17:01 NAS CRON[12644]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 10:17:01 NAS CRON[12645]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 10:17:01 NAS CRON[12644]: pam_unix(cron:session): session closed for user root

Jan 03 10:21:08 NAS msmtppq[12982]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 10:21:36 NAS msmtppq[13275]: 12 more mails from queue failed to send with rc = 77

Jan 03 10:31:41 NAS msmtppq[14057]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 10:32:08 NAS msmtppq[14314]: 12 more mails from queue failed to send with rc = 77

Jan 03 10:33:45 NAS connmand[2208]: ntp: adjust (slew): -0.038365 sec

Jan 03 10:41:11 NAS msmtppq[14982]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 10:41:39 NAS msmtppq[15251]: 12 more mails from queue failed to send with rc = 77

Jan 03 10:50:50 NAS connmand[2208]: ntp: adjust (slew): +0.013986 sec

Jan 03 10:51:43 NAS msmtppq[15996]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 10:52:11 NAS msmtppq[16280]: 12 more mails from queue failed to send with rc = 77

Jan 03 11:01:15 NAS msmtppq[17026]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 11:01:58 NAS msmtppq[17303]: 12 more mails from queue failed to send with rc = 77

Jan 03 11:08:22 NAS connmand[2208]: ntp: adjust (slew): -0.000840 sec
Jan 03 11:12:04 NAS msmtppq[18090]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 11:12:33 NAS msmtppq[18397]: 12 more mails from queue failed to send with rc = 77
Jan 03 11:17:01 NAS CRON[18892]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 11:17:01 NAS CRON[18893]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 11:17:02 NAS CRON[18892]: pam_unix(cron:session): session closed for user root
Jan 03 11:21:38 NAS msmtppq[19277]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 11:22:06 NAS msmtppq[19529]: 12 more mails from queue failed to send with rc = 77
Jan 03 11:25:27 NAS connmand[2208]: ntp: adjust (slew): +0.027852 sec
Jan 03 11:31:12 NAS msmtppq[20239]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 11:31:42 NAS msmtppq[20546]: 12 more mails from queue failed to send with rc = 77
Jan 03 11:41:45 NAS msmtppq[21353]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 11:42:12 NAS msmtppq[21644]: 12 more mails from queue failed to send with rc = 77
Jan 03 11:42:32 NAS connmand[2208]: ntp: adjust (slew): -0.001740 sec
Jan 03 11:51:14 NAS msmtppq[22407]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 11:51:43 NAS msmtppq[22677]: 12 more mails from queue failed to send with rc = 77
Jan 03 11:59:37 NAS connmand[2208]: ntp: adjust (slew): -0.021182 sec
Jan 03 12:01:45 NAS msmtppq[23445]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:02:13 NAS msmtppq[23746]: 12 more mails from queue failed to send with rc = 77
Jan 03 12:11:16 NAS msmtppq[24444]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:11:43 NAS msmtppq[24704]: 12 more mails from queue failed to send with rc = 77
Jan 03 12:16:41 NAS connmand[2208]: ntp: adjust (slew): +0.005982 sec
Jan 03 12:17:01 NAS CRON[25357]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 12:17:01 NAS CRON[25359]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 12:17:01 NAS CRON[25357]: pam_unix(cron:session): session closed for user root
-- Reboot --
Jan 03 12:25:56 NAS wsdd2[2158]: starting.
Jan 03 12:25:56 NAS cron[2160]: (CRON) INFO (pidfile fd = 3)
Jan 03 12:25:56 NAS avahi-daemon[2159]: Found user 'avahi' (UID 84) and group 'avahi' (GID 84).
Jan 03 12:25:56 NAS cron[2160]: (CRON) INFO (Running @reboot jobs)
Jan 03 12:25:56 NAS avahi-daemon[2159]: Successfully dropped root privileges.
Jan 03 12:25:56 NAS avahi-daemon[2159]: avahi-daemon 0.6.32 starting up.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Successfully called chroot().
Jan 03 12:25:56 NAS avahi-daemon[2159]: Successfully dropped remaining capabilities.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Loading service file /services/frontview.service.

Jan 03 12:25:56 NAS avahi-daemon[2159]: Loading service file /services/nut.service.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Joining mDNS multicast group on interface eth0.IPv6 with address fe80::2ac6:8eff:fe36:bbe2.
Jan 03 12:25:56 NAS avahi-daemon[2159]: New relevant interface eth0.IPv6 for mDNS.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Joining mDNS multicast group on interface eth0.IPv4 with address 192.168.20.35.
Jan 03 12:25:56 NAS avahi-daemon[2159]: New relevant interface eth0.IPv4 for mDNS.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Network interface enumeration completed.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Registering new address record for fe80::2ac6:8eff:fe36:bbe2 on eth0.*.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Registering new address record for 192.168.20.35 on eth0.IPv4.
Jan 03 12:25:56 NAS connmand[2165]: Connection Manager version 1.35
Jan 03 12:25:56 NAS avahi-daemon[2159]: Withdrawing address record for 192.168.20.35 on eth0.
Jan 03 12:25:56 NAS avahi-daemon[2159]: Leaving mDNS multicast group on interface eth0.IPv4 with address 192.168.20.35.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Interface eth0.IPv4 no longer relevant for mDNS.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Interface eth0.IPv6 no longer relevant for mDNS.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Leaving mDNS multicast group on interface eth0.IPv6 with address fe80::2ac6:8eff:fe36:bbe2.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Withdrawing address record for fe80::2ac6:8eff:fe36:bbe2 on eth0.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Withdrawing address record for fe80::2ac6:8eff:fe36:bbe2 on eth0.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Server startup complete. Host name is NAS.local. Local service cookie is 3830786104.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Service "NAS" (/services/nut.service) successfully established.
Jan 03 12:25:57 NAS avahi-daemon[2159]: Service "ReadyNAS Administration on NAS" (/services/frontview.service) successfully established.
Jan 03 12:25:57 NAS connmand[2165]: Checking loopback interface settings
Jan 03 12:25:57 NAS connmand[2165]: System hostname is NAS
Jan 03 12:25:57 NAS connmand[2165]: lo {newlink} index 1 address 00:00:00:00:00:00 mtu 65536
Jan 03 12:25:57 NAS connmand[2165]: lo {newlink} index 1 operstate 0 <UNKNOWN>
Jan 03 12:25:57 NAS connmand[2165]: eth0 {create} index 2 type 1 <ETHER>
Jan 03 12:25:57 NAS connmand[2165]: eth0 {RX} 160 packets 15719 bytes
Jan 03 12:25:57 NAS connmand[2165]: eth0 {TX} 27 packets 2866 bytes
Jan 03 12:25:57 NAS connmand[2165]: eth0 {update} flags 36866 <DOWN>
Jan 03 12:25:57 NAS connmand[2165]: eth0 {newlink} index 2 address 28:C6:8E:36:BB:E2 mtu 1500
Jan 03 12:25:57 NAS connmand[2165]: eth0 {newlink} index 2 operstate 2 <DOWN>
Jan 03 12:25:57 NAS dbus[2163]: [system] Activating via systemd: service name='org.freedesktop.hostname1' unit='dbus-org.freedesktop.hostname1.service'
Jan 03 12:25:57 NAS connmand[2165]: Adding interface eth0 [ethernet]
Jan 03 12:25:57 NAS connmand[2165]: eth1 {create} index 3 type 1 <ETHER>

Jan 03 12:25:57 NAS connmand[2165]: eth1 {update} flags 4099 <UP>
Jan 03 12:25:57 NAS connmand[2165]: eth1 {newlink} index 3 address 28:C6:8E:36:BB:E3
mtu 1500
Jan 03 12:25:57 NAS connmand[2165]: eth1 {newlink} index 3 operstate 2 <DOWN>
Jan 03 12:25:57 NAS mdadm[2174]: NewArray event detected on md device /dev/md0
Jan 03 12:25:57 NAS connmand[2165]: Adding interface eth1 [ethernet]
Jan 03 12:25:57 NAS connmand[2165]: eth0 {RX} 160 packets 15719 bytes
Jan 03 12:25:57 NAS connmand[2165]: eth0 {TX} 27 packets 2866 bytes
Jan 03 12:25:57 NAS connmand[2165]: eth0 {update} flags 36867 <UP>
Jan 03 12:25:57 NAS connmand[2165]: eth0 {newlink} index 2 address 28:C6:8E:36:BB:E2
mtu 1500
Jan 03 12:25:57 NAS connmand[2165]: eth0 {newlink} index 2 operstate 2 <DOWN>
Jan 03 12:25:58 NAS mdadm[2174]: NewArray event detected on md device /dev/md1
Jan 03 12:25:58 NAS mdadm[2174]: NewArray event detected on md device /dev/md127
Jan 03 12:25:59 NAS rpc.statd[2254]: Version 1.2.8 starting
Jan 03 12:25:59 NAS sm-notify[2255]: Version 1.2.8 starting
Jan 03 12:25:59 NAS sm-notify[2255]: Failed to open directory sm.bak: No such file or
directory
Jan 03 12:25:59 NAS dbus[2163]: [system] Successfully activated service
'org.freedesktop.hostname1'
Jan 03 12:25:59 NAS rpc.mountd[2263]: Version 1.2.8 starting
Jan 03 12:25:59 NAS netatalk[2223]: Netatalk AFP server starting
Jan 03 12:25:59 NAS netatalk[2223]: Registered with Zeroconf
Jan 03 12:25:59 NAS cnid_metad[2266]: CNID Server listening on localhost:4700
Jan 03 12:26:00 NAS nmbd[2178]: [2020/01/03 12:26:00.116241, 0]
../lib/util/become_daemon.c:147(daemon_status)
Jan 03 12:26:00 NAS nmbd[2178]: daemon_status: daemon 'nmbd' : No local IPv4 non-
loopback interfaces available, waiting for interface ...
Jan 03 12:26:00 NAS nmbd[2178]: [2020/01/03 12:26:00.140447, 0]
../source3/nmbd/nmbd_subnetdb.c:254(create_subnets)
Jan 03 12:26:00 NAS nmbd[2178]: NOTE: NetBIOS name resolution is not supported for
Internet Protocol Version 6 (IPv6).
Jan 03 12:26:00 NAS wsdd2[2158]: error: wsdd-mcast-v4: wsd_send_soap_msg: send
Jan 03 12:26:00 NAS wsdd2[2158]: error: wsdd-mcast-v6: wsd_send_soap_msg: send
Jan 03 12:26:00 NAS wsdd2[2158]: error: llmnr-mcast-v4: open_ep: IP_ADD_MEMBERSHIP
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} route ff00:: gw :: scope 0 <UNIVERSE>
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} route fe80:: gw :: scope 0 <UNIVERSE>
Jan 03 12:26:02 NAS connmand[2165]: eth0 {RX} 160 packets 15719 bytes
Jan 03 12:26:02 NAS connmand[2165]: eth0 {TX} 27 packets 2866 bytes
Jan 03 12:26:02 NAS connmand[2165]: eth0 {update} flags 102467
<UP,RUNNING,LOWER_UP>
Jan 03 12:26:02 NAS connmand[2165]: eth0 {newlink} index 2 address 28:C6:8E:36:BB:E2
mtu 1500
Jan 03 12:26:02 NAS connmand[2165]: eth0 {newlink} index 2 operstate 6 <UP>
Jan 03 12:26:02 NAS connmand[2165]: Skipping disconnect of carrier, network is
connecting.

Jan 03 12:26:02 NAS avahi-daemon[2159]: Joining mDNS multicast group on interface eth0.IPv4 with address 192.168.20.35.
Jan 03 12:26:02 NAS avahi-daemon[2159]: New relevant interface eth0.IPv4 for mDNS.
Jan 03 12:26:02 NAS avahi-daemon[2159]: Registering new address record for 192.168.20.35 on eth0.IPv4.
Jan 03 12:26:02 NAS wsdd2[2158]: error: wsdd-mcast-v4: wsd_send_soap_msg: send
Jan 03 12:26:02 NAS wsdd2[2158]: error: wsdd-mcast-v6: wsd_send_soap_msg: send
Jan 03 12:26:02 NAS connmand[2165]: Failed to set domainname to Home
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} address 192.168.20.35/24 label eth0 family 2
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} route 192.168.20.0 gw 0.0.0.0 scope 253 <LINK>
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} route 192.168.20.1 gw 0.0.0.0 scope 253 <LINK>
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} route 0.0.0.0 gw 192.168.20.1 scope 0 <UNIVERSE>
Jan 03 12:26:02 NAS connmand[2165]: eth0 {add} route 0.0.0.0 gw 192.168.20.1 scope 0 <UNIVERSE>
Jan 03 12:26:03 NAS avahi-daemon[2159]: Joining mDNS multicast group on interface eth0.IPv6 with address fe80::2ac6:8eff:fe36:bbe2.
Jan 03 12:26:03 NAS avahi-daemon[2159]: New relevant interface eth0.IPv6 for mDNS.
Jan 03 12:26:03 NAS avahi-daemon[2159]: Registering new address record for fe80::2ac6:8eff:fe36:bbe2 on eth0.*.
Jan 03 12:26:05 NAS nmbd[2178]: [2020/01/03 12:26:05.146030, 0] ../lib/util/become_daemon.c:136(daemon_ready)
Jan 03 12:26:05 NAS nmbd[2178]: daemon_ready: daemon 'nmbd' finished starting up and ready to serve connections
Jan 03 12:26:06 NAS mdadm[2174]: DegradedArray event detected on md device /dev/md127
Jan 03 12:26:10 NAS apache2[2423]: [ssl:warn] [pid 2423] AH01909: fe80::2ac6:8eff:fe36:bbe2:443:0 server certificate does NOT include an ID which matches the server name
Jan 03 12:26:11 NAS apache2[2445]: [ssl:warn] [pid 2445] AH01909: fe80::2ac6:8eff:fe36:bbe2:443:0 server certificate does NOT include an ID which matches the server name
Jan 03 12:26:13 NAS smbd[2428]: [2020/01/03 12:26:13.573849, 0] ../lib/util/become_daemon.c:136(daemon_ready)
Jan 03 12:26:13 NAS smbd[2428]: daemon_ready: daemon 'smbd' finished starting up and ready to serve connections
Jan 03 12:26:22 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md127, component device recovery
Jan 03 12:26:27 NAS nmbd[2178]: [2020/01/03 12:26:27.204481, 0] ../source3/nmbd/nmbd_become_lmb.c:397(become_local_master_stage2)
Jan 03 12:26:27 NAS nmbd[2178]: ***** Samba name server NAS is now a local master browser for workgroup WORKGROUP on subnet 192.168.20.35 *****
Jan 03 12:26:30 NAS afpd[2265]: Netatalk AFP/TCP listening on fe80::2ac6:8eff:fe36:bbe2:548

Jan 03 12:26:32 NAS connmand[2165]: ntp: adjust (jump): -0.809286 sec
Jan 03 12:26:48 NAS connmand[2165]: ntp: adjust (slew): -0.007877 sec
Jan 03 12:27:04 NAS connmand[2165]: ntp: adjust (slew): -0.007382 sec
Jan 03 12:27:36 NAS connmand[2165]: ntp: adjust (slew): +0.005530 sec
Jan 03 12:28:25 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper'
(using servicehelper)
Jan 03 12:28:26 NAS dbus[2163]: [system] Successfully activated service
'org.opensuse.Snapper'
Jan 03 12:28:30 NAS msmtprc[2852]: mail for [-C /etc/msmtprc
malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code
was 77
Jan 03 12:28:31 NAS msmtprc[2863]: enqueued mail as : [2020-01-03-12.28.27] (-C
/etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 03 12:28:33 NAS apache2[2445]: [ssl:warn] [pid 2445] AH01909:
fe80::2ac6:8eff:fe36:bbe2:443:0 server certificate does NOT include an ID which matches
the server name
Jan 03 12:28:33 NAS apache2[2445]: [mpm_prefork:warn] [pid 2445] AH00167: long lost
child came home! (pid 2449)
Jan 03 12:28:33 NAS apache2[2445]: [mpm_prefork:warn] [pid 2445] AH00167: long lost
child came home! (pid 2450)
Jan 03 12:28:33 NAS apache2[2445]: [mpm_prefork:warn] [pid 2445] AH00167: long lost
child came home! (pid 2452)
Jan 03 12:28:35 NAS rpc.mountd[2263]: Caught signal 15, un-registering and exiting.
Jan 03 12:28:36 NAS msmtprc[2954]: mail for [-C /etc/msmtprc
malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code
was 77
Jan 03 12:28:36 NAS msmtprc[2963]: enqueued mail as : [2020-01-03-12.28.32] (-C
/etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 03 12:28:37 NAS rpc.mountd[2992]: Version 1.2.8 starting
Jan 03 12:28:40 NAS connmand[2165]: ntp: adjust (slew): +0.007015 sec
Jan 03 12:28:49 NAS msmtprc[3160]: mail for [-C /etc/msmtprc
malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code
was 77
Jan 03 12:28:49 NAS msmtprc[3162]: enqueued mail as : [2020-01-03-12.28.46] (-C
/etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 03 12:28:55 NAS msmtprc[3198]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtprc rc = 77
Jan 03 12:29:51 NAS msmtprc[3531]: mail [15] [2020-01-03-12.28.32] from queue ;
couldn't be sent - host not connected
Jan 03 12:29:56 NAS msmtprc[3566]: 15 more mails from queue failed to send with rc = 77
Jan 03 12:30:50 NAS connmand[2165]: ntp: adjust (slew): +0.012772 sec
Jan 03 12:32:00 NAS msmtprc[3789]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtprc rc = 77
Jan 03 12:32:34 NAS msmtprc[3876]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't
be sent - host not connected
Jan 03 12:33:21 NAS msmtprc[4115]: mail [14] [2020-01-03-12.28.27] from queue ;
couldn't be sent - host not connected

Jan 03 12:33:29 NAS msmtppq[4162]: 15 more mails from queue failed to send with rc = 77
Jan 03 12:35:06 NAS connmand[2165]: ntp: adjust (slew): +0.019672 sec
Jan 03 12:41:34 NAS msmtppq[4706]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:42:01 NAS msmtppq[4837]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 03 12:42:04 NAS msmtppq[4867]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:42:45 NAS msmtppq[5097]: 13 more mails from queue failed to send with rc = 77
Jan 03 12:43:40 NAS connmand[2165]: ntp: adjust (slew): +0.029513 sec
Jan 03 12:52:03 NAS msmtppq[5632]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:52:20 NAS msmtppq[5689]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 68
Jan 03 12:52:26 NAS msmtppq[5713]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:53:02 NAS msmtppq[5749]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 03 12:53:33 NAS msmtppq[5833]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 03 12:54:00 NAS msmtppq[5869]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:54:52 NAS msmtppq[5986]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 03 12:55:23 NAS msmtppq[6003]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 68
Jan 03 12:55:40 NAS msmtppq[6046]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:56:19 NAS msmtppq[6128]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68
Jan 03 12:56:34 NAS msmtppq[6163]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 03 12:57:08 NAS msmtppq[6245]: 7 more mails from queue failed to send with rc = 77
Jan 03 13:00:45 NAS connmand[2165]: ntp: adjust (slew): +0.049114 sec
Jan 03 13:01:33 NAS msmtppq[6509]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:03:37 NAS msmtppq[6834]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:03:51 NAS msmtppq[6862]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:04:23 NAS msmtppq[6945]: 13 more mails from queue failed to send with rc = 77
Jan 03 13:11:33 NAS msmtppq[7408]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:12:10 NAS msmtppq[7494]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected
Jan 03 13:12:57 NAS msmtppq[7653]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected

Jan 03 13:13:15 NAS msmtppq[7660]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:13:22 NAS msmtppq[7684]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:13:47 NAS msmtppq[7798]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 03 13:14:08 NAS msmtppq[7864]: 13 more mails from queue failed to send with rc = 77
Jan 03 13:17:02 NAS CRON[8053]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 13:17:02 NAS CRON[8054]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 13:17:02 NAS CRON[8053]: pam_unix(cron:session): session closed for user root
Jan 03 13:17:49 NAS connmand[2165]: ntp: adjust (slew): +0.015474 sec
Jan 03 13:21:13 NAS msmtppq[8308]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:21:26 NAS msmtppq[8360]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 03 13:21:39 NAS msmtppq[8385]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:21:43 NAS msmtppq[8419]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:22:06 NAS msmtppq[8451]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:22:12 NAS msmtppq[8478]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:22:53 NAS msmtppq[8695]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 03 13:23:07 NAS msmtppq[8702]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:23:16 NAS msmtppq[8727]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:23:26 NAS msmtppq[8806]: 9 more mails from queue failed to send with rc = 77
Jan 03 13:31:50 NAS msmtppq[9490]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:32:30 NAS msmtppq[9575]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected
Jan 03 13:33:09 NAS msmtppq[9694]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected
Jan 03 13:33:28 NAS msmtppq[9722]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:33:48 NAS msmtppq[9754]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:34:20 NAS msmtppq[9863]: mail [12] [2020-01-02-01.00.13] from queue ; couldn't be sent - host not connected
Jan 03 13:34:39 NAS msmtppq[9874]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68

Jan 03 13:34:45 NAS msmtppq[9899]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:34:54 NAS connmand[2165]: ntp: adjust (slew): +0.012199 sec
Jan 03 13:34:55 NAS msmtppq[9973]: 11 more mails from queue failed to send with rc = 77
Jan 03 13:42:19 NAS msmtppq[10433]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:42:41 NAS msmtppq[10558]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:42:51 NAS msmtppq[10582]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:43:11 NAS msmtppq[10637]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:43:32 NAS msmtppq[10693]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 03 13:43:47 NAS msmtppq[10730]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:44:01 NAS msmtppq[10762]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected
Jan 03 13:44:50 NAS msmtppq[10833]: mail [11] [2020-01-01-01.00.34] from queue ; couldn't be sent - host not connected
Jan 03 13:45:38 NAS msmtppq[10885]: mail [12] [2020-01-02-01.00.13] from queue ; couldn't be sent - host not connected
Jan 03 13:46:26 NAS msmtppq[10980]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 03 13:47:14 NAS msmtppq[11060]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected
Jan 03 13:48:02 NAS msmtppq[11140]: mail [15] [2020-01-03-12.28.32] from queue ; couldn't be sent - host not connected
Jan 03 13:48:51 NAS msmtppq[11177]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 03 13:49:16 NAS msmtppq[11231]: 10 more mails from queue failed to send with rc = 68
Jan 03 13:51:40 NAS msmtppq[11402]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 03 13:52:03 NAS msmtppq[11424]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 03 13:52:26 NAS msmtppq[11482]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 03 13:53:12 NAS msmtppq[11585]: mail [3] [2019-12-31-15.15.41] from queue ; couldn't be sent - host not connected
Jan 03 13:54:01 NAS msmtppq[11643]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected
Jan 03 13:54:49 NAS msmtppq[11721]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 03 13:55:36 NAS msmtppq[11801]: mail [6] [2019-12-31-15.20.33] from queue ; couldn't be sent - host not connected
Jan 03 13:56:23 NAS msmtppq[11888]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected

Jan 03 13:57:13 NAS msmtppq[11944]: mail [8] [2019-12-31-15.21.15] from queue ;
couldn't be sent - host not connected
Jan 03 13:58:04 NAS msmtppq[12018]: mail [9] [2019-12-31-15.22.34] from queue ;
couldn't be sent - host not connected
Jan 03 13:58:51 NAS msmtppq[12094]: mail [10] [2019-12-31-15.22.58] from queue ;
couldn't be sent - host not connected
Jan 03 13:59:40 NAS msmtppq[12174]: mail [11] [2020-01-01-01.00.34] from queue ;
couldn't be sent - host not connected
Jan 03 14:00:27 NAS msmtppq[12222]: mail [12] [2020-01-02-01.00.13] from queue ;
couldn't be sent - host not connected
Jan 03 14:01:10 NAS msmtppq[12314]: mail [13] [2020-01-03-01.00.46] from queue ;
couldn't be sent - host not connected
Jan 03 14:01:14 NAS msmtppq[12322]: mail [13] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:01:48 NAS msmtppq[12441]: 14 more mails from queue failed to send with rc = 77
Jan 03 14:03:05 NAS msmtppq[12548]: mail [1] [2019-12-31-15.03.04] from queue ;
couldn't be sent - host not connected
Jan 03 14:03:09 NAS msmtppq[12560]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:04:18 NAS msmtppq[12942]: 15 more mails from queue failed to send with rc = 77
Jan 03 14:11:24 NAS msmtppq[13403]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:12:05 NAS msmtppq[13717]: 15 more mails from queue failed to send with rc = 77
Jan 03 14:17:01 NAS CRON[14027]: pam_unix(cron:session): session opened for user root by
(uid=0)
Jan 03 14:17:01 NAS CRON[14028]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)
Jan 03 14:17:01 NAS CRON[14027]: pam_unix(cron:session): session closed for user root
Jan 03 14:21:12 NAS msmtppq[14308]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:21:52 NAS msmtppq[14626]: 15 more mails from queue failed to send with rc = 77
Jan 03 14:26:33 NAS connmand[2165]: ntp: adjust (slew): +0.015610 sec
Jan 03 14:32:01 NAS msmtppq[15504]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:32:55 NAS msmtppq[15878]: 15 more mails from queue failed to send with rc = 77
Jan 03 14:42:03 NAS msmtppq[16546]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:42:53 NAS msmtppq[16919]: 15 more mails from queue failed to send with rc = 77
Jan 03 14:43:37 NAS connmand[2165]: ntp: adjust (slew): -0.005395 sec
Jan 03 14:52:04 NAS msmtppq[17564]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 14:52:47 NAS msmtppq[17935]: 15 more mails from queue failed to send with rc = 77
Jan 03 15:00:43 NAS connmand[2165]: ntp: adjust (slew): +0.000095 sec
Jan 03 15:01:54 NAS msmtppq[18595]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 03 15:02:36 NAS msmtppq[18937]: 15 more mails from queue failed to send with rc = 77

Jan 03 15:11:42 NAS msmtppq[19585]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 15:12:28 NAS msmtppq[19931]: 15 more mails from queue failed to send with rc = 77
Jan 03 15:17:01 NAS CRON[20271]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 15:17:01 NAS CRON[20272]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 15:17:01 NAS CRON[20271]: pam_unix(cron:session): session closed for user root
Jan 03 15:17:47 NAS connmand[2165]: ntp: adjust (slew): -0.003227 sec
Jan 03 15:21:34 NAS msmtppq[20594]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 15:22:18 NAS msmtppq[20937]: 15 more mails from queue failed to send with rc = 77
Jan 03 15:31:29 NAS msmtppq[21765]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 15:32:44 NAS msmtppq[22154]: 15 more mails from queue failed to send with rc = 77
Jan 03 15:34:52 NAS connmand[2165]: ntp: adjust (slew): +0.000951 sec
Jan 03 15:41:53 NAS msmtppq[22845]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 15:42:34 NAS msmtppq[23166]: 15 more mails from queue failed to send with rc = 77
Jan 03 15:51:43 NAS msmtppq[23928]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 15:51:56 NAS connmand[2165]: ntp: adjust (slew): +0.000385 sec
Jan 03 15:52:08 NAS msmtppq[24012]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 03 15:52:12 NAS msmtppq[24038]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 03 15:52:37 NAS msmtppq[24164]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 03 15:53:54 NAS msmtppq[24402]: 13 more mails from queue failed to send with rc = 77
Jan 03 16:02:00 NAS msmtppq[25045]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 16:02:45 NAS msmtppq[25369]: 15 more mails from queue failed to send with rc = 77
Jan 03 16:09:02 NAS connmand[2165]: ntp: adjust (slew): -0.000387 sec
Jan 03 16:11:51 NAS msmtppq[26098]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 16:12:34 NAS msmtppq[26456]: 15 more mails from queue failed to send with rc = 77
Jan 03 16:17:02 NAS CRON[26765]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 16:17:02 NAS CRON[26766]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 16:17:02 NAS CRON[26765]: pam_unix(cron:session): session closed for user root
Jan 03 16:21:41 NAS msmtppq[27112]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 16:22:29 NAS msmtppq[27483]: 15 more mails from queue failed to send with rc = 77
Jan 03 16:27:03 NAS connmand[2165]: ntp: adjust (slew): +0.000796 sec
Jan 03 16:31:36 NAS msmtppq[28390]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 16:32:14 NAS msmtppq[28724]: 15 more mails from queue failed to send with rc = 77
Jan 03 16:41:21 NAS msmtppq[29416]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 16:42:02 NAS msmtppq[29777]: 15 more mails from queue failed to send with rc = 77
Jan 03 16:44:07 NAS connmand[2165]: ntp: adjust (slew): +0.006885 sec
Jan 03 16:51:07 NAS msmtppq[30463]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 16:51:46 NAS msmtppq[30813]: 15 more mails from queue failed to send with rc = 77
Jan 03 17:01:12 NAS connmand[2165]: ntp: adjust (slew): -0.014113 sec
Jan 03 17:01:51 NAS msmtppq[31580]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:02:28 NAS msmtppq[31900]: 15 more mails from queue failed to send with rc = 77
Jan 03 17:11:33 NAS msmtppq[32583]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:12:11 NAS msmtppq[456]: 15 more mails from queue failed to send with rc = 77
Jan 03 17:17:02 NAS CRON[852]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 17:17:02 NAS CRON[853]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 17:17:02 NAS CRON[852]: pam_unix(cron:session): session closed for user root
Jan 03 17:18:17 NAS connmand[2165]: ntp: adjust (slew): +0.003859 sec
Jan 03 17:21:17 NAS msmtppq[1212]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:21:35 NAS msmtppq[1290]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 03 17:21:38 NAS msmtppq[1319]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:22:31 NAS msmtppq[1648]: 13 more mails from queue failed to send with rc = 77
Jan 03 17:31:37 NAS msmtppq[2516]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:32:16 NAS msmtppq[2922]: 15 more mails from queue failed to send with rc = 77
Jan 03 17:35:22 NAS connmand[2165]: ntp: adjust (slew): -0.000161 sec
Jan 03 17:41:21 NAS msmtppq[3573]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:41:58 NAS msmtppq[3959]: 15 more mails from queue failed to send with rc = 77
Jan 03 17:52:03 NAS msmtppq[4704]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 17:52:27 NAS connmand[2165]: ntp: adjust (slew): +0.001132 sec
Jan 03 17:52:40 NAS msmtppq[5060]: 15 more mails from queue failed to send with rc = 77
Jan 03 18:01:44 NAS msmtppq[5776]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 18:02:21 NAS msmtppq[6106]: 15 more mails from queue failed to send with rc = 77
Jan 03 18:09:32 NAS connmand[2165]: ntp: adjust (slew): +0.002758 sec
Jan 03 18:11:26 NAS msmtppq[6802]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 18:12:04 NAS msmtppq[7163]: 15 more mails from queue failed to send with rc = 77
Jan 03 18:17:02 NAS CRON[7512]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 18:17:02 NAS CRON[7513]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 18:17:02 NAS CRON[7512]: pam_unix(cron:session): session closed for user root

Jan 03 18:21:10 NAS msmtppq[7830]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 18:21:48 NAS msmtppq[8149]: 15 more mails from queue failed to send with rc = 77

Jan 03 18:26:34 NAS connmand[2165]: ntp: adjust (slew): -0.002019 sec

Jan 03 18:31:53 NAS msmtppq[9028]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 18:32:31 NAS msmtppq[9349]: 15 more mails from queue failed to send with rc = 77

Jan 03 18:41:36 NAS msmtppq[10001]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 18:42:16 NAS msmtppq[10369]: 15 more mails from queue failed to send with rc = 77

Jan 03 18:43:40 NAS connmand[2165]: ntp: adjust (slew): +0.000192 sec

Jan 03 18:51:24 NAS msmtppq[11003]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 18:52:06 NAS msmtppq[11376]: 15 more mails from queue failed to send with rc = 77

Jan 03 19:00:44 NAS connmand[2165]: ntp: adjust (slew): +0.000387 sec

Jan 03 19:01:15 NAS msmtppq[12016]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 19:01:56 NAS msmtppq[12383]: 15 more mails from queue failed to send with rc = 77

Jan 03 19:12:01 NAS msmtppq[13106]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 19:12:42 NAS msmtppq[13419]: 15 more mails from queue failed to send with rc = 77

Jan 03 19:17:01 NAS CRON[13715]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 19:17:01 NAS CRON[13717]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 19:17:01 NAS CRON[13715]: pam_unix(cron:session): session closed for user root

Jan 03 19:17:49 NAS connmand[2165]: ntp: adjust (slew): +0.000153 sec

Jan 03 19:21:49 NAS msmtppq[14093]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 19:22:30 NAS msmtppq[14445]: 15 more mails from queue failed to send with rc = 77

Jan 03 19:31:35 NAS msmtppq[15233]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 19:32:14 NAS msmtppq[15600]: 15 more mails from queue failed to send with rc = 77

Jan 03 19:34:54 NAS connmand[2165]: ntp: adjust (slew): -0.000191 sec

Jan 03 19:41:18 NAS msmtppq[16272]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 19:41:56 NAS msmtppq[16597]: 15 more mails from queue failed to send with rc = 77

Jan 03 19:51:58 NAS connmand[2165]: ntp: adjust (slew): -0.000308 sec

Jan 03 19:52:00 NAS msmtppq[17323]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 19:52:37 NAS msmtppq[17680]: 15 more mails from queue failed to send with rc = 77

Jan 03 20:01:42 NAS msmtppq[18339]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 20:02:23 NAS msmtppq[18675]: 15 more mails from queue failed to send with rc = 77

Jan 03 20:09:02 NAS connmand[2165]: ntp: adjust (slew): -0.000155 sec
Jan 03 20:11:28 NAS msmtppq[19342]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 20:12:04 NAS msmtppq[19662]: 15 more mails from queue failed to send with rc = 77
Jan 03 20:17:01 NAS CRON[20027]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 20:17:01 NAS CRON[20028]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 20:17:01 NAS CRON[20027]: pam_unix(cron:session): session closed for user root
Jan 03 20:21:10 NAS msmtppq[20342]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 20:21:54 NAS msmtppq[20709]: 15 more mails from queue failed to send with rc = 77
Jan 03 20:26:35 NAS connmand[2165]: ntp: adjust (slew): +0.001553 sec
Jan 03 20:32:01 NAS msmtppq[21553]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 20:32:43 NAS msmtppq[21906]: 15 more mails from queue failed to send with rc = 77
Jan 03 20:41:47 NAS msmtppq[22580]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 20:42:25 NAS msmtppq[22911]: 15 more mails from queue failed to send with rc = 77
Jan 03 20:43:39 NAS connmand[2165]: ntp: adjust (slew): -0.001203 sec
Jan 03 20:51:47 NAS msmtppq[23577]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 20:52:24 NAS msmtppq[23941]: 15 more mails from queue failed to send with rc = 77
Jan 03 21:00:45 NAS connmand[2165]: ntp: adjust (slew): -0.013412 sec
Jan 03 21:01:31 NAS msmtppq[24573]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 21:02:14 NAS msmtppq[24940]: 15 more mails from queue failed to send with rc = 77
Jan 03 21:11:24 NAS msmtppq[25627]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 21:12:06 NAS msmtppq[25953]: 15 more mails from queue failed to send with rc = 77
Jan 03 21:17:02 NAS CRON[26303]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 21:17:02 NAS CRON[26305]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 21:17:02 NAS CRON[26303]: pam_unix(cron:session): session closed for user root
Jan 03 21:17:50 NAS connmand[2165]: ntp: adjust (slew): +0.010514 sec
Jan 03 21:18:15 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md127, component device recovery
Jan 03 21:18:17 NAS mdadm[2174]: SpareActive event detected on md device /dev/md127, component device /dev/sdb3
Jan 03 21:18:44 NAS msmtppq[26446]: mail for [-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 68
Jan 03 21:18:44 NAS msmtppq[26448]: enqueued mail as : [2020-01-03-21.18.27] (-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:18:48 NAS msmtpq[26471]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 03 21:18:48 NAS msmtpq[26474]: enqueued mail as : [2020-01-03-21.18.45] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:19:00 NAS msmtpq[26524]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 03 21:19:00 NAS msmtpq[26526]: enqueued mail as : [2020-01-03-21.18.51] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:21:21 NAS msmtpq[26711]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected

Jan 03 21:21:24 NAS msmtpq[26717]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc rc = 77

Jan 03 21:21:47 NAS msmtpq[26818]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected

Jan 03 21:22:00 NAS msmtpq[26842]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtprc rc = 68

Jan 03 21:22:06 NAS msmtpq[26901]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtprc rc = 77

Jan 03 21:22:32 NAS msmtpq[26932]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtprc rc = 68

Jan 03 21:23:00 NAS msmtpq[26977]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected

Jan 03 21:23:03 NAS msmtpq[27015]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtprc rc = 77

Jan 03 21:23:24 NAS msmtpq[27063]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected

Jan 03 21:23:39 NAS msmtpq[27101]: mail [11] [2020-01-01-01.00.34] from queue ; couldn't be sent - host not connected

Jan 03 21:24:06 NAS msmtpq[27195]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected

Jan 03 21:24:18 NAS msmtpq[27202]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtprc rc = 68

Jan 03 21:24:37 NAS msmtpq[27242]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc rc = 77

Jan 03 21:25:15 NAS msmtpq[27399]: 12 more mails from queue failed to send with rc = 77

Jan 03 21:31:19 NAS msmtpq[27985]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc rc = 77

Jan 03 21:32:03 NAS msmtpq[28379]: 18 more mails from queue failed to send with rc = 77

Jan 03 21:32:44 NAS mdadm[2174]: Fail event detected on md device /dev/md0, component device /dev/sdb1

Jan 03 21:32:45 NAS disk_event_handler[28465]: mdadm: set 8:18 faulty in /dev/md1

Jan 03 21:32:45 NAS disk_event_handler[28465]: Sending disk remove event for /dev/sdb to readynasd.

Jan 03 21:32:46 NAS mdadm[2174]: Fail event detected on md device /dev/md127, component device /dev/sdb3

Jan 03 21:32:46 NAS mdadm[2174]: Fail event detected on md device /dev/md1, component device /dev/sdb2

Jan 03 21:32:50 NAS msmtprc[28517]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 03 21:32:50 NAS msmtprc[28519]: queued mail as : [2020-01-03-21.32.47] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:32:55 NAS msmtprc[28566]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 03 21:32:55 NAS msmtprc[28568]: queued mail as : [2020-01-03-21.32.52] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:33:10 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...

Jan 03 21:33:10 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...

Jan 03 21:33:10 NAS readynasd[2485]: find_available_disk: Checking disk 0:1 (sdc,ST4000VN000-1H4168,3726GB)...

Jan 03 21:33:10 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...

Jan 03 21:33:23 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...

Jan 03 21:33:23 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...

Jan 03 21:33:23 NAS readynasd[2485]: find_available_disk: Checking disk 0:1 (sdc,ST4000VN000-1H4168,3726GB)...

Jan 03 21:33:23 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...

Jan 03 21:34:54 NAS connmand[2165]: ntp: adjust (slew): +0.010165 sec

Jan 03 21:36:10 NAS disk_event_handler[30407]: mdadm: hot removed 8:17 from /dev/md0

Jan 03 21:36:10 NAS disk_event_handler[30407]: mdadm: hot removed 8:18 from /dev/md1

Jan 03 21:36:10 NAS disk_event_handler[30407]: mdadm: hot removed 8:19 from /dev/md127

Jan 03 21:36:10 NAS disk_event_handler[30407]: Sending disk add event for /dev/sde to readynasd.

Jan 03 21:36:15 NAS msmtprc[30489]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 03 21:36:15 NAS msmtprc[30491]: queued mail as : [2020-01-03-21.36.11] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:36:28 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...

Jan 03 21:36:28 NAS readynasd[2485]: find_available_disk: Checking specified disk sde...

Jan 03 21:36:28 NAS readynasd[2485]: find_available_disk: Disk 0:2 (sde,ST8000VN004-2M2101,7452GB) is available

Jan 03 21:36:28 NAS readynasd[2485]: repair_pool: Trying to repair pool [data]

Jan 03 21:36:28 NAS readynasd[2485]: prepare_disk: Prepare disk 0:2 (sde,ST8000VN004-2M2101,7452GB) with partition size 7804595824

Jan 03 21:36:28 NAS readynasd[2485]: Found sde is not a member of root

Jan 03 21:36:30 NAS readynasd[2485]: Adding disk sde to root RAID1

Jan 03 21:36:30 NAS readynasd[2485]: Found sde is not a member of swap

Jan 03 21:36:33 NAS readynasd[2485]: Adding disk sde to swap RAID1

Jan 03 21:36:35 NAS readynasd[2485]: repair_pool: Adding disk 0:2 (sde,ST8000VN004-2M2101,7452GB) for RAID data-0...

Jan 03 21:36:36 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md0, component device recovery

Jan 03 21:36:45 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md127, component device recovery

Jan 03 21:37:07 NAS msmtppq[31189]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 03 21:37:07 NAS msmtppq[31191]: enqueued mail as : [2020-01-03-21.37.04] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 03 21:41:12 NAS msmtppq[31500]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 21:42:10 NAS msmtppq[32014]: 22 more mails from queue failed to send with rc = 77

Jan 03 21:51:16 NAS msmtppq[32642]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 21:51:59 NAS connmand[2165]: ntp: adjust (slew): +0.001322 sec

Jan 03 21:52:14 NAS msmtppq[712]: 22 more mails from queue failed to send with rc = 77

Jan 03 21:53:26 NAS mdadm[2174]: Rebuild98 event detected on md device /dev/md0, component device recovery

Jan 03 21:53:41 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md0, component device recovery

Jan 03 21:53:41 NAS mdadm[2174]: SpareActive event detected on md device /dev/md0, component device /dev/sde1

Jan 03 22:01:18 NAS msmtppq[1377]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 22:02:12 NAS msmtppq[1902]: 22 more mails from queue failed to send with rc = 77

Jan 03 22:09:05 NAS connmand[2165]: ntp: adjust (slew): -0.025335 sec

Jan 03 22:11:17 NAS msmtppq[2570]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 22:12:12 NAS msmtppq[3148]: 22 more mails from queue failed to send with rc = 77

Jan 03 22:17:01 NAS CRON[3465]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 03 22:17:01 NAS CRON[3468]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 03 22:17:01 NAS CRON[3465]: pam_unix(cron:session): session closed for user root

Jan 03 22:21:16 NAS msmtppq[3808]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 03 22:22:04 NAS msmtppq[4289]: 22 more mails from queue failed to send with rc = 77

Jan 03 22:26:34 NAS connmand[2165]: ntp: adjust (slew): +0.014344 sec

Jan 03 22:31:09 NAS msmtppq[5051]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 22:31:59 NAS msmtppq[5557]: 22 more mails from queue failed to send with rc = 77
Jan 03 22:42:02 NAS msmtppq[6249]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 22:42:52 NAS msmtppq[6755]: 22 more mails from queue failed to send with rc = 77
Jan 03 22:43:40 NAS connmand[2165]: ntp: adjust (slew): -0.000901 sec
Jan 03 22:51:55 NAS msmtppq[7378]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 22:52:44 NAS msmtppq[7836]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:00:44 NAS connmand[2165]: ntp: adjust (slew): +0.008916 sec
Jan 03 23:01:47 NAS msmtppq[8477]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 23:02:37 NAS msmtppq[8974]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:11:40 NAS msmtppq[9600]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 23:12:29 NAS msmtppq[10103]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:17:01 NAS CRON[10391]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 03 23:17:01 NAS CRON[10392]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 03 23:17:01 NAS CRON[10391]: pam_unix(cron:session): session closed for user root
Jan 03 23:17:49 NAS connmand[2165]: ntp: adjust (slew): +0.002526 sec
Jan 03 23:21:33 NAS msmtppq[10723]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 23:22:22 NAS msmtppq[11192]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:31:26 NAS msmtppq[11975]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 23:32:15 NAS msmtppq[12482]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:34:54 NAS connmand[2165]: ntp: adjust (slew): -0.001440 sec
Jan 03 23:41:19 NAS msmtppq[13129]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 23:42:08 NAS msmtppq[13626]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:51:12 NAS msmtppq[14220]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 03 23:52:01 NAS msmtppq[14724]: 22 more mails from queue failed to send with rc = 77
Jan 03 23:52:05 NAS connmand[2165]: ntp: adjust (slew): -0.007244 sec
Jan 04 00:01:04 NAS msmtppq[15356]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 00:01:57 NAS msmtppq[15856]: 22 more mails from queue failed to send with rc = 77
Jan 04 00:09:09 NAS connmand[2165]: ntp: adjust (slew): +0.000009 sec
Jan 04 00:12:01 NAS msmtppq[16543]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 00:12:49 NAS msmtppq[17054]: 22 more mails from queue failed to send with rc = 77
Jan 04 00:17:01 NAS CRON[17315]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 04 00:17:01 NAS CRON[17316]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 00:17:01 NAS CRON[17315]: pam_unix(cron:session): session closed for user root

Jan 04 00:21:53 NAS msmtppq[17658]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 00:22:41 NAS msmtppq[18146]: 22 more mails from queue failed to send with rc = 77

Jan 04 00:26:09 NAS avahi-daemon[2159]: Withdrawing address record for 192.168.20.35 on eth0.

Jan 04 00:26:09 NAS avahi-daemon[2159]: Leaving mDNS multicast group on interface eth0.IPv4 with address 192.168.20.35.

Jan 04 00:26:09 NAS avahi-daemon[2159]: Interface eth0.IPv4 no longer relevant for mDNS.

Jan 04 00:26:09 NAS avahi-daemon[2159]: Joining mDNS multicast group on interface eth0.IPv4 with address 192.168.20.54.

Jan 04 00:26:09 NAS avahi-daemon[2159]: New relevant interface eth0.IPv4 for mDNS.

Jan 04 00:26:09 NAS avahi-daemon[2159]: Registering new address record for 192.168.20.54 on eth0.IPv4.

Jan 04 00:26:09 NAS connmand[2165]: eth0 {del} address 192.168.20.35/24 label eth0

Jan 04 00:26:09 NAS connmand[2165]: eth0 {del} route 192.168.20.0 gw 0.0.0.0 scope 253 <LINK>

Jan 04 00:26:09 NAS connmand[2165]: eth0 {add} address 192.168.20.54/24 label eth0 family 2

Jan 04 00:26:09 NAS connmand[2165]: eth0 {add} route 192.168.20.0 gw 0.0.0.0 scope 253 <LINK>

Jan 04 00:26:09 NAS connmand[2165]: eth0 {add} route 192.168.20.1 gw 0.0.0.0 scope 253 <LINK>

Jan 04 00:26:09 NAS connmand[2165]: eth0 {add} route 0.0.0.0 gw 192.168.20.1 scope 0 <UNIVERSE>

Jan 04 00:26:09 NAS connmand[2165]: eth0 {add} route 0.0.0.0 gw 192.168.20.1 scope 0 <UNIVERSE>

Jan 04 00:26:40 NAS connmand[2165]: ntp: adjust (slew): +0.001257 sec

Jan 04 00:27:46 NAS nmbd[2178]: [2020/01/04 00:27:46.110760, 0] ../source3/nmbd/nmbd_become_lmb.c:397(become_local_master_stage2)

Jan 04 00:27:46 NAS nmbd[2178]: ***** Samba name server NAS is now a local master browser for workgroup WORKGROUP on subnet 192.168.20.54 *****

Jan 04 00:31:45 NAS msmtppq[18876]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 00:32:33 NAS msmtppq[19373]: 22 more mails from queue failed to send with rc = 77

Jan 04 00:41:37 NAS msmtppq[19954]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 00:42:26 NAS msmtppq[20453]: 22 more mails from queue failed to send with rc = 77

Jan 04 00:43:44 NAS connmand[2165]: ntp: adjust (slew): -0.008883 sec

Jan 04 00:51:29 NAS msmtppq[21029]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 00:52:18 NAS msmtppq[21493]: 22 more mails from queue failed to send with rc = 77

Jan 04 01:00:22 NAS msmtppq[21980]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 04 01:00:22 NAS msmtpq[21982]: enqueued mail as : [2020-01-04-01.00.19] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 04 01:00:48 NAS connmand[2165]: ntp: adjust (slew): +0.011158 sec

Jan 04 01:01:25 NAS msmtpq[22077]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 01:02:16 NAS msmtplib[22601]: 23 more mails from queue failed to send with rc = 77

Jan 04 01:11:20 NAS msmtplib[23161]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 01:12:11 NAS msmtplib[23686]: 23 more mails from queue failed to send with rc = 77

Jan 04 01:17:02 NAS CRON[23984]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 04 01:17:02 NAS CRON[23985]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 01:17:02 NAS CRON[23984]: pam_unix(cron:session): session closed for user root

Jan 04 01:17:52 NAS connmand[2165]: ntp: adjust (slew): -0.000498 sec

Jan 04 01:21:15 NAS msmtplib[24254]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 01:22:06 NAS msmtplib[24776]: 23 more mails from queue failed to send with rc = 77

Jan 04 01:31:10 NAS msmtplib[25457]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 01:32:02 NAS msmtplib[25975]: 23 more mails from queue failed to send with rc = 77

Jan 04 01:34:56 NAS connmand[2165]: ntp: adjust (slew): -0.003777 sec

Jan 04 01:41:06 NAS msmtplib[26546]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 01:41:58 NAS msmtplib[27062]: 23 more mails from queue failed to send with rc = 77

Jan 04 01:51:15 NAS msmtplib[27639]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 01:52:00 NAS connmand[2165]: ntp: adjust (slew): +0.000378 sec

Jan 04 01:52:06 NAS msmtplib[28157]: 23 more mails from queue failed to send with rc = 77

Jan 04 02:01:10 NAS msmtplib[28724]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 02:02:03 NAS msmtplib[29274]: 23 more mails from queue failed to send with rc = 77

Jan 04 02:09:05 NAS connmand[2165]: ntp: adjust (slew): +0.010486 sec

Jan 04 02:11:07 NAS msmtplib[29826]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 02:12:01 NAS msmtplib[30347]: 23 more mails from queue failed to send with rc = 77

Jan 04 02:17:01 NAS CRON[30655]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 04 02:17:01 NAS CRON[30656]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 02:17:01 NAS CRON[30655]: pam_unix(cron:session): session closed for user root

Jan 04 02:21:05 NAS msmtplib[30926]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtplib rc = 77

Jan 04 02:21:57 NAS msmtplib[31444]: 23 more mails from queue failed to send with rc = 77

Jan 04 02:26:09 NAS connmand[2165]: ntp: adjust (slew): -0.015147 sec

Jan 04 02:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.011611 sec

Jan 04 02:32:01 NAS msmtppq[32218]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 02:32:53 NAS msmtppq[32735]: 23 more mails from queue failed to send with rc = 77
Jan 04 02:41:57 NAS msmtppq[878]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 02:42:48 NAS msmtppq[1380]: 23 more mails from queue failed to send with rc = 77
Jan 04 02:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.005517 sec
Jan 04 02:51:52 NAS msmtppq[1971]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 02:52:44 NAS msmtppq[2517]: 23 more mails from queue failed to send with rc = 77
Jan 04 03:00:51 NAS connmand[2165]: ntp: adjust (slew): -0.002460 sec
Jan 04 03:01:48 NAS msmtppq[3160]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 03:02:42 NAS msmtppq[3675]: 23 more mails from queue failed to send with rc = 77
Jan 04 03:11:46 NAS msmtppq[4256]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 03:12:39 NAS msmtppq[4741]: 23 more mails from queue failed to send with rc = 77
Jan 04 03:17:02 NAS CRON[5041]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 03:17:02 NAS CRON[5042]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 03:17:02 NAS CRON[5041]: pam_unix(cron:session): session closed for user root
Jan 04 03:17:56 NAS connmand[2165]: ntp: adjust (slew): +0.000264 sec
Jan 04 03:21:42 NAS msmtppq[5316]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 03:22:33 NAS msmtppq[5840]: 23 more mails from queue failed to send with rc = 77
Jan 04 03:31:37 NAS msmtppq[6559]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 03:32:28 NAS msmtppq[7072]: 23 more mails from queue failed to send with rc = 77
Jan 04 03:35:01 NAS connmand[2165]: ntp: adjust (slew): +0.003777 sec
Jan 04 03:41:32 NAS msmtppq[7643]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 03:42:24 NAS msmtppq[8125]: 23 more mails from queue failed to send with rc = 77
Jan 04 03:51:28 NAS msmtppq[8699]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 03:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.001491 sec
Jan 04 03:52:19 NAS msmtppq[9217]: 23 more mails from queue failed to send with rc = 77
Jan 04 04:01:22 NAS msmtppq[9792]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 04:02:15 NAS msmtppq[10317]: 23 more mails from queue failed to send with rc = 77
Jan 04 04:09:10 NAS connmand[2165]: ntp: adjust (slew): -0.000809 sec
Jan 04 04:11:19 NAS msmtppq[10877]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 04:12:10 NAS msmtppq[11399]: 23 more mails from queue failed to send with rc = 77
Jan 04 04:17:01 NAS CRON[11663]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 04 04:17:01 NAS CRON[11664]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 04:17:01 NAS CRON[11663]: pam_unix(cron:session): session closed for user root

Jan 04 04:21:14 NAS msmtppq[11947]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 04:22:06 NAS msmtppq[12464]: 23 more mails from queue failed to send with rc = 77

Jan 04 04:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.000447 sec

Jan 04 04:31:09 NAS msmtppq[13182]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 04:32:03 NAS msmtppq[13701]: 23 more mails from queue failed to send with rc = 77

Jan 04 04:41:06 NAS msmtppq[14284]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 04:41:59 NAS msmtppq[14804]: 23 more mails from queue failed to send with rc = 77

Jan 04 04:43:44 NAS connmand[2165]: ntp: adjust (slew): +0.001117 sec

Jan 04 04:51:03 NAS msmtppq[15380]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 04:51:57 NAS msmtppq[15863]: 23 more mails from queue failed to send with rc = 77

Jan 04 05:00:48 NAS connmand[2165]: ntp: adjust (slew): -0.000177 sec

Jan 04 05:02:01 NAS msmtppq[16489]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 05:02:53 NAS msmtppq[17005]: 23 more mails from queue failed to send with rc = 77

Jan 04 05:11:57 NAS msmtppq[17567]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 05:12:51 NAS msmtppq[18096]: 23 more mails from queue failed to send with rc = 77

Jan 04 05:17:01 NAS CRON[18334]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 04 05:17:01 NAS CRON[18335]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 05:17:02 NAS CRON[18334]: pam_unix(cron:session): session closed for user root

Jan 04 05:17:53 NAS connmand[2165]: ntp: adjust (slew): +0.000450 sec

Jan 04 05:21:55 NAS msmtppq[18661]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 05:22:46 NAS msmtppq[19178]: 23 more mails from queue failed to send with rc = 77

Jan 04 05:31:50 NAS msmtppq[19861]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 05:32:48 NAS msmtppq[20372]: 23 more mails from queue failed to send with rc = 77

Jan 04 05:34:57 NAS connmand[2165]: ntp: adjust (slew): -0.000050 sec

Jan 04 05:41:52 NAS msmtppq[20946]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 05:42:43 NAS msmtppq[21457]: 23 more mails from queue failed to send with rc = 77

Jan 04 05:51:47 NAS msmtppq[22029]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 05:52:01 NAS connmand[2165]: ntp: adjust (slew): +0.000590 sec

Jan 04 05:52:38 NAS msmtppq[22546]: 23 more mails from queue failed to send with rc = 77

Jan 04 06:01:52 NAS msmtppq[23133]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 06:02:44 NAS msmtppq[23643]: 23 more mails from queue failed to send with rc = 77

Jan 04 06:09:05 NAS connmand[2165]: ntp: adjust (slew): +0.000460 sec
Jan 04 06:11:48 NAS msmtppq[24223]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 06:12:39 NAS msmtppq[24696]: 23 more mails from queue failed to send with rc = 77
Jan 04 06:17:01 NAS CRON[24980]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 06:17:01 NAS CRON[24981]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 06:17:01 NAS CRON[24980]: pam_unix(cron:session): session closed for user root
Jan 04 06:21:43 NAS msmtppq[25260]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 06:22:36 NAS msmtppq[25785]: 23 more mails from queue failed to send with rc = 77
Jan 04 06:25:02 NAS CRON[25917]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 06:25:02 NAS CRON[25918]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))
Jan 04 06:25:02 NAS CRON[25917]: pam_unix(cron:session): session closed for user root
Jan 04 06:26:09 NAS connmand[2165]: ntp: adjust (slew): -0.001178 sec
Jan 04 06:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.001907 sec
Jan 04 06:31:39 NAS msmtppq[26498]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 06:32:32 NAS msmtppq[27018]: 23 more mails from queue failed to send with rc = 77
Jan 04 06:41:35 NAS msmtppq[27591]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 06:42:29 NAS msmtppq[28106]: 23 more mails from queue failed to send with rc = 77
Jan 04 06:43:44 NAS connmand[2165]: ntp: adjust (slew): +0.000614 sec
Jan 04 06:51:32 NAS msmtppq[28643]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 06:52:24 NAS msmtppq[29160]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:00:48 NAS connmand[2165]: ntp: adjust (slew): -0.000132 sec
Jan 04 07:01:27 NAS msmtppq[29738]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 07:02:18 NAS msmtppq[30255]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:11:22 NAS msmtppq[30829]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 07:12:12 NAS msmtppq[31350]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:17:02 NAS CRON[31603]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 07:17:02 NAS CRON[31604]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 07:17:02 NAS CRON[31603]: pam_unix(cron:session): session closed for user root
Jan 04 07:17:52 NAS connmand[2165]: ntp: adjust (slew): -0.000259 sec
Jan 04 07:21:17 NAS msmtppq[31913]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 07:22:09 NAS msmtppq[32402]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:31:12 NAS msmtppq[679]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 07:32:03 NAS msmtppq[1225]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:34:57 NAS connmand[2165]: ntp: adjust (slew): +0.000055 sec
Jan 04 07:41:07 NAS msmtppq[1810]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 07:42:01 NAS msmtppq[2362]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:51:04 NAS msmtppq[3007]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 07:51:55 NAS msmtppq[3527]: 23 more mails from queue failed to send with rc = 77
Jan 04 07:52:01 NAS connmand[2165]: ntp: adjust (slew): +0.000873 sec
Jan 04 08:01:59 NAS msmtppq[4179]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:02:10 NAS msmtppq[4234]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 04 08:02:25 NAS msmtppq[4265]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:02:29 NAS msmtppq[4289]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:02:50 NAS msmtppq[4388]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 08:03:01 NAS msmtppq[4409]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:03:04 NAS msmtppq[4457]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:04:08 NAS msmtppq[4676]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:04:11 NAS msmtppq[4700]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:04:27 NAS msmtppq[4768]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 04 08:04:40 NAS msmtppq[4799]: mail [21] [2020-01-03-21.32.52] from queue ; couldn't be sent - host not connected
Jan 04 08:04:50 NAS msmtppq[4814]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:05:11 NAS msmtppq[4871]: mail [22] [2020-01-03-21.36.11] from queue ; couldn't be sent - host not connected
Jan 04 08:05:14 NAS msmtppq[4877]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:05:20 NAS msmtppq[4921]: 15 more mails from queue failed to send with rc = 77
Jan 04 08:09:06 NAS connmand[2165]: ntp: adjust (slew): -0.000658 sec
Jan 04 08:11:24 NAS msmtppq[5327]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:12:02 NAS msmtppq[5429]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 04 08:12:34 NAS msmtppq[5553]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 04 08:13:08 NAS msmtppq[5676]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected

Jan 04 08:13:34 NAS msmtppq[5788]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:14:19 NAS msmtppq[5934]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:14:39 NAS msmtppq[6002]: 21 more mails from queue failed to send with rc = 77
Jan 04 08:17:01 NAS CRON[6134]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 08:17:02 NAS CRON[6135]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 08:17:02 NAS CRON[6134]: pam_unix(cron:session): session closed for user root
Jan 04 08:21:44 NAS msmtppq[6468]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:22:01 NAS msmtppq[6527]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:22:04 NAS msmtppq[6551]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:22:34 NAS msmtppq[6635]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:22:44 NAS msmtppq[6657]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected
Jan 04 08:23:04 NAS msmtppq[6701]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:23:32 NAS msmtppq[6807]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:23:37 NAS msmtppq[6836]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:23:58 NAS msmtppq[6871]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 04 08:24:19 NAS msmtppq[6914]: mail [15] [2020-01-03-12.28.32] from queue ; couldn't be sent - host not connected
Jan 04 08:24:38 NAS msmtppq[7002]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:24:42 NAS msmtppq[7026]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:24:58 NAS msmtppq[7073]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:25:08 NAS msmtppq[7094]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 04 08:25:12 NAS msmtppq[7102]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:26:07 NAS msmtppq[7201]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:26:11 NAS msmtppq[7225]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:26:13 NAS msmtppq[7248]: 11 more mails from queue failed to send with rc = 77
Jan 04 08:26:45 NAS connmand[2165]: ntp: adjust (slew): -0.000098 sec

Jan 04 08:31:17 NAS msmtppq[7723]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:31:38 NAS msmtppq[7783]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 04 08:32:02 NAS msmtppq[7894]: mail [6] [2019-12-31-15.20.33] from queue ; couldn't be sent - host not connected
Jan 04 08:32:39 NAS msmtppq[8013]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected
Jan 04 08:32:59 NAS msmtppq[8099]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 04 08:33:22 NAS msmtppq[8122]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected
Jan 04 08:33:40 NAS msmtppq[8203]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 04 08:34:13 NAS msmtppq[8304]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 04 08:34:36 NAS msmtppq[8327]: mail [21] [2020-01-03-21.32.52] from queue ; couldn't be sent - host not connected
Jan 04 08:34:51 NAS msmtppq[8400]: mail [22] [2020-01-03-21.36.11] from queue ; couldn't be sent - host not connected
Jan 04 08:35:06 NAS msmtppq[8450]: 23 more mails from queue failed to send with rc = 77
Jan 04 08:41:23 NAS msmtppq[8847]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:41:27 NAS msmtppq[8871]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:41:44 NAS msmtppq[8936]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 04 08:42:15 NAS msmtppq[9017]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:42:47 NAS msmtppq[9104]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 08:42:50 NAS msmtppq[9124]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:43:10 NAS msmtppq[9173]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected
Jan 04 08:43:24 NAS msmtppq[9199]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:43:27 NAS msmtppq[9224]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.001667 sec
Jan 04 08:44:01 NAS msmtppq[9317]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected
Jan 04 08:44:44 NAS msmtppq[9367]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 04 08:45:29 NAS msmtppq[9476]: mail [18] [2020-01-03-21.18.45] from queue ; couldn't be sent - host not connected

Jan 04 08:45:45 NAS msmtppq[9484]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:46:02 NAS msmtppq[9586]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:46:27 NAS msmtppq[9653]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 04 08:46:47 NAS msmtppq[9660]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:46:58 NAS msmtppq[9730]: mail [24] [2020-01-04-01.00.19] from queue ; couldn't be sent - host not connected
Jan 04 08:47:02 NAS msmtppq[9736]: mail [24] [2020-01-04-01.00.19] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:47:02 NAS msmtppq[9739]: 14 more mails from queue failed to send with rc = 77
Jan 04 08:51:14 NAS msmtppq[10014]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 04 08:51:17 NAS msmtppq[10020]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:51:29 NAS msmtppq[10044]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:51:32 NAS msmtppq[10068]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:51:43 NAS msmtppq[10089]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected
Jan 04 08:51:58 NAS msmtppq[10147]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:52:08 NAS msmtppq[10177]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:52:23 NAS msmtppq[10221]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:52:34 NAS msmtppq[10242]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 08:53:06 NAS msmtppq[10348]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected
Jan 04 08:53:28 NAS msmtppq[10375]: mail [11] [2020-01-01-01.00.34] from queue ; couldn't be sent - host not connected
Jan 04 08:53:31 NAS msmtppq[10382]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:54:03 NAS msmtppq[10577]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:54:06 NAS msmtppq[10601]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:54:34 NAS msmtppq[10631]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 68
Jan 04 08:54:49 NAS msmtppq[10684]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 77
Jan 04 08:55:02 NAS msmtppq[10766]: mail [24] [2020-01-04-01.00.19] from queue ; couldn't be sent - host not connected

Jan 04 08:55:05 NAS msmtppq[10771]: 13 more mails from queue failed to send with rc = 77
Jan 04 09:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.001957 sec
Jan 04 09:01:11 NAS msmtppq[11169]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:01:22 NAS msmtppq[11199]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:01:26 NAS msmtppq[11223]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:01:43 NAS msmtppq[11284]: mail [6] [2019-12-31-15.20.33] from queue ; couldn't be sent - host not connected
Jan 04 09:01:56 NAS msmtppq[11319]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:01:58 NAS msmtppq[11348]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:02:21 NAS msmtppq[11455]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:02:45 NAS msmtppq[11499]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:03:01 NAS msmtppq[11578]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 04 09:03:23 NAS msmtppq[11694]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:03:27 NAS msmtppq[11718]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:03:41 NAS msmtppq[11742]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:03:44 NAS msmtppq[11766]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:03:50 NAS msmtppq[11818]: 13 more mails from queue failed to send with rc = 77
Jan 04 09:11:54 NAS msmtppq[12322]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:12:51 NAS msmtppq[12846]: 23 more mails from queue failed to send with rc = 77
Jan 04 09:17:01 NAS CRON[13083]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 09:17:01 NAS CRON[13084]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 09:17:01 NAS CRON[13083]: pam_unix(cron:session): session closed for user root
Jan 04 09:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.000051 sec
Jan 04 09:21:55 NAS msmtppq[13415]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:22:47 NAS msmtppq[13926]: 23 more mails from queue failed to send with rc = 77
Jan 04 09:31:52 NAS msmtppq[14653]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:32:18 NAS msmtppq[14719]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected
Jan 04 09:33:12 NAS msmtppq[14981]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 68

Jan 04 09:33:15 NAS msmtppq[15005]: mail [15] [2020-01-03-12.28.32] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:33:35 NAS msmtppq[15098]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:33:53 NAS msmtppq[15167]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:34:03 NAS msmtppq[15189]: mail [21] [2020-01-03-21.32.52] from queue ; couldn't be sent - host not connected
Jan 04 09:34:36 NAS msmtppq[15256]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 09:34:40 NAS msmtppq[15280]: mail [24] [2020-01-04-01.00.19] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:34:40 NAS msmtppq[15283]: 17 more mails from queue failed to send with rc = 77
Jan 04 09:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.001304 sec
Jan 04 09:41:44 NAS msmtppq[15790]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:42:06 NAS msmtppq[15966]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected
Jan 04 09:43:05 NAS msmtppq[16355]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 04 09:43:09 NAS msmtppq[16380]: 23 more mails from queue failed to send with rc = 77
Jan 04 09:51:13 NAS msmtppq[16939]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 09:52:05 NAS msmtppq[17465]: 23 more mails from queue failed to send with rc = 77
Jan 04 09:52:08 NAS connmand[2165]: ntp: adjust (slew): -0.002242 sec
Jan 04 10:01:25 NAS msmtppq[18100]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:01:52 NAS msmtppq[18245]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:01:55 NAS msmtppq[18269]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:02:16 NAS msmtppq[18333]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:02:19 NAS msmtppq[18359]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:03:18 NAS msmtppq[18634]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 04 10:03:37 NAS msmtppq[18705]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:03:58 NAS msmtppq[18746]: 18 more mails from queue failed to send with rc = 68
Jan 04 10:09:14 NAS connmand[2165]: ntp: adjust (slew): +0.006242 sec
Jan 04 10:12:02 NAS msmtppq[19306]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:12:16 NAS msmtppq[19347]: mail [3] [2019-12-31-15.15.41] from queue ; couldn't be sent - host not connected
Jan 04 10:12:39 NAS msmtppq[19410]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected

Jan 04 10:12:58 NAS msmtppq[19500]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:13:08 NAS msmtppq[19522]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 10:13:10 NAS msmtppq[19528]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:13:21 NAS msmtppq[19550]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 04 10:13:38 NAS msmtppq[19662]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:13:41 NAS msmtppq[19687]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:13:58 NAS msmtppq[19788]: mail [17] [2020-01-03-21.18.27] from queue ; couldn't be sent - host not connected
Jan 04 10:14:09 NAS msmtppq[19797]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:14:12 NAS msmtppq[19821]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:14:22 NAS msmtppq[19846]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 04 10:14:26 NAS msmtppq[19870]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:14:42 NAS msmtppq[19990]: 15 more mails from queue failed to send with rc = 77
Jan 04 10:17:01 NAS CRON[20144]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 10:17:01 NAS CRON[20145]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 10:17:01 NAS CRON[20144]: pam_unix(cron:session): session closed for user root
Jan 04 10:21:45 NAS msmtppq[20481]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:22:38 NAS msmtppq[21003]: 23 more mails from queue failed to send with rc = 77
Jan 04 10:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.002577 sec
Jan 04 10:31:42 NAS msmtppq[21730]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:32:36 NAS msmtppq[22252]: 23 more mails from queue failed to send with rc = 77
Jan 04 10:41:39 NAS msmtppq[22910]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:42:33 NAS msmtppq[23431]: 23 more mails from queue failed to send with rc = 77
Jan 04 10:43:44 NAS connmand[2165]: ntp: adjust (slew): -0.005175 sec
Jan 04 10:51:36 NAS msmtppq[24064]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 10:52:27 NAS msmtppq[24594]: 23 more mails from queue failed to send with rc = 77
Jan 04 11:00:48 NAS connmand[2165]: ntp: adjust (slew): +0.000638 sec
Jan 04 11:01:31 NAS msmtppq[25234]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 11:02:22 NAS msmtppq[25753]: 23 more mails from queue failed to send with rc = 77

Jan 04 11:11:26 NAS msmtppq[26343]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 11:12:17 NAS msmtppq[26866]: 23 more mails from queue failed to send with rc = 77
Jan 04 11:17:01 NAS CRON[27189]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 11:17:01 NAS CRON[27190]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 11:17:02 NAS CRON[27189]: pam_unix(cron:session): session closed for user root
Jan 04 11:17:53 NAS connmand[2165]: ntp: adjust (slew): +0.015236 sec
Jan 04 11:21:20 NAS msmtppq[27476]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 11:22:11 NAS msmtppq[27999]: 23 more mails from queue failed to send with rc = 77
Jan 04 11:31:15 NAS msmtppq[28851]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 11:32:07 NAS msmtppq[29380]: 23 more mails from queue failed to send with rc = 77
Jan 04 11:34:58 NAS connmand[2165]: ntp: adjust (slew): -0.020877 sec
Jan 04 11:41:11 NAS msmtppq[30007]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 11:42:02 NAS msmtppq[30510]: 23 more mails from queue failed to send with rc = 77
Jan 04 11:51:06 NAS msmtppq[31120]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 11:51:58 NAS msmtppq[31647]: 23 more mails from queue failed to send with rc = 77
Jan 04 11:52:02 NAS connmand[2165]: ntp: adjust (slew): +0.021048 sec
Jan 04 12:02:02 NAS msmtppq[32351]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 12:02:53 NAS msmtppq[420]: 23 more mails from queue failed to send with rc = 77
Jan 04 12:09:07 NAS connmand[2165]: ntp: adjust (slew): -0.004369 sec
Jan 04 12:11:57 NAS msmtppq[1100]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 12:13:09 NAS msmtppq[1662]: 23 more mails from queue failed to send with rc = 77
Jan 04 12:17:01 NAS CRON[1920]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 12:17:01 NAS CRON[1922]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 12:17:01 NAS CRON[1920]: pam_unix(cron:session): session closed for user root
Jan 04 12:21:14 NAS msmtppq[2240]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 12:22:21 NAS msmtppq[2816]: 23 more mails from queue failed to send with rc = 77
Jan 04 12:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.024234 sec
Jan 04 12:31:25 NAS msmtppq[3832]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 12:32:18 NAS msmtppq[4358]: 23 more mails from queue failed to send with rc = 77
Jan 04 12:41:21 NAS msmtppq[4986]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 12:42:11 NAS msmtppq[5508]: 23 more mails from queue failed to send with rc = 77
Jan 04 12:43:45 NAS connmand[2165]: ntp: adjust (slew): +0.007431 sec

Jan 04 12:51:15 NAS msmtppq[6161]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 12:52:06 NAS msmtppq[6648]: 23 more mails from queue failed to send with rc = 77
Jan 04 13:00:49 NAS connmand[2165]: ntp: adjust (slew): +0.004152 sec
Jan 04 13:01:10 NAS msmtppq[7258]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:02:01 NAS msmtppq[7791]: 23 more mails from queue failed to send with rc = 77
Jan 04 13:11:05 NAS msmtppq[8480]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:11:57 NAS msmtppq[8996]: 23 more mails from queue failed to send with rc = 77
Jan 04 13:17:01 NAS CRON[9337]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 13:17:01 NAS CRON[9338]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 13:17:01 NAS CRON[9337]: pam_unix(cron:session): session closed for user root
Jan 04 13:17:53 NAS connmand[2165]: ntp: adjust (slew): +0.002258 sec
Jan 04 13:22:00 NAS msmtppq[9690]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:22:52 NAS msmtppq[10231]: 23 more mails from queue failed to send with rc = 77
Jan 04 13:31:56 NAS msmtppq[11059]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:32:46 NAS msmtppq[11535]: 23 more mails from queue failed to send with rc = 77
Jan 04 13:34:57 NAS connmand[2165]: ntp: adjust (slew): +0.006965 sec
Jan 04 13:41:50 NAS msmtppq[12177]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:42:18 NAS msmtppq[12299]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 68
Jan 04 13:42:33 NAS msmtppq[12350]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:43:00 NAS msmtppq[12533]: mail [15] [2020-01-03-12.28.32] from queue ; send failed ; msmtpp rc = 68
Jan 04 13:43:02 NAS msmtppq[12558]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:43:23 NAS msmtppq[12667]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 04 13:43:25 NAS msmtppq[12692]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:43:36 NAS msmtppq[12775]: 17 more mails from queue failed to send with rc = 77
Jan 04 13:51:39 NAS msmtppq[13339]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 13:52:01 NAS connmand[2165]: ntp: adjust (slew): -0.008741 sec
Jan 04 13:52:35 NAS msmtppq[13864]: 23 more mails from queue failed to send with rc = 77
Jan 04 14:01:39 NAS msmtppq[14490]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:03:15 NAS msmtppq[15068]: 23 more mails from queue failed to send with rc = 77
Jan 04 14:09:05 NAS connmand[2165]: ntp: adjust (slew): +0.000914 sec

Jan 04 14:11:19 NAS msmtppq[15606]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:12:13 NAS msmtppq[16135]: 23 more mails from queue failed to send with rc = 77
Jan 04 14:17:01 NAS CRON[16455]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 14:17:01 NAS CRON[16456]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 14:17:01 NAS CRON[16455]: pam_unix(cron:session): session closed for user root
Jan 04 14:21:18 NAS msmtppq[16761]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:21:44 NAS msmtppq[16868]: mail [6] [2019-12-31-15.20.33] from queue ; couldn't be sent - host not connected
Jan 04 14:22:43 NAS msmtppq[17298]: mail [24] [2020-01-04-01.00.19] from queue ; couldn't be sent - host not connected
Jan 04 14:22:46 NAS msmtppq[17304]: 23 more mails from queue failed to send with rc = 77
Jan 04 14:26:09 NAS connmand[2165]: ntp: adjust (slew): +0.001253 sec
Jan 04 14:26:41 NAS connmand[2165]: ntp: adjust (slew): +0.000887 sec
Jan 04 14:31:49 NAS msmtppq[18235]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:33:05 NAS msmtppq[18807]: mail [24] [2020-01-04-01.00.19] from queue ; couldn't be sent - host not connected
Jan 04 14:33:08 NAS msmtppq[18812]: 23 more mails from queue failed to send with rc = 77
Jan 04 14:41:20 NAS msmtppq[19373]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 14:41:22 NAS msmtppq[19398]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:41:49 NAS msmtppq[19579]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected
Jan 04 14:42:09 NAS msmtppq[19672]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 68
Jan 04 14:42:12 NAS msmtppq[19732]: mail [15] [2020-01-03-12.28.32] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:42:34 NAS msmtppq[19920]: 20 more mails from queue failed to send with rc = 77
Jan 04 14:43:45 NAS connmand[2165]: ntp: adjust (slew): +0.000370 sec
Jan 04 14:51:38 NAS msmtppq[20554]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 14:52:16 NAS msmtppq[20834]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected
Jan 04 14:52:43 NAS msmtppq[21081]: 23 more mails from queue failed to send with rc = 77
Jan 04 15:00:49 NAS connmand[2165]: ntp: adjust (slew): +0.000492 sec
Jan 04 15:01:46 NAS msmtppq[21719]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 15:02:41 NAS msmtppq[22177]: mail [21] [2020-01-03-21.32.52] from queue ; couldn't be sent - host not connected
Jan 04 15:02:50 NAS msmtppq[22253]: 23 more mails from queue failed to send with rc = 77
Jan 04 15:11:54 NAS msmtppq[22877]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 15:12:31 NAS msmtppq[23134]: mail [13] [2020-01-03-01.00.46] from queue ;
couldn't be sent - host not connected
Jan 04 15:12:49 NAS msmtppq[23249]: mail [16] [2020-01-03-12.28.46] from queue ;
couldn't be sent - host not connected
Jan 04 15:13:16 NAS msmtppq[23419]: 23 more mails from queue failed to send with rc = 77
Jan 04 15:17:01 NAS CRON[23681]: pam_unix(cron:session): session opened for user root by
(uid=0)
Jan 04 15:17:01 NAS CRON[23682]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)
Jan 04 15:17:01 NAS CRON[23681]: pam_unix(cron:session): session closed for user root
Jan 04 15:17:53 NAS connmand[2165]: ntp: adjust (slew): -0.000137 sec
Jan 04 15:21:20 NAS msmtppq[23971]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 15:22:02 NAS msmtppq[24315]: mail [15] [2020-01-03-12.28.32] from queue ; send
failed ; msmtpp rc = 68
Jan 04 15:22:05 NAS msmtppq[24339]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 77
Jan 04 15:22:29 NAS msmtppq[24511]: 21 more mails from queue failed to send with rc = 77
Jan 04 15:23:47 NAS mdadm[2174]: Rebuild20 event detected on md device /dev/md127,
component device recovery
Jan 04 15:31:33 NAS msmtppq[25268]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 15:32:09 NAS msmtppq[25543]: mail [12] [2020-01-02-01.00.13] from queue ;
couldn't be sent - host not connected
Jan 04 15:32:29 NAS msmtppq[25634]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 68
Jan 04 15:32:32 NAS msmtppq[25658]: mail [17] [2020-01-03-21.18.27] from queue ; send
failed ; msmtpp rc = 77
Jan 04 15:32:50 NAS msmtppq[25818]: 21 more mails from queue failed to send with rc = 77
Jan 04 15:34:57 NAS connmand[2165]: ntp: adjust (slew): +0.006859 sec
Jan 04 15:41:54 NAS msmtppq[26426]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 15:43:12 NAS msmtppq[26979]: mail [23] [2020-01-03-21.37.04] from queue ; send
failed ; msmtpp rc = 68
Jan 04 15:43:29 NAS msmtppq[27005]: 22 more mails from queue failed to send with rc = 68
Jan 04 15:51:33 NAS msmtppq[27615]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 15:52:02 NAS connmand[2165]: ntp: adjust (slew): +0.005522 sec
Jan 04 15:52:09 NAS msmtppq[27853]: mail [12] [2020-01-02-01.00.13] from queue ;
couldn't be sent - host not connected
Jan 04 15:52:47 NAS msmtppq[28152]: mail [24] [2020-01-04-01.00.19] from queue ; send
failed ; msmtpp rc = 68
Jan 04 15:52:47 NAS msmtppq[28155]: 22 more mails from queue failed to send with rc = 68
Jan 04 16:01:51 NAS msmtppq[28788]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 16:02:08 NAS msmtppq[28856]: mail [4] [2019-12-31-15.16.09] from queue ;
couldn't be sent - host not connected

Jan 04 16:02:35 NAS msmtppq[28963]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 04 16:02:38 NAS msmtppq[28987]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:03:36 NAS msmtppq[29375]: 21 more mails from queue failed to send with rc = 77
Jan 04 16:09:07 NAS connmand[2165]: ntp: adjust (slew): -0.002255 sec
Jan 04 16:11:39 NAS msmtppq[29916]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:12:33 NAS msmtppq[30417]: 23 more mails from queue failed to send with rc = 77
Jan 04 16:17:02 NAS CRON[30722]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 16:17:02 NAS CRON[30723]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 16:17:02 NAS CRON[30722]: pam_unix(cron:session): session closed for user root
Jan 04 16:21:37 NAS msmtppq[31022]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:21:48 NAS msmtppq[31055]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 04 16:22:18 NAS msmtppq[31251]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 04 16:23:01 NAS msmtppq[31612]: 23 more mails from queue failed to send with rc = 77
Jan 04 16:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.023670 sec
Jan 04 16:31:06 NAS msmtppq[32155]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:31:19 NAS msmtppq[32346]: mail [3] [2019-12-31-15.15.41] from queue ; couldn't be sent - host not connected
Jan 04 16:31:58 NAS msmtppq[32512]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 68
Jan 04 16:32:01 NAS msmtppq[32570]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:32:17 NAS msmtppq[32643]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 68
Jan 04 16:32:19 NAS msmtppq[32667]: mail [15] [2020-01-03-12.28.32] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:32:30 NAS msmtppq[32690]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 04 16:33:09 NAS msmtppq[434]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 04 16:33:14 NAS msmtppq[459]: 19 more mails from queue failed to send with rc = 77
Jan 04 16:41:18 NAS msmtppq[1050]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:41:48 NAS msmtppq[1259]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 68
Jan 04 16:42:01 NAS msmtppq[1310]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:42:41 NAS msmtppq[1617]: mail [24] [2020-01-04-01.00.19] from queue ; couldn't be sent - host not connected

Jan 04 16:42:43 NAS msmtppq[1627]: 21 more mails from queue failed to send with rc = 77
Jan 04 16:43:45 NAS connmand[2165]: ntp: adjust (slew): +0.006557 sec
Jan 04 16:51:47 NAS msmtppq[2305]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 16:52:37 NAS msmtppq[2709]: mail [17] [2020-01-03-21.18.27] from queue ; couldn't be sent - host not connected
Jan 04 16:53:06 NAS msmtppq[2902]: 23 more mails from queue failed to send with rc = 77
Jan 04 17:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.006504 sec
Jan 04 17:01:20 NAS msmtppq[3566]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:01:43 NAS msmtppq[3726]: mail [6] [2019-12-31-15.20.33] from queue ; couldn't be sent - host not connected
Jan 04 17:03:01 NAS msmtppq[4096]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 04 17:03:46 NAS msmtppq[4215]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 04 17:03:56 NAS msmtppq[4253]: 23 more mails from queue failed to send with rc = 77
Jan 04 17:11:59 NAS msmtppq[4834]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:12:41 NAS msmtppq[5013]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 17:12:57 NAS msmtppq[5081]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:13:01 NAS msmtppq[5109]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:14:06 NAS msmtppq[5383]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:14:08 NAS msmtppq[5407]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:14:14 NAS msmtppq[5452]: 19 more mails from queue failed to send with rc = 77
Jan 04 17:17:01 NAS CRON[5650]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 17:17:01 NAS CRON[5651]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 17:17:01 NAS CRON[5650]: pam_unix(cron:session): session closed for user root
Jan 04 17:17:55 NAS connmand[2165]: ntp: adjust (slew): +0.012597 sec
Jan 04 17:21:17 NAS msmtppq[5952]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:21:50 NAS msmtppq[6159]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:21:52 NAS msmtppq[6183]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:23:03 NAS msmtppq[6494]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:23:10 NAS msmtppq[6523]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:23:19 NAS msmtppq[6566]: 19 more mails from queue failed to send with rc = 77

Jan 04 17:31:31 NAS msmtppq[7277]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:31:47 NAS msmtppq[7304]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 04 17:31:51 NAS msmtppq[7321]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:32:16 NAS msmtppq[7435]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 04 17:32:36 NAS msmtppq[7507]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 17:32:56 NAS msmtppq[7587]: mail [11] [2020-01-01-01.00.34] from queue ; couldn't be sent - host not connected
Jan 04 17:33:37 NAS msmtppq[7898]: 22 more mails from queue failed to send with rc = 77
Jan 04 17:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.001810 sec
Jan 04 17:41:42 NAS msmtppq[8469]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:42:08 NAS msmtppq[8590]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:42:10 NAS msmtppq[8614]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:42:26 NAS msmtppq[8686]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 17:42:54 NAS msmtppq[8730]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 04 17:43:30 NAS msmtppq[8869]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 04 17:44:15 NAS msmtppq[9129]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 04 17:44:21 NAS msmtppq[9161]: 21 more mails from queue failed to send with rc = 77
Jan 04 17:51:25 NAS msmtppq[9669]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:51:46 NAS msmtppq[9757]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 04 17:52:02 NAS msmtppq[9812]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:52:06 NAS msmtppq[9837]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:52:07 NAS connmand[2165]: ntp: adjust (slew): -0.028855 sec
Jan 04 17:52:19 NAS msmtppq[9922]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:52:22 NAS msmtppq[9948]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 17:52:42 NAS msmtppq[10040]: mail [15] [2020-01-03-12.28.32] from queue ; send failed ; msmtpp rc = 68
Jan 04 17:52:45 NAS msmtppq[10065]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 77

Jan 04 17:52:56 NAS msmtppq[10100]: mail [17] [2020-01-03-21.18.27] from queue ;
couldn't be sent - host not connected
Jan 04 17:53:08 NAS msmtppq[10125]: mail [18] [2020-01-03-21.18.45] from queue ;
couldn't be sent - host not connected
Jan 04 17:53:47 NAS msmtppq[10255]: mail [21] [2020-01-03-21.32.52] from queue ; send
failed ; msmtpp rc = 68
Jan 04 17:53:49 NAS msmtppq[10288]: mail [22] [2020-01-03-21.36.11] from queue ; send
failed ; msmtpp rc = 77
Jan 04 17:53:57 NAS msmtppq[10331]: 15 more mails from queue failed to send with rc = 77
Jan 04 18:02:02 NAS msmtppq[10921]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 18:02:19 NAS msmtppq[10949]: mail [2] [2019-12-31-15.11.01] from queue ;
couldn't be sent - host not connected
Jan 04 18:02:45 NAS msmtppq[11036]: mail [4] [2019-12-31-15.16.09] from queue ; send
failed ; msmtpp rc = 68
Jan 04 18:02:48 NAS msmtppq[11068]: mail [5] [2019-12-31-15.18.05] from queue ; send
failed ; msmtpp rc = 77
Jan 04 18:03:04 NAS msmtppq[11132]: mail [6] [2019-12-31-15.20.33] from queue ; send
failed ; msmtpp rc = 68
Jan 04 18:03:08 NAS msmtppq[11156]: mail [7] [2019-12-31-15.20.49] from queue ; send
failed ; msmtpp rc = 77
Jan 04 18:03:22 NAS msmtppq[11204]: mail [9] [2019-12-31-15.22.34] from queue ;
couldn't be sent - host not connected
Jan 04 18:03:52 NAS msmtppq[11392]: mail [15] [2020-01-03-12.28.32] from queue ; send
failed ; msmtpp rc = 68
Jan 04 18:03:55 NAS msmtppq[11419]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 77
Jan 04 18:04:46 NAS msmtppq[11554]: mail [20] [2020-01-03-21.32.47] from queue ;
couldn't be sent - host not connected
Jan 04 18:05:13 NAS msmtppq[11656]: 17 more mails from queue failed to send with rc = 77
Jan 04 18:09:11 NAS connmand[2165]: ntp: adjust (slew): +0.014055 sec
Jan 04 18:11:18 NAS msmtppq[12082]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 04 18:11:38 NAS msmtppq[12210]: mail [5] [2019-12-31-15.18.05] from queue ;
couldn't be sent - host not connected
Jan 04 18:12:19 NAS msmtppq[12372]: mail [12] [2020-01-02-01.00.13] from queue ;
couldn't be sent - host not connected
Jan 04 18:12:43 NAS msmtppq[12526]: mail [17] [2020-01-03-21.18.27] from queue ; send
failed ; msmtpp rc = 68
Jan 04 18:12:54 NAS msmtppq[12559]: mail [18] [2020-01-03-21.18.45] from queue ;
couldn't be sent - host not connected
Jan 04 18:12:57 NAS msmtppq[12567]: mail [18] [2020-01-03-21.18.45] from queue ; send
failed ; msmtpp rc = 77
Jan 04 18:13:19 NAS msmtppq[12691]: 21 more mails from queue failed to send with rc = 77
Jan 04 18:17:02 NAS CRON[12949]: pam_unix(cron:session): session opened for user root by
(uid=0)

Jan 04 18:17:02 NAS CRON[12950]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 18:17:02 NAS CRON[12949]: pam_unix(cron:session): session closed for user root

Jan 04 18:21:38 NAS msmtppq[13258]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:22:00 NAS msmtppq[13416]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 68

Jan 04 18:22:17 NAS msmtppq[13443]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:23:05 NAS msmtppq[13689]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 68

Jan 04 18:23:10 NAS msmtppq[13713]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:23:20 NAS msmtppq[13738]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 68

Jan 04 18:23:24 NAS msmtppq[13762]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:23:35 NAS msmtppq[13790]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected

Jan 04 18:24:02 NAS msmtppq[13929]: 17 more mails from queue failed to send with rc = 77

Jan 04 18:26:41 NAS connmand[2165]: ntp: adjust (slew): -0.005183 sec

Jan 04 18:31:06 NAS msmtppq[14419]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:31:22 NAS msmtppq[14626]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected

Jan 04 18:31:52 NAS msmtppq[14855]: mail [12] [2020-01-02-01.00.13] from queue ; couldn't be sent - host not connected

Jan 04 18:32:23 NAS msmtppq[14946]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 68

Jan 04 18:32:25 NAS msmtppq[14970]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:32:44 NAS msmtppq[15121]: 21 more mails from queue failed to send with rc = 77

Jan 04 18:41:48 NAS msmtppq[15747]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:42:06 NAS msmtppq[15870]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected

Jan 04 18:42:29 NAS msmtppq[15961]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected

Jan 04 18:42:53 NAS msmtppq[16089]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 68

Jan 04 18:43:07 NAS msmtppq[16177]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:43:29 NAS msmtppq[16342]: 21 more mails from queue failed to send with rc = 77

Jan 04 18:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.001530 sec

Jan 04 18:51:33 NAS msmtppq[16890]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 18:51:49 NAS msmtppq[16965]: mail [4] [2019-12-31-15.16.09] from queue ;
couldn't be sent - host not connected

Jan 04 18:52:28 NAS msmtppq[17119]: mail [9] [2019-12-31-15.22.34] from queue ; send
failed ; msmtpp rc = 68

Jan 04 18:52:45 NAS msmtppq[17145]: mail [10] [2019-12-31-15.22.58] from queue ; send
failed ; msmtpp rc = 77

Jan 04 18:53:01 NAS msmtppq[17214]: mail [12] [2020-01-02-01.00.13] from queue ; send
failed ; msmtpp rc = 68

Jan 04 18:53:04 NAS msmtppq[17246]: mail [13] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77

Jan 04 18:53:22 NAS msmtppq[17329]: mail [15] [2020-01-03-12.28.32] from queue ; send
failed ; msmtpp rc = 68

Jan 04 18:53:25 NAS msmtppq[17353]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 77

Jan 04 18:53:36 NAS msmtppq[17375]: mail [17] [2020-01-03-21.18.27] from queue ;
couldn't be sent - host not connected

Jan 04 18:54:01 NAS msmtppq[17440]: mail [19] [2020-01-03-21.18.51] from queue ;
couldn't be sent - host not connected

Jan 04 18:54:15 NAS msmtppq[17502]: mail [20] [2020-01-03-21.32.47] from queue ;
couldn't be sent - host not connected

Jan 04 18:54:33 NAS msmtppq[17528]: mail [21] [2020-01-03-21.32.52] from queue ; send
failed ; msmtpp rc = 68

Jan 04 18:54:36 NAS msmtppq[17553]: mail [22] [2020-01-03-21.36.11] from queue ; send
failed ; msmtpp rc = 77

Jan 04 18:54:42 NAS msmtppq[17596]: 15 more mails from queue failed to send with rc = 77

Jan 04 19:01:05 NAS connmand[2165]: ntp: adjust (slew): +0.015179 sec

Jan 04 19:01:46 NAS msmtppq[18094]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:02:02 NAS msmtppq[18131]: mail [2] [2019-12-31-15.11.01] from queue ;
couldn't be sent - host not connected

Jan 04 19:02:28 NAS msmtppq[18259]: mail [6] [2019-12-31-15.20.33] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:02:38 NAS msmtppq[18281]: mail [7] [2019-12-31-15.20.49] from queue ;
couldn't be sent - host not connected

Jan 04 19:02:41 NAS msmtppq[18287]: mail [7] [2019-12-31-15.20.49] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:02:56 NAS msmtppq[18327]: mail [8] [2019-12-31-15.21.15] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:03:00 NAS msmtppq[18354]: mail [9] [2019-12-31-15.22.34] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:04:12 NAS msmtppq[18613]: mail [18] [2020-01-03-21.18.45] from queue ;
couldn't be sent - host not connected

Jan 04 19:04:25 NAS msmtppq[18673]: mail [19] [2020-01-03-21.18.51] from queue ;
couldn't be sent - host not connected

Jan 04 19:04:38 NAS msmtppq[18700]: mail [20] [2020-01-03-21.32.47] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:04:52 NAS msmtppq[18733]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:05:02 NAS msmtppq[18759]: mail [22] [2020-01-03-21.36.11] from queue ; couldn't be sent - host not connected

Jan 04 19:05:34 NAS msmtppq[18830]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 68

Jan 04 19:05:45 NAS msmtppq[18855]: mail [24] [2020-01-04-01.00.19] from queue ; couldn't be sent - host not connected

Jan 04 19:05:52 NAS msmtppq[18870]: mail [24] [2020-01-04-01.00.19] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:05:52 NAS msmtppq[18873]: 15 more mails from queue failed to send with rc = 77

Jan 04 19:11:55 NAS msmtppq[19440]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:12:06 NAS msmtppq[19461]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected

Jan 04 19:12:26 NAS msmtppq[19535]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected

Jan 04 19:13:03 NAS msmtppq[19735]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68

Jan 04 19:13:17 NAS msmtppq[19766]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:13:27 NAS msmtppq[19793]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected

Jan 04 19:14:29 NAS msmtppq[20049]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 68

Jan 04 19:14:32 NAS msmtppq[20073]: mail [24] [2020-01-04-01.00.19] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:14:32 NAS msmtppq[20076]: 19 more mails from queue failed to send with rc = 77

Jan 04 19:17:01 NAS CRON[20252]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 04 19:17:01 NAS CRON[20254]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 04 19:17:01 NAS CRON[20252]: pam_unix(cron:session): session closed for user root

Jan 04 19:18:09 NAS connmand[2165]: ntp: adjust (slew): +0.007360 sec

Jan 04 19:21:36 NAS msmtppq[20566]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:22:03 NAS msmtppq[20685]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68

Jan 04 19:22:06 NAS msmtppq[20709]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:22:37 NAS msmtppq[20860]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68

Jan 04 19:22:41 NAS msmtppq[20888]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 04 19:23:01 NAS msmtppq[20960]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected

Jan 04 19:23:17 NAS msmtppq[21004]: mail [16] [2020-01-03-12.28.46] from queue ;
couldn't be sent - host not connected

Jan 04 19:23:46 NAS msmtppq[21158]: mail [21] [2020-01-03-21.32.52] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:23:49 NAS msmtppq[21190]: mail [22] [2020-01-03-21.36.11] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:23:55 NAS msmtppq[21237]: 17 more mails from queue failed to send with rc = 77

Jan 04 19:32:07 NAS msmtppq[21924]: mail [1] [2019-12-31-15.03.04] from queue ;
couldn't be sent - host not connected

Jan 04 19:32:09 NAS msmtppq[21930]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:32:25 NAS msmtppq[21992]: mail [4] [2019-12-31-15.16.09] from queue ;
couldn't be sent - host not connected

Jan 04 19:33:17 NAS msmtppq[22141]: mail [8] [2019-12-31-15.21.15] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:33:20 NAS msmtppq[22165]: mail [9] [2019-12-31-15.22.34] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:33:46 NAS msmtppq[22192]: mail [10] [2019-12-31-15.22.58] from queue ;
couldn't be sent - host not connected

Jan 04 19:33:56 NAS msmtppq[22249]: mail [10] [2019-12-31-15.22.58] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:34:00 NAS msmtppq[22273]: mail [11] [2020-01-01-01.00.34] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:34:26 NAS msmtppq[22377]: mail [16] [2020-01-03-12.28.46] from queue ;
couldn't be sent - host not connected

Jan 04 19:34:36 NAS msmtppq[22390]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:34:39 NAS msmtppq[22414]: mail [17] [2020-01-03-21.18.27] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:35:14 NAS connmand[2165]: ntp: adjust (slew): -0.024618 sec

Jan 04 19:35:21 NAS msmtppq[22617]: 17 more mails from queue failed to send with rc = 77

Jan 04 19:41:31 NAS msmtppq[23142]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:41:59 NAS msmtppq[23332]: mail [9] [2019-12-31-15.22.34] from queue ;
couldn't be sent - host not connected

Jan 04 19:42:24 NAS msmtppq[23380]: mail [9] [2019-12-31-15.22.34] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:42:27 NAS msmtppq[23404]: mail [10] [2019-12-31-15.22.58] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:42:47 NAS msmtppq[23498]: mail [14] [2020-01-03-12.28.27] from queue ;
couldn't be sent - host not connected

Jan 04 19:43:16 NAS msmtppq[23653]: mail [19] [2020-01-03-21.18.51] from queue ; send
failed ; msmtpp rc = 68

Jan 04 19:43:19 NAS msmtppq[23677]: mail [20] [2020-01-03-21.32.47] from queue ; send
failed ; msmtpp rc = 77

Jan 04 19:43:29 NAS msmtppq[23761]: 19 more mails from queue failed to send with rc = 77

Jan 04 19:51:42 NAS msmtppq[24292]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 19:51:45 NAS msmtppq[24316]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 77
Jan 04 19:52:09 NAS msmtppq[24457]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 04 19:52:18 NAS connmand[2165]: ntp: adjust (slew): -0.006455 sec
Jan 04 19:53:16 NAS msmtppq[24793]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 04 19:53:41 NAS msmtppq[24858]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 77
Jan 04 19:53:46 NAS msmtppq[24901]: 20 more mails from queue failed to send with rc = 77
Jan 04 20:01:50 NAS msmtppq[25449]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 20:02:12 NAS msmtppq[25564]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 68
Jan 04 20:02:14 NAS msmtppq[25589]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 77
Jan 04 20:03:35 NAS msmtppq[26003]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 04 20:03:43 NAS msmtppq[26027]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 20:03:46 NAS msmtppq[26050]: 19 more mails from queue failed to send with rc = 77
Jan 04 20:09:22 NAS connmand[2165]: ntp: adjust (slew): +0.007317 sec
Jan 04 20:11:58 NAS msmtppq[26613]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 04 20:12:01 NAS msmtppq[26638]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 77
Jan 04 20:12:36 NAS msmtppq[26851]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 68
Jan 04 20:13:01 NAS msmtppq[26909]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 04 20:13:36 NAS msmtppq[27127]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 04 20:13:50 NAS msmtppq[27224]: 20 more mails from queue failed to send with rc = 77
Jan 04 20:17:01 NAS CRON[27412]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 20:17:02 NAS CRON[27413]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 20:17:02 NAS CRON[27412]: pam_unix(cron:session): session closed for user root
Jan 04 20:21:56 NAS msmtppq[27765]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 20:22:12 NAS msmtppq[27814]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 68
Jan 04 20:22:28 NAS msmtppq[27864]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77

Jan 04 20:22:53 NAS msmtppq[28013]: mail [10] [2019-12-31-15.22.58] from queue ;
couldn't be sent - host not connected

Jan 04 20:23:19 NAS msmtppq[28070]: mail [12] [2020-01-02-01.00.13] from queue ; send
failed ; msmtpp rc = 68

Jan 04 20:23:40 NAS msmtppq[28098]: mail [13] [2020-01-03-01.00.46] from queue ;
couldn't be sent - host not connected

Jan 04 20:23:44 NAS msmtppq[28140]: mail [13] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77

Jan 04 20:24:37 NAS msmtppq[28313]: mail [20] [2020-01-03-21.32.47] from queue ;
couldn't be sent - host not connected

Jan 04 20:25:03 NAS msmtppq[28442]: mail [24] [2020-01-04-01.00.19] from queue ;
couldn't be sent - host not connected

Jan 04 20:25:05 NAS msmtppq[28447]: 19 more mails from queue failed to send with rc = 77

Jan 04 20:26:40 NAS connmand[2165]: ntp: adjust (slew): +0.001872 sec

Jan 04 20:31:08 NAS msmtppq[28860]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 20:31:19 NAS msmtppq[28892]: mail [2] [2019-12-31-15.11.01] from queue ;
couldn't be sent - host not connected

Jan 04 20:32:29 NAS msmtppq[29243]: mail [9] [2019-12-31-15.22.34] from queue ;
couldn't be sent - host not connected

Jan 04 20:32:42 NAS msmtppq[29267]: mail [10] [2019-12-31-15.22.58] from queue ;
couldn't be sent - host not connected

Jan 04 20:32:59 NAS msmtppq[29360]: mail [12] [2020-01-02-01.00.13] from queue ;
couldn't be sent - host not connected

Jan 04 20:33:14 NAS msmtppq[29383]: mail [13] [2020-01-03-01.00.46] from queue ;
couldn't be sent - host not connected

Jan 04 20:33:39 NAS msmtppq[29423]: mail [14] [2020-01-03-12.28.27] from queue ; send
failed ; msmtpp rc = 68

Jan 04 20:33:42 NAS msmtppq[29447]: mail [15] [2020-01-03-12.28.32] from queue ; send
failed ; msmtpp rc = 77

Jan 04 20:33:53 NAS msmtppq[29516]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 68

Jan 04 20:33:57 NAS msmtppq[29541]: mail [17] [2020-01-03-21.18.27] from queue ; send
failed ; msmtpp rc = 77

Jan 04 20:34:12 NAS msmtppq[29643]: mail [22] [2020-01-03-21.36.11] from queue ;
couldn't be sent - host not connected

Jan 04 20:34:20 NAS msmtppq[29695]: 19 more mails from queue failed to send with rc = 77

Jan 04 20:41:32 NAS msmtppq[30184]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 68

Jan 04 20:42:07 NAS msmtppq[30287]: mail [3] [2019-12-31-15.15.41] from queue ; send
failed ; msmtpp rc = 77

Jan 04 20:42:30 NAS msmtppq[30419]: mail [9] [2019-12-31-15.22.34] from queue ; send
failed ; msmtpp rc = 68

Jan 04 20:42:33 NAS msmtppq[30446]: mail [10] [2019-12-31-15.22.58] from queue ; send
failed ; msmtpp rc = 77

Jan 04 20:43:05 NAS msmtppq[30562]: mail [13] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 68

Jan 04 20:43:08 NAS msmtpq[30586]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 04 20:43:25 NAS msmtpq[30653]: mail [17] [2020-01-03-21.18.27] from queue ; couldn't be sent - host not connected
Jan 04 20:43:45 NAS connmand[2165]: ntp: adjust (slew): +0.049331 sec
Jan 04 20:43:51 NAS msmtpq[30757]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtprc = 68
Jan 04 20:44:21 NAS msmtpq[30860]: mail [24] [2020-01-04-01.00.19] from queue ; send failed ; msmtprc = 77
Jan 04 20:44:21 NAS msmtpq[30863]: 16 more mails from queue failed to send with rc = 77
Jan 04 20:51:25 NAS msmtpq[31338]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77
Jan 04 20:51:54 NAS msmtpq[31504]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtprc = 68
Jan 04 20:51:58 NAS msmtpq[31529]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtprc = 77
Jan 04 20:52:32 NAS msmtpq[31784]: mail [19] [2020-01-03-21.18.51] from queue ; couldn't be sent - host not connected
Jan 04 20:52:45 NAS msmtpq[31815]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtprc = 68
Jan 04 20:52:49 NAS msmtpq[31847]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtprc = 77
Jan 04 20:52:59 NAS msmtpq[31916]: 19 more mails from queue failed to send with rc = 77
Jan 04 21:00:50 NAS connmand[2165]: ntp: adjust (slew): -0.077430 sec
Jan 04 21:02:03 NAS msmtpq[32509]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77
Jan 04 21:02:57 NAS msmtpq[592]: 23 more mails from queue failed to send with rc = 77
Jan 04 21:12:01 NAS msmtpq[1229]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77
Jan 04 21:12:55 NAS msmtpq[1776]: 23 more mails from queue failed to send with rc = 77
Jan 04 21:17:01 NAS CRON[2035]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 21:17:01 NAS CRON[2036]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 21:17:01 NAS CRON[2035]: pam_unix(cron:session): session closed for user root
Jan 04 21:17:55 NAS connmand[2165]: ntp: adjust (slew): +0.014047 sec
Jan 04 21:21:59 NAS msmtpq[2409]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77
Jan 04 21:22:51 NAS msmtpq[2996]: 23 more mails from queue failed to send with rc = 77
Jan 04 21:31:54 NAS msmtpq[3764]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77
Jan 04 21:32:45 NAS msmtpq[4256]: 23 more mails from queue failed to send with rc = 77
Jan 04 21:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.045164 sec
Jan 04 21:41:49 NAS msmtpq[4908]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77
Jan 04 21:42:40 NAS msmtpq[5420]: 23 more mails from queue failed to send with rc = 77

Jan 04 21:51:44 NAS msmtppq[6023]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 21:52:05 NAS connmand[2165]: ntp: adjust (slew): -0.037603 sec
Jan 04 21:52:36 NAS msmtppq[6546]: 23 more mails from queue failed to send with rc = 77
Jan 04 22:01:39 NAS msmtppq[7144]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:02:30 NAS msmtppq[7681]: 23 more mails from queue failed to send with rc = 77
Jan 04 22:09:09 NAS connmand[2165]: ntp: adjust (slew): +0.006665 sec
Jan 04 22:11:34 NAS msmtppq[8271]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:12:26 NAS msmtppq[8793]: 23 more mails from queue failed to send with rc = 77
Jan 04 22:17:01 NAS CRON[9072]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 04 22:17:01 NAS CRON[9073]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 04 22:17:01 NAS CRON[9072]: pam_unix(cron:session): session closed for user root
Jan 04 22:21:30 NAS msmtppq[9357]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:22:22 NAS msmtppq[9889]: 23 more mails from queue failed to send with rc = 77
Jan 04 22:26:40 NAS connmand[2165]: ntp: adjust (slew): -0.001717 sec
Jan 04 22:31:26 NAS msmtppq[10512]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:31:51 NAS msmtppq[10838]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected
Jan 04 22:32:10 NAS msmtppq[10865]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 68
Jan 04 22:32:13 NAS msmtppq[10889]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:32:44 NAS msmtppq[11058]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 68
Jan 04 22:32:47 NAS msmtppq[11122]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:32:58 NAS msmtppq[11152]: mail [18] [2020-01-03-21.18.45] from queue ; couldn't be sent - host not connected
Jan 04 22:33:08 NAS msmtppq[11158]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 68
Jan 04 22:33:14 NAS msmtppq[11182]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:33:38 NAS msmtppq[11228]: mail [21] [2020-01-03-21.32.52] from queue ; send failed ; msmtpp rc = 68
Jan 04 22:33:48 NAS msmtppq[11308]: mail [22] [2020-01-03-21.36.11] from queue ; couldn't be sent - host not connected
Jan 04 22:34:02 NAS msmtppq[11340]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 22:34:05 NAS msmtppq[11363]: 15 more mails from queue failed to send with rc = 77
Jan 04 22:41:16 NAS msmtppq[11850]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 04 22:41:27 NAS msmtppq[11871]: mail [2] [2019-12-31-15.11.01] from queue ;
couldn't be sent - host not connected

Jan 04 22:42:18 NAS msmtppq[12040]: mail [7] [2019-12-31-15.20.49] from queue ; send
failed ; msmtpp rc = 68

Jan 04 22:42:20 NAS msmtppq[12066]: mail [8] [2019-12-31-15.21.15] from queue ; send
failed ; msmtpp rc = 77

Jan 04 22:42:46 NAS msmtppq[12114]: mail [10] [2019-12-31-15.22.58] from queue ;
couldn't be sent - host not connected

Jan 04 22:43:46 NAS connmand[2165]: ntp: adjust (slew): -0.000870 sec

Jan 04 22:44:02 NAS msmtppq[12332]: mail [15] [2020-01-03-12.28.32] from queue ;
couldn't be sent - host not connected

Jan 04 22:44:28 NAS msmtppq[12393]: mail [17] [2020-01-03-21.18.27] from queue ; send
failed ; msmtpp rc = 68

Jan 04 22:44:32 NAS msmtppq[12417]: mail [18] [2020-01-03-21.18.45] from queue ; send
failed ; msmtpp rc = 77

Jan 04 22:44:48 NAS msmtppq[12497]: mail [21] [2020-01-03-21.32.52] from queue ; send
failed ; msmtpp rc = 68

Jan 04 22:44:52 NAS msmtppq[12527]: mail [22] [2020-01-03-21.36.11] from queue ; send
failed ; msmtpp rc = 77

Jan 04 22:45:01 NAS msmtppq[12607]: 17 more mails from queue failed to send with rc = 77

Jan 04 22:51:05 NAS msmtppq[13012]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 22:51:56 NAS msmtppq[13326]: mail [15] [2020-01-03-12.28.32] from queue ; send
failed ; msmtpp rc = 68

Jan 04 22:51:58 NAS msmtppq[13350]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 77

Jan 04 22:52:21 NAS msmtppq[13554]: 21 more mails from queue failed to send with rc = 77

Jan 04 23:00:50 NAS connmand[2165]: ntp: adjust (slew): +0.023549 sec

Jan 04 23:01:25 NAS msmtppq[14139]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 23:01:41 NAS msmtppq[14202]: mail [4] [2019-12-31-15.16.09] from queue ;
couldn't be sent - host not connected

Jan 04 23:02:09 NAS msmtppq[14375]: mail [11] [2020-01-01-01.00.34] from queue ;
couldn't be sent - host not connected

Jan 04 23:02:36 NAS msmtppq[14559]: mail [18] [2020-01-03-21.18.45] from queue ; send
failed ; msmtpp rc = 68

Jan 04 23:02:39 NAS msmtppq[14583]: mail [19] [2020-01-03-21.18.51] from queue ; send
failed ; msmtpp rc = 77

Jan 04 23:02:50 NAS msmtppq[14697]: 21 more mails from queue failed to send with rc = 77

Jan 04 23:11:55 NAS msmtppq[15305]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 04 23:12:46 NAS msmtppq[15830]: 23 more mails from queue failed to send with rc = 77

Jan 04 23:17:01 NAS CRON[16099]: pam_unix(cron:session): session opened for user root by
(uid=0)

Jan 04 23:17:02 NAS CRON[16100]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)

Jan 04 23:17:02 NAS CRON[16099]: pam_unix(cron:session): session closed for user root

Jan 04 23:17:55 NAS connmand[2165]: ntp: adjust (slew): -0.003428 sec
Jan 04 23:21:49 NAS msmtppq[16443]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 23:22:40 NAS msmtppq[16953]: 23 more mails from queue failed to send with rc = 77
Jan 04 23:31:44 NAS msmtppq[17683]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 23:32:35 NAS msmtppq[18167]: 23 more mails from queue failed to send with rc = 77
Jan 04 23:35:00 NAS connmand[2165]: ntp: adjust (slew): -0.009475 sec
Jan 04 23:41:39 NAS msmtppq[18735]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 23:42:30 NAS msmtppq[19256]: 23 more mails from queue failed to send with rc = 77
Jan 04 23:51:33 NAS msmtppq[19814]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 04 23:52:04 NAS connmand[2165]: ntp: adjust (slew): -0.005170 sec
Jan 04 23:52:25 NAS msmtppq[20325]: 23 more mails from queue failed to send with rc = 77
Jan 05 00:01:28 NAS msmtppq[20892]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 00:02:19 NAS msmtppq[21411]: 23 more mails from queue failed to send with rc = 77
Jan 05 00:09:09 NAS connmand[2165]: ntp: adjust (slew): +0.006601 sec
Jan 05 00:11:22 NAS msmtppq[21994]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 00:12:14 NAS msmtppq[22488]: 23 more mails from queue failed to send with rc = 77
Jan 05 00:17:01 NAS CRON[22799]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 00:17:01 NAS CRON[22800]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 00:17:01 NAS CRON[22799]: pam_unix(cron:session): session closed for user root
Jan 05 00:21:17 NAS msmtppq[23077]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 00:22:10 NAS msmtppq[23600]: 23 more mails from queue failed to send with rc = 77
Jan 05 00:26:41 NAS connmand[2165]: ntp: adjust (slew): -0.023652 sec
Jan 05 00:31:13 NAS msmtppq[24190]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 00:32:05 NAS msmtppq[24859]: 23 more mails from queue failed to send with rc = 77
Jan 05 00:41:08 NAS msmtppq[25440]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 00:42:00 NAS msmtppq[25957]: 23 more mails from queue failed to send with rc = 77
Jan 05 00:43:46 NAS connmand[2165]: ntp: adjust (slew): +0.016188 sec
Jan 05 00:51:03 NAS msmtppq[26529]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 00:51:55 NAS msmtppq[27012]: 23 more mails from queue failed to send with rc = 77
Jan 05 01:00:51 NAS connmand[2165]: ntp: adjust (slew): -0.005773 sec
Jan 05 01:00:58 NAS msmtppq[27561]: mail for [-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 05 01:00:58 NAS msmtppq[27563]: enqueued mail as : [2020-01-05-01.00.55] (-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60)

Jan 05 01:02:01 NAS msmtppq[27658]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 01:02:53 NAS msmtppq[28197]: 24 more mails from queue failed to send with rc = 77
Jan 05 01:11:09 NAS msmtppq[28708]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 01:12:02 NAS msmtppq[29258]: 24 more mails from queue failed to send with rc = 77
Jan 05 01:17:01 NAS CRON[29553]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 01:17:01 NAS CRON[29554]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 01:17:01 NAS CRON[29553]: pam_unix(cron:session): session closed for user root
Jan 05 01:17:56 NAS connmand[2165]: ntp: adjust (slew): +0.029573 sec
Jan 05 01:21:05 NAS msmtppq[29822]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 01:21:59 NAS msmtppq[30367]: 24 more mails from queue failed to send with rc = 77
Jan 05 01:32:03 NAS msmtppq[31138]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 01:32:56 NAS msmtppq[31690]: 24 more mails from queue failed to send with rc = 77
Jan 05 01:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.024109 sec
Jan 05 01:42:01 NAS msmtppq[32249]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 01:42:55 NAS msmtppq[325]: 24 more mails from queue failed to send with rc = 77
Jan 05 01:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.010735 sec
Jan 05 01:52:18 NAS msmtppq[931]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 05 01:52:20 NAS msmtppq[937]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 01:53:15 NAS msmtppq[1520]: 24 more mails from queue failed to send with rc = 77
Jan 05 02:01:32 NAS msmtppq[2043]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 05 02:01:36 NAS msmtppq[2049]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:01:47 NAS msmtppq[2076]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 05 02:02:10 NAS msmtppq[2150]: mail [3] [2019-12-31-15.15.41] from queue ; couldn't be sent - host not connected
Jan 05 02:04:21 NAS msmtppq[2787]: 24 more mails from queue failed to send with rc = 77
Jan 05 02:09:10 NAS connmand[2165]: ntp: adjust (slew): +0.012628 sec
Jan 05 02:11:33 NAS msmtppq[3275]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 05 02:11:39 NAS msmtppq[3281]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:11:49 NAS msmtppq[3313]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 05 02:12:10 NAS msmtppq[3369]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68

Jan 05 02:12:30 NAS msmtppq[3426]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 05 02:12:34 NAS msmtppq[3432]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:12:47 NAS msmtppq[3473]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected
Jan 05 02:13:15 NAS msmtppq[3545]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 05 02:13:28 NAS msmtppq[3581]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:13:30 NAS msmtppq[3605]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:13:51 NAS msmtppq[3706]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected
Jan 05 02:14:30 NAS msmtppq[3923]: mail [22] [2020-01-03-21.36.11] from queue ; couldn't be sent - host not connected
Jan 05 02:14:51 NAS msmtppq[3947]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:14:54 NAS msmtppq[3975]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:15:08 NAS msmtppq[4021]: mail [25] [2020-01-05-01.00.55] from queue ; couldn't be sent - host not connected
Jan 05 02:15:11 NAS msmtppq[4026]: 18 more mails from queue failed to send with rc = 77
Jan 05 02:17:01 NAS CRON[4139]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 02:17:01 NAS CRON[4140]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 02:17:01 NAS CRON[4139]: pam_unix(cron:session): session closed for user root
Jan 05 02:21:15 NAS msmtppq[4410]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:21:32 NAS msmtppq[4496]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:21:35 NAS msmtppq[4520]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:21:55 NAS msmtppq[4637]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 05 02:22:12 NAS msmtppq[4709]: mail [12] [2020-01-02-01.00.13] from queue ; couldn't be sent - host not connected
Jan 05 02:22:44 NAS msmtppq[4908]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 05 02:23:00 NAS msmtppq[5031]: 22 more mails from queue failed to send with rc = 77
Jan 05 02:26:48 NAS connmand[2165]: ntp: adjust (slew): -0.007148 sec
Jan 05 02:31:03 NAS msmtppq[5539]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:31:38 NAS msmtppq[5723]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 68

Jan 05 02:31:42 NAS msmtppq[5747]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:31:52 NAS msmtppq[5922]: mail [10] [2019-12-31-15.22.58] from queue ; couldn't be sent - host not connected
Jan 05 02:32:16 NAS msmtppq[6006]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 05 02:32:34 NAS msmtppq[6106]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 05 02:32:47 NAS msmtppq[6131]: mail [17] [2020-01-03-21.18.27] from queue ; couldn't be sent - host not connected
Jan 05 02:32:58 NAS msmtppq[6148]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:33:01 NAS msmtppq[6172]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:33:21 NAS msmtppq[6266]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:33:37 NAS msmtppq[6323]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 05 02:33:39 NAS msmtppq[6329]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:33:45 NAS msmtppq[6372]: 18 more mails from queue failed to send with rc = 77
Jan 05 02:41:47 NAS msmtppq[6874]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:41:58 NAS msmtppq[6905]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 05 02:42:08 NAS msmtppq[6916]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:42:11 NAS msmtppq[6943]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:42:30 NAS msmtppq[7031]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:42:33 NAS msmtppq[7055]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:42:50 NAS msmtppq[7191]: mail [12] [2020-01-02-01.00.13] from queue ; couldn't be sent - host not connected
Jan 05 02:43:16 NAS msmtppq[7285]: mail [16] [2020-01-03-12.28.46] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:43:31 NAS msmtppq[7311]: mail [17] [2020-01-03-21.18.27] from queue ; couldn't be sent - host not connected
Jan 05 02:43:34 NAS msmtppq[7317]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:43:52 NAS connmand[2165]: ntp: adjust (slew): +0.003539 sec
Jan 05 02:43:54 NAS msmtppq[7525]: 18 more mails from queue failed to send with rc = 77
Jan 05 02:51:58 NAS msmtppq[8026]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:52:22 NAS msmtppq[8159]: mail [7] [2019-12-31-15.20.49] from queue ; couldn't be sent - host not connected

Jan 05 02:52:39 NAS msmtppq[8205]: mail [9] [2019-12-31-15.22.34] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:52:42 NAS msmtppq[8229]: mail [10] [2019-12-31-15.22.58] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:52:52 NAS msmtppq[8297]: mail [11] [2020-01-01-01.00.34] from queue ; couldn't be sent - host not connected
Jan 05 02:53:03 NAS msmtppq[8305]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 68
Jan 05 02:53:06 NAS msmtppq[8335]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 05 02:53:29 NAS msmtppq[8408]: mail [15] [2020-01-03-12.28.32] from queue ; couldn't be sent - host not connected
Jan 05 02:53:59 NAS msmtppq[8658]: 20 more mails from queue failed to send with rc = 77
Jan 05 03:00:56 NAS connmand[2165]: ntp: adjust (slew): +0.002012 sec
Jan 05 03:02:02 NAS msmtppq[9182]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:02:21 NAS msmtppq[9251]: mail [4] [2019-12-31-15.16.09] from queue ; couldn't be sent - host not connected
Jan 05 03:02:42 NAS msmtppq[9341]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 05 03:03:47 NAS msmtppq[9615]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:03:50 NAS msmtppq[9648]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:04:05 NAS msmtppq[9705]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 05 03:04:23 NAS msmtppq[9819]: 22 more mails from queue failed to send with rc = 77
Jan 05 03:11:27 NAS msmtppq[10285]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:11:46 NAS msmtppq[10373]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:11:49 NAS msmtppq[10408]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:12:00 NAS msmtppq[10432]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:12:03 NAS msmtppq[10456]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:12:40 NAS msmtppq[10608]: mail [13] [2020-01-03-01.00.46] from queue ; couldn't be sent - host not connected
Jan 05 03:13:01 NAS msmtppq[10686]: mail [16] [2020-01-03-12.28.46] from queue ; couldn't be sent - host not connected
Jan 05 03:13:14 NAS msmtppq[10748]: mail [17] [2020-01-03-21.18.27] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:13:16 NAS msmtppq[10772]: mail [18] [2020-01-03-21.18.45] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:13:52 NAS msmtppq[10876]: mail [22] [2020-01-03-21.36.11] from queue ; couldn't be sent - host not connected

Jan 05 03:14:03 NAS msmtppq[10882]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:14:07 NAS msmtppq[10906]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:14:13 NAS msmtppq[10991]: 16 more mails from queue failed to send with rc = 77
Jan 05 03:17:01 NAS CRON[11138]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 03:17:01 NAS CRON[11139]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 03:17:01 NAS CRON[11138]: pam_unix(cron:session): session closed for user root
Jan 05 03:18:01 NAS connmand[2165]: ntp: adjust (slew): +0.017674 sec
Jan 05 03:21:51 NAS msmtppq[11481]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:22:51 NAS msmtppq[11627]: mail [5] [2019-12-31-15.18.05] from queue ; couldn't be sent - host not connected
Jan 05 03:23:06 NAS msmtppq[11657]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:23:09 NAS msmtppq[11681]: mail [7] [2019-12-31-15.20.49] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:23:23 NAS msmtppq[11758]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 05 03:23:47 NAS msmtppq[11834]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:23:49 NAS msmtppq[11867]: mail [13] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:24:22 NAS msmtppq[12048]: mail [20] [2020-01-03-21.32.47] from queue ; couldn't be sent - host not connected
Jan 05 03:24:40 NAS msmtppq[12166]: 20 more mails from queue failed to send with rc = 77
Jan 05 03:31:52 NAS msmtppq[12684]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 05 03:32:13 NAS msmtppq[12787]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:32:33 NAS msmtppq[12844]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 05 03:32:36 NAS msmtppq[12850]: mail [2] [2019-12-31-15.11.01] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:33:17 NAS msmtppq[13014]: mail [9] [2019-12-31-15.22.34] from queue ; couldn't be sent - host not connected
Jan 05 03:33:53 NAS msmtppq[13195]: mail [15] [2020-01-03-12.28.32] from queue ; couldn't be sent - host not connected
Jan 05 03:34:18 NAS msmtppq[13278]: mail [19] [2020-01-03-21.18.51] from queue ; couldn't be sent - host not connected
Jan 05 03:34:38 NAS msmtppq[13324]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:34:43 NAS msmtppq[13348]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77

Jan 05 03:34:57 NAS msmtppq[13406]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:35:08 NAS connmand[2165]: ntp: adjust (slew): -0.008631 sec
Jan 05 03:35:12 NAS msmtppq[13433]: mail [23] [2020-01-03-21.37.04] from queue ; couldn't be sent - host not connected
Jan 05 03:35:36 NAS msmtppq[13500]: mail [24] [2020-01-04-01.00.19] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:35:41 NAS msmtppq[13529]: 19 more mails from queue failed to send with rc = 77
Jan 05 03:41:47 NAS msmtppq[13910]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:42:00 NAS msmtppq[13967]: mail [3] [2019-12-31-15.15.41] from queue ; couldn't be sent - host not connected
Jan 05 03:42:31 NAS msmtppq[14003]: mail [4] [2019-12-31-15.16.09] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:42:34 NAS msmtppq[14027]: mail [5] [2019-12-31-15.18.05] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:42:45 NAS msmtppq[14091]: mail [6] [2019-12-31-15.20.33] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:42:58 NAS msmtppq[14153]: mail [8] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:43:39 NAS msmtppq[14256]: mail [11] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:43:42 NAS msmtppq[14280]: mail [12] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:43:59 NAS msmtppq[14343]: mail [14] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:44:02 NAS msmtppq[14367]: mail [15] [2020-01-03-12.28.32] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:44:21 NAS msmtppq[14428]: mail [18] [2020-01-03-21.18.45] from queue ; couldn't be sent - host not connected
Jan 05 03:44:35 NAS msmtppq[14454]: mail [19] [2020-01-03-21.18.51] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:44:38 NAS msmtppq[14514]: mail [20] [2020-01-03-21.32.47] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:45:21 NAS msmtppq[14576]: mail [22] [2020-01-03-21.36.11] from queue ; send failed ; msmtpp rc = 68
Jan 05 03:45:24 NAS msmtppq[14600]: mail [23] [2020-01-03-21.37.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:45:40 NAS msmtppq[14687]: 12 more mails from queue failed to send with rc = 77
Jan 05 03:51:47 NAS msmtppq[15091]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 03:51:58 NAS msmtppq[15128]: mail [2] [2019-12-31-15.11.01] from queue ; couldn't be sent - host not connected
Jan 05 03:52:12 NAS connmand[2165]: ntp: adjust (slew): +0.000576 sec
Jan 05 03:52:16 NAS msmtppq[15157]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 68

Jan 05 03:52:27 NAS msmtppq[15180]: mail [4] [2019-12-31-15.16.09] from queue ;
couldn't be sent - host not connected

Jan 05 03:52:29 NAS msmtppq[15186]: mail [4] [2019-12-31-15.16.09] from queue ; send
failed ; msmtpp rc = 77

Jan 05 03:52:40 NAS msmtppq[15216]: mail [5] [2019-12-31-15.18.05] from queue ; send
failed ; msmtpp rc = 68

Jan 05 03:52:43 NAS msmtppq[15240]: mail [6] [2019-12-31-15.20.33] from queue ; send
failed ; msmtpp rc = 77

Jan 05 03:53:02 NAS msmtppq[15367]: mail [9] [2019-12-31-15.22.34] from queue ; send
failed ; msmtpp rc = 68

Jan 05 03:53:23 NAS msmtppq[15411]: mail [11] [2020-01-01-01.00.34] from queue ; send
failed ; msmtpp rc = 77

Jan 05 03:53:46 NAS msmtppq[15471]: mail [12] [2020-01-02-01.00.13] from queue ; send
failed ; msmtpp rc = 68

Jan 05 03:53:50 NAS msmtppq[15516]: mail [13] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77

Jan 05 03:54:22 NAS msmtppq[15625]: mail [18] [2020-01-03-21.18.45] from queue ;
couldn't be sent - host not connected

Jan 05 03:54:38 NAS msmtppq[15648]: mail [19] [2020-01-03-21.18.51] from queue ;
couldn't be sent - host not connected

Jan 05 03:54:58 NAS msmtppq[15705]: mail [19] [2020-01-03-21.18.51] from queue ; send
failed ; msmtpp rc = 68

Jan 05 03:55:29 NAS msmtppq[15754]: mail [21] [2020-01-03-21.32.52] from queue ; send
failed ; msmtpp rc = 77

Jan 05 03:55:57 NAS msmtppq[15868]: mail [24] [2020-01-04-01.00.19] from queue ;
couldn't be sent - host not connected

Jan 05 03:56:11 NAS msmtppq[15903]: 14 more mails from queue failed to send with rc = 77

Jan 05 04:01:16 NAS msmtppq[16253]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 05 04:01:32 NAS msmtppq[16294]: mail [3] [2019-12-31-15.15.41] from queue ;
couldn't be sent - host not connected

Jan 05 04:02:22 NAS msmtppq[16398]: mail [5] [2019-12-31-15.18.05] from queue ;
couldn't be sent - host not connected

Jan 05 04:02:51 NAS msmtppq[16451]: mail [7] [2019-12-31-15.20.49] from queue ;
couldn't be sent - host not connected

Jan 05 04:03:04 NAS msmtppq[16521]: mail [8] [2019-12-31-15.21.15] from queue ; send
failed ; msmtpp rc = 68

Jan 05 04:03:19 NAS msmtppq[16576]: mail [10] [2019-12-31-15.22.58] from queue ; send
failed ; msmtpp rc = 77

Jan 05 04:03:43 NAS msmtppq[16643]: mail [13] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 68

Jan 05 04:03:47 NAS msmtppq[16668]: mail [14] [2020-01-03-12.28.27] from queue ; send
failed ; msmtpp rc = 77

Jan 05 04:03:58 NAS msmtppq[16739]: mail [15] [2020-01-03-12.28.32] from queue ;
couldn't be sent - host not connected

Jan 05 04:04:24 NAS msmtppq[16772]: mail [16] [2020-01-03-12.28.46] from queue ;
couldn't be sent - host not connected

Jan 05 04:04:56 NAS msmtppq[16866]: mail [18] [2020-01-03-21.18.45] from queue ;
couldn't be sent - host not connected
Jan 05 04:05:43 NAS msmtppq[16974]: mail [23] [2020-01-03-21.37.04] from queue ;
couldn't be sent - host not connected
Jan 05 04:05:53 NAS msmtppq[16989]: mail [23] [2020-01-03-21.37.04] from queue ; send
failed ; msmtpp rc = 68
Jan 05 04:06:14 NAS msmtppq[17058]: mail [24] [2020-01-04-01.00.19] from queue ;
couldn't be sent - host not connected
Jan 05 04:06:28 NAS msmtppq[17091]: mail [25] [2020-01-05-01.00.55] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:06:28 NAS msmtppq[17094]: 18 more mails from queue failed to send with rc = 77
Jan 05 04:09:19 NAS connmand[2165]: ntp: adjust (slew): -0.023685 sec
Jan 05 04:11:39 NAS msmtppq[17439]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:11:50 NAS msmtppq[17472]: mail [2] [2019-12-31-15.11.01] from queue ; send
failed ; msmtpp rc = 68
Jan 05 04:12:08 NAS msmtppq[17539]: mail [3] [2019-12-31-15.15.41] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:12:33 NAS msmtppq[17651]: mail [8] [2019-12-31-15.21.15] from queue ;
couldn't be sent - host not connected
Jan 05 04:12:53 NAS msmtppq[17705]: mail [10] [2019-12-31-15.22.58] from queue ;
couldn't be sent - host not connected
Jan 05 04:13:25 NAS msmtppq[17860]: mail [15] [2020-01-03-12.28.32] from queue ; send
failed ; msmtpp rc = 68
Jan 05 04:13:28 NAS msmtppq[17884]: mail [16] [2020-01-03-12.28.46] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:13:58 NAS msmtppq[18085]: 20 more mails from queue failed to send with rc = 77
Jan 05 04:17:01 NAS CRON[18263]: pam_unix(cron:session): session opened for user root by
(uid=0)
Jan 05 04:17:01 NAS CRON[18264]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)
Jan 05 04:17:01 NAS CRON[18263]: pam_unix(cron:session): session closed for user root
Jan 05 04:22:02 NAS msmtppq[18609]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:22:37 NAS msmtppq[18758]: mail [6] [2019-12-31-15.20.33] from queue ;
couldn't be sent - host not connected
Jan 05 04:23:21 NAS msmtppq[19063]: mail [18] [2020-01-03-21.18.45] from queue ; send
failed ; msmtpp rc = 68
Jan 05 04:23:24 NAS msmtppq[19087]: mail [19] [2020-01-03-21.18.51] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:23:38 NAS msmtppq[19210]: 22 more mails from queue failed to send with rc = 77
Jan 05 04:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.006368 sec
Jan 05 04:31:42 NAS msmtppq[19726]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77
Jan 05 04:32:35 NAS msmtppq[20407]: 24 more mails from queue failed to send with rc = 77
Jan 05 04:41:38 NAS msmtppq[20975]: mail [1] [2019-12-31-15.03.04] from queue ; send
failed ; msmtpp rc = 77

Jan 05 04:42:33 NAS msmtppq[21523]: 24 more mails from queue failed to send with rc = 77
Jan 05 04:43:46 NAS connmand[2165]: ntp: adjust (slew): +0.034925 sec
Jan 05 04:51:36 NAS msmtppq[22051]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 04:52:29 NAS msmtppq[22593]: 24 more mails from queue failed to send with rc = 77
Jan 05 05:00:51 NAS connmand[2165]: ntp: adjust (slew): -0.019413 sec
Jan 05 05:01:33 NAS msmtppq[23167]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 05:02:30 NAS msmtppq[23704]: 24 more mails from queue failed to send with rc = 77
Jan 05 05:11:33 NAS msmtppq[24270]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 05:12:28 NAS msmtppq[24811]: 24 more mails from queue failed to send with rc = 77
Jan 05 05:17:02 NAS CRON[25077]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 05:17:02 NAS CRON[25078]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 05:17:02 NAS CRON[25077]: pam_unix(cron:session): session closed for user root
Jan 05 05:17:56 NAS connmand[2165]: ntp: adjust (slew): -0.018416 sec
Jan 05 05:21:31 NAS msmtppq[25382]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 05:22:26 NAS msmtppq[25923]: 24 more mails from queue failed to send with rc = 77
Jan 05 05:31:29 NAS msmtppq[26496]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 05:32:25 NAS msmtppq[27181]: 24 more mails from queue failed to send with rc = 77
Jan 05 05:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.015877 sec
Jan 05 05:41:29 NAS msmtppq[27747]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 05:42:23 NAS msmtppq[28256]: 24 more mails from queue failed to send with rc = 77
Jan 05 05:51:27 NAS msmtppq[28820]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 05:52:05 NAS connmand[2165]: ntp: adjust (slew): -0.010511 sec
Jan 05 05:52:20 NAS msmtppq[29367]: 24 more mails from queue failed to send with rc = 77
Jan 05 06:01:34 NAS msmtppq[29945]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 06:02:28 NAS msmtppq[30490]: 24 more mails from queue failed to send with rc = 77
Jan 05 06:09:12 NAS connmand[2165]: ntp: adjust (slew): +0.019132 sec
Jan 05 06:11:32 NAS msmtppq[31056]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 06:12:27 NAS msmtppq[31595]: 24 more mails from queue failed to send with rc = 77
Jan 05 06:17:01 NAS CRON[31859]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 06:17:01 NAS CRON[31863]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 06:17:01 NAS CRON[31859]: pam_unix(cron:session): session closed for user root
Jan 05 06:21:30 NAS msmtppq[32169]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 06:22:24 NAS msmtppq[32703]: 24 more mails from queue failed to send with rc = 77

Jan 05 06:25:01 NAS CRON[376]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 05 06:25:01 NAS CRON[377]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))

Jan 05 06:25:02 NAS CRON[376]: pam_unix(cron:session): session closed for user root

Jan 05 06:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.029472 sec

Jan 05 06:31:28 NAS msmtppq[855]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 06:32:21 NAS msmtppq[1576]: 24 more mails from queue failed to send with rc = 77

Jan 05 06:41:25 NAS msmtppq[2142]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 06:42:20 NAS msmtppq[2728]: 24 more mails from queue failed to send with rc = 77

Jan 05 06:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.007703 sec

Jan 05 06:47:01 NAS CRON[3086]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 05 06:47:01 NAS CRON[3087]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.weekly))

Jan 05 06:47:01 NAS CRON[3086]: pam_unix(cron:session): session closed for user root

Jan 05 06:51:24 NAS msmtppq[3363]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 06:52:20 NAS msmtppq[3933]: 24 more mails from queue failed to send with rc = 77

Jan 05 07:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.019550 sec

Jan 05 07:01:23 NAS msmtppq[4515]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 07:02:18 NAS msmtppq[5067]: 24 more mails from queue failed to send with rc = 77

Jan 05 07:11:21 NAS msmtppq[5639]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 07:12:19 NAS msmtppq[6178]: 24 more mails from queue failed to send with rc = 77

Jan 05 07:17:01 NAS CRON[6442]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 05 07:17:01 NAS CRON[6445]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 05 07:17:01 NAS CRON[6442]: pam_unix(cron:session): session closed for user root

Jan 05 07:17:56 NAS connmand[2165]: ntp: adjust (slew): -0.002818 sec

Jan 05 07:21:22 NAS msmtppq[6752]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 07:22:17 NAS msmtppq[7295]: 24 more mails from queue failed to send with rc = 77

Jan 05 07:31:20 NAS msmtppq[7873]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 07:32:17 NAS msmtppq[8556]: 24 more mails from queue failed to send with rc = 77

Jan 05 07:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.004996 sec

Jan 05 07:41:20 NAS msmtppq[9090]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 07:42:16 NAS msmtppq[9625]: 24 more mails from queue failed to send with rc = 77

Jan 05 07:51:19 NAS msmtppq[10195]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 07:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.005579 sec

Jan 05 07:52:13 NAS msmtppq[10734]: 24 more mails from queue failed to send with rc = 77
Jan 05 08:01:16 NAS msmtppq[11305]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 08:02:10 NAS msmtppq[11849]: 24 more mails from queue failed to send with rc = 77
Jan 05 08:09:10 NAS connmand[2165]: ntp: adjust (slew): -0.009981 sec
Jan 05 08:11:14 NAS msmtppq[12411]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 08:12:10 NAS msmtppq[12959]: 24 more mails from queue failed to send with rc = 77
Jan 05 08:17:01 NAS CRON[13255]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 08:17:01 NAS CRON[13261]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 08:17:01 NAS CRON[13255]: pam_unix(cron:session): session closed for user root
Jan 05 08:21:14 NAS msmtppq[13551]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 08:22:09 NAS msmtppq[14090]: 24 more mails from queue failed to send with rc = 77
Jan 05 08:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.006548 sec
Jan 05 08:31:13 NAS msmtppq[14643]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 08:32:10 NAS msmtppq[15181]: 24 more mails from queue failed to send with rc = 77
Jan 05 08:41:13 NAS msmtppq[15900]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 08:42:10 NAS msmtppq[16445]: 24 more mails from queue failed to send with rc = 77
Jan 05 08:43:46 NAS connmand[2165]: ntp: adjust (slew): +0.010724 sec
Jan 05 08:51:14 NAS msmtppq[17017]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 08:52:08 NAS msmtppq[17556]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:00:50 NAS connmand[2165]: ntp: adjust (slew): +0.004788 sec
Jan 05 09:01:12 NAS msmtppq[18136]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 09:02:05 NAS msmtppq[18673]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:11:09 NAS msmtppq[19232]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 09:12:04 NAS msmtppq[19783]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:17:01 NAS CRON[20078]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 09:17:01 NAS CRON[20079]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 09:17:01 NAS CRON[20078]: pam_unix(cron:session): session closed for user root
Jan 05 09:17:55 NAS connmand[2165]: ntp: adjust (slew): -0.017467 sec
Jan 05 09:21:08 NAS msmtppq[20362]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 09:22:02 NAS msmtppq[20867]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:27:14 NAS mdadm[2174]: Rebuild40 event detected on md device /dev/md127, component device recovery
Jan 05 09:31:05 NAS msmtppq[21443]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 09:32:01 NAS msmtppq[21976]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.015815 sec
Jan 05 09:41:05 NAS msmtppq[22693]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 09:42:01 NAS msmtppq[23233]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:51:04 NAS msmtppq[23819]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 09:51:58 NAS msmtppq[24357]: 24 more mails from queue failed to send with rc = 77
Jan 05 09:52:05 NAS connmand[2165]: ntp: adjust (slew): +0.005142 sec
Jan 05 10:02:02 NAS msmtppq[25054]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 10:03:07 NAS msmtppq[25605]: 24 more mails from queue failed to send with rc = 77
Jan 05 10:09:10 NAS connmand[2165]: ntp: adjust (slew): +0.006442 sec
Jan 05 10:11:11 NAS msmtppq[26158]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 10:12:05 NAS msmtppq[26713]: 24 more mails from queue failed to send with rc = 77
Jan 05 10:17:01 NAS CRON[27040]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 10:17:01 NAS CRON[27041]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 10:17:01 NAS CRON[27040]: pam_unix(cron:session): session closed for user root
Jan 05 10:21:09 NAS msmtppq[27326]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 10:22:02 NAS msmtppq[27865]: 24 more mails from queue failed to send with rc = 77
Jan 05 10:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.041745 sec
Jan 05 10:31:05 NAS msmtppq[28450]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 10:32:02 NAS msmtppq[28990]: 24 more mails from queue failed to send with rc = 77
Jan 05 10:41:05 NAS msmtppq[29750]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 10:41:58 NAS msmtppq[30292]: 24 more mails from queue failed to send with rc = 77
Jan 05 10:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.011726 sec
Jan 05 10:52:01 NAS msmtppq[30999]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 10:52:56 NAS msmtppq[31544]: 24 more mails from queue failed to send with rc = 77
Jan 05 11:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.004885 sec
Jan 05 11:02:00 NAS msmtppq[32178]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 11:02:55 NAS msmtppq[32718]: 24 more mails from queue failed to send with rc = 77
Jan 05 11:11:58 NAS msmtppq[902]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 11:12:51 NAS msmtppq[1451]: 24 more mails from queue failed to send with rc = 77
Jan 05 11:17:01 NAS CRON[1754]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 11:17:01 NAS CRON[1755]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 11:17:01 NAS CRON[1754]: pam_unix(cron:session): session closed for user root

Jan 05 11:17:56 NAS connmand[2165]: ntp: adjust (slew): +0.013771 sec
Jan 05 11:21:56 NAS msmtppq[2096]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 11:22:52 NAS msmtppq[2686]: 24 more mails from queue failed to send with rc = 77
Jan 05 11:31:56 NAS msmtppq[3358]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 11:32:51 NAS msmtppq[4067]: 24 more mails from queue failed to send with rc = 77
Jan 05 11:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.000036 sec
Jan 05 11:41:55 NAS msmtppq[4667]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 11:42:50 NAS msmtppq[5223]: 24 more mails from queue failed to send with rc = 77
Jan 05 11:51:54 NAS msmtppq[5824]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 11:52:05 NAS connmand[2165]: ntp: adjust (slew): -0.016757 sec
Jan 05 11:52:48 NAS msmtppq[6427]: 24 more mails from queue failed to send with rc = 77
Jan 05 12:01:52 NAS msmtppq[7064]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 12:02:49 NAS msmtppq[7612]: 24 more mails from queue failed to send with rc = 77
Jan 05 12:09:10 NAS connmand[2165]: ntp: adjust (slew): +0.013179 sec
Jan 05 12:11:53 NAS msmtppq[8241]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 12:12:48 NAS msmtppq[8751]: 24 more mails from queue failed to send with rc = 77
Jan 05 12:17:01 NAS CRON[9050]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 12:17:01 NAS CRON[9052]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 12:17:01 NAS CRON[9050]: pam_unix(cron:session): session closed for user root
Jan 05 12:21:53 NAS msmtppq[9373]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 12:22:47 NAS msmtppq[9912]: 24 more mails from queue failed to send with rc = 77
Jan 05 12:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.010460 sec
Jan 05 12:31:51 NAS msmtppq[10744]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 12:32:48 NAS msmtppq[11434]: 24 more mails from queue failed to send with rc = 77
Jan 05 12:41:51 NAS msmtppq[12058]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 12:42:45 NAS msmtppq[12612]: 24 more mails from queue failed to send with rc = 77
Jan 05 12:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.003415 sec
Jan 05 12:51:48 NAS msmtppq[13276]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 12:52:42 NAS msmtppq[13826]: 24 more mails from queue failed to send with rc = 77
Jan 05 13:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.019114 sec
Jan 05 13:01:46 NAS msmtppq[14462]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 13:02:40 NAS msmtppq[15006]: 24 more mails from queue failed to send with rc = 77
Jan 05 13:11:44 NAS msmtppq[15607]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 13:12:39 NAS msmtppq[16149]: 24 more mails from queue failed to send with rc = 77
Jan 05 13:17:02 NAS CRON[16471]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 13:17:02 NAS CRON[16472]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 13:17:02 NAS CRON[16471]: pam_unix(cron:session): session closed for user root
Jan 05 13:17:56 NAS connmand[2165]: ntp: adjust (slew): -0.025280 sec
Jan 05 13:21:42 NAS msmtppq[16784]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 13:22:34 NAS msmtppq[17323]: 24 more mails from queue failed to send with rc = 77
Jan 05 13:31:38 NAS msmtppq[17970]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 13:32:33 NAS msmtppq[18604]: 24 more mails from queue failed to send with rc = 77
Jan 05 13:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.016372 sec
Jan 05 13:41:36 NAS msmtppq[19300]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 13:42:31 NAS msmtppq[19859]: 24 more mails from queue failed to send with rc = 77
Jan 05 13:51:36 NAS msmtppq[20497]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 13:52:05 NAS connmand[2165]: ntp: adjust (slew): -0.006287 sec
Jan 05 13:52:31 NAS msmtppq[21057]: 24 more mails from queue failed to send with rc = 77
Jan 05 14:01:35 NAS msmtppq[21695]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 14:02:29 NAS msmtppq[22206]: 24 more mails from queue failed to send with rc = 77
Jan 05 14:09:09 NAS connmand[2165]: ntp: adjust (slew): -0.009290 sec
Jan 05 14:11:32 NAS msmtppq[22817]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 14:12:27 NAS msmtppq[23360]: 24 more mails from queue failed to send with rc = 77
Jan 05 14:17:01 NAS CRON[23674]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 14:17:01 NAS CRON[23675]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 14:17:01 NAS CRON[23674]: pam_unix(cron:session): session closed for user root
Jan 05 14:21:30 NAS msmtppq[23994]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 14:22:23 NAS msmtppq[24531]: 24 more mails from queue failed to send with rc = 77
Jan 05 14:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.005709 sec
Jan 05 14:31:26 NAS msmtppq[25239]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 14:32:21 NAS msmtppq[25773]: 24 more mails from queue failed to send with rc = 77
Jan 05 14:41:24 NAS msmtppq[26570]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 14:42:18 NAS msmtppq[27115]: 24 more mails from queue failed to send with rc = 77
Jan 05 14:43:46 NAS connmand[2165]: ntp: adjust (slew): +0.010727 sec
Jan 05 14:51:22 NAS msmtppq[27762]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 14:52:17 NAS msmtppq[28277]: 24 more mails from queue failed to send with rc = 77

Jan 05 15:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.004221 sec
Jan 05 15:01:21 NAS msmtppq[28924]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 15:02:14 NAS msmtppq[29474]: 24 more mails from queue failed to send with rc = 77
Jan 05 15:11:18 NAS msmtppq[30109]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 15:12:13 NAS msmtppq[30667]: 24 more mails from queue failed to send with rc = 77
Jan 05 15:17:02 NAS CRON[31000]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 15:17:02 NAS CRON[31001]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 15:17:02 NAS CRON[31000]: pam_unix(cron:session): session closed for user root
Jan 05 15:17:56 NAS connmand[2165]: ntp: adjust (slew): -0.004936 sec
Jan 05 15:21:16 NAS msmtppq[31291]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 15:22:10 NAS msmtppq[31832]: 24 more mails from queue failed to send with rc = 77
Jan 05 15:31:14 NAS msmtppq[32452]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 15:32:08 NAS msmtppq[531]: 24 more mails from queue failed to send with rc = 77
Jan 05 15:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.023169 sec
Jan 05 15:41:13 NAS msmtppq[1380]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 15:42:07 NAS msmtppq[1932]: 24 more mails from queue failed to send with rc = 77
Jan 05 15:51:10 NAS msmtppq[2832]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 15:52:05 NAS connmand[2165]: ntp: adjust (slew): +0.005825 sec
Jan 05 15:52:05 NAS msmtppq[3416]: 24 more mails from queue failed to send with rc = 77
Jan 05 16:01:09 NAS msmtppq[4059]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 16:02:03 NAS msmtppq[4615]: 24 more mails from queue failed to send with rc = 77
Jan 05 16:09:09 NAS connmand[2165]: ntp: adjust (slew): +0.032439 sec
Jan 05 16:11:06 NAS msmtppq[5237]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 16:11:59 NAS msmtppq[5783]: 24 more mails from queue failed to send with rc = 77
Jan 05 16:17:01 NAS CRON[6122]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 16:17:01 NAS CRON[6123]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 16:17:01 NAS CRON[6122]: pam_unix(cron:session): session closed for user root
Jan 05 16:22:02 NAS msmtppq[6468]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 16:22:55 NAS msmtppq[7019]: 24 more mails from queue failed to send with rc = 77
Jan 05 16:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.036299 sec
Jan 05 16:31:59 NAS msmtppq[7592]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 16:32:52 NAS msmtppq[8282]: 24 more mails from queue failed to send with rc = 77

Jan 05 16:41:56 NAS msmtppq[8934]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 16:42:50 NAS msmtppq[9474]: 24 more mails from queue failed to send with rc = 77
Jan 05 16:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.007658 sec
Jan 05 16:51:54 NAS msmtppq[10125]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 16:52:47 NAS msmtppq[10663]: 24 more mails from queue failed to send with rc = 77
Jan 05 17:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.002729 sec
Jan 05 17:01:50 NAS msmtppq[11308]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 17:02:45 NAS msmtppq[11846]: 24 more mails from queue failed to send with rc = 77
Jan 05 17:11:48 NAS msmtppq[12525]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 17:12:43 NAS msmtppq[13073]: 24 more mails from queue failed to send with rc = 77
Jan 05 17:17:02 NAS CRON[13352]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 17:17:02 NAS CRON[13353]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 17:17:02 NAS CRON[13352]: pam_unix(cron:session): session closed for user root
Jan 05 17:17:56 NAS connmand[2165]: ntp: adjust (slew): +0.021288 sec
Jan 05 17:21:46 NAS msmtppq[13697]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 17:22:41 NAS msmtppq[14213]: 24 more mails from queue failed to send with rc = 77
Jan 05 17:31:44 NAS msmtppq[14858]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 17:32:38 NAS msmtppq[15404]: 24 more mails from queue failed to send with rc = 77
Jan 05 17:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.002233 sec
Jan 05 17:41:41 NAS msmtppq[16186]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 17:42:35 NAS msmtppq[16732]: 24 more mails from queue failed to send with rc = 77
Jan 05 17:51:38 NAS msmtppq[17358]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 17:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.008667 sec
Jan 05 17:52:31 NAS msmtppq[17900]: 24 more mails from queue failed to send with rc = 77
Jan 05 18:01:35 NAS msmtppq[18556]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 18:02:29 NAS msmtppq[19107]: 24 more mails from queue failed to send with rc = 77
Jan 05 18:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.006062 sec
Jan 05 18:11:32 NAS msmtppq[19733]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 18:12:27 NAS msmtppq[20252]: 24 more mails from queue failed to send with rc = 77
Jan 05 18:17:01 NAS CRON[20569]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 18:17:01 NAS CRON[20570]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 18:17:01 NAS CRON[20569]: pam_unix(cron:session): session closed for user root

Jan 05 18:21:30 NAS msmtppq[20859]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 18:22:23 NAS msmtppq[21408]: 24 more mails from queue failed to send with rc = 77
Jan 05 18:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.022009 sec
Jan 05 18:31:26 NAS msmtppq[22020]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 18:32:20 NAS msmtppq[22561]: 24 more mails from queue failed to send with rc = 77
Jan 05 18:41:22 NAS msmtppq[23320]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 18:42:17 NAS msmtppq[23862]: 24 more mails from queue failed to send with rc = 77
Jan 05 18:44:18 NAS connmand[2165]: ntp: adjust (slew): +0.009534 sec
Jan 05 18:51:21 NAS msmtppq[24532]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 18:52:15 NAS msmtppq[25077]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:01:18 NAS msmtppq[25693]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 19:01:22 NAS connmand[2165]: ntp: adjust (slew): +0.028256 sec
Jan 05 19:02:11 NAS msmtppq[26198]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:11:15 NAS msmtppq[26807]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 19:12:08 NAS msmtppq[27353]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:17:01 NAS CRON[27669]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 19:17:01 NAS CRON[27670]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 19:17:01 NAS CRON[27669]: pam_unix(cron:session): session closed for user root
Jan 05 19:18:27 NAS connmand[2165]: ntp: adjust (slew): -0.027990 sec
Jan 05 19:21:10 NAS msmtppq[27957]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 19:22:05 NAS msmtppq[28510]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:31:08 NAS msmtppq[29118]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 19:32:04 NAS msmtppq[29660]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:35:31 NAS connmand[2165]: ntp: adjust (slew): +0.038886 sec
Jan 05 19:41:07 NAS msmtppq[30417]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 19:42:01 NAS msmtppq[30958]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:51:06 NAS msmtppq[31672]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 19:52:01 NAS msmtppq[32190]: 24 more mails from queue failed to send with rc = 77
Jan 05 19:52:36 NAS connmand[2165]: ntp: adjust (slew): -0.037239 sec
Jan 05 20:01:04 NAS msmtppq[357]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 20:01:59 NAS msmtppq[941]: 24 more mails from queue failed to send with rc = 77
Jan 05 20:09:41 NAS connmand[2165]: ntp: adjust (slew): -0.007417 sec
Jan 05 20:12:02 NAS msmtppq[1648]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 20:12:56 NAS msmtppq[2207]: 24 more mails from queue failed to send with rc = 77
Jan 05 20:17:02 NAS CRON[2479]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 20:17:02 NAS CRON[2480]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 20:17:02 NAS CRON[2479]: pam_unix(cron:session): session closed for user root
Jan 05 20:21:59 NAS msmtppq[2909]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 20:22:52 NAS msmtppq[3492]: 24 more mails from queue failed to send with rc = 77
Jan 05 20:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.007352 sec
Jan 05 20:31:55 NAS msmtppq[4210]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 20:32:49 NAS msmtppq[4757]: 24 more mails from queue failed to send with rc = 77
Jan 05 20:41:52 NAS msmtppq[5500]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 20:42:46 NAS msmtppq[6008]: 24 more mails from queue failed to send with rc = 77
Jan 05 20:43:48 NAS connmand[2165]: ntp: adjust (slew): +0.006377 sec
Jan 05 20:51:49 NAS msmtppq[6625]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 20:52:48 NAS msmtppq[7174]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:00:52 NAS connmand[2165]: ntp: adjust (slew): +0.011824 sec
Jan 05 21:01:52 NAS msmtppq[7798]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 21:02:52 NAS msmtppq[8339]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:11:55 NAS msmtppq[8945]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 21:13:01 NAS msmtppq[9500]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:17:01 NAS CRON[9749]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 21:17:01 NAS CRON[9751]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 21:17:01 NAS CRON[9749]: pam_unix(cron:session): session closed for user root
Jan 05 21:18:28 NAS connmand[2165]: ntp: adjust (slew): -0.016116 sec
Jan 05 21:21:05 NAS msmtppq[10121]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 21:21:36 NAS msmtppq[10300]: mail [8] [2019-12-31-15.21.15] from queue ; couldn't be sent - host not connected
Jan 05 21:22:20 NAS msmtppq[10672]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:31:23 NAS msmtppq[11298]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 21:32:20 NAS msmtppq[11843]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:35:32 NAS connmand[2165]: ntp: adjust (slew): +0.022915 sec
Jan 05 21:41:23 NAS msmtppq[12606]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 21:42:22 NAS msmtppq[13158]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:51:25 NAS msmtppq[13782]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 05 21:52:20 NAS msmtppq[14404]: 24 more mails from queue failed to send with rc = 77
Jan 05 21:52:37 NAS connmand[2165]: ntp: adjust (slew): -0.007670 sec
Jan 05 22:01:24 NAS msmtppq[15024]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 22:02:18 NAS msmtppq[15565]: 24 more mails from queue failed to send with rc = 77
Jan 05 22:09:42 NAS connmand[2165]: ntp: adjust (slew): -0.025202 sec
Jan 05 22:11:21 NAS msmtppq[16153]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 22:12:14 NAS msmtppq[16692]: 24 more mails from queue failed to send with rc = 77
Jan 05 22:17:01 NAS CRON[16982]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 22:17:01 NAS CRON[16983]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 22:17:01 NAS CRON[16982]: pam_unix(cron:session): session closed for user root
Jan 05 22:21:17 NAS msmtppq[17258]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 22:22:10 NAS msmtppq[17802]: 24 more mails from queue failed to send with rc = 77
Jan 05 22:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.003437 sec
Jan 05 22:31:13 NAS msmtppq[18459]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 22:32:08 NAS msmtppq[19003]: 24 more mails from queue failed to send with rc = 77
Jan 05 22:41:11 NAS msmtppq[19746]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 22:42:06 NAS msmtppq[20296]: 24 more mails from queue failed to send with rc = 77
Jan 05 22:43:48 NAS connmand[2165]: ntp: adjust (slew): +0.042387 sec
Jan 05 22:51:08 NAS msmtppq[20885]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 22:52:03 NAS msmtppq[21435]: 24 more mails from queue failed to send with rc = 77
Jan 05 23:00:52 NAS connmand[2165]: ntp: adjust (slew): -0.045748 sec
Jan 05 23:01:06 NAS msmtppq[22103]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 23:02:00 NAS msmtppq[22644]: 24 more mails from queue failed to send with rc = 77
Jan 05 23:11:03 NAS msmtppq[23228]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 23:11:55 NAS msmtppq[23733]: 24 more mails from queue failed to send with rc = 77
Jan 05 23:17:01 NAS CRON[24119]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 05 23:17:01 NAS CRON[24120]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 05 23:17:01 NAS CRON[24119]: pam_unix(cron:session): session closed for user root
Jan 05 23:17:57 NAS connmand[2165]: ntp: adjust (slew): +0.005918 sec
Jan 05 23:21:58 NAS msmtppq[24459]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 23:22:53 NAS msmtppq[25003]: 24 more mails from queue failed to send with rc = 77
Jan 05 23:31:56 NAS msmtppq[25602]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 23:32:48 NAS msmtppq[26140]: 24 more mails from queue failed to send with rc = 77

Jan 05 23:35:01 NAS connmand[2165]: ntp: adjust (slew): +0.020238 sec
Jan 05 23:41:51 NAS msmtppq[26883]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 23:42:44 NAS msmtppq[27416]: 24 more mails from queue failed to send with rc = 77
Jan 05 23:51:48 NAS msmtppq[28016]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 05 23:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.005433 sec
Jan 05 23:52:42 NAS msmtppq[28557]: 24 more mails from queue failed to send with rc = 77
Jan 06 00:01:45 NAS msmtppq[29111]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 00:02:39 NAS msmtppq[29657]: 24 more mails from queue failed to send with rc = 77
Jan 06 00:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.005640 sec
Jan 06 00:11:42 NAS msmtppq[30259]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 00:12:36 NAS msmtppq[30823]: 24 more mails from queue failed to send with rc = 77
Jan 06 00:17:01 NAS CRON[31191]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 00:17:01 NAS CRON[31197]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 00:17:01 NAS CRON[31191]: pam_unix(cron:session): session closed for user root
Jan 06 00:21:40 NAS msmtppq[31563]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 00:22:34 NAS msmtppq[32117]: 24 more mails from queue failed to send with rc = 77
Jan 06 00:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.006257 sec
Jan 06 00:31:37 NAS msmtppq[32720]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 00:32:32 NAS msmtppq[835]: 24 more mails from queue failed to send with rc = 77
Jan 06 00:41:35 NAS msmtppq[1659]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 00:42:30 NAS msmtppq[2215]: 24 more mails from queue failed to send with rc = 77
Jan 06 00:43:46 NAS connmand[2165]: ntp: adjust (slew): +0.004344 sec
Jan 06 00:51:32 NAS msmtppq[2863]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 00:52:26 NAS msmtppq[3397]: 24 more mails from queue failed to send with rc = 77
Jan 06 01:00:29 NAS msmtppq[3911]: mail for [-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 06 01:00:29 NAS msmtppq[3913]: enqueued mail as : [2020-01-06-01.00.26] (-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60)
Jan 06 01:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.002259 sec
Jan 06 01:01:31 NAS msmtppq[4006]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 01:02:28 NAS msmtppq[4574]: 25 more mails from queue failed to send with rc = 77
Jan 06 01:11:31 NAS msmtppq[5154]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 01:12:26 NAS msmtppq[5724]: 25 more mails from queue failed to send with rc = 77

Jan 06 01:17:01 NAS CRON[6026]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 06 01:17:01 NAS CRON[6027]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 06 01:17:02 NAS CRON[6026]: pam_unix(cron:session): session closed for user root

Jan 06 01:17:55 NAS connmand[2165]: ntp: adjust (slew): +0.013371 sec

Jan 06 01:21:30 NAS msmtppq[6322]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 01:22:27 NAS msmtppq[6881]: 25 more mails from queue failed to send with rc = 77

Jan 06 01:31:30 NAS msmtppq[7487]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 01:32:27 NAS msmtppq[8054]: 25 more mails from queue failed to send with rc = 77

Jan 06 01:35:00 NAS connmand[2165]: ntp: adjust (slew): -0.017045 sec

Jan 06 01:41:43 NAS msmtppq[8795]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 01:42:39 NAS msmtppq[9366]: 25 more mails from queue failed to send with rc = 77

Jan 06 01:51:41 NAS msmtppq[9948]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 01:52:05 NAS connmand[2165]: ntp: adjust (slew): +0.002786 sec

Jan 06 01:52:36 NAS msmtppq[10509]: 25 more mails from queue failed to send with rc = 77

Jan 06 02:01:39 NAS msmtppq[11100]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 02:02:42 NAS msmtppq[11669]: 25 more mails from queue failed to send with rc = 77

Jan 06 02:09:11 NAS connmand[2165]: ntp: adjust (slew): +0.001011 sec

Jan 06 02:11:45 NAS msmtppq[12211]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 02:12:41 NAS msmtppq[12770]: 25 more mails from queue failed to send with rc = 77

Jan 06 02:17:01 NAS CRON[13070]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 06 02:17:01 NAS CRON[13071]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 06 02:17:01 NAS CRON[13070]: pam_unix(cron:session): session closed for user root

Jan 06 02:21:44 NAS msmtppq[13350]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 02:22:39 NAS msmtppq[13917]: 25 more mails from queue failed to send with rc = 77

Jan 06 02:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.001802 sec

Jan 06 02:31:42 NAS msmtppq[14494]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 02:32:39 NAS msmtppq[15052]: 25 more mails from queue failed to send with rc = 77

Jan 06 02:41:41 NAS msmtppq[15776]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 02:42:37 NAS msmtppq[16339]: 25 more mails from queue failed to send with rc = 77

Jan 06 02:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.000321 sec

Jan 06 02:51:40 NAS msmtppq[16918]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 02:52:35 NAS msmtppq[17480]: 25 more mails from queue failed to send with rc = 77

Jan 06 03:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.000266 sec

Jan 06 03:01:38 NAS msmtppq[18058]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 03:02:33 NAS msmtppq[18606]: 25 more mails from queue failed to send with rc = 77
Jan 06 03:11:36 NAS msmtppq[19160]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 03:12:31 NAS msmtppq[19716]: 25 more mails from queue failed to send with rc = 77
Jan 06 03:17:02 NAS CRON[20012]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 03:17:02 NAS CRON[20013]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 03:17:02 NAS CRON[20012]: pam_unix(cron:session): session closed for user root
Jan 06 03:17:55 NAS connmand[2165]: ntp: adjust (slew): +0.020753 sec
Jan 06 03:21:34 NAS msmtppq[20292]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 03:22:33 NAS msmtppq[20862]: 25 more mails from queue failed to send with rc = 77
Jan 06 03:31:37 NAS msmtppq[21436]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 03:32:33 NAS msmtppq[22003]: 25 more mails from queue failed to send with rc = 77
Jan 06 03:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.010496 sec
Jan 06 03:41:36 NAS msmtppq[22712]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 03:42:32 NAS msmtppq[23272]: 25 more mails from queue failed to send with rc = 77
Jan 06 03:47:21 NAS mdadm[2174]: Rebuild60 event detected on md device /dev/md127, component device recovery
Jan 06 03:51:36 NAS msmtppq[23854]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 03:52:05 NAS connmand[2165]: ntp: adjust (slew): -0.010274 sec
Jan 06 03:52:32 NAS msmtppq[24416]: 25 more mails from queue failed to send with rc = 77
Jan 06 04:01:36 NAS msmtppq[24999]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 04:02:34 NAS msmtppq[25560]: 25 more mails from queue failed to send with rc = 77
Jan 06 04:09:10 NAS connmand[2165]: ntp: adjust (slew): -0.015676 sec
Jan 06 04:11:37 NAS msmtppq[26136]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 04:12:32 NAS msmtppq[26660]: 25 more mails from queue failed to send with rc = 77
Jan 06 04:17:01 NAS CRON[26958]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 04:17:01 NAS CRON[26959]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 04:17:02 NAS CRON[26958]: pam_unix(cron:session): session closed for user root
Jan 06 04:21:35 NAS msmtppq[27253]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 04:22:33 NAS msmtppq[27817]: 25 more mails from queue failed to send with rc = 77
Jan 06 04:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.007952 sec
Jan 06 04:31:36 NAS msmtppq[28391]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 04:32:33 NAS msmtppq[28960]: 25 more mails from queue failed to send with rc = 77

Jan 06 04:41:36 NAS msmtppq[29673]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 04:42:33 NAS msmtppq[30241]: 25 more mails from queue failed to send with rc = 77
Jan 06 04:43:46 NAS connmand[2165]: ntp: adjust (slew): +0.004208 sec
Jan 06 04:51:36 NAS msmtppq[30822]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 04:52:35 NAS msmtppq[31383]: 25 more mails from queue failed to send with rc = 77
Jan 06 05:00:50 NAS connmand[2165]: ntp: adjust (slew): +0.003669 sec
Jan 06 05:01:37 NAS msmtppq[31963]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 05:02:34 NAS msmtppq[32520]: 25 more mails from queue failed to send with rc = 77
Jan 06 05:11:37 NAS msmtppq[660]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 05:12:32 NAS msmtppq[1252]: 25 more mails from queue failed to send with rc = 77
Jan 06 05:17:01 NAS CRON[1539]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 05:17:01 NAS CRON[1540]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 05:17:01 NAS CRON[1539]: pam_unix(cron:session): session closed for user root
Jan 06 05:17:54 NAS connmand[2165]: ntp: adjust (slew): +0.021293 sec
Jan 06 05:21:34 NAS msmtppq[1822]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 05:22:32 NAS msmtppq[2412]: 25 more mails from queue failed to send with rc = 77
Jan 06 05:31:35 NAS msmtppq[3083]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 05:32:31 NAS msmtppq[3645]: 25 more mails from queue failed to send with rc = 77
Jan 06 05:34:59 NAS connmand[2165]: ntp: adjust (slew): -0.018534 sec
Jan 06 05:41:34 NAS msmtppq[4376]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 05:42:30 NAS msmtppq[4947]: 25 more mails from queue failed to send with rc = 77
Jan 06 05:51:33 NAS msmtppq[5522]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 05:52:04 NAS connmand[2165]: ntp: adjust (slew): -0.009375 sec
Jan 06 05:52:29 NAS msmtppq[6080]: 25 more mails from queue failed to send with rc = 77
Jan 06 06:01:43 NAS msmtppq[6682]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 06:02:43 NAS msmtppq[7244]: 25 more mails from queue failed to send with rc = 77
Jan 06 06:09:09 NAS connmand[2165]: ntp: adjust (slew): +0.012576 sec
Jan 06 06:11:46 NAS msmtppq[7849]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 06:12:44 NAS msmtppq[8418]: 25 more mails from queue failed to send with rc = 77
Jan 06 06:17:02 NAS CRON[8678]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 06:17:02 NAS CRON[8679]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 06:17:02 NAS CRON[8678]: pam_unix(cron:session): session closed for user root

Jan 06 06:21:47 NAS msmtppq[9015]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 06:22:42 NAS msmtppq[9584]: 25 more mails from queue failed to send with rc = 77
Jan 06 06:25:01 NAS CRON[9725]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 06:25:01 NAS CRON[9726]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))
Jan 06 06:25:01 NAS CRON[9725]: pam_unix(cron:session): session closed for user root
Jan 06 06:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.020432 sec
Jan 06 06:31:44 NAS msmtppq[10181]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 06:32:44 NAS msmtppq[10742]: 25 more mails from queue failed to send with rc = 77
Jan 06 06:41:46 NAS msmtppq[11428]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 06:42:43 NAS msmtppq[11993]: 25 more mails from queue failed to send with rc = 77
Jan 06 06:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.007332 sec
Jan 06 06:51:46 NAS msmtppq[12565]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 06:52:41 NAS msmtppq[13131]: 25 more mails from queue failed to send with rc = 77
Jan 06 07:00:52 NAS connmand[2165]: ntp: adjust (slew): +0.003323 sec
Jan 06 07:01:44 NAS msmtppq[13705]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 07:02:40 NAS msmtppq[14260]: 25 more mails from queue failed to send with rc = 77
Jan 06 07:11:43 NAS msmtppq[14838]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 07:12:39 NAS msmtppq[15400]: 25 more mails from queue failed to send with rc = 77
Jan 06 07:17:01 NAS CRON[15680]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 07:17:01 NAS CRON[15681]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 07:17:01 NAS CRON[15680]: pam_unix(cron:session): session closed for user root
Jan 06 07:17:56 NAS connmand[2165]: ntp: adjust (slew): +0.024279 sec
Jan 06 07:21:42 NAS msmtppq[15994]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 07:22:39 NAS msmtppq[16556]: 25 more mails from queue failed to send with rc = 77
Jan 06 07:31:42 NAS msmtppq[17137]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 07:32:39 NAS msmtppq[17695]: 25 more mails from queue failed to send with rc = 77
Jan 06 07:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.032266 sec
Jan 06 07:41:41 NAS msmtppq[18392]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 07:42:37 NAS msmtppq[18957]: 25 more mails from queue failed to send with rc = 77
Jan 06 07:51:40 NAS msmtppq[19553]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 07:52:06 NAS connmand[2165]: ntp: adjust (slew): +0.021706 sec
Jan 06 07:52:36 NAS msmtppq[20125]: 25 more mails from queue failed to send with rc = 77

Jan 06 08:01:38 NAS msmtppq[20717]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 08:02:35 NAS msmtppq[21290]: 25 more mails from queue failed to send with rc = 77
Jan 06 08:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.020818 sec
Jan 06 08:11:37 NAS msmtppq[21877]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 08:12:33 NAS msmtppq[22438]: 25 more mails from queue failed to send with rc = 77
Jan 06 08:17:01 NAS CRON[22699]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 08:17:01 NAS CRON[22700]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 08:17:01 NAS CRON[22699]: pam_unix(cron:session): session closed for user root
Jan 06 08:21:35 NAS msmtppq[23022]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 08:22:32 NAS msmtppq[23579]: 25 more mails from queue failed to send with rc = 77
Jan 06 08:26:42 NAS connmand[2165]: ntp: adjust (slew): +0.004836 sec
Jan 06 08:31:35 NAS msmtppq[24165]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 08:32:31 NAS msmtppq[24724]: 25 more mails from queue failed to send with rc = 77
Jan 06 08:41:34 NAS msmtppq[25468]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 08:42:30 NAS msmtppq[26032]: 25 more mails from queue failed to send with rc = 77
Jan 06 08:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.003166 sec
Jan 06 08:51:33 NAS msmtppq[26668]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 08:52:31 NAS msmtppq[27230]: 25 more mails from queue failed to send with rc = 77
Jan 06 09:00:51 NAS connmand[2165]: ntp: adjust (slew): +0.021759 sec
Jan 06 09:01:33 NAS msmtppq[27872]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 09:02:29 NAS msmtppq[28440]: 25 more mails from queue failed to send with rc = 77
Jan 06 09:11:32 NAS msmtppq[29016]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 09:12:29 NAS msmtppq[29584]: 25 more mails from queue failed to send with rc = 77
Jan 06 09:17:01 NAS CRON[29841]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 09:17:01 NAS CRON[29842]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 09:17:02 NAS CRON[29841]: pam_unix(cron:session): session closed for user root
Jan 06 09:17:56 NAS connmand[2165]: ntp: adjust (slew): -0.029669 sec
Jan 06 09:21:32 NAS msmtppq[30164]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 09:22:29 NAS msmtppq[30727]: 25 more mails from queue failed to send with rc = 77
Jan 06 09:31:32 NAS msmtppq[31322]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 09:32:29 NAS msmtppq[31885]: 25 more mails from queue failed to send with rc = 77
Jan 06 09:35:01 NAS connmand[2165]: ntp: adjust (slew): +0.015945 sec

Jan 06 09:41:32 NAS msmtppq[32607]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 09:42:29 NAS msmtppq[723]: 25 more mails from queue failed to send with rc = 77
Jan 06 09:51:34 NAS msmtppq[1385]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 09:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.002553 sec
Jan 06 09:52:41 NAS msmtppq[1973]: 25 more mails from queue failed to send with rc = 77
Jan 06 10:01:48 NAS msmtppq[2658]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 10:02:55 NAS msmtppq[3293]: 25 more mails from queue failed to send with rc = 77
Jan 06 10:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.001101 sec
Jan 06 10:11:59 NAS msmtppq[3923]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 10:13:00 NAS msmtppq[4481]: 25 more mails from queue failed to send with rc = 77
Jan 06 10:17:02 NAS CRON[4729]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 10:17:02 NAS CRON[4730]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 10:17:02 NAS CRON[4729]: pam_unix(cron:session): session closed for user root
Jan 06 10:21:05 NAS msmtppq[5026]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 10:22:09 NAS msmtppq[5591]: 25 more mails from queue failed to send with rc = 77
Jan 06 10:26:43 NAS connmand[2165]: ntp: adjust (slew): -0.001303 sec
Jan 06 10:31:14 NAS msmtppq[6222]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 10:32:17 NAS msmtppq[6790]: 25 more mails from queue failed to send with rc = 77
Jan 06 10:41:24 NAS msmtppq[7613]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 10:42:30 NAS msmtppq[8207]: 25 more mails from queue failed to send with rc = 77
Jan 06 10:43:47 NAS connmand[2165]: ntp: adjust (slew): +0.002108 sec
Jan 06 10:51:38 NAS msmtppq[8815]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 10:53:25 NAS msmtppq[9451]: 25 more mails from queue failed to send with rc = 77
Jan 06 11:00:51 NAS connmand[2165]: ntp: adjust (slew): -0.003781 sec
Jan 06 11:01:33 NAS msmtppq[9993]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 11:03:27 NAS msmtppq[10604]: 25 more mails from queue failed to send with rc = 77
Jan 06 11:11:34 NAS msmtppq[11172]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 11:13:23 NAS msmtppq[11781]: 25 more mails from queue failed to send with rc = 77
Jan 06 11:17:02 NAS CRON[12060]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 11:17:02 NAS CRON[12061]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 11:17:02 NAS CRON[12060]: pam_unix(cron:session): session closed for user root
Jan 06 11:17:55 NAS connmand[2165]: ntp: adjust (slew): +0.000239 sec

Jan 06 11:21:32 NAS msmtppq[12375]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 11:23:02 NAS msmtppq[12985]: 25 more mails from queue failed to send with rc = 77
Jan 06 11:31:10 NAS msmtppq[13562]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 11:33:01 NAS msmtppq[14194]: 25 more mails from queue failed to send with rc = 77
Jan 06 11:35:00 NAS connmand[2165]: ntp: adjust (slew): +0.000578 sec
Jan 06 11:41:08 NAS msmtppq[14871]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 11:43:04 NAS msmtppq[15507]: 25 more mails from queue failed to send with rc = 77
Jan 06 11:51:13 NAS msmtppq[16038]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 11:52:04 NAS connmand[2165]: ntp: adjust (slew): +0.000147 sec
Jan 06 11:53:13 NAS msmtppq[16672]: 25 more mails from queue failed to send with rc = 77
Jan 06 12:01:21 NAS msmtppq[17203]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 12:03:18 NAS msmtppq[17840]: 25 more mails from queue failed to send with rc = 77
Jan 06 12:09:08 NAS connmand[2165]: ntp: adjust (slew): +0.020799 sec
Jan 06 12:11:26 NAS msmtppq[18392]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 12:13:19 NAS msmtppq[19031]: 25 more mails from queue failed to send with rc = 77
Jan 06 12:17:02 NAS CRON[19274]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 12:17:02 NAS CRON[19275]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 12:17:02 NAS CRON[19274]: pam_unix(cron:session): session closed for user root
Jan 06 12:21:32 NAS msmtppq[19587]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 12:23:28 NAS msmtppq[20232]: 25 more mails from queue failed to send with rc = 77
Jan 06 12:26:42 NAS connmand[2165]: ntp: adjust (slew): -0.030803 sec
Jan 06 12:31:36 NAS msmtppq[21049]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 12:33:26 NAS msmtppq[21666]: 25 more mails from queue failed to send with rc = 77
Jan 06 12:41:34 NAS msmtppq[22397]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 12:43:26 NAS msmtppq[22999]: 25 more mails from queue failed to send with rc = 77
Jan 06 12:43:48 NAS connmand[2165]: ntp: adjust (slew): +0.008208 sec
Jan 06 12:51:33 NAS msmtppq[23612]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 12:53:26 NAS msmtppq[24227]: 25 more mails from queue failed to send with rc = 77
Jan 06 13:00:52 NAS connmand[2165]: ntp: adjust (slew): -0.001723 sec
Jan 06 13:01:34 NAS msmtppq[24777]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 13:03:31 NAS msmtppq[25419]: 25 more mails from queue failed to send with rc = 77
Jan 06 13:11:39 NAS msmtppq[25951]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 13:13:44 NAS msmtppq[26591]: 25 more mails from queue failed to send with rc = 77

Jan 06 13:17:02 NAS CRON[26810]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 06 13:17:02 NAS CRON[26811]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 06 13:17:02 NAS CRON[26810]: pam_unix(cron:session): session closed for user root

Jan 06 13:17:56 NAS connmand[2165]: ntp: adjust (slew): +0.001561 sec

Jan 06 13:21:54 NAS msmtppq[27147]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 13:23:55 NAS msmtppq[27792]: 25 more mails from queue failed to send with rc = 77

Jan 06 13:32:03 NAS msmtppq[28435]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 13:34:09 NAS msmtppq[29073]: 25 more mails from queue failed to send with rc = 77

Jan 06 13:35:01 NAS connmand[2165]: ntp: adjust (slew): +0.001354 sec

Jan 06 13:41:17 NAS msmtppq[29671]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 13:43:26 NAS msmtppq[30314]: 25 more mails from queue failed to send with rc = 77

Jan 06 13:51:35 NAS msmtppq[30833]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 13:52:07 NAS connmand[2165]: ntp: adjust (slew): +0.000347 sec

Jan 06 13:53:48 NAS msmtppq[31473]: 25 more mails from queue failed to send with rc = 77

Jan 06 14:01:58 NAS msmtppq[32095]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 14:04:18 NAS msmtppq[32737]: 25 more mails from queue failed to send with rc = 77

Jan 06 14:09:12 NAS connmand[2165]: ntp: adjust (slew): -0.000955 sec

Jan 06 14:11:27 NAS msmtppq[825]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 14:13:39 NAS msmtppq[1516]: 25 more mails from queue failed to send with rc = 77

Jan 06 14:17:02 NAS CRON[1736]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 06 14:17:02 NAS CRON[1737]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 06 14:17:03 NAS CRON[1736]: pam_unix(cron:session): session closed for user root

Jan 06 14:21:47 NAS msmtppq[2135]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 14:24:02 NAS msmtppq[2873]: 25 more mails from queue failed to send with rc = 77

Jan 06 14:26:43 NAS connmand[2165]: ntp: adjust (slew): +0.000648 sec

Jan 06 14:31:11 NAS msmtppq[3393]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 14:33:19 NAS msmtppq[4051]: 25 more mails from queue failed to send with rc = 77

Jan 06 14:41:29 NAS msmtppq[4741]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 14:43:41 NAS msmtppq[5380]: 25 more mails from queue failed to send with rc = 77

Jan 06 14:43:48 NAS connmand[2165]: ntp: adjust (slew): -0.000068 sec

Jan 06 14:51:49 NAS msmtppq[5939]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 14:53:57 NAS msmtppq[6583]: 25 more mails from queue failed to send with rc = 77

Jan 06 15:01:00 NAS connmand[2165]: ntp: adjust (slew): +0.024800 sec

Jan 06 15:02:05 NAS msmtppq[7158]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 15:04:15 NAS msmtppq[7798]: 25 more mails from queue failed to send with rc = 77
Jan 06 15:11:25 NAS msmtppq[8238]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 15:13:34 NAS msmtppq[8878]: 25 more mails from queue failed to send with rc = 77
Jan 06 15:17:02 NAS CRON[9102]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 15:17:02 NAS CRON[9107]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 15:17:03 NAS CRON[9102]: pam_unix(cron:session): session closed for user root
Jan 06 15:18:05 NAS connmand[2165]: ntp: adjust (slew): -0.035520 sec
Jan 06 15:21:42 NAS msmtppq[9484]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 15:23:58 NAS msmtppq[10154]: 25 more mails from queue failed to send with rc = 77
Jan 06 15:32:06 NAS msmtppq[10779]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 15:34:13 NAS msmtppq[11427]: 25 more mails from queue failed to send with rc = 77
Jan 06 15:35:10 NAS connmand[2165]: ntp: adjust (slew): +0.004687 sec
Jan 06 15:41:20 NAS msmtppq[12055]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 15:43:18 NAS msmtppq[12697]: 25 more mails from queue failed to send with rc = 77
Jan 06 15:51:26 NAS msmtppq[13227]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 15:52:14 NAS connmand[2165]: ntp: adjust (slew): +0.003296 sec
Jan 06 15:53:31 NAS msmtppq[13946]: 25 more mails from queue failed to send with rc = 77
Jan 06 16:00:47 NAS mdadm[2174]: Rebuild80 event detected on md device /dev/md127, component device recovery
Jan 06 16:01:39 NAS msmtppq[14485]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 16:03:42 NAS msmtppq[15129]: 25 more mails from queue failed to send with rc = 77
Jan 06 16:09:18 NAS connmand[2165]: ntp: adjust (slew): +0.001952 sec
Jan 06 16:11:50 NAS msmtppq[15712]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 16:13:24 NAS msmtppq[16306]: 25 more mails from queue failed to send with rc = 77
Jan 06 16:17:01 NAS CRON[16568]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 16:17:01 NAS CRON[16572]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 16:17:01 NAS CRON[16568]: pam_unix(cron:session): session closed for user root
Jan 06 16:21:32 NAS msmtppq[16887]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 16:22:56 NAS msmtppq[17477]: 25 more mails from queue failed to send with rc = 77
Jan 06 16:26:44 NAS connmand[2165]: ntp: adjust (slew): -0.000057 sec
Jan 06 16:32:01 NAS msmtppq[18117]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 16:33:24 NAS msmtppq[18692]: 25 more mails from queue failed to send with rc = 77

Jan 06 16:41:31 NAS msmtppq[19369]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 16:43:09 NAS msmtppq[20002]: 25 more mails from queue failed to send with rc = 77
Jan 06 16:43:48 NAS connmand[2165]: ntp: adjust (slew): +0.000824 sec
Jan 06 16:51:13 NAS msmtppq[20579]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 16:52:09 NAS msmtppq[21148]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:00:53 NAS connmand[2165]: ntp: adjust (slew): +0.000269 sec
Jan 06 17:01:12 NAS msmtppq[21791]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 17:02:08 NAS msmtppq[22360]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:11:12 NAS msmtppq[22987]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 17:12:08 NAS msmtppq[23553]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:17:02 NAS CRON[23886]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 17:17:02 NAS CRON[23887]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 17:17:02 NAS CRON[23886]: pam_unix(cron:session): session closed for user root
Jan 06 17:17:57 NAS connmand[2165]: ntp: adjust (slew): +0.001415 sec
Jan 06 17:21:11 NAS msmtppq[24191]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 17:22:07 NAS msmtppq[24759]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:31:09 NAS msmtppq[25397]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 17:32:05 NAS msmtppq[25974]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:35:01 NAS connmand[2165]: ntp: adjust (slew): -0.000935 sec
Jan 06 17:41:07 NAS msmtppq[26749]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 17:42:03 NAS msmtppq[27317]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:51:06 NAS msmtppq[27951]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 17:52:01 NAS msmtppq[28517]: 25 more mails from queue failed to send with rc = 77
Jan 06 17:52:05 NAS connmand[2165]: ntp: adjust (slew): +0.000122 sec
Jan 06 18:01:04 NAS msmtppq[29145]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 18:02:01 NAS msmtppq[29707]: 25 more mails from queue failed to send with rc = 77
Jan 06 18:09:10 NAS connmand[2165]: ntp: adjust (slew): +0.000332 sec
Jan 06 18:11:04 NAS msmtppq[30300]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 18:11:59 NAS msmtppq[30868]: 25 more mails from queue failed to send with rc = 77
Jan 06 18:17:01 NAS CRON[31199]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 18:17:01 NAS CRON[31200]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 18:17:01 NAS CRON[31199]: pam_unix(cron:session): session closed for user root

Jan 06 18:22:02 NAS msmtppq[31570]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 18:22:58 NAS msmtppq[32183]: 25 more mails from queue failed to send with rc = 77
Jan 06 18:26:44 NAS connmand[2165]: ntp: adjust (slew): +0.000760 sec
Jan 06 18:32:01 NAS msmtppq[339]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 18:32:57 NAS msmtppq[954]: 25 more mails from queue failed to send with rc = 77
Jan 06 18:41:59 NAS msmtppq[1747]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 18:42:56 NAS msmtppq[2349]: 25 more mails from queue failed to send with rc = 77
Jan 06 18:43:49 NAS connmand[2165]: ntp: adjust (slew): -0.000709 sec
Jan 06 18:51:59 NAS msmtppq[3044]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 18:52:55 NAS msmtppq[3617]: 25 more mails from queue failed to send with rc = 77
Jan 06 19:00:53 NAS connmand[2165]: ntp: adjust (slew): +0.000005 sec
Jan 06 19:01:58 NAS msmtppq[4244]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 19:02:56 NAS msmtppq[4815]: 25 more mails from queue failed to send with rc = 77
Jan 06 19:11:59 NAS msmtppq[5396]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 19:12:55 NAS msmtppq[5961]: 25 more mails from queue failed to send with rc = 77
Jan 06 19:17:01 NAS CRON[6233]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 19:17:01 NAS CRON[6234]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 19:17:01 NAS CRON[6233]: pam_unix(cron:session): session closed for user root
Jan 06 19:17:57 NAS connmand[2165]: ntp: adjust (slew): +0.001127 sec
Jan 06 19:21:59 NAS msmtppq[6581]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 19:22:55 NAS msmtppq[7150]: 25 more mails from queue failed to send with rc = 77
Jan 06 19:31:58 NAS msmtppq[7769]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 19:32:55 NAS msmtppq[8336]: 25 more mails from queue failed to send with rc = 77
Jan 06 19:35:02 NAS connmand[2165]: ntp: adjust (slew): -0.001549 sec
Jan 06 19:41:58 NAS msmtppq[9100]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 19:42:54 NAS msmtppq[9672]: 25 more mails from queue failed to send with rc = 77
Jan 06 19:51:57 NAS msmtppq[10289]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 19:52:06 NAS connmand[2165]: ntp: adjust (slew): +0.000407 sec
Jan 06 19:52:53 NAS msmtppq[10864]: 25 more mails from queue failed to send with rc = 77
Jan 06 20:01:57 NAS msmtppq[11480]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 20:02:53 NAS msmtppq[12052]: 25 more mails from queue failed to send with rc = 77
Jan 06 20:09:10 NAS connmand[2165]: ntp: adjust (slew): -0.000061 sec
Jan 06 20:11:56 NAS msmtppq[12668]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 20:12:52 NAS msmtppq[13197]: 25 more mails from queue failed to send with rc = 77
Jan 06 20:17:02 NAS CRON[13508]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 20:17:02 NAS CRON[13509]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 20:17:02 NAS CRON[13508]: pam_unix(cron:session): session closed for user root
Jan 06 20:21:55 NAS msmtppq[13822]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 20:22:51 NAS msmtppq[14391]: 25 more mails from queue failed to send with rc = 77
Jan 06 20:26:45 NAS connmand[2165]: ntp: adjust (slew): -0.000242 sec
Jan 06 20:31:54 NAS msmtppq[15018]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 20:32:51 NAS msmtppq[15586]: 25 more mails from queue failed to send with rc = 77
Jan 06 20:41:53 NAS msmtppq[16349]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 20:42:50 NAS msmtppq[16918]: 25 more mails from queue failed to send with rc = 77
Jan 06 20:43:49 NAS connmand[2165]: ntp: adjust (slew): +0.000077 sec
Jan 06 20:51:53 NAS msmtppq[17544]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 20:52:50 NAS msmtppq[18110]: 25 more mails from queue failed to send with rc = 77
Jan 06 21:00:54 NAS connmand[2165]: ntp: adjust (slew): -0.013731 sec
Jan 06 21:01:53 NAS msmtppq[18729]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 21:03:07 NAS msmtppq[19307]: 25 more mails from queue failed to send with rc = 77
Jan 06 21:11:10 NAS msmtppq[19862]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 21:12:08 NAS msmtppq[20423]: 25 more mails from queue failed to send with rc = 77
Jan 06 21:17:01 NAS CRON[20755]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 21:17:01 NAS CRON[20756]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 21:17:01 NAS CRON[20755]: pam_unix(cron:session): session closed for user root
Jan 06 21:17:58 NAS connmand[2165]: ntp: adjust (slew): +0.007841 sec
Jan 06 21:21:25 NAS msmtppq[21062]: mail [1] [2019-12-31-15.03.04] from queue ; couldn't be sent - host not connected
Jan 06 21:21:27 NAS msmtppq[21069]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 21:22:24 NAS msmtppq[21633]: 25 more mails from queue failed to send with rc = 77
Jan 06 21:31:28 NAS msmtppq[22265]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 21:32:41 NAS msmtppq[22831]: 25 more mails from queue failed to send with rc = 77
Jan 06 21:35:16 NAS connmand[2165]: ntp: adjust (slew): +0.025797 sec
Jan 06 21:41:44 NAS msmtppq[23596]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 21:42:40 NAS msmtppq[24164]: 25 more mails from queue failed to send with rc = 77
Jan 06 21:51:43 NAS msmtppq[24790]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 06 21:52:39 NAS msmtppq[25356]: 25 more mails from queue failed to send with rc = 77
Jan 06 22:01:42 NAS msmtppq[25966]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 22:02:38 NAS msmtppq[26535]: 25 more mails from queue failed to send with rc = 77
Jan 06 22:11:42 NAS msmtppq[27128]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 22:12:38 NAS msmtppq[27703]: 25 more mails from queue failed to send with rc = 77
Jan 06 22:17:01 NAS CRON[28006]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 22:17:01 NAS CRON[28007]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 22:17:01 NAS CRON[28006]: pam_unix(cron:session): session closed for user root
Jan 06 22:21:41 NAS msmtppq[28301]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 22:22:39 NAS msmtppq[28865]: 25 more mails from queue failed to send with rc = 77
Jan 06 22:26:45 NAS connmand[2165]: ntp: adjust (slew): -0.050570 sec
Jan 06 22:31:41 NAS msmtppq[29454]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 22:32:37 NAS msmtppq[30016]: 25 more mails from queue failed to send with rc = 77
Jan 06 22:41:40 NAS msmtppq[30742]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 22:42:36 NAS msmtppq[31301]: 25 more mails from queue failed to send with rc = 77
Jan 06 22:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.021338 sec
Jan 06 22:51:39 NAS msmtppq[31883]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 22:52:33 NAS msmtppq[32439]: 25 more mails from queue failed to send with rc = 77
Jan 06 23:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.016989 sec
Jan 06 23:01:36 NAS msmtppq[574]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 23:02:32 NAS msmtppq[1187]: 25 more mails from queue failed to send with rc = 77
Jan 06 23:11:35 NAS msmtppq[1773]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 23:12:31 NAS msmtppq[2369]: 25 more mails from queue failed to send with rc = 77
Jan 06 23:17:01 NAS CRON[2684]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 06 23:17:01 NAS CRON[2685]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 06 23:17:01 NAS CRON[2684]: pam_unix(cron:session): session closed for user root
Jan 06 23:17:58 NAS connmand[2165]: ntp: adjust (slew): +0.001256 sec
Jan 06 23:21:35 NAS msmtppq[3052]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 23:22:31 NAS msmtppq[3618]: 25 more mails from queue failed to send with rc = 77
Jan 06 23:31:33 NAS msmtppq[4230]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 23:32:30 NAS msmtppq[4790]: 25 more mails from queue failed to send with rc = 77
Jan 06 23:35:03 NAS connmand[2165]: ntp: adjust (slew): -0.000796 sec

Jan 06 23:41:32 NAS msmtppq[5524]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 23:42:29 NAS msmtppq[6080]: 25 more mails from queue failed to send with rc = 77
Jan 06 23:51:32 NAS msmtppq[6691]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 06 23:52:07 NAS connmand[2165]: ntp: adjust (slew): +0.000467 sec
Jan 06 23:52:29 NAS msmtppq[7256]: 25 more mails from queue failed to send with rc = 77
Jan 07 00:01:32 NAS msmtppq[7856]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 00:02:36 NAS msmtppq[8420]: 25 more mails from queue failed to send with rc = 77
Jan 07 00:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.000101 sec
Jan 07 00:11:38 NAS msmtppq[9016]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 00:12:33 NAS msmtppq[9579]: 25 more mails from queue failed to send with rc = 77
Jan 07 00:17:01 NAS CRON[9847]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 00:17:01 NAS CRON[9848]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 00:17:01 NAS CRON[9847]: pam_unix(cron:session): session closed for user root
Jan 07 00:21:36 NAS msmtppq[10128]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 00:22:31 NAS msmtppq[10697]: 25 more mails from queue failed to send with rc = 77
Jan 07 00:26:47 NAS connmand[2165]: ntp: adjust (slew): -0.000373 sec
Jan 07 00:31:34 NAS msmtppq[11278]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 00:32:29 NAS msmtppq[11844]: 25 more mails from queue failed to send with rc = 77
Jan 07 00:41:32 NAS msmtppq[12565]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 00:42:28 NAS msmtppq[13120]: 25 more mails from queue failed to send with rc = 77
Jan 07 00:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.000416 sec
Jan 07 00:51:31 NAS msmtppq[13704]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 00:52:27 NAS msmtppq[14267]: 25 more mails from queue failed to send with rc = 77
Jan 07 01:00:33 NAS msmtppq[14764]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 07 01:00:33 NAS msmtppq[14766]: enqueued mail as : [2020-01-07-01.00.29] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 07 01:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.000205 sec
Jan 07 01:01:36 NAS msmtppq[14859]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 01:02:34 NAS msmtppq[15442]: 26 more mails from queue failed to send with rc = 77
Jan 07 01:11:37 NAS msmtppq[16024]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 01:12:35 NAS msmtppq[16602]: 26 more mails from queue failed to send with rc = 77
Jan 07 01:17:01 NAS CRON[16866]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 01:17:01 NAS CRON[16867]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 01:17:01 NAS CRON[16866]: pam_unix(cron:session): session closed for user root

Jan 07 01:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.000530 sec

Jan 07 01:21:37 NAS msmtppq[17200]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 01:22:35 NAS msmtppq[17782]: 26 more mails from queue failed to send with rc = 77

Jan 07 01:31:38 NAS msmtppq[18361]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 01:32:35 NAS msmtppq[18909]: 26 more mails from queue failed to send with rc = 77

Jan 07 01:35:03 NAS connmand[2165]: ntp: adjust (slew): -0.000351 sec

Jan 07 01:41:39 NAS msmtppq[19628]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 01:42:36 NAS msmtppq[20213]: 26 more mails from queue failed to send with rc = 77

Jan 07 01:51:38 NAS msmtppq[20789]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 01:52:07 NAS connmand[2165]: ntp: adjust (slew): +0.000166 sec

Jan 07 01:52:35 NAS msmtppq[21367]: 26 more mails from queue failed to send with rc = 77

Jan 07 02:01:53 NAS msmtppq[21993]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 02:03:15 NAS msmtppq[22621]: 26 more mails from queue failed to send with rc = 77

Jan 07 02:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.000187 sec

Jan 07 02:11:20 NAS msmtppq[23131]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 02:12:49 NAS msmtppq[23764]: 26 more mails from queue failed to send with rc = 77

Jan 07 02:17:01 NAS CRON[24025]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 02:17:02 NAS CRON[24026]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 02:17:02 NAS CRON[24025]: pam_unix(cron:session): session closed for user root

Jan 07 02:21:58 NAS msmtppq[24334]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 02:23:32 NAS msmtppq[24978]: 26 more mails from queue failed to send with rc = 77

Jan 07 02:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.004236 sec

Jan 07 02:31:38 NAS msmtppq[25467]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 02:32:58 NAS msmtppq[26105]: 26 more mails from queue failed to send with rc = 77

Jan 07 02:42:02 NAS msmtppq[26820]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 02:43:01 NAS msmtppq[27417]: 26 more mails from queue failed to send with rc = 77

Jan 07 02:43:50 NAS connmand[2165]: ntp: adjust (slew): -0.006173 sec

Jan 07 02:51:04 NAS msmtppq[27894]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 02:52:03 NAS msmtppq[28478]: 26 more mails from queue failed to send with rc = 77

Jan 07 03:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.000631 sec

Jan 07 03:01:06 NAS msmtppq[29060]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 03:02:04 NAS msmtppq[29643]: 26 more mails from queue failed to send with rc = 77
Jan 07 03:11:07 NAS msmtppq[30223]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 03:12:04 NAS msmtppq[30800]: 26 more mails from queue failed to send with rc = 77
Jan 07 03:17:01 NAS CRON[31103]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 03:17:01 NAS CRON[31104]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 03:17:01 NAS CRON[31103]: pam_unix(cron:session): session closed for user root
Jan 07 03:17:58 NAS connmand[2165]: ntp: adjust (slew): -0.001082 sec
Jan 07 03:21:07 NAS msmtppq[31382]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 03:22:05 NAS msmtppq[31967]: 26 more mails from queue failed to send with rc = 77
Jan 07 03:31:08 NAS msmtppq[32543]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 03:32:09 NAS msmtppq[700]: 26 more mails from queue failed to send with rc = 77
Jan 07 03:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.003281 sec
Jan 07 03:41:12 NAS msmtppq[1469]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 03:42:11 NAS msmtppq[2053]: 26 more mails from queue failed to send with rc = 77
Jan 07 03:51:14 NAS msmtppq[2677]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 03:52:09 NAS connmand[2165]: ntp: adjust (slew): -0.000706 sec
Jan 07 03:52:17 NAS msmtppq[3317]: 26 more mails from queue failed to send with rc = 77
Jan 07 04:01:19 NAS msmtppq[3915]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 04:02:27 NAS msmtppq[4497]: 26 more mails from queue failed to send with rc = 77
Jan 07 04:09:13 NAS connmand[2165]: ntp: adjust (slew): -0.000064 sec
Jan 07 04:11:30 NAS msmtppq[5107]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 04:12:28 NAS msmtppq[5690]: 26 more mails from queue failed to send with rc = 77
Jan 07 04:17:01 NAS CRON[5966]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 04:17:01 NAS CRON[5967]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 04:17:01 NAS CRON[5966]: pam_unix(cron:session): session closed for user root
Jan 07 04:21:33 NAS msmtppq[6315]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 04:22:31 NAS msmtppq[6890]: 26 more mails from queue failed to send with rc = 77
Jan 07 04:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.000072 sec
Jan 07 04:31:33 NAS msmtppq[7467]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 04:32:33 NAS msmtppq[8045]: 26 more mails from queue failed to send with rc = 77
Jan 07 04:41:36 NAS msmtppq[8765]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 04:42:33 NAS msmtppq[9352]: 26 more mails from queue failed to send with rc = 77
Jan 07 04:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.000096 sec

Jan 07 04:51:35 NAS msmtppq[9934]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 04:52:34 NAS msmtppq[10523]: 26 more mails from queue failed to send with rc = 77
Jan 07 05:00:54 NAS connmand[2165]: ntp: adjust (slew): -0.000206 sec
Jan 07 05:01:36 NAS msmtppq[11115]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 05:02:34 NAS msmtppq[11702]: 26 more mails from queue failed to send with rc = 77
Jan 07 05:11:37 NAS msmtppq[12293]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 05:12:35 NAS msmtppq[12881]: 26 more mails from queue failed to send with rc = 77
Jan 07 05:17:01 NAS CRON[13157]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 05:17:01 NAS CRON[13158]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 05:17:01 NAS CRON[13157]: pam_unix(cron:session): session closed for user root
Jan 07 05:17:58 NAS connmand[2165]: ntp: adjust (slew): -0.000039 sec
Jan 07 05:21:38 NAS msmtppq[13490]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 05:22:37 NAS msmtppq[14077]: 26 more mails from queue failed to send with rc = 77
Jan 07 05:31:40 NAS msmtppq[14686]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 05:32:40 NAS msmtppq[15264]: 26 more mails from queue failed to send with rc = 77
Jan 07 05:35:02 NAS connmand[2165]: ntp: adjust (slew): +0.000120 sec
Jan 07 05:41:43 NAS msmtppq[15997]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 05:42:41 NAS msmtppq[16555]: 26 more mails from queue failed to send with rc = 77
Jan 07 05:51:43 NAS msmtppq[17114]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 05:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.000176 sec
Jan 07 05:52:42 NAS msmtppq[17698]: 26 more mails from queue failed to send with rc = 77
Jan 07 06:01:53 NAS msmtppq[18287]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 06:03:04 NAS msmtppq[18921]: 26 more mails from queue failed to send with rc = 77
Jan 07 06:09:10 NAS connmand[2165]: ntp: adjust (slew): +0.000153 sec
Jan 07 06:11:07 NAS msmtppq[19428]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 06:12:04 NAS msmtppq[19973]: 26 more mails from queue failed to send with rc = 77
Jan 07 06:17:01 NAS CRON[20281]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 06:17:01 NAS CRON[20282]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 06:17:01 NAS CRON[20281]: pam_unix(cron:session): session closed for user root
Jan 07 06:21:07 NAS msmtppq[20550]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 06:22:05 NAS msmtppq[21132]: 26 more mails from queue failed to send with rc = 77
Jan 07 06:25:01 NAS CRON[21317]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 06:25:01 NAS CRON[21318]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))

Jan 07 06:25:01 NAS CRON[21317]: pam_unix(cron:session): session closed for user root

Jan 07 06:26:14 NAS connmand[2165]: ntp: adjust (slew): -0.000220 sec

Jan 07 06:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.000274 sec

Jan 07 06:31:08 NAS msmtpq[21730]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 06:32:07 NAS msmtpq[22308]: 26 more mails from queue failed to send with rc = 77

Jan 07 06:41:10 NAS msmtpq[23037]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 06:42:10 NAS msmtpq[23616]: 26 more mails from queue failed to send with rc = 77

Jan 07 06:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.000024 sec

Jan 07 06:51:12 NAS msmtpq[24193]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 06:52:11 NAS msmtpq[24779]: 26 more mails from queue failed to send with rc = 77

Jan 07 07:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.000193 sec

Jan 07 07:01:13 NAS msmtpq[25351]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 07:02:17 NAS msmtpq[25940]: 26 more mails from queue failed to send with rc = 77

Jan 07 07:11:20 NAS msmtpq[26516]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 07:12:17 NAS msmtpq[27099]: 26 more mails from queue failed to send with rc = 77

Jan 07 07:17:01 NAS CRON[27365]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 07:17:01 NAS CRON[27366]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 07:17:01 NAS CRON[27365]: pam_unix(cron:session): session closed for user root

Jan 07 07:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.000544 sec

Jan 07 07:21:20 NAS msmtpq[27683]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 07:22:19 NAS msmtpq[28262]: 26 more mails from queue failed to send with rc = 77

Jan 07 07:31:22 NAS msmtpq[28844]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtprc = 77

Jan 07 07:32:23 NAS msmtpq[29427]: 26 more mails from queue failed to send with rc = 77

Jan 07 07:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.000193 sec

Jan 07 07:35:47 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md127, component device recovery

Jan 07 07:35:47 NAS mdadm[2174]: SpareActive event detected on md device /dev/md127, component device /dev/sde3

Jan 07 07:35:53 NAS msmtpq[29702]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 07 07:35:53 NAS msmtpq[29704]: enqueued mail as : [2020-01-07-07.35.51] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 07 07:35:56 NAS msmtpq[29717]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77

Jan 07 07:35:56 NAS msmtppq[29719]: enqueued mail as : [2020-01-07-07.35.53] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 07 07:35:59 NAS msmtppq[29734]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 07 07:35:59 NAS msmtppq[29736]: enqueued mail as : [2020-01-07-07.35.57] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 07 07:36:04 NAS mdadm[2174]: NewArray event detected on md device /dev/md126

Jan 07 07:36:11 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md126, component device resync

Jan 07 07:36:12 NAS msmtppq[29987]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 07 07:36:12 NAS msmtppq[29989]: enqueued mail as : [2020-01-07-07.36.10] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 07 07:41:25 NAS msmtppq[30299]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 07:42:31 NAS msmtppq[30927]: 30 more mails from queue failed to send with rc = 77

Jan 07 07:51:33 NAS msmtppq[31185]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 07:52:07 NAS connmand[2165]: ntp: adjust (slew): +0.004423 sec

Jan 07 07:52:41 NAS msmtppq[31821]: 30 more mails from queue failed to send with rc = 77

Jan 07 08:01:44 NAS msmtppq[32102]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 08:02:52 NAS msmtppq[32741]: 30 more mails from queue failed to send with rc = 77

Jan 07 08:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.007744 sec

Jan 07 08:11:58 NAS msmtppq[536]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 08:13:07 NAS msmtppq[1230]: 30 more mails from queue failed to send with rc = 77

Jan 07 08:17:01 NAS CRON[1323]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 08:17:01 NAS CRON[1324]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 08:17:01 NAS CRON[1323]: pam_unix(cron:session): session closed for user root

Jan 07 08:21:09 NAS msmtppq[1480]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 08:22:16 NAS msmtppq[2103]: 30 more mails from queue failed to send with rc = 77

Jan 07 08:26:15 NAS connmand[2165]: ntp: adjust (slew): +0.001036 sec

Jan 07 08:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.001281 sec

Jan 07 08:31:18 NAS msmtppq[2392]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 08:32:24 NAS msmtppq[3096]: 30 more mails from queue failed to send with rc = 77

Jan 07 08:36:20 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 07 08:36:20 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 07 08:41:26 NAS msmtppq[3527]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 08:42:35 NAS msmtppq[4171]: 30 more mails from queue failed to send with rc = 77
Jan 07 08:43:51 NAS connmand[2165]: ntp: adjust (slew): -0.000443 sec
Jan 07 08:51:37 NAS msmtppq[4437]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 08:52:43 NAS msmtppq[5063]: 30 more mails from queue failed to send with rc = 77
Jan 07 09:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.000339 sec
Jan 07 09:01:46 NAS msmtppq[5323]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 09:02:56 NAS msmtppq[5955]: 30 more mails from queue failed to send with rc = 77
Jan 07 09:11:58 NAS msmtppq[6220]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 09:13:08 NAS msmtppq[6848]: 30 more mails from queue failed to send with rc = 77
Jan 07 09:17:01 NAS CRON[6944]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 09:17:01 NAS CRON[6945]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 09:17:01 NAS CRON[6944]: pam_unix(cron:session): session closed for user root
Jan 07 09:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.000723 sec
Jan 07 09:21:11 NAS msmtppq[7086]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 09:22:18 NAS msmtppq[7720]: 30 more mails from queue failed to send with rc = 77
Jan 07 09:31:20 NAS msmtppq[7973]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 09:32:28 NAS msmtppq[8600]: 30 more mails from queue failed to send with rc = 77
Jan 07 09:35:03 NAS connmand[2165]: ntp: adjust (slew): -0.000067 sec
Jan 07 09:36:24 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 09:36:24 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 09:41:31 NAS msmtppq[9003]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 09:42:39 NAS msmtppq[9630]: 30 more mails from queue failed to send with rc = 77
Jan 07 09:51:42 NAS msmtppq[9886]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 09:52:08 NAS connmand[2165]: ntp: adjust (slew): +0.000939 sec
Jan 07 09:52:51 NAS msmtppq[10584]: 30 more mails from queue failed to send with rc = 77
Jan 07 10:01:53 NAS msmtppq[10872]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 10:03:00 NAS msmtppq[11507]: 30 more mails from queue failed to send with rc = 77
Jan 07 10:06:12 NAS mdadm[2174]: Rebuild21 event detected on md device /dev/md126, component device resync
Jan 07 10:09:12 NAS connmand[2165]: ntp: adjust (slew): -0.000671 sec
Jan 07 10:11:02 NAS msmtppq[11780]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 10:12:09 NAS msmtppq[12414]: 30 more mails from queue failed to send with rc = 77

Jan 07 10:17:02 NAS CRON[12568]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 10:17:02 NAS CRON[12569]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 10:17:02 NAS CRON[12568]: pam_unix(cron:session): session closed for user root

Jan 07 10:21:12 NAS msmtppq[12726]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 10:22:19 NAS msmtppq[13359]: 30 more mails from queue failed to send with rc = 77

Jan 07 10:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.000807 sec

Jan 07 10:31:22 NAS msmtppq[13653]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 10:32:46 NAS msmtppq[14296]: 30 more mails from queue failed to send with rc = 77

Jan 07 10:36:27 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 07 10:36:27 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 07 10:41:49 NAS msmtppq[14734]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 10:42:56 NAS msmtppq[15378]: 30 more mails from queue failed to send with rc = 77

Jan 07 10:43:50 NAS connmand[2165]: ntp: adjust (slew): -0.001658 sec

Jan 07 10:51:59 NAS msmtppq[15647]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 10:53:05 NAS msmtppq[16280]: 30 more mails from queue failed to send with rc = 77

Jan 07 11:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.001879 sec

Jan 07 11:01:07 NAS msmtppq[16531]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 11:02:13 NAS msmtppq[17159]: 30 more mails from queue failed to send with rc = 77

Jan 07 11:11:15 NAS msmtppq[17441]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 11:12:22 NAS msmtppq[18065]: 30 more mails from queue failed to send with rc = 77

Jan 07 11:17:01 NAS CRON[18193]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 11:17:01 NAS CRON[18194]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 11:17:01 NAS CRON[18193]: pam_unix(cron:session): session closed for user root

Jan 07 11:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.000133 sec

Jan 07 11:21:24 NAS msmtppq[18346]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 11:22:30 NAS msmtppq[18975]: 30 more mails from queue failed to send with rc = 77

Jan 07 11:31:33 NAS msmtppq[19243]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77

Jan 07 11:32:39 NAS msmtppq[19881]: 30 more mails from queue failed to send with rc = 77

Jan 07 11:35:03 NAS connmand[2165]: ntp: adjust (slew): -0.000492 sec

Jan 07 11:36:31 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 07 11:36:31 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 07 11:41:41 NAS msmtppq[20265]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 11:42:46 NAS msmtppq[20907]: 30 more mails from queue failed to send with rc = 77
Jan 07 11:51:49 NAS msmtppq[21153]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 11:52:07 NAS connmand[2165]: ntp: adjust (slew): -0.000023 sec
Jan 07 11:52:56 NAS msmtppq[21800]: 30 more mails from queue failed to send with rc = 77
Jan 07 12:01:59 NAS msmtppq[22046]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 12:03:06 NAS msmtppq[22685]: 30 more mails from queue failed to send with rc = 77
Jan 07 12:09:11 NAS connmand[2165]: ntp: adjust (slew): +0.003453 sec
Jan 07 12:11:09 NAS msmtppq[22913]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 12:12:17 NAS msmtppq[23543]: 30 more mails from queue failed to send with rc = 77
Jan 07 12:17:01 NAS CRON[23662]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 12:17:01 NAS CRON[23663]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 12:17:01 NAS CRON[23662]: pam_unix(cron:session): session closed for user root
Jan 07 12:19:33 NAS mdadm[2174]: Rebuild40 event detected on md device /dev/md126, component device resync
Jan 07 12:21:19 NAS msmtppq[23801]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 12:22:25 NAS msmtppq[24427]: 30 more mails from queue failed to send with rc = 77
Jan 07 12:26:15 NAS connmand[2165]: ntp: adjust (slew): -0.005070 sec
Jan 07 12:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.004708 sec
Jan 07 12:31:28 NAS msmtppq[24875]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 12:32:35 NAS msmtppq[25501]: 30 more mails from queue failed to send with rc = 77
Jan 07 12:36:35 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 12:36:35 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 12:41:38 NAS msmtppq[25905]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 12:42:17 NAS msmtppq[26194]: mail [14] [2020-01-03-12.28.27] from queue ; couldn't be sent - host not connected
Jan 07 12:42:59 NAS msmtppq[26562]: 30 more mails from queue failed to send with rc = 77
Jan 07 12:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.001038 sec
Jan 07 12:52:02 NAS msmtppq[26853]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 12:53:08 NAS msmtppq[27491]: 30 more mails from queue failed to send with rc = 77
Jan 07 13:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.003831 sec
Jan 07 13:01:11 NAS msmtppq[27719]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 13:02:16 NAS msmtppq[28344]: 30 more mails from queue failed to send with rc = 77

Jan 07 13:11:18 NAS msmtppq[28604]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 13:12:24 NAS msmtppq[29229]: 30 more mails from queue failed to send with rc = 77
Jan 07 13:17:01 NAS CRON[29351]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 13:17:01 NAS CRON[29352]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 13:17:01 NAS CRON[29351]: pam_unix(cron:session): session closed for user root
Jan 07 13:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.004725 sec
Jan 07 13:21:27 NAS msmtppq[29492]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 13:22:33 NAS msmtppq[30123]: 30 more mails from queue failed to send with rc = 77
Jan 07 13:31:36 NAS msmtppq[30392]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 13:32:43 NAS msmtppq[31016]: 30 more mails from queue failed to send with rc = 77
Jan 07 13:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.000662 sec
Jan 07 13:36:39 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 13:36:39 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 13:41:45 NAS msmtppq[31429]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 13:42:50 NAS msmtppq[32069]: 30 more mails from queue failed to send with rc = 77
Jan 07 13:51:53 NAS msmtppq[32400]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 13:52:13 NAS connmand[2165]: ntp: adjust (slew): +0.000066 sec
Jan 07 13:52:58 NAS msmtppq[585]: 30 more mails from queue failed to send with rc = 77
Jan 07 14:02:01 NAS msmtppq[914]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 14:03:07 NAS msmtppq[1591]: 30 more mails from queue failed to send with rc = 77
Jan 07 14:09:17 NAS connmand[2165]: ntp: adjust (slew): +0.000721 sec
Jan 07 14:11:10 NAS msmtppq[1841]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 14:12:16 NAS msmtppq[2509]: 30 more mails from queue failed to send with rc = 77
Jan 07 14:17:01 NAS CRON[2647]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 14:17:01 NAS CRON[2648]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 14:17:01 NAS CRON[2647]: pam_unix(cron:session): session closed for user root
Jan 07 14:21:18 NAS msmtppq[2817]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 14:22:24 NAS msmtppq[3484]: 30 more mails from queue failed to send with rc = 77
Jan 07 14:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.003310 sec
Jan 07 14:31:27 NAS msmtppq[3760]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 14:32:32 NAS msmtppq[4387]: 30 more mails from queue failed to send with rc = 77

Jan 07 14:36:43 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 14:36:43 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 14:41:34 NAS msmtppq[4877]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 14:42:40 NAS msmtppq[5502]: 30 more mails from queue failed to send with rc = 77
Jan 07 14:43:50 NAS connmand[2165]: ntp: adjust (slew): -0.005433 sec
Jan 07 14:49:34 NAS mdadm[2174]: Rebuild61 event detected on md device /dev/md126, component device resync
Jan 07 14:51:42 NAS msmtppq[5784]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 14:52:48 NAS msmtppq[6408]: 30 more mails from queue failed to send with rc = 77
Jan 07 15:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.001730 sec
Jan 07 15:01:51 NAS msmtppq[6693]: mail [1] [2019-12-31-15.03.04] from queue ; send failed ; msmtpp rc = 77
Jan 07 15:02:58 NAS msmtppq[7326]: 30 more mails from queue failed to send with rc = 77
Jan 07 15:12:01 NAS msmtppq[7630]: mail [3] [2019-12-31-15.15.41] from queue ; send failed ; msmtpp rc = 77
Jan 07 15:13:01 NAS msmtppq[8229]: 28 more mails from queue failed to send with rc = 77
Jan 07 15:17:01 NAS CRON[8331]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 15:17:01 NAS CRON[8332]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 15:17:01 NAS CRON[8331]: pam_unix(cron:session): session closed for user root
Jan 07 15:17:58 NAS connmand[2165]: ntp: adjust (slew): +0.000518 sec
Jan 07 15:21:05 NAS msmtppq[8566]: mail [6] [2019-12-31-15.21.15] from queue ; send failed ; msmtpp rc = 77
Jan 07 15:21:55 NAS msmtppq[9058]: 23 more mails from queue failed to send with rc = 77
Jan 07 15:31:58 NAS msmtppq[9410]: mail [4] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 15:32:42 NAS msmtppq[9826]: 20 more mails from queue failed to send with rc = 77
Jan 07 15:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.001580 sec
Jan 07 15:36:47 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 15:36:47 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 15:41:45 NAS msmtppq[10246]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 15:42:28 NAS msmtppq[10668]: 20 more mails from queue failed to send with rc = 77
Jan 07 15:51:31 NAS msmtppq[10945]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 15:52:07 NAS connmand[2165]: ntp: adjust (slew): -0.000106 sec
Jan 07 15:52:18 NAS msmtppq[11370]: 20 more mails from queue failed to send with rc = 77
Jan 07 16:01:20 NAS msmtppq[11644]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 16:02:08 NAS msmtppq[12073]: 20 more mails from queue failed to send with rc = 77

Jan 07 16:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.002439 sec
Jan 07 16:11:10 NAS msmtppq[12341]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 16:11:53 NAS msmtppq[12764]: 20 more mails from queue failed to send with rc = 77
Jan 07 16:17:01 NAS CRON[12903]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 16:17:01 NAS CRON[12904]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 16:17:01 NAS CRON[12903]: pam_unix(cron:session): session closed for user root
Jan 07 16:21:57 NAS msmtppq[13068]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 16:22:41 NAS msmtppq[13490]: 20 more mails from queue failed to send with rc = 77
Jan 07 16:26:15 NAS connmand[2165]: ntp: adjust (slew): +0.000957 sec
Jan 07 16:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.001505 sec
Jan 07 16:31:43 NAS msmtppq[13766]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 16:32:27 NAS msmtppq[14180]: 20 more mails from queue failed to send with rc = 77
Jan 07 16:36:50 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 16:36:50 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 16:41:30 NAS msmtppq[14651]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 16:42:14 NAS msmtppq[15082]: 20 more mails from queue failed to send with rc = 77
Jan 07 16:43:50 NAS connmand[2165]: ntp: adjust (slew): -0.000554 sec
Jan 07 16:51:17 NAS msmtppq[15405]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 16:52:01 NAS msmtppq[15833]: 20 more mails from queue failed to send with rc = 77
Jan 07 17:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.002615 sec
Jan 07 17:01:03 NAS msmtppq[16156]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 17:01:47 NAS msmtppq[16582]: 20 more mails from queue failed to send with rc = 77
Jan 07 17:02:54 NAS mdadm[2174]: Rebuild80 event detected on md device /dev/md126, component device resync
Jan 07 17:11:50 NAS msmtppq[16946]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 17:12:35 NAS msmtppq[17370]: 20 more mails from queue failed to send with rc = 77
Jan 07 17:17:01 NAS CRON[17512]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 17:17:01 NAS CRON[17513]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 17:17:01 NAS CRON[17512]: pam_unix(cron:session): session closed for user root
Jan 07 17:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.002373 sec
Jan 07 17:21:37 NAS msmtppq[17681]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 17:22:22 NAS msmtppq[18111]: 20 more mails from queue failed to send with rc = 77

Jan 07 17:31:24 NAS msmtppq[18432]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 17:32:08 NAS msmtppq[18858]: 20 more mails from queue failed to send with rc = 77
Jan 07 17:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.007425 sec
Jan 07 17:36:54 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 17:36:54 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 17:41:11 NAS msmtppq[19301]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 17:41:55 NAS msmtppq[19730]: 20 more mails from queue failed to send with rc = 77
Jan 07 17:51:58 NAS msmtppq[20040]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 17:52:07 NAS connmand[2165]: ntp: adjust (slew): -0.010756 sec
Jan 07 17:52:41 NAS msmtppq[20462]: 20 more mails from queue failed to send with rc = 77
Jan 07 18:01:44 NAS msmtppq[20759]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 18:02:28 NAS msmtppq[21180]: 20 more mails from queue failed to send with rc = 77
Jan 07 18:09:11 NAS connmand[2165]: ntp: adjust (slew): +0.001516 sec
Jan 07 18:11:31 NAS msmtppq[21547]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 18:12:15 NAS msmtppq[21975]: 20 more mails from queue failed to send with rc = 77
Jan 07 18:17:01 NAS CRON[22141]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 18:17:01 NAS CRON[22142]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 18:17:01 NAS CRON[22141]: pam_unix(cron:session): session closed for user root
Jan 07 18:21:18 NAS msmtppq[22297]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 18:22:04 NAS msmtppq[22728]: 20 more mails from queue failed to send with rc = 77
Jan 07 18:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.002625 sec
Jan 07 18:31:06 NAS msmtppq[23040]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 18:31:50 NAS msmtppq[23462]: 20 more mails from queue failed to send with rc = 77
Jan 07 18:36:58 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 18:36:58 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 18:41:53 NAS msmtppq[23953]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 18:42:37 NAS msmtppq[24365]: 20 more mails from queue failed to send with rc = 77
Jan 07 18:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.000708 sec
Jan 07 18:51:39 NAS msmtppq[24654]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 18:52:24 NAS msmtppq[25087]: 20 more mails from queue failed to send with rc = 77
Jan 07 19:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.024301 sec

Jan 07 19:01:27 NAS msmtppq[25387]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 19:02:11 NAS msmtppq[25808]: 20 more mails from queue failed to send with rc = 77
Jan 07 19:11:13 NAS msmtppq[26133]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 19:11:57 NAS msmtppq[26557]: 20 more mails from queue failed to send with rc = 77
Jan 07 19:17:01 NAS CRON[26716]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 19:17:01 NAS CRON[26717]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 19:17:01 NAS CRON[26716]: pam_unix(cron:session): session closed for user root
Jan 07 19:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.037281 sec
Jan 07 19:21:59 NAS msmtppq[26893]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 19:22:43 NAS msmtppq[27310]: 20 more mails from queue failed to send with rc = 77
Jan 07 19:31:46 NAS msmtppq[27612]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 19:32:31 NAS msmtppq[28040]: 20 more mails from queue failed to send with rc = 77
Jan 07 19:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.007906 sec
Jan 07 19:36:35 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md126, component device resync
Jan 07 19:36:46 NAS msmtppq[28223]: mail for [-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 07 19:36:46 NAS msmtppq[28225]: enqueued mail as : [2020-01-07-19.36.44] (-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60)
Jan 07 19:37:02 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 19:37:02 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 19:41:34 NAS msmtppq[28569]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 19:42:19 NAS msmtppq[29020]: 21 more mails from queue failed to send with rc = 77
Jan 07 19:51:22 NAS msmtppq[29327]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 19:52:07 NAS connmand[2165]: ntp: adjust (slew): +0.006760 sec
Jan 07 19:52:08 NAS msmtppq[29779]: 21 more mails from queue failed to send with rc = 77
Jan 07 20:01:11 NAS msmtppq[30089]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 20:01:57 NAS msmtppq[30539]: 21 more mails from queue failed to send with rc = 77
Jan 07 20:09:12 NAS connmand[2165]: ntp: adjust (slew): +0.002136 sec
Jan 07 20:12:00 NAS msmtppq[30857]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 20:12:46 NAS msmtppq[31300]: 21 more mails from queue failed to send with rc = 77
Jan 07 20:17:01 NAS CRON[31428]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 20:17:01 NAS CRON[31429]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 20:17:01 NAS CRON[31428]: pam_unix(cron:session): session closed for user root

Jan 07 20:21:51 NAS msmtppq[31604]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 20:22:38 NAS msmtppq[32040]: 21 more mails from queue failed to send with rc = 77

Jan 07 20:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.014652 sec

Jan 07 20:31:41 NAS msmtppq[32335]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 20:32:27 NAS msmtppq[313]: 21 more mails from queue failed to send with rc = 77

Jan 07 20:37:06 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 07 20:37:06 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 07 20:41:30 NAS msmtppq[788]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 20:42:16 NAS msmtppq[1264]: 21 more mails from queue failed to send with rc = 77

Jan 07 20:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.006986 sec

Jan 07 20:51:19 NAS msmtppq[1586]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 20:52:06 NAS msmtppq[2036]: 21 more mails from queue failed to send with rc = 77

Jan 07 21:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.015196 sec

Jan 07 21:01:09 NAS msmtppq[2360]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 21:01:56 NAS msmtppq[2853]: 21 more mails from queue failed to send with rc = 77

Jan 07 21:11:58 NAS msmtppq[3310]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 21:12:44 NAS msmtppq[3777]: 21 more mails from queue failed to send with rc = 77

Jan 07 21:17:01 NAS CRON[3986]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 07 21:17:01 NAS CRON[3987]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 21:17:01 NAS CRON[3986]: pam_unix(cron:session): session closed for user root

Jan 07 21:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.008469 sec

Jan 07 21:21:47 NAS msmtppq[4249]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 21:22:34 NAS msmtppq[4707]: 21 more mails from queue failed to send with rc = 77

Jan 07 21:31:37 NAS msmtppq[5201]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 21:32:23 NAS msmtppq[5656]: 21 more mails from queue failed to send with rc = 77

Jan 07 21:35:04 NAS connmand[2165]: ntp: adjust (slew): +0.018849 sec

Jan 07 21:37:09 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 07 21:37:10 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 07 21:41:27 NAS msmtppq[6278]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77

Jan 07 21:42:13 NAS msmtppq[6744]: 21 more mails from queue failed to send with rc = 77
Jan 07 21:51:16 NAS msmtppq[7217]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 21:52:02 NAS msmtppq[7678]: 21 more mails from queue failed to send with rc = 77
Jan 07 21:52:08 NAS connmand[2165]: ntp: adjust (slew): +0.007706 sec
Jan 07 21:53:45 NAS mdadm[2174]: Fail event detected on md device /dev/md0, component device /dev/sdc1
Jan 07 21:53:47 NAS disk_event_handler[7802]: Sending disk remove event for /dev/sdc to readynasd.
Jan 07 21:53:48 NAS mdadm[2174]: Fail event detected on md device /dev/md127, component device /dev/sdc3
Jan 07 21:53:48 NAS mdadm[2174]: Fail event detected on md device /dev/md1, component device /dev/sdc2
Jan 07 21:53:53 NAS msmtppq[7894]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 07 21:53:53 NAS msmtppq[7896]: enqueued mail as : [2020-01-07-21.53.50] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 07 21:53:59 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...
Jan 07 21:53:59 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...
Jan 07 21:53:59 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...
Jan 07 21:53:59 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...
Jan 07 21:54:03 NAS msmtppq[8017]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 07 21:54:03 NAS msmtppq[8019]: enqueued mail as : [2020-01-07-21.54.01] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 07 21:54:15 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...
Jan 07 21:54:15 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...
Jan 07 21:54:15 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...
Jan 07 21:54:15 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...
Jan 07 21:54:27 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...
Jan 07 21:54:27 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...
Jan 07 21:54:27 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...
Jan 07 21:54:27 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...

Jan 07 21:57:32 NAS disk_event_handler[9963]: mdadm: hot removed 8:33 from /dev/md0
Jan 07 21:57:32 NAS disk_event_handler[9963]: mdadm: hot removed 8:34 from /dev/md1
Jan 07 21:57:32 NAS disk_event_handler[9963]: mdadm: hot removed 8:35 from /dev/md127
Jan 07 21:57:32 NAS disk_event_handler[9963]: Sending disk add event for /dev/sdb to readynasd.
Jan 07 21:57:35 NAS msmtppq[10030]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 07 21:57:35 NAS msmtppq[10032]: enqueued mail as : [2020-01-07-21.57.33] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 07 21:57:47 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...
Jan 07 21:57:47 NAS readynasd[2485]: find_available_disk: Checking specified disk sdb...
Jan 07 21:57:47 NAS readynasd[2485]: find_available_disk: Disk 0:1 (sdb,ST8000VN004-2M2101,7452GB) is available
Jan 07 21:57:47 NAS readynasd[2485]: repair_pool: Trying to repair pool [data]
Jan 07 21:57:47 NAS readynasd[2485]: prepare_disk: Prepare disk 0:1 (sdb,ST8000VN004-2M2101,7452GB) with partition size 7804595824
Jan 07 21:57:47 NAS readynasd[2485]: Found sdb is not a member of root
Jan 07 21:57:48 NAS readynasd[2485]: Adding disk sdb to root RAID1
Jan 07 21:57:48 NAS readynasd[2485]: Found sdb is not a member of swap
Jan 07 21:57:49 NAS readynasd[2485]: Adding disk sdb to swap RAID1
Jan 07 21:57:52 NAS readynasd[2485]: repair_pool: Adding disk 0:1 (sdb,ST8000VN004-2M2101,7452GB) for RAID data-0...
Jan 07 21:57:54 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md0, component device recovery
Jan 07 21:58:01 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md127, component device recovery
Jan 07 21:58:14 NAS msmtppq[10616]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 07 21:58:14 NAS msmtppq[10618]: enqueued mail as : [2020-01-07-21.58.11] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 07 22:01:06 NAS msmtppq[10786]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 22:02:03 NAS msmtppq[11328]: 25 more mails from queue failed to send with rc = 77
Jan 07 22:09:12 NAS connmand[2165]: ntp: adjust (slew): -0.035241 sec
Jan 07 22:11:06 NAS msmtppq[11620]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 22:12:03 NAS msmtppq[12147]: 25 more mails from queue failed to send with rc = 77
Jan 07 22:14:41 NAS mdadm[2174]: Rebuild59 event detected on md device /dev/md0, component device recovery
Jan 07 22:17:02 NAS CRON[12375]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 22:17:02 NAS CRON[12376]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 07 22:17:02 NAS CRON[12375]: pam_unix(cron:session): session closed for user root
Jan 07 22:21:05 NAS msmtppq[12571]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 22:22:01 NAS msmtppq[13111]: 25 more mails from queue failed to send with rc = 77
Jan 07 22:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.011976 sec
Jan 07 22:26:51 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md0, component device recovery
Jan 07 22:26:51 NAS mdadm[2174]: SpareActive event detected on md device /dev/md0, component device /dev/sdb1
Jan 07 22:31:18 NAS msmtppq[13540]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 22:32:14 NAS msmtppq[14063]: 25 more mails from queue failed to send with rc = 77
Jan 07 22:37:14 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 22:37:14 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 07 22:41:19 NAS msmtppq[14470]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 22:42:14 NAS msmtppq[14996]: 25 more mails from queue failed to send with rc = 77
Jan 07 22:43:51 NAS connmand[2165]: ntp: adjust (slew): -0.001949 sec
Jan 07 22:51:17 NAS msmtppq[15248]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 22:52:14 NAS msmtppq[15777]: 25 more mails from queue failed to send with rc = 77
Jan 07 23:00:56 NAS connmand[2165]: ntp: adjust (slew): +0.033053 sec
Jan 07 23:01:17 NAS msmtppq[16033]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 23:02:20 NAS msmtppq[16564]: 25 more mails from queue failed to send with rc = 77
Jan 07 23:11:23 NAS msmtppq[16828]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 23:12:20 NAS msmtppq[17355]: 25 more mails from queue failed to send with rc = 77
Jan 07 23:17:01 NAS CRON[17495]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 07 23:17:01 NAS CRON[17496]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 07 23:17:01 NAS CRON[17495]: pam_unix(cron:session): session closed for user root
Jan 07 23:18:01 NAS connmand[2165]: ntp: adjust (slew): -0.020670 sec
Jan 07 23:21:23 NAS msmtppq[17639]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 23:22:20 NAS msmtppq[18167]: 25 more mails from queue failed to send with rc = 77
Jan 07 23:31:22 NAS msmtppq[18446]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 23:32:18 NAS msmtppq[18975]: 25 more mails from queue failed to send with rc = 77
Jan 07 23:35:06 NAS connmand[2165]: ntp: adjust (slew): +0.035420 sec
Jan 07 23:37:18 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 07 23:37:19 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 07 23:41:24 NAS msmtppq[19395]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 23:42:20 NAS msmtppq[19918]: 25 more mails from queue failed to send with rc = 77
Jan 07 23:51:23 NAS msmtppq[20178]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 07 23:52:11 NAS connmand[2165]: ntp: adjust (slew): -0.057205 sec
Jan 07 23:52:23 NAS msmtppq[20703]: 25 more mails from queue failed to send with rc = 77
Jan 08 00:01:26 NAS msmtppq[20961]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 08 00:02:28 NAS msmtppq[21489]: 25 more mails from queue failed to send with rc = 77
Jan 08 00:09:21 NAS connmand[2165]: ntp: adjust (slew): +0.008358 sec
Jan 08 00:11:31 NAS msmtppq[21743]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 08 00:12:31 NAS msmtppq[22274]: 25 more mails from queue failed to send with rc = 77
Jan 08 00:17:01 NAS CRON[22385]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 00:17:01 NAS CRON[22386]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 00:17:01 NAS CRON[22385]: pam_unix(cron:session): session closed for user root
Jan 08 00:21:34 NAS msmtppq[22522]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 08 00:22:35 NAS msmtppq[23051]: 25 more mails from queue failed to send with rc = 77
Jan 08 00:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.005437 sec
Jan 08 00:31:38 NAS msmtppq[23303]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 08 00:32:38 NAS msmtppq[23830]: 25 more mails from queue failed to send with rc = 77
Jan 08 00:37:23 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 00:37:23 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 00:41:40 NAS msmtppq[24233]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 08 00:42:41 NAS msmtppq[24761]: 25 more mails from queue failed to send with rc = 77
Jan 08 00:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.002209 sec
Jan 08 00:51:44 NAS msmtppq[25019]: mail [1] [2020-01-01-01.00.34] from queue ; send failed ; msmtpp rc = 77
Jan 08 00:52:43 NAS msmtppq[25541]: 25 more mails from queue failed to send with rc = 77
Jan 08 01:00:46 NAS msmtppq[25753]: mail for [-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 08 01:00:46 NAS msmtppq[25755]: enqueued mail as : [2020-01-08-01.00.44] (-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60)
Jan 08 01:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.002233 sec
Jan 08 01:01:49 NAS msmtppq[25836]: mail [2] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 01:02:51 NAS msmtppq[26366]: 25 more mails from queue failed to send with rc = 77

Jan 08 01:11:54 NAS msmtppq[26625]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 01:12:54 NAS msmtppq[27154]: 25 more mails from queue failed to send with rc = 77
Jan 08 01:17:01 NAS CRON[27253]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 01:17:01 NAS CRON[27254]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 01:17:01 NAS CRON[27253]: pam_unix(cron:session): session closed for user root
Jan 08 01:17:58 NAS connmand[2165]: ntp: adjust (slew): -0.000592 sec
Jan 08 01:21:58 NAS msmtppq[27410]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 01:22:58 NAS msmtppq[27943]: 25 more mails from queue failed to send with rc = 77
Jan 08 01:31:32 NAS msmtppq[28174]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 01:32:33 NAS msmtppq[28701]: 25 more mails from queue failed to send with rc = 77
Jan 08 01:35:02 NAS connmand[2165]: ntp: adjust (slew): +0.001263 sec
Jan 08 01:37:29 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 01:37:30 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 01:41:36 NAS msmtppq[29110]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 01:42:36 NAS msmtppq[29639]: 25 more mails from queue failed to send with rc = 77
Jan 08 01:51:39 NAS msmtppq[29896]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 01:52:06 NAS connmand[2165]: ntp: adjust (slew): -0.001544 sec
Jan 08 01:52:38 NAS msmtppq[30428]: 25 more mails from queue failed to send with rc = 77
Jan 08 02:01:42 NAS msmtppq[30687]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 02:02:48 NAS msmtppq[31213]: 25 more mails from queue failed to send with rc = 77
Jan 08 02:09:10 NAS connmand[2165]: ntp: adjust (slew): +0.000642 sec
Jan 08 02:11:53 NAS msmtppq[31491]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 02:13:14 NAS msmtppq[32024]: 25 more mails from queue failed to send with rc = 77
Jan 08 02:17:01 NAS CRON[32119]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 02:17:01 NAS CRON[32120]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 02:17:01 NAS CRON[32119]: pam_unix(cron:session): session closed for user root
Jan 08 02:21:19 NAS msmtppq[32254]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 02:22:37 NAS msmtppq[321]: 25 more mails from queue failed to send with rc = 77
Jan 08 02:26:15 NAS connmand[2165]: ntp: adjust (slew): -0.000712 sec
Jan 08 02:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.001628 sec
Jan 08 02:31:41 NAS msmtppq[591]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 02:32:41 NAS msmtppq[1163]: 25 more mails from queue failed to send with rc = 77

Jan 08 02:37:36 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 02:37:36 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 02:41:45 NAS msmtppq[1586]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 02:42:46 NAS msmtppq[2113]: 25 more mails from queue failed to send with rc = 77
Jan 08 02:43:50 NAS connmand[2165]: ntp: adjust (slew): -0.001520 sec
Jan 08 02:51:49 NAS msmtppq[2396]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 02:52:51 NAS msmtppq[3001]: 25 more mails from queue failed to send with rc = 77
Jan 08 03:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.000600 sec
Jan 08 03:01:54 NAS msmtppq[3282]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 03:02:54 NAS msmtppq[3824]: 25 more mails from queue failed to send with rc = 77
Jan 08 03:11:57 NAS msmtppq[4100]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 03:13:00 NAS msmtppq[4630]: 25 more mails from queue failed to send with rc = 77
Jan 08 03:17:01 NAS CRON[4737]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 03:17:01 NAS CRON[4738]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 03:17:01 NAS CRON[4737]: pam_unix(cron:session): session closed for user root
Jan 08 03:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.001887 sec
Jan 08 03:21:03 NAS msmtppq[4875]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 03:22:02 NAS msmtppq[5412]: 25 more mails from queue failed to send with rc = 77
Jan 08 03:31:06 NAS msmtppq[5676]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 03:32:06 NAS msmtppq[6203]: 25 more mails from queue failed to send with rc = 77
Jan 08 03:35:04 NAS connmand[2165]: ntp: adjust (slew): +0.001359 sec
Jan 08 03:37:43 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 03:37:43 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 03:41:09 NAS msmtppq[6606]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 03:42:09 NAS msmtppq[7131]: 25 more mails from queue failed to send with rc = 77
Jan 08 03:51:12 NAS msmtppq[7381]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 03:52:08 NAS connmand[2165]: ntp: adjust (slew): -0.002655 sec
Jan 08 03:52:12 NAS msmtppq[7909]: 25 more mails from queue failed to send with rc = 77
Jan 08 04:01:16 NAS msmtppq[8167]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 04:02:17 NAS msmtppq[8694]: 25 more mails from queue failed to send with rc = 77
Jan 08 04:09:12 NAS connmand[2165]: ntp: adjust (slew): +0.000491 sec

Jan 08 04:11:21 NAS msmtppq[8952]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 04:12:20 NAS msmtppq[9476]: 25 more mails from queue failed to send with rc = 77
Jan 08 04:17:01 NAS CRON[9600]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 04:17:01 NAS CRON[9601]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 04:17:01 NAS CRON[9600]: pam_unix(cron:session): session closed for user root
Jan 08 04:21:24 NAS msmtppq[9749]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 04:22:26 NAS msmtppq[10274]: 25 more mails from queue failed to send with rc = 77
Jan 08 04:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.001032 sec
Jan 08 04:31:29 NAS msmtppq[10535]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 04:32:28 NAS msmtppq[11065]: 25 more mails from queue failed to send with rc = 77
Jan 08 04:37:49 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 04:37:49 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 04:41:31 NAS msmtppq[11464]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 04:42:31 NAS msmtppq[11994]: 25 more mails from queue failed to send with rc = 77
Jan 08 04:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.000022 sec
Jan 08 04:51:34 NAS msmtppq[12250]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 04:52:35 NAS msmtppq[12776]: 25 more mails from queue failed to send with rc = 77
Jan 08 05:00:54 NAS connmand[2165]: ntp: adjust (slew): -0.000005 sec
Jan 08 05:01:38 NAS msmtppq[13031]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 05:02:39 NAS msmtppq[13559]: 25 more mails from queue failed to send with rc = 77
Jan 08 05:11:42 NAS msmtppq[13816]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 05:12:44 NAS msmtppq[14344]: 25 more mails from queue failed to send with rc = 77
Jan 08 05:17:01 NAS CRON[14459]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 05:17:01 NAS CRON[14460]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 05:17:01 NAS CRON[14459]: pam_unix(cron:session): session closed for user root
Jan 08 05:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.000151 sec
Jan 08 05:21:47 NAS msmtppq[14605]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 05:22:49 NAS msmtppq[15135]: 25 more mails from queue failed to send with rc = 77
Jan 08 05:31:52 NAS msmtppq[15394]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 05:32:52 NAS msmtppq[15922]: 25 more mails from queue failed to send with rc = 77
Jan 08 05:35:03 NAS connmand[2165]: ntp: adjust (slew): -0.000153 sec

Jan 08 05:37:56 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 05:37:56 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 05:41:55 NAS msmtppq[16332]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 05:42:54 NAS msmtppq[16856]: 25 more mails from queue failed to send with rc = 77
Jan 08 05:51:57 NAS msmtppq[17108]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 05:52:08 NAS connmand[2165]: ntp: adjust (slew): +0.000088 sec
Jan 08 05:52:59 NAS msmtppq[17639]: 25 more mails from queue failed to send with rc = 77
Jan 08 06:02:10 NAS msmtppq[17893]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 06:03:11 NAS msmtppq[18428]: 25 more mails from queue failed to send with rc = 77
Jan 08 06:09:12 NAS connmand[2165]: ntp: adjust (slew): +0.003310 sec
Jan 08 06:11:14 NAS msmtppq[18647]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 06:12:15 NAS msmtppq[19174]: 25 more mails from queue failed to send with rc = 77
Jan 08 06:17:01 NAS CRON[19312]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 06:17:01 NAS CRON[19313]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 06:17:02 NAS CRON[19312]: pam_unix(cron:session): session closed for user root
Jan 08 06:21:18 NAS msmtppq[19442]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 06:22:19 NAS msmtppq[19980]: 25 more mails from queue failed to send with rc = 77
Jan 08 06:25:01 NAS CRON[20061]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 06:25:01 NAS CRON[20062]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))
Jan 08 06:25:01 NAS CRON[20061]: pam_unix(cron:session): session closed for user root
Jan 08 06:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.001998 sec
Jan 08 06:31:22 NAS msmtppq[20260]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 06:32:23 NAS msmtppq[20791]: 25 more mails from queue failed to send with rc = 77
Jan 08 06:38:02 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 06:38:03 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 06:41:27 NAS msmtppq[21212]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 06:42:27 NAS msmtppq[21742]: 25 more mails from queue failed to send with rc = 77
Jan 08 06:43:51 NAS connmand[2165]: ntp: adjust (slew): -0.003695 sec
Jan 08 06:51:30 NAS msmtppq[22011]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 06:52:31 NAS msmtppq[22543]: 25 more mails from queue failed to send with rc = 77
Jan 08 07:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.001476 sec

Jan 08 07:01:34 NAS msmtppq[22797]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 07:02:35 NAS msmtppq[23330]: 25 more mails from queue failed to send with rc = 77
Jan 08 07:11:38 NAS msmtppq[23581]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 07:12:38 NAS msmtppq[24108]: 25 more mails from queue failed to send with rc = 77
Jan 08 07:17:01 NAS CRON[24225]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 07:17:01 NAS CRON[24226]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 07:17:01 NAS CRON[24225]: pam_unix(cron:session): session closed for user root
Jan 08 07:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.000422 sec
Jan 08 07:21:42 NAS msmtppq[24359]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 07:22:42 NAS msmtppq[24887]: 25 more mails from queue failed to send with rc = 77
Jan 08 07:31:45 NAS msmtppq[25226]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 07:32:48 NAS msmtppq[25771]: 25 more mails from queue failed to send with rc = 77
Jan 08 07:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.000920 sec
Jan 08 07:38:09 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 07:38:09 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 07:41:50 NAS msmtppq[26313]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 07:42:50 NAS msmtppq[26837]: 25 more mails from queue failed to send with rc = 77
Jan 08 07:51:53 NAS msmtppq[27185]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 07:52:21 NAS connmand[2165]: ntp: adjust (slew): +0.000041 sec
Jan 08 07:52:54 NAS msmtppq[27710]: 25 more mails from queue failed to send with rc = 77
Jan 08 08:01:57 NAS msmtppq[27970]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 08:02:58 NAS msmtppq[28500]: 25 more mails from queue failed to send with rc = 77
Jan 08 08:09:25 NAS connmand[2165]: ntp: adjust (slew): -0.000161 sec
Jan 08 08:12:02 NAS msmtppq[28749]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 08:13:05 NAS msmtppq[29285]: 25 more mails from queue failed to send with rc = 77
Jan 08 08:17:01 NAS CRON[29381]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 08:17:01 NAS CRON[29382]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 08:17:01 NAS CRON[29381]: pam_unix(cron:session): session closed for user root
Jan 08 08:21:07 NAS msmtppq[29511]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 08:22:10 NAS msmtppq[30041]: 25 more mails from queue failed to send with rc = 77
Jan 08 08:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.000690 sec

Jan 08 08:31:13 NAS msmtppq[30314]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 08:32:17 NAS msmtppq[30841]: 25 more mails from queue failed to send with rc = 77
Jan 08 08:38:15 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 08:38:15 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 08:41:20 NAS msmtppq[31239]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 08:42:19 NAS msmtppq[31762]: 25 more mails from queue failed to send with rc = 77
Jan 08 08:43:53 NAS connmand[2165]: ntp: adjust (slew): -0.000150 sec
Jan 08 08:51:22 NAS msmtppq[32028]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 08:52:22 NAS msmtppq[32552]: 25 more mails from queue failed to send with rc = 77
Jan 08 09:00:57 NAS connmand[2165]: ntp: adjust (slew): -0.000045 sec
Jan 08 09:01:25 NAS msmtppq[334]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 09:02:25 NAS msmtppq[905]: 25 more mails from queue failed to send with rc = 77
Jan 08 09:11:29 NAS msmtppq[1179]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 09:12:32 NAS msmtppq[1729]: 25 more mails from queue failed to send with rc = 77
Jan 08 09:17:01 NAS CRON[1850]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 09:17:01 NAS CRON[1851]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 09:17:01 NAS CRON[1850]: pam_unix(cron:session): session closed for user root
Jan 08 09:18:01 NAS connmand[2165]: ntp: adjust (slew): +0.000702 sec
Jan 08 09:21:35 NAS msmtppq[1984]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 09:22:36 NAS msmtppq[2552]: 25 more mails from queue failed to send with rc = 77
Jan 08 09:31:39 NAS msmtppq[2867]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 09:32:42 NAS msmtppq[3423]: 25 more mails from queue failed to send with rc = 77
Jan 08 09:35:05 NAS connmand[2165]: ntp: adjust (slew): -0.001131 sec
Jan 08 09:38:22 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 09:38:22 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 09:41:45 NAS msmtppq[3842]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 09:42:51 NAS msmtppq[4383]: 25 more mails from queue failed to send with rc = 77
Jan 08 09:51:54 NAS msmtppq[4673]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 09:52:09 NAS connmand[2165]: ntp: adjust (slew): -0.000036 sec
Jan 08 09:52:53 NAS msmtppq[5206]: 25 more mails from queue failed to send with rc = 77
Jan 08 10:01:56 NAS msmtppq[5499]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77

Jan 08 10:02:55 NAS msmtppq[6026]: 25 more mails from queue failed to send with rc = 77
Jan 08 10:09:13 NAS connmand[2165]: ntp: adjust (slew): +0.000426 sec
Jan 08 10:11:58 NAS msmtppq[6320]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 10:13:00 NAS msmtppq[6861]: 25 more mails from queue failed to send with rc = 77
Jan 08 10:17:01 NAS CRON[6975]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 10:17:01 NAS CRON[6976]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 10:17:01 NAS CRON[6975]: pam_unix(cron:session): session closed for user root
Jan 08 10:21:03 NAS msmtppq[7128]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 10:22:05 NAS msmtppq[7659]: 25 more mails from queue failed to send with rc = 77
Jan 08 10:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.000395 sec
Jan 08 10:31:08 NAS msmtppq[7956]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 10:32:09 NAS msmtppq[8486]: 25 more mails from queue failed to send with rc = 77
Jan 08 10:38:28 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 10:38:29 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 10:41:12 NAS msmtppq[8921]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 10:42:13 NAS msmtppq[9453]: 25 more mails from queue failed to send with rc = 77
Jan 08 10:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.000487 sec
Jan 08 10:51:16 NAS msmtppq[9741]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 10:52:15 NAS msmtppq[10275]: 25 more mails from queue failed to send with rc = 77
Jan 08 11:00:54 NAS connmand[2165]: ntp: adjust (slew): +0.001027 sec
Jan 08 11:01:19 NAS msmtppq[10573]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 11:02:21 NAS msmtppq[11105]: 25 more mails from queue failed to send with rc = 77
Jan 08 11:11:24 NAS msmtppq[11396]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 11:12:24 NAS msmtppq[11923]: 25 more mails from queue failed to send with rc = 77
Jan 08 11:17:02 NAS CRON[12069]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 11:17:02 NAS CRON[12070]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 11:17:02 NAS CRON[12069]: pam_unix(cron:session): session closed for user root
Jan 08 11:17:58 NAS connmand[2165]: ntp: adjust (slew): -0.001895 sec
Jan 08 11:21:27 NAS msmtppq[12221]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 11:22:28 NAS msmtppq[12752]: 25 more mails from queue failed to send with rc = 77
Jan 08 11:31:31 NAS msmtppq[13036]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 11:32:37 NAS msmtppq[13571]: 25 more mails from queue failed to send with rc = 77

Jan 08 11:35:02 NAS connmand[2165]: ntp: adjust (slew): +0.000713 sec
Jan 08 11:38:35 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 11:38:35 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 11:41:40 NAS msmtppq[14030]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 11:42:40 NAS msmtppq[14563]: 25 more mails from queue failed to send with rc = 77
Jan 08 11:51:43 NAS msmtppq[14875]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 11:52:06 NAS connmand[2165]: ntp: adjust (slew): +0.002661 sec
Jan 08 11:52:45 NAS msmtppq[15466]: 25 more mails from queue failed to send with rc = 77
Jan 08 12:01:49 NAS msmtppq[15776]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 12:02:50 NAS msmtppq[16309]: 25 more mails from queue failed to send with rc = 77
Jan 08 12:09:10 NAS connmand[2165]: ntp: adjust (slew): -0.003956 sec
Jan 08 12:11:53 NAS msmtppq[16597]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 12:12:54 NAS msmtppq[17128]: 25 more mails from queue failed to send with rc = 77
Jan 08 12:17:01 NAS CRON[17233]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 12:17:01 NAS CRON[17234]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 12:17:01 NAS CRON[17233]: pam_unix(cron:session): session closed for user root
Jan 08 12:21:58 NAS msmtppq[17403]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 12:22:58 NAS msmtppq[17932]: 25 more mails from queue failed to send with rc = 77
Jan 08 12:26:15 NAS connmand[2165]: ntp: adjust (slew): +0.000212 sec
Jan 08 12:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.000331 sec
Jan 08 12:32:01 NAS msmtppq[18398]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 12:33:04 NAS msmtppq[18932]: 25 more mails from queue failed to send with rc = 77
Jan 08 12:38:41 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 12:38:42 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 12:41:08 NAS msmtppq[19316]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 12:42:07 NAS msmtppq[19847]: 25 more mails from queue failed to send with rc = 77
Jan 08 12:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.000584 sec
Jan 08 12:51:10 NAS msmtppq[20165]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 12:52:10 NAS msmtppq[20707]: 25 more mails from queue failed to send with rc = 77
Jan 08 13:00:54 NAS connmand[2165]: ntp: adjust (slew): -0.002661 sec
Jan 08 13:01:13 NAS msmtppq[21000]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 13:02:13 NAS msmtppq[21532]: 25 more mails from queue failed to send with rc = 77

Jan 08 13:11:16 NAS msmtppq[21798]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 13:12:15 NAS msmtppq[22326]: 25 more mails from queue failed to send with rc = 77
Jan 08 13:17:02 NAS CRON[22450]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 13:17:02 NAS CRON[22451]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 13:17:02 NAS CRON[22450]: pam_unix(cron:session): session closed for user root
Jan 08 13:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.005075 sec
Jan 08 13:21:18 NAS msmtppq[22585]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 13:22:18 NAS msmtppq[23108]: 25 more mails from queue failed to send with rc = 77
Jan 08 13:31:21 NAS msmtppq[23370]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 13:32:21 NAS msmtppq[23896]: 25 more mails from queue failed to send with rc = 77
Jan 08 13:35:03 NAS connmand[2165]: ntp: adjust (slew): -0.001045 sec
Jan 08 13:38:48 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 13:38:48 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 13:41:24 NAS msmtppq[24307]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 13:42:24 NAS msmtppq[24835]: 25 more mails from queue failed to send with rc = 77
Jan 08 13:51:27 NAS msmtppq[25103]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 13:52:07 NAS connmand[2165]: ntp: adjust (slew): -0.000768 sec
Jan 08 13:52:26 NAS msmtppq[25632]: 25 more mails from queue failed to send with rc = 77
Jan 08 14:01:29 NAS msmtppq[25888]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 14:02:28 NAS msmtppq[26415]: 25 more mails from queue failed to send with rc = 77
Jan 08 14:09:11 NAS connmand[2165]: ntp: adjust (slew): -0.000012 sec
Jan 08 14:11:31 NAS msmtppq[26665]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 14:12:30 NAS msmtppq[27192]: 25 more mails from queue failed to send with rc = 77
Jan 08 14:17:01 NAS CRON[27329]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 14:17:01 NAS CRON[27330]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 14:17:01 NAS CRON[27329]: pam_unix(cron:session): session closed for user root
Jan 08 14:21:33 NAS msmtppq[27451]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 14:22:34 NAS msmtppq[27978]: 25 more mails from queue failed to send with rc = 77
Jan 08 14:26:15 NAS connmand[2165]: ntp: adjust (slew): -0.000193 sec
Jan 08 14:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.000762 sec
Jan 08 14:31:37 NAS msmtppq[28239]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 14:32:37 NAS msmtppq[28765]: 25 more mails from queue failed to send with rc = 77

Jan 08 14:38:55 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 14:38:55 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 14:41:40 NAS msmtppq[29168]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 14:42:41 NAS msmtppq[29690]: 25 more mails from queue failed to send with rc = 77
Jan 08 14:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.000939 sec
Jan 08 14:51:44 NAS msmtppq[29950]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 14:52:43 NAS msmtppq[30478]: 25 more mails from queue failed to send with rc = 77
Jan 08 15:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.001626 sec
Jan 08 15:01:46 NAS msmtppq[30736]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 15:02:47 NAS msmtppq[31267]: 25 more mails from queue failed to send with rc = 77
Jan 08 15:11:50 NAS msmtppq[31522]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 15:12:50 NAS msmtppq[32058]: 25 more mails from queue failed to send with rc = 77
Jan 08 15:17:01 NAS CRON[32166]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 15:17:01 NAS CRON[32167]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 15:17:01 NAS CRON[32166]: pam_unix(cron:session): session closed for user root
Jan 08 15:17:59 NAS connmand[2165]: ntp: adjust (slew): +0.001735 sec
Jan 08 15:21:53 NAS msmtppq[32312]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 15:22:52 NAS msmtppq[376]: 25 more mails from queue failed to send with rc = 77
Jan 08 15:31:55 NAS msmtppq[762]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 15:32:55 NAS msmtppq[1317]: 25 more mails from queue failed to send with rc = 77
Jan 08 15:35:04 NAS connmand[2165]: ntp: adjust (slew): -0.000649 sec
Jan 08 15:39:01 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 15:39:01 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 15:41:58 NAS msmtppq[1756]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 15:42:58 NAS msmtppq[2318]: 25 more mails from queue failed to send with rc = 77
Jan 08 15:52:01 NAS msmtppq[2610]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 15:52:08 NAS connmand[2165]: ntp: adjust (slew): -0.001439 sec
Jan 08 15:53:00 NAS msmtppq[3201]: 25 more mails from queue failed to send with rc = 77
Jan 08 16:00:15 NAS afpd[3407]: Login by guest (AFP3.4)
Jan 08 16:01:05 NAS msmtppq[3476]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 16:02:14 NAS msmtppq[4032]: 25 more mails from queue failed to send with rc = 77
Jan 08 16:07:10 NAS afpd[3407]: afp_zzz: entering extended sleep

Jan 08 16:09:12 NAS connmand[2165]: ntp: adjust (slew): +0.000813 sec
Jan 08 16:11:20 NAS msmtppq[4390]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 16:12:31 NAS msmtppq[4938]: 25 more mails from queue failed to send with rc = 77
Jan 08 16:17:02 NAS CRON[5133]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 16:17:02 NAS CRON[5134]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 16:17:02 NAS CRON[5133]: pam_unix(cron:session): session closed for user root
Jan 08 16:21:36 NAS msmtppq[5410]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 16:22:44 NAS msmtppq[5974]: 25 more mails from queue failed to send with rc = 77
Jan 08 16:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.003278 sec
Jan 08 16:28:25 NAS afpd[3407]: read: Connection timed out
Jan 08 16:28:25 NAS afpd[3407]: dsi_stream_read: len:-1, Connection timed out
Jan 08 16:28:25 NAS afpd[3407]: dsi_disconnect: entering disconnected state
Jan 08 16:31:50 NAS msmtppq[6473]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 16:33:00 NAS msmtppq[7043]: 25 more mails from queue failed to send with rc = 77
Jan 08 16:39:08 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 16:39:08 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 16:41:05 NAS msmtppq[7661]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 16:42:15 NAS msmtppq[8221]: 25 more mails from queue failed to send with rc = 77
Jan 08 16:43:51 NAS connmand[2165]: ntp: adjust (slew): -0.004812 sec
Jan 08 16:51:20 NAS msmtppq[8742]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 16:52:36 NAS msmtppq[9330]: 25 more mails from queue failed to send with rc = 77
Jan 08 17:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.004920 sec
Jan 08 17:01:40 NAS msmtppq[9851]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 17:02:49 NAS msmtppq[10405]: 25 more mails from queue failed to send with rc = 77
Jan 08 17:11:54 NAS msmtppq[10925]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 17:13:01 NAS msmtppq[11496]: 25 more mails from queue failed to send with rc = 77
Jan 08 17:17:01 NAS CRON[11701]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 17:17:01 NAS CRON[11702]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 17:17:01 NAS CRON[11701]: pam_unix(cron:session): session closed for user root
Jan 08 17:17:59 NAS connmand[2165]: ntp: adjust (slew): -0.005396 sec
Jan 08 17:21:05 NAS msmtppq[11928]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 17:22:12 NAS msmtppq[12485]: 25 more mails from queue failed to send with rc = 77

Jan 08 17:31:17 NAS msmtppq[12975]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 17:32:25 NAS msmtppq[13534]: 25 more mails from queue failed to send with rc = 77
Jan 08 17:35:03 NAS connmand[2165]: ntp: adjust (slew): +0.001189 sec
Jan 08 17:39:18 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 17:39:18 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 17:41:30 NAS msmtppq[14167]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 17:42:38 NAS msmtppq[14732]: 25 more mails from queue failed to send with rc = 77
Jan 08 17:51:43 NAS msmtppq[15248]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 17:52:07 NAS connmand[2165]: ntp: adjust (slew): +0.000317 sec
Jan 08 17:52:52 NAS msmtppq[15817]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:01:56 NAS msmtppq[16332]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 18:03:05 NAS msmtppq[16894]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:09:12 NAS connmand[2165]: ntp: adjust (slew): +0.001078 sec
Jan 08 18:11:10 NAS msmtppq[17396]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 18:12:21 NAS msmtppq[17958]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:17:01 NAS CRON[18202]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 18:17:01 NAS CRON[18203]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 18:17:01 NAS CRON[18202]: pam_unix(cron:session): session closed for user root
Jan 08 18:21:26 NAS msmtppq[18446]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 18:22:33 NAS msmtppq[19007]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:26:47 NAS connmand[2165]: ntp: adjust (slew): -0.000160 sec
Jan 08 18:31:38 NAS msmtppq[19478]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 18:32:49 NAS msmtppq[20041]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:39:27 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 18:39:28 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 18:41:54 NAS msmtppq[20669]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 18:43:03 NAS msmtppq[21230]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:43:51 NAS connmand[2165]: ntp: adjust (slew): -0.000426 sec
Jan 08 18:47:08 NAS afpd[21446]: Login by guest (AFP3.4)
Jan 08 18:47:08 NAS afpd[21446]: afp_disconnect: trying primary reconnect
Jan 08 18:47:08 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 08 18:47:08 NAS afpd[2265]: Reconnect: killing new session child[21446] after transfer
Jan 08 18:47:08 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect

Jan 08 18:47:08 NAS afpd[3407]: AFP Replay Cache match: id: 4311 / cmd:
AFP_ENUMERATE_EXT2
Jan 08 18:47:08 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 08 18:47:09 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 08 18:47:10 NAS afpd[21446]: afp_disconnect: primary reconnect succeeded
Jan 08 18:51:08 NAS msmtmq[21694]: mail [1] [2020-01-02-01.00.13] from queue ; send
failed ; msmtmq rc = 77
Jan 08 18:52:04 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 08 18:52:18 NAS msmtmq[22254]: 25 more mails from queue failed to send with rc = 77
Jan 08 18:55:31 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 08 18:55:40 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 08 18:56:39 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 08 18:56:49 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 08 19:00:56 NAS connmand[2165]: ntp: adjust (slew): +0.003432 sec
Jan 08 19:01:23 NAS msmtmq[22727]: mail [1] [2020-01-02-01.00.13] from queue ; send
failed ; msmtmq rc = 77
Jan 08 19:01:43 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 08 19:01:52 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 08 19:02:33 NAS msmtmq[23295]: 25 more mails from queue failed to send with rc = 77
Jan 08 19:07:28 NAS afpd[3407]: dsi_stream_read: len:0, unexpected EOF
Jan 08 19:07:28 NAS afpd[3407]: dsi_stream_read: len:0, unexpected EOF
Jan 08 19:07:28 NAS afpd[3407]: dsi_disconnect: entering disconnected state
Jan 08 19:07:28 NAS afpd[23543]: Login by guest (AFP3.4)
Jan 08 19:07:28 NAS afpd[23543]: afp_zzz: entering extended sleep
Jan 08 19:11:37 NAS msmtmq[23781]: mail [1] [2020-01-02-01.00.13] from queue ; send
failed ; msmtmq rc = 77
Jan 08 19:12:36 NAS afpd[23543]: afp_zzz: waking up from extended sleep
Jan 08 19:12:36 NAS afpd[23543]: afp_zzz: entering extended sleep
Jan 08 19:12:48 NAS msmtmq[24347]: 25 more mails from queue failed to send with rc = 77
Jan 08 19:17:01 NAS CRON[24565]: pam_unix(cron:session): session opened for user root by
(uid=0)
Jan 08 19:17:01 NAS CRON[24566]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)
Jan 08 19:17:01 NAS CRON[24565]: pam_unix(cron:session): session closed for user root
Jan 08 19:17:52 NAS afpd[23543]: dsi_stream_read: len:0, unexpected EOF
Jan 08 19:17:52 NAS afpd[23543]: dsi_disconnect: entering disconnected state
Jan 08 19:17:52 NAS afpd[24609]: Login by guest (AFP3.4)
Jan 08 19:17:52 NAS afpd[24609]: afp_disconnect: trying primary reconnect
Jan 08 19:17:52 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 08 19:17:52 NAS afpd[2265]: Reconnect: killing new session child[24609] after transfer
Jan 08 19:17:52 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 08 19:17:52 NAS afpd[3407]: AFP Replay Cache match: id: 4564 / cmd:
AFP_ENUMERATE_EXT2
Jan 08 19:17:52 NAS afpd[3407]: AFP Replay Cache match: id: 4567 / cmd:
AFP_GETFLDRPARAM
Jan 08 19:17:54 NAS afpd[24609]: afp_disconnect: primary reconnect succeeded
Jan 08 19:18:00 NAS connmand[2165]: ntp: adjust (slew): -0.004705 sec

Jan 08 19:20:21 NAS afpd[3407]: afp_alarm: child timed out, entering disconnected state
Jan 08 19:20:21 NAS afpd[3407]: dsi_disconnect: entering disconnected state
Jan 08 19:20:21 NAS afpd[3407]: dsi_disconnect: entering disconnected state
Jan 08 19:21:52 NAS msmtppq[24832]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 19:23:02 NAS msmtppq[25398]: 25 more mails from queue failed to send with rc = 77
Jan 08 19:31:06 NAS msmtppq[25798]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 19:32:16 NAS msmtppq[26362]: 25 more mails from queue failed to send with rc = 77
Jan 08 19:35:04 NAS connmand[2165]: ntp: adjust (slew): +0.000892 sec
Jan 08 19:39:38 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 19:39:38 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 19:41:21 NAS msmtppq[26944]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 19:42:29 NAS msmtppq[27488]: 25 more mails from queue failed to send with rc = 77
Jan 08 19:51:34 NAS msmtppq[27794]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 19:52:08 NAS connmand[2165]: ntp: adjust (slew): +0.000995 sec
Jan 08 19:52:42 NAS msmtppq[28325]: 25 more mails from queue failed to send with rc = 77
Jan 08 20:01:46 NAS msmtppq[28661]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 20:02:47 NAS msmtppq[29194]: 25 more mails from queue failed to send with rc = 77
Jan 08 20:09:13 NAS connmand[2165]: ntp: adjust (slew): +0.002739 sec
Jan 08 20:11:51 NAS msmtppq[29661]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 20:12:53 NAS msmtppq[30226]: 25 more mails from queue failed to send with rc = 77
Jan 08 20:17:02 NAS CRON[30420]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 20:17:02 NAS CRON[30421]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 20:17:02 NAS CRON[30420]: pam_unix(cron:session): session closed for user root
Jan 08 20:21:57 NAS msmtppq[30704]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 20:23:03 NAS msmtppq[31259]: 25 more mails from queue failed to send with rc = 77
Jan 08 20:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.004847 sec
Jan 08 20:31:07 NAS msmtppq[31645]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 20:32:10 NAS msmtppq[32192]: 25 more mails from queue failed to send with rc = 77
Jan 08 20:39:47 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 20:39:48 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 20:41:13 NAS msmtppq[311]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 20:42:13 NAS msmtppq[900]: 25 more mails from queue failed to send with rc = 77

Jan 08 20:43:50 NAS connmand[2165]: ntp: adjust (slew): +0.005861 sec
Jan 08 20:51:17 NAS msmtppq[1363]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 20:52:18 NAS msmtppq[1925]: 25 more mails from queue failed to send with rc = 77
Jan 08 21:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.016871 sec
Jan 08 21:01:22 NAS msmtppq[2414]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 21:02:24 NAS msmtppq[3033]: 25 more mails from queue failed to send with rc = 77
Jan 08 21:11:27 NAS msmtppq[3467]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 21:12:28 NAS msmtppq[4027]: 25 more mails from queue failed to send with rc = 77
Jan 08 21:17:01 NAS CRON[4249]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 21:17:01 NAS CRON[4250]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 21:17:01 NAS CRON[4249]: pam_unix(cron:session): session closed for user root
Jan 08 21:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.012121 sec
Jan 08 21:21:31 NAS msmtppq[4502]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 21:22:33 NAS msmtppq[5079]: 25 more mails from queue failed to send with rc = 77
Jan 08 21:31:37 NAS msmtppq[5560]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 21:32:40 NAS msmtppq[6114]: 25 more mails from queue failed to send with rc = 77
Jan 08 21:35:05 NAS connmand[2165]: ntp: adjust (slew): +0.005532 sec
Jan 08 21:39:54 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 21:39:54 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 21:41:44 NAS msmtppq[6696]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 21:42:44 NAS msmtppq[7255]: 25 more mails from queue failed to send with rc = 77
Jan 08 21:51:48 NAS msmtppq[7709]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 21:52:10 NAS connmand[2165]: ntp: adjust (slew): +0.000704 sec
Jan 08 21:52:48 NAS msmtppq[8260]: 25 more mails from queue failed to send with rc = 77
Jan 08 22:01:54 NAS msmtppq[8933]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 22:02:56 NAS msmtppq[9496]: 25 more mails from queue failed to send with rc = 77
Jan 08 22:09:14 NAS connmand[2165]: ntp: adjust (slew): -0.006367 sec
Jan 08 22:12:00 NAS msmtppq[10058]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 22:13:01 NAS msmtppq[10643]: 25 more mails from queue failed to send with rc = 77
Jan 08 22:17:02 NAS CRON[10813]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 22:17:02 NAS CRON[10818]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 22:17:02 NAS CRON[10813]: pam_unix(cron:session): session closed for user root

Jan 08 22:21:05 NAS msmtppq[11031]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 22:22:05 NAS msmtppq[11577]: 25 more mails from queue failed to send with rc = 77
Jan 08 22:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.013914 sec
Jan 08 22:31:09 NAS msmtppq[12025]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 22:32:09 NAS msmtppq[12568]: 25 more mails from queue failed to send with rc = 77
Jan 08 22:40:01 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 22:40:01 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 22:41:13 NAS msmtppq[13119]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 22:42:12 NAS msmtppq[13661]: 25 more mails from queue failed to send with rc = 77
Jan 08 22:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.018020 sec
Jan 08 22:51:16 NAS msmtppq[14052]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 22:52:16 NAS msmtppq[14603]: 25 more mails from queue failed to send with rc = 77
Jan 08 23:00:56 NAS connmand[2165]: ntp: adjust (slew): +0.004972 sec
Jan 08 23:01:20 NAS msmtppq[15038]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 23:02:21 NAS msmtppq[15579]: 25 more mails from queue failed to send with rc = 77
Jan 08 23:11:25 NAS msmtppq[16027]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 23:12:27 NAS msmtppq[16565]: 25 more mails from queue failed to send with rc = 77
Jan 08 23:17:01 NAS CRON[16761]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 08 23:17:01 NAS CRON[16762]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 08 23:17:01 NAS CRON[16761]: pam_unix(cron:session): session closed for user root
Jan 08 23:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.001519 sec
Jan 08 23:21:31 NAS msmtppq[17000]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 23:22:32 NAS msmtppq[17551]: 25 more mails from queue failed to send with rc = 77
Jan 08 23:31:36 NAS msmtppq[17983]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 23:32:36 NAS msmtppq[18528]: 25 more mails from queue failed to send with rc = 77
Jan 08 23:35:04 NAS connmand[2165]: ntp: adjust (slew): -0.006088 sec
Jan 08 23:40:07 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 08 23:40:08 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 08 23:41:40 NAS msmtppq[19134]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 08 23:42:40 NAS msmtppq[19696]: 25 more mails from queue failed to send with rc = 77
Jan 08 23:51:44 NAS msmtppq[20178]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77

Jan 08 23:52:10 NAS connmand[2165]: ntp: adjust (slew): -0.008278 sec
Jan 08 23:52:45 NAS msmtppq[20733]: 25 more mails from queue failed to send with rc = 77
Jan 09 00:01:49 NAS msmtppq[21182]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 09 00:02:50 NAS msmtppq[21734]: 25 more mails from queue failed to send with rc = 77
Jan 09 00:09:14 NAS connmand[2165]: ntp: adjust (slew): +0.007214 sec
Jan 09 00:11:54 NAS msmtppq[22126]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 09 00:12:54 NAS msmtppq[22674]: 25 more mails from queue failed to send with rc = 77
Jan 09 00:17:01 NAS CRON[22861]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 00:17:01 NAS CRON[22862]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 00:17:01 NAS CRON[22861]: pam_unix(cron:session): session closed for user root
Jan 09 00:21:58 NAS msmtppq[23114]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 09 00:23:03 NAS msmtppq[23664]: 25 more mails from queue failed to send with rc = 77
Jan 09 00:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.002262 sec
Jan 09 00:31:06 NAS msmtppq[24097]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 09 00:32:08 NAS msmtppq[24668]: 25 more mails from queue failed to send with rc = 77
Jan 09 00:40:14 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 00:40:14 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 00:41:11 NAS msmtppq[25246]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 09 00:42:11 NAS msmtppq[25793]: 25 more mails from queue failed to send with rc = 77
Jan 09 00:43:50 NAS connmand[2165]: ntp: adjust (slew): -0.000563 sec
Jan 09 00:51:16 NAS msmtppq[26215]: mail [1] [2020-01-02-01.00.13] from queue ; send failed ; msmtpp rc = 77
Jan 09 00:52:17 NAS msmtppq[26760]: 25 more mails from queue failed to send with rc = 77
Jan 09 01:00:21 NAS msmtppq[27117]: mail for [-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77
Jan 09 01:00:21 NAS msmtppq[27119]: enqueued mail as : [2020-01-09-01.00.18] (-C /etc/msmtpprc malcolm.flanagan@gmail.com --timeout=60)
Jan 09 01:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.006575 sec
Jan 09 01:01:25 NAS msmtppq[27214]: mail [2] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 01:02:27 NAS msmtppq[27765]: 25 more mails from queue failed to send with rc = 77
Jan 09 01:11:31 NAS msmtppq[28168]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 01:12:32 NAS msmtppq[28710]: 25 more mails from queue failed to send with rc = 77
Jan 09 01:17:01 NAS CRON[28911]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 01:17:01 NAS CRON[28912]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 01:17:01 NAS CRON[28911]: pam_unix(cron:session): session closed for user root

Jan 09 01:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.005854 sec

Jan 09 01:21:36 NAS msmtppq[29151]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 01:22:36 NAS msmtppq[29687]: 25 more mails from queue failed to send with rc = 77

Jan 09 01:31:40 NAS msmtppq[30098]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 01:32:41 NAS msmtppq[30639]: 25 more mails from queue failed to send with rc = 77

Jan 09 01:35:04 NAS connmand[2165]: ntp: adjust (slew): +0.003171 sec

Jan 09 01:40:21 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 01:40:21 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 01:41:44 NAS msmtppq[31248]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 01:42:46 NAS msmtppq[31788]: 25 more mails from queue failed to send with rc = 77

Jan 09 01:51:49 NAS msmtppq[32278]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 01:52:09 NAS connmand[2165]: ntp: adjust (slew): -0.018945 sec

Jan 09 01:52:53 NAS msmtppq[363]: 25 more mails from queue failed to send with rc = 77

Jan 09 02:01:30 NAS msmtppq[773]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 02:02:35 NAS msmtppq[1345]: 25 more mails from queue failed to send with rc = 77

Jan 09 02:09:13 NAS connmand[2165]: ntp: adjust (slew): +0.005421 sec

Jan 09 02:11:38 NAS msmtppq[1786]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 02:12:39 NAS msmtppq[2360]: 25 more mails from queue failed to send with rc = 77

Jan 09 02:17:01 NAS CRON[2563]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 02:17:01 NAS CRON[2564]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 02:17:01 NAS CRON[2563]: pam_unix(cron:session): session closed for user root

Jan 09 02:21:43 NAS msmtppq[2806]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 02:22:44 NAS msmtppq[3386]: 25 more mails from queue failed to send with rc = 77

Jan 09 02:26:46 NAS connmand[2165]: ntp: adjust (slew): +0.004046 sec

Jan 09 02:31:48 NAS msmtppq[3836]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 02:32:51 NAS msmtppq[4391]: 25 more mails from queue failed to send with rc = 77

Jan 09 02:40:28 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 02:40:28 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 02:41:54 NAS msmtppq[4918]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 02:42:57 NAS msmtppq[5464]: 25 more mails from queue failed to send with rc = 77
Jan 09 02:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.002310 sec
Jan 09 02:52:00 NAS msmtppq[5873]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 02:53:01 NAS msmtppq[6414]: 25 more mails from queue failed to send with rc = 77
Jan 09 03:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.000046 sec
Jan 09 03:01:05 NAS msmtppq[6807]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 03:02:06 NAS msmtppq[7380]: 25 more mails from queue failed to send with rc = 77
Jan 09 03:11:10 NAS msmtppq[7815]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 03:12:10 NAS msmtppq[8364]: 25 more mails from queue failed to send with rc = 77
Jan 09 03:17:02 NAS CRON[8583]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 03:17:02 NAS CRON[8584]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 03:17:02 NAS CRON[8583]: pam_unix(cron:session): session closed for user root
Jan 09 03:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.007844 sec
Jan 09 03:21:15 NAS msmtppq[8791]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 03:22:16 NAS msmtppq[9338]: 25 more mails from queue failed to send with rc = 77
Jan 09 03:31:20 NAS msmtppq[9755]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 03:32:23 NAS msmtppq[10304]: 25 more mails from queue failed to send with rc = 77
Jan 09 03:35:04 NAS connmand[2165]: ntp: adjust (slew): +0.000394 sec
Jan 09 03:40:35 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 03:40:35 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 03:41:27 NAS msmtppq[10888]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 03:42:30 NAS msmtppq[11432]: 25 more mails from queue failed to send with rc = 77
Jan 09 03:51:34 NAS msmtppq[11869]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 03:52:09 NAS connmand[2165]: ntp: adjust (slew): -0.014455 sec
Jan 09 03:52:35 NAS msmtppq[12409]: 25 more mails from queue failed to send with rc = 77
Jan 09 04:01:39 NAS msmtppq[12860]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 04:02:39 NAS msmtppq[13397]: 25 more mails from queue failed to send with rc = 77
Jan 09 04:09:14 NAS connmand[2165]: ntp: adjust (slew): +0.012662 sec
Jan 09 04:11:44 NAS msmtppq[13782]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 04:12:46 NAS msmtppq[14325]: 25 more mails from queue failed to send with rc = 77
Jan 09 04:17:01 NAS CRON[14544]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 04:17:01 NAS CRON[14545]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 04:17:01 NAS CRON[14544]: pam_unix(cron:session): session closed for user root
Jan 09 04:21:51 NAS msmtmq[14782]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 04:22:57 NAS msmtmq[15333]: 25 more mails from queue failed to send with rc = 77
Jan 09 04:26:46 NAS connmand[2165]: ntp: adjust (slew): -0.011796 sec
Jan 09 04:32:00 NAS msmtmq[15776]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 04:33:05 NAS msmtmq[16329]: 25 more mails from queue failed to send with rc = 77
Jan 09 04:40:41 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 04:40:41 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 04:41:08 NAS msmtmq[16811]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 04:42:11 NAS msmtmq[17361]: 25 more mails from queue failed to send with rc = 77
Jan 09 04:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.003042 sec
Jan 09 04:51:15 NAS msmtmq[17769]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 04:52:17 NAS msmtmq[18310]: 25 more mails from queue failed to send with rc = 77
Jan 09 05:00:55 NAS connmand[2165]: ntp: adjust (slew): -0.000271 sec
Jan 09 05:01:21 NAS msmtmq[18721]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 05:02:24 NAS msmtmq[19262]: 25 more mails from queue failed to send with rc = 77
Jan 09 05:11:28 NAS msmtmq[19693]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 05:12:30 NAS msmtmq[20251]: 25 more mails from queue failed to send with rc = 77
Jan 09 05:14:57 NAS afpd[20417]: Login by guest (AFP3.4)
Jan 09 05:14:57 NAS afpd[20417]: afp_zzz: entering extended sleep
Jan 09 05:14:57 NAS afpd[20417]: afp_disconnect: trying primary reconnect
Jan 09 05:14:57 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 09 05:14:57 NAS afpd[2265]: Reconnect: killing new session child[20417] after transfer
Jan 09 05:14:57 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 05:14:59 NAS afpd[20417]: afp_disconnect: primary reconnect succeeded
Jan 09 05:15:15 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 05:17:02 NAS CRON[20541]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 05:17:02 NAS CRON[20542]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 05:17:02 NAS CRON[20541]: pam_unix(cron:session): session closed for user root
Jan 09 05:18:06 NAS connmand[2165]: ntp: adjust (slew): +0.015044 sec
Jan 09 05:21:34 NAS msmtmq[20879]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 05:22:37 NAS msmtmq[21448]: 25 more mails from queue failed to send with rc = 77
Jan 09 05:31:41 NAS msmtmq[22008]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77
Jan 09 05:32:42 NAS msmtmq[22575]: 25 more mails from queue failed to send with rc = 77
Jan 09 05:35:10 NAS connmand[2165]: ntp: adjust (slew): -0.016264 sec

Jan 09 05:40:48 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 05:40:48 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 05:41:45 NAS msmtppq[23253]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 05:42:48 NAS msmtppq[23797]: 25 more mails from queue failed to send with rc = 77
Jan 09 05:51:52 NAS msmtppq[24206]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 05:52:15 NAS connmand[2165]: ntp: adjust (slew): -0.000319 sec
Jan 09 05:52:54 NAS msmtppq[24750]: 25 more mails from queue failed to send with rc = 77
Jan 09 06:02:05 NAS msmtppq[25166]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 06:03:10 NAS msmtppq[25714]: 25 more mails from queue failed to send with rc = 77
Jan 09 06:09:19 NAS connmand[2165]: ntp: adjust (slew): +0.009481 sec
Jan 09 06:11:14 NAS msmtppq[26088]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 06:12:15 NAS msmtppq[26625]: 25 more mails from queue failed to send with rc = 77
Jan 09 06:17:01 NAS CRON[26822]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 06:17:01 NAS CRON[26823]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 06:17:01 NAS CRON[26822]: pam_unix(cron:session): session closed for user root
Jan 09 06:21:20 NAS msmtppq[27050]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 06:22:21 NAS msmtppq[27593]: 25 more mails from queue failed to send with rc = 77
Jan 09 06:25:01 NAS CRON[27712]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 06:25:01 NAS CRON[27713]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))
Jan 09 06:25:02 NAS CRON[27712]: pam_unix(cron:session): session closed for user root
Jan 09 06:26:47 NAS connmand[2165]: ntp: adjust (slew): -0.009320 sec
Jan 09 06:31:25 NAS msmtppq[28001]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 06:32:27 NAS msmtppq[28550]: 25 more mails from queue failed to send with rc = 77
Jan 09 06:40:55 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 06:40:55 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 06:41:30 NAS msmtppq[29257]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 06:42:31 NAS msmtppq[29811]: 25 more mails from queue failed to send with rc = 77
Jan 09 06:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.002017 sec
Jan 09 06:51:34 NAS msmtppq[30373]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 06:52:38 NAS msmtppq[30933]: 25 more mails from queue failed to send with rc = 77
Jan 09 07:00:56 NAS connmand[2165]: ntp: adjust (slew): +0.012064 sec

Jan 09 07:01:42 NAS msmtppq[31405]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 07:02:46 NAS msmtppq[31976]: 25 more mails from queue failed to send with rc = 77
Jan 09 07:11:50 NAS msmtppq[32580]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 07:12:52 NAS msmtppq[713]: 25 more mails from queue failed to send with rc = 77
Jan 09 07:17:01 NAS CRON[982]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 07:17:01 NAS CRON[983]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 07:17:01 NAS CRON[982]: pam_unix(cron:session): session closed for user root
Jan 09 07:18:01 NAS connmand[2165]: ntp: adjust (slew): -0.003226 sec
Jan 09 07:21:56 NAS msmtppq[1299]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 07:22:54 NAS msmtppq[1879]: 25 more mails from queue failed to send with rc = 77
Jan 09 07:31:58 NAS msmtppq[2482]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 07:32:56 NAS msmtppq[3110]: 25 more mails from queue failed to send with rc = 77
Jan 09 07:35:06 NAS connmand[2165]: ntp: adjust (slew): -0.009830 sec
Jan 09 07:41:02 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 07:41:02 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 07:41:59 NAS msmtppq[3660]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 07:42:57 NAS msmtppq[4222]: 25 more mails from queue failed to send with rc = 77
Jan 09 07:52:01 NAS msmtppq[4609]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 07:52:11 NAS connmand[2165]: ntp: adjust (slew): -0.003922 sec
Jan 09 07:52:58 NAS msmtppq[5159]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:02:03 NAS msmtppq[5533]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 08:03:01 NAS msmtppq[6078]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:09:16 NAS connmand[2165]: ntp: adjust (slew): +0.018689 sec
Jan 09 08:10:26 NAS afpd[6366]: Login by guest (AFP3.4)
Jan 09 08:10:26 NAS afpd[6366]: afp_disconnect: trying primary reconnect
Jan 09 08:10:26 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 09 08:10:26 NAS afpd[2265]: Reconnect: killing new session child[6366] after transfer
Jan 09 08:10:26 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 08:10:28 NAS afpd[6366]: afp_disconnect: primary reconnect succeeded
Jan 09 08:10:29 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 08:11:05 NAS msmtppq[6423]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 08:12:03 NAS msmtppq[6962]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:17:01 NAS CRON[7240]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 08:17:02 NAS CRON[7241]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 08:17:02 NAS CRON[7240]: pam_unix(cron:session): session closed for user root
Jan 09 08:21:06 NAS msmtpq[7530]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtprc = 77
Jan 09 08:22:06 NAS msmtpq[8092]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:26:47 NAS connmand[2165]: ntp: adjust (slew): -0.021504 sec
Jan 09 08:31:09 NAS msmtpq[8623]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtprc = 77
Jan 09 08:32:06 NAS msmtpq[9165]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:41:06 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 08:41:07 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 08:41:09 NAS msmtpq[9607]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtprc = 77
Jan 09 08:42:07 NAS msmtpq[10226]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.003855 sec
Jan 09 08:51:11 NAS msmtpq[10748]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtprc = 77
Jan 09 08:52:09 NAS msmtpq[11291]: 25 more mails from queue failed to send with rc = 77
Jan 09 08:54:06 NAS mdadm[2174]: Fail event detected on md device /dev/md0, component device /dev/sdb1
Jan 09 08:54:07 NAS disk_event_handler[11404]: Sending disk remove event for /dev/sdb to readynasd.
Jan 09 08:54:08 NAS mdadm[2174]: FailSpare event detected on md device /dev/md127, component device /dev/sdb3
Jan 09 08:54:09 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md127, component device recovery
Jan 09 08:54:17 NAS msmtpq[11492]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77
Jan 09 08:54:17 NAS msmtpq[11496]: enqueued mail as : [2020-01-09-08.54.14] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 09 08:54:19 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...
Jan 09 08:54:19 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...
Jan 09 08:54:19 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...
Jan 09 08:54:19 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...
Jan 09 08:54:22 NAS msmtpq[11552]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtprc exit code was 77
Jan 09 08:54:22 NAS msmtpq[11554]: enqueued mail as : [2020-01-09-08.54.20] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)
Jan 09 08:54:34 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...

Jan 09 08:54:34 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...

Jan 09 08:54:34 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...

Jan 09 08:54:34 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...

Jan 09 08:54:52 NAS disk_event_handler[11907]: mdadm: hot removed 8:17 from /dev/md0

Jan 09 08:54:52 NAS disk_event_handler[11907]: mdadm: hot removed 8:19 from /dev/md127

Jan 09 08:54:52 NAS disk_event_handler[11907]: Sending disk add event for /dev/sdc to readynasd.

Jan 09 08:54:56 NAS msmtppq[11996]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 09 08:54:56 NAS msmtppq[11998]: enqueued mail as : [2020-01-09-08.54.53] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 09 08:55:01 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md0, component device recovery

Jan 09 08:55:08 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md127, component device recovery

Jan 09 08:55:22 NAS msmtppq[12362]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 09 08:55:22 NAS msmtppq[12364]: enqueued mail as : [2020-01-09-08.55.20] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 09 09:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.003406 sec

Jan 09 09:01:28 NAS msmtppq[12637]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 09:02:38 NAS msmtppq[13262]: 29 more mails from queue failed to send with rc = 77

Jan 09 09:11:43 NAS msmtppq[13710]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 09:11:49 NAS mdadm[2174]: Rebuild56 event detected on md device /dev/md0, component device recovery

Jan 09 09:12:53 NAS msmtppq[14358]: 29 more mails from queue failed to send with rc = 77

Jan 09 09:17:01 NAS CRON[14538]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 09:17:01 NAS CRON[14539]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 09:17:02 NAS CRON[14538]: pam_unix(cron:session): session closed for user root

Jan 09 09:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.012029 sec

Jan 09 09:21:57 NAS msmtppq[14759]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 09:23:04 NAS msmtppq[15401]: 29 more mails from queue failed to send with rc = 77

Jan 09 09:24:45 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md0, component device recovery

Jan 09 09:24:45 NAS mdadm[2174]: SpareActive event detected on md device /dev/md0, component device /dev/sdc1

Jan 09 09:31:08 NAS msmtppq[15850]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 09:32:18 NAS msmtppq[16470]: 29 more mails from queue failed to send with rc = 77
Jan 09 09:35:06 NAS connmand[2165]: ntp: adjust (slew): -0.002966 sec
Jan 09 09:41:12 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 09:41:12 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 09:41:22 NAS msmtppq[17046]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 09:42:28 NAS msmtppq[17675]: 29 more mails from queue failed to send with rc = 77
Jan 09 09:51:32 NAS msmtppq[18111]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 09:52:10 NAS connmand[2165]: ntp: adjust (slew): +0.000642 sec
Jan 09 09:52:40 NAS msmtppq[18740]: 29 more mails from queue failed to send with rc = 77
Jan 09 10:01:43 NAS msmtppq[19170]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 10:02:52 NAS msmtppq[19814]: 29 more mails from queue failed to send with rc = 77
Jan 09 10:09:15 NAS connmand[2165]: ntp: adjust (slew): -0.013170 sec
Jan 09 10:11:56 NAS msmtppq[20245]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 10:13:05 NAS msmtppq[20882]: 29 more mails from queue failed to send with rc = 77
Jan 09 10:17:01 NAS CRON[21041]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 10:17:01 NAS CRON[21042]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 10:17:01 NAS CRON[21041]: pam_unix(cron:session): session closed for user root
Jan 09 10:21:09 NAS msmtppq[21246]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 10:22:16 NAS msmtppq[21874]: 29 more mails from queue failed to send with rc = 77
Jan 09 10:26:47 NAS connmand[2165]: ntp: adjust (slew): -0.004543 sec
Jan 09 10:28:05 NAS afpd[22193]: Login by guest (AFP3.4)
Jan 09 10:28:05 NAS afpd[22193]: afp_disconnect: trying primary reconnect
Jan 09 10:28:05 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 09 10:28:05 NAS afpd[2265]: Reconnect: killing new session child[22193] after transfer
Jan 09 10:28:05 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 10:28:07 NAS afpd[22193]: afp_disconnect: primary reconnect succeeded
Jan 09 10:31:20 NAS msmtppq[22423]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 10:31:21 NAS apache_access[2893]: 192.168.20.62 "GET / HTTP/1.1" 302
Jan 09 10:31:21 NAS apache_access[2893]: 192.168.20.62 "GET /admin HTTP/1.1" 401
Jan 09 10:31:30 NAS apache_access[2893]: Admin session started from 192.168.20.62
Jan 09 10:32:32 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 10:32:35 NAS msmtppq[23310]: 29 more mails from queue failed to send with rc = 77
Jan 09 10:41:17 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 10:41:17 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 10:41:40 NAS msmtppq[24033]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 10:42:49 NAS msmtppq[24676]: 29 more mails from queue failed to send with rc = 77

Jan 09 10:43:51 NAS connmand[2165]: ntp: adjust (slew): +0.005152 sec

Jan 09 10:47:38 NAS afpd[3407]: afp_zzz: entering extended sleep

Jan 09 10:51:53 NAS msmtppq[25183]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 10:53:00 NAS msmtppq[25810]: 29 more mails from queue failed to send with rc = 77

Jan 09 11:00:55 NAS connmand[2165]: ntp: adjust (slew): +0.009949 sec

Jan 09 11:01:04 NAS msmtppq[26262]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 11:01:54 NAS afpd[3407]: afp_zzz: waking up from extended sleep

Jan 09 11:02:10 NAS msmtppq[26912]: 29 more mails from queue failed to send with rc = 77

Jan 09 11:11:14 NAS msmtppq[27425]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 11:12:20 NAS msmtppq[28084]: 29 more mails from queue failed to send with rc = 77

Jan 09 11:17:01 NAS CRON[28413]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 11:17:01 NAS CRON[28414]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 11:17:01 NAS CRON[28413]: pam_unix(cron:session): session closed for user root

Jan 09 11:18:00 NAS connmand[2165]: ntp: adjust (slew): -0.009553 sec

Jan 09 11:18:32 NAS afpd[3407]: afp_zzz: entering extended sleep

Jan 09 11:19:53 NAS mdadm[2174]: Fail event detected on md device /dev/md0, component device /dev/sdc1

Jan 09 11:19:54 NAS disk_event_handler[28583]: Sending disk remove event for /dev/sdc to readynasd.

Jan 09 11:19:55 NAS mdadm[2174]: FailSpare event detected on md device /dev/md127, component device /dev/sdc3

Jan 09 11:19:56 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md127, component device recovery

Jan 09 11:19:57 NAS msmtppq[28636]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 09 11:19:57 NAS msmtppq[28638]: enqueued mail as : [2020-01-09-11.19.55] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 09 11:20:09 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...

Jan 09 11:20:09 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...

Jan 09 11:20:09 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...

Jan 09 11:20:09 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...

Jan 09 11:20:12 NAS msmtppq[28806]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 09 11:20:12 NAS msmtppq[28808]: enqueued mail as : [2020-01-09-11.20.10] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 09 11:20:25 NAS readynasd[2485]: find_available_disk: Searching for disk to repair 'data'...

Jan 09 11:20:25 NAS readynasd[2485]: find_available_disk: Checking disk 0:2 (sde,ST8000VN004-2M2101,7452GB)...

Jan 09 11:20:25 NAS readynasd[2485]: find_available_disk: Checking disk 0:3 (sda,ST8000VN0022-2EL112,7452GB)...

Jan 09 11:20:25 NAS readynasd[2485]: find_available_disk: Checking disk 0:0 (sdd,ST4000VN000-1H4168,3726GB)...

Jan 09 11:21:23 NAS msmtppq[29517]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 11:22:33 NAS msmtppq[30749]: 31 more mails from queue failed to send with rc = 77

Jan 09 11:23:38 NAS disk_event_handler[31335]: mdadm: hot removed 8:33 from /dev/md0

Jan 09 11:23:38 NAS disk_event_handler[31335]: mdadm: hot removed 8:35 from /dev/md127

Jan 09 11:23:38 NAS disk_event_handler[31335]: Sending disk add event for /dev/sdb to readynasd.

Jan 09 11:23:42 NAS msmtppq[31420]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 09 11:23:42 NAS msmtppq[31422]: enqueued mail as : [2020-01-09-11.23.40] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 09 11:23:46 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 11:23:46 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 11:23:48 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md0, component device recovery

Jan 09 11:23:55 NAS mdadm[2174]: RebuildStarted event detected on md device /dev/md127, component device recovery

Jan 09 11:24:06 NAS msmtppq[31772]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtpp exit code was 77

Jan 09 11:24:06 NAS msmtppq[31779]: enqueued mail as : [2020-01-09-11.24.03] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 09 11:24:38 NAS afpd[3407]: afp_zzz: waking up from extended sleep

Jan 09 11:24:53 NAS afpd[3407]: dsi_stream_read: len:0, unexpected EOF

Jan 09 11:24:53 NAS afpd[3407]: dsi_stream_read: len:0, unexpected EOF

Jan 09 11:24:53 NAS afpd[3407]: dsi_disconnect: entering disconnected state

Jan 09 11:24:54 NAS afpd[31861]: Login by guest (AFP3.4)

Jan 09 11:24:54 NAS afpd[31861]: afp_disconnect: trying primary reconnect

Jan 09 11:24:54 NAS afpd[2265]: Reconnect: transferring session to child[3407]

Jan 09 11:24:54 NAS afpd[2265]: Reconnect: killing new session child[31861] after transfer

Jan 09 11:24:54 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 11:24:54 NAS afpd[3407]: AFP Replay Cache match: id: 6764 / cmd:
AFP_GETFLDRPARAM
Jan 09 11:24:54 NAS afpd[3407]: AFP Replay Cache match: id: 6765 / cmd:
AFP_GETFLDRPARAM
Jan 09 11:24:54 NAS afpd[3407]: AFP Replay Cache match: id: 6766 / cmd:
AFP_GETVOLPARAM
Jan 09 11:24:56 NAS afpd[31861]: afp_disconnect: primary reconnect succeeded
Jan 09 11:31:37 NAS msmtpq[32308]: mail [1] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77
Jan 09 11:32:54 NAS msmtpq[568]: 33 more mails from queue failed to send with rc = 77
Jan 09 11:33:41 NAS apache2[2897]: [:error] [pid 2897] [client 192.168.20.62:60716]
mod_csrft(020): request denied, expired id (95 sec), action=deny, id=-, referer:
http://192.168.20.54/admin/
Jan 09 11:33:41 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 09 11:33:41 NAS apache2[2898]: [:error] [pid 2898] [client 192.168.20.62:60715]
mod_csrft(020): request denied, expired id (95 sec), action=deny, id=-, referer:
http://192.168.20.54/admin/
Jan 09 11:33:42 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 11:33:42 NAS apache_access[2893]: 192.168.20.62 "GET /admin/ HTTP/1.1" 401
Jan 09 11:33:42 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 11:33:42 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 11:33:43 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 11:33:44 NAS apache2[22445]: [auth_basic:error] [pid 22445] [client
192.168.20.62:60719] AH01617: user : authentication failure for "/admin/": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 11:33:44 NAS apache2[22612]: [auth_basic:error] [pid 22612] [client
192.168.20.62:60720] AH01617: user : authentication failure for "/admin/": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 11:33:45 NAS apache2[2901]: [auth_basic:error] [pid 2901] [client
192.168.20.62:60721] AH01617: user : authentication failure for "/admin/": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 11:34:01 NAS apache_access[2893]: Suppressed 4 duplicate messages
Jan 09 11:34:01 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 11:35:05 NAS connmand[2165]: ntp: adjust (slew): +0.002934 sec
Jan 09 11:35:47 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 11:40:36 NAS mdadm[2174]: Rebuild58 event detected on md device /dev/md0,
component device recovery
Jan 09 11:41:22 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper'
(using servicehelper)
Jan 09 11:41:23 NAS dbus[2163]: [system] Successfully activated service
'org.opensuse.Snapper'
Jan 09 11:41:58 NAS msmtpq[1387]: mail [1] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77
Jan 09 11:43:16 NAS msmtpq[2120]: 33 more mails from queue failed to send with rc = 77
Jan 09 11:51:19 NAS msmtpq[2517]: mail [1] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77

Jan 09 11:52:10 NAS connmand[2165]: ntp: adjust (slew): +0.007977 sec
Jan 09 11:52:33 NAS mdadm[2174]: RebuildFinished event detected on md device /dev/md0, component device recovery
Jan 09 11:52:33 NAS mdadm[2174]: SpareActive event detected on md device /dev/md0, component device /dev/sdb1
Jan 09 11:52:36 NAS msmtppq[3348]: 33 more mails from queue failed to send with rc = 77
Jan 09 12:01:40 NAS msmtppq[3953]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 12:02:58 NAS msmtppq[4671]: 33 more mails from queue failed to send with rc = 77
Jan 09 12:09:15 NAS connmand[2165]: ntp: adjust (slew): -0.003083 sec
Jan 09 12:11:15 NAS msmtppq[5052]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 12:12:28 NAS msmtppq[5762]: 33 more mails from queue failed to send with rc = 77
Jan 09 12:17:01 NAS CRON[5976]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 12:17:01 NAS CRON[5977]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 12:17:01 NAS CRON[5976]: pam_unix(cron:session): session closed for user root
Jan 09 12:21:31 NAS msmtppq[6215]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 12:22:52 NAS msmtppq[6955]: 33 more mails from queue failed to send with rc = 77
Jan 09 12:26:47 NAS connmand[2165]: ntp: adjust (slew): -0.008176 sec
Jan 09 12:31:56 NAS msmtppq[7613]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 12:33:10 NAS msmtppq[8334]: 33 more mails from queue failed to send with rc = 77
Jan 09 12:36:40 NAS apache_access[2893]: Admin session from 192.168.20.62 ended after 2:05:10
Jan 09 12:41:14 NAS msmtppq[8700]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 12:41:28 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 12:41:28 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 12:42:29 NAS msmtppq[9551]: 33 more mails from queue failed to send with rc = 77
Jan 09 12:43:52 NAS connmand[2165]: ntp: adjust (slew): +0.005401 sec
Jan 09 12:51:33 NAS msmtppq[10105]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 12:52:47 NAS msmtppq[10811]: 33 more mails from queue failed to send with rc = 77
Jan 09 13:00:56 NAS connmand[2165]: ntp: adjust (slew): -0.002870 sec
Jan 09 13:01:50 NAS msmtppq[11218]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 13:03:05 NAS msmtppq[11926]: 33 more mails from queue failed to send with rc = 77
Jan 09 13:11:09 NAS msmtppq[12277]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 13:12:25 NAS msmtppq[12991]: 33 more mails from queue failed to send with rc = 77
Jan 09 13:17:01 NAS CRON[13175]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 13:17:01 NAS CRON[13176]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 13:17:01 NAS CRON[13175]: pam_unix(cron:session): session closed for user root

Jan 09 13:18:00 NAS connmand[2165]: ntp: adjust (slew): +0.001251 sec

Jan 09 13:21:28 NAS msmtppq[13385]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 13:22:42 NAS msmtppq[14096]: 33 more mails from queue failed to send with rc = 77

Jan 09 13:31:46 NAS msmtppq[14632]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 13:33:01 NAS msmtppq[15354]: 33 more mails from queue failed to send with rc = 77

Jan 09 13:35:05 NAS connmand[2165]: ntp: adjust (slew): +0.000816 sec

Jan 09 13:41:05 NAS msmtppq[15723]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 13:41:33 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 13:41:33 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 13:42:19 NAS msmtppq[16598]: 33 more mails from queue failed to send with rc = 77

Jan 09 13:51:23 NAS msmtppq[17048]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 13:52:09 NAS connmand[2165]: ntp: adjust (slew): -0.000094 sec

Jan 09 13:52:37 NAS msmtppq[17755]: 33 more mails from queue failed to send with rc = 77

Jan 09 14:01:40 NAS msmtppq[18331]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 14:02:55 NAS msmtppq[19078]: 33 more mails from queue failed to send with rc = 77

Jan 09 14:09:14 NAS connmand[2165]: ntp: adjust (slew): +0.003670 sec

Jan 09 14:11:58 NAS msmtppq[19705]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 14:13:12 NAS msmtppq[20445]: 33 more mails from queue failed to send with rc = 77

Jan 09 14:17:02 NAS CRON[20655]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 14:17:02 NAS CRON[20656]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 14:17:02 NAS CRON[20655]: pam_unix(cron:session): session closed for user root

Jan 09 14:21:16 NAS msmtppq[20837]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 14:22:31 NAS msmtppq[21548]: 33 more mails from queue failed to send with rc = 77

Jan 09 14:26:48 NAS connmand[2165]: ntp: adjust (slew): -0.003871 sec

Jan 09 14:31:34 NAS msmtppq[21920]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 14:32:49 NAS msmtppq[22639]: 33 more mails from queue failed to send with rc = 77

Jan 09 14:41:38 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 14:41:39 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 14:41:53 NAS msmtppq[23125]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 14:43:08 NAS msmtpq[23840]: 33 more mails from queue failed to send with rc = 77
Jan 09 14:43:52 NAS connmand[2165]: ntp: adjust (slew): +0.021866 sec
Jan 09 14:51:11 NAS msmtpq[24127]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtq rc = 77
Jan 09 14:52:30 NAS msmtpq[24829]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:00:57 NAS connmand[2165]: ntp: adjust (slew): -0.029931 sec
Jan 09 15:01:33 NAS msmtpq[25166]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtq rc = 77
Jan 09 15:02:52 NAS msmtpq[25871]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:04:20 NAS afpd[25923]: Login by guest (AFP3.4)
Jan 09 15:04:20 NAS afpd[25923]: afp_disconnect: trying primary reconnect
Jan 09 15:04:20 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 09 15:04:20 NAS afpd[2265]: Reconnect: killing new session child[25923] after transfer
Jan 09 15:04:20 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 15:04:22 NAS afpd[25923]: afp_disconnect: primary reconnect succeeded
Jan 09 15:04:24 NAS apache2[2900]: [:error] [pid 2900] [client 192.168.20.62:60872] mod_csrft(020): request denied, expired id (8994 sec), action=deny, id=-, referer: http://192.168.20.54/admin/
Jan 09 15:04:24 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 15:04:24 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 09 15:04:24 NAS apache_access[2893]: 192.168.20.62 "GET /admin/ HTTP/1.1" 401
Jan 09 15:04:25 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 15:04:27 NAS apache2[692]: [auth_basic:error] [pid 692] [client 192.168.20.62:60883] AH01617: user : authentication failure for "/admin/": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 09 15:04:30 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 15:04:30 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 15:04:37 NAS apache2[22583]: [:error] [pid 22583] [client 192.168.20.62:60930] mod_csrft(020): request denied, expired id (9008 sec), action=deny, id=-, referer: http://192.168.20.54/admin/
Jan 09 15:04:37 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 09 15:04:38 NAS apache_access[2893]: Admin session started from 192.168.20.62
Jan 09 15:05:12 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 15:06:14 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 15:06:14 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 15:06:14 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 15:06:16 NAS apache2[22445]: [auth_basic:error] [pid 22445] [client 192.168.20.62:61056] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 09 15:06:16 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 15:06:16 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 15:06:16 NAS apache2[692]: [auth_basic:error] [pid 692] [client 192.168.20.62:61058] AH01617: user : authentication failure for "/admin/csrf.html": Password Mismatch, referer: http://192.168.20.54/admin/csrf.html
Jan 09 15:06:16 NAS apache_access[2893]: 192.168.20.62 "GET /admin/csrf.html HTTP/1.1" 401

Jan 09 15:06:16 NAS apache2[26008]: [auth_basic:error] [pid 26008] [client 192.168.20.62:61057] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 09 15:06:16 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 15:11:34 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 15:11:56 NAS msmtpq[26445]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmp rc = 77
Jan 09 15:13:11 NAS msmtpq[27145]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:17:01 NAS CRON[27294]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 15:17:01 NAS CRON[27295]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 15:17:01 NAS CRON[27294]: pam_unix(cron:session): session closed for user root
Jan 09 15:18:01 NAS connmand[2165]: ntp: adjust (slew): +0.008936 sec
Jan 09 15:21:15 NAS msmtpq[27509]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmp rc = 77
Jan 09 15:22:29 NAS msmtpq[28225]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:31:32 NAS msmtpq[28614]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmp rc = 77
Jan 09 15:32:49 NAS msmtpq[29331]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:35:06 NAS connmand[2165]: ntp: adjust (slew): -0.005003 sec
Jan 09 15:41:43 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 15:41:44 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 15:41:52 NAS msmtpq[29871]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmp rc = 77
Jan 09 15:43:06 NAS msmtpq[30588]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:51:10 NAS msmtpq[30929]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmp rc = 77
Jan 09 15:52:10 NAS connmand[2165]: ntp: adjust (slew): +0.004653 sec
Jan 09 15:52:24 NAS msmtpq[31641]: 33 more mails from queue failed to send with rc = 77
Jan 09 15:57:20 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 09 16:01:28 NAS msmtpq[32053]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmp rc = 77
Jan 09 16:02:45 NAS msmtpq[32758]: 33 more mails from queue failed to send with rc = 77
Jan 09 16:06:40 NAS apache_access[2893]: Suppressed 10 duplicate messages
Jan 09 16:06:40 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 16:06:40 NAS apache2[22445]: [:error] [pid 22445] [client 192.168.20.62:61613] mod_csrft(020): request denied, expired id (23 sec), action=deny, id=-, referer: http://192.168.20.54/admin/
Jan 09 16:06:40 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 16:06:40 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 09 16:06:40 NAS apache2[25985]: [:error] [pid 25985] [client 192.168.20.62:61614] mod_csrft(020): request denied, expired id (23 sec), action=deny, id=-, referer: http://192.168.20.54/admin/
Jan 09 16:07:00 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?

Jan 09 16:07:00 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 16:07:00 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 16:07:00 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 16:07:00 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 16:07:00 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 16:07:02 NAS apache2[2900]: [auth_basic:error] [pid 2900] [client
192.168.20.62:61636] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 16:07:02 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 16:07:02 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 16:07:02 NAS apache2[22445]: [auth_basic:error] [pid 22445] [client
192.168.20.62:61635] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 16:07:02 NAS apache2[26008]: [auth_basic:error] [pid 26008] [client
192.168.20.62:61638] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 16:07:02 NAS apache2[25985]: [auth_basic:error] [pid 25985] [client
192.168.20.62:61637] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 16:07:02 NAS apache2[22583]: [auth_basic:error] [pid 22583] [client
192.168.20.62:61640] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 16:07:02 NAS apache2[22601]: [auth_basic:error] [pid 22601] [client
192.168.20.62:61639] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 16:07:47 NAS apache_access[2893]: Suppressed 5 duplicate messages
Jan 09 16:07:47 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 16:07:49 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 16:08:04 NAS apache_access[2893]: 192.168.20.62 "POST /fwbroker HTTP/1.1" 401
Jan 09 16:08:04 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 16:08:29 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 09 16:09:15 NAS connmand[2165]: ntp: adjust (slew): -0.002552 sec
Jan 09 16:11:50 NAS msmtpq[990]: mail [1] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpq rc = 77
Jan 09 16:13:05 NAS msmtpq[1750]: 33 more mails from queue failed to send with rc = 77
Jan 09 16:13:32 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 16:14:20 NAS afpd[1818]: Login by guest (AFP3.4)
Jan 09 16:14:20 NAS afpd[1818]: afp_disconnect: trying primary reconnect
Jan 09 16:14:20 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 09 16:14:20 NAS afpd[2265]: Reconnect: killing new session child[1818] after transfer
Jan 09 16:14:20 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 16:14:21 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 16:14:22 NAS afpd[1818]: afp_disconnect: primary reconnect succeeded
Jan 09 16:17:01 NAS CRON[1935]: pam_unix(cron:session): session opened for user root by
(uid=0)
Jan 09 16:17:01 NAS CRON[1936]: (root) CMD (cd / && run-parts --report
/etc/cron.hourly)

Jan 09 16:17:01 NAS CRON[1935]: pam_unix(cron:session): session closed for user root
Jan 09 16:21:08 NAS msmtppq[2144]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 16:22:27 NAS msmtppq[2944]: 33 more mails from queue failed to send with rc = 77
Jan 09 16:26:48 NAS connmand[2165]: ntp: adjust (slew): +0.002137 sec
Jan 09 16:31:31 NAS msmtppq[3389]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 16:32:46 NAS msmtppq[4124]: 33 more mails from queue failed to send with rc = 77
Jan 09 16:32:57 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 09 16:41:48 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 16:41:48 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 16:41:49 NAS msmtppq[4591]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 16:43:05 NAS msmtppq[5429]: 33 more mails from queue failed to send with rc = 77
Jan 09 16:43:53 NAS connmand[2165]: ntp: adjust (slew): +0.015606 sec
Jan 09 16:51:09 NAS msmtppq[5876]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 16:52:24 NAS msmtppq[6587]: 33 more mails from queue failed to send with rc = 77
Jan 09 17:00:58 NAS connmand[2165]: ntp: adjust (slew): -0.015519 sec
Jan 09 17:01:28 NAS msmtppq[7043]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 17:02:45 NAS msmtppq[7755]: 33 more mails from queue failed to send with rc = 77
Jan 09 17:09:54 NAS apache_access[2893]: Suppressed 11 duplicate messages
Jan 09 17:09:54 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 17:09:55 NAS apache2[22445]: [:error] [pid 22445] [client 192.168.20.62:63067] mod_csrp(020): request denied, expired id (44 sec), action=deny, id=-, referer: http://192.168.20.54/admin/
Jan 09 17:09:55 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 09 17:10:11 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 17:11:49 NAS msmtppq[8406]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 17:11:49 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 17:12:07 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 17:12:07 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 17:12:09 NAS apache2[2897]: [auth_basic:error] [pid 2897] [client 192.168.20.62:63168] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 09 17:12:09 NAS apache2[692]: [auth_basic:error] [pid 692] [client 192.168.20.62:63169] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 09 17:12:09 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 17:12:09 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 17:13:05 NAS msmtppq[9143]: 33 more mails from queue failed to send with rc = 77
Jan 09 17:17:02 NAS CRON[9316]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 17:17:02 NAS CRON[9317]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 17:17:02 NAS CRON[9316]: pam_unix(cron:session): session closed for user root

Jan 09 17:18:03 NAS connmand[2165]: ntp: adjust (slew): +0.025304 sec

Jan 09 17:21:09 NAS msmtppq[9600]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 17:22:25 NAS msmtppq[10347]: 33 more mails from queue failed to send with rc = 77

Jan 09 17:31:28 NAS msmtppq[10935]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 17:32:45 NAS msmtppq[11651]: 33 more mails from queue failed to send with rc = 77

Jan 09 17:33:03 NAS afpd[3407]: read: Connection timed out

Jan 09 17:33:03 NAS afpd[3407]: dsi_stream_read: len:-1, Connection timed out

Jan 09 17:33:03 NAS afpd[3407]: dsi_stream_read: len:0, unexpected EOF

Jan 09 17:33:03 NAS afpd[3407]: dsi_disconnect: entering disconnected state

Jan 09 17:35:08 NAS connmand[2165]: ntp: adjust (slew): -0.037063 sec

Jan 09 17:41:49 NAS msmtppq[12186]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 17:41:54 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 17:41:54 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 17:43:04 NAS msmtppq[13089]: 33 more mails from queue failed to send with rc = 77

Jan 09 17:51:08 NAS msmtppq[13557]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 17:52:13 NAS connmand[2165]: ntp: adjust (slew): +0.005091 sec

Jan 09 17:52:24 NAS msmtppq[14274]: 33 more mails from queue failed to send with rc = 77

Jan 09 18:01:28 NAS msmtppq[14705]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 18:02:45 NAS msmtppq[15421]: 33 more mails from queue failed to send with rc = 77

Jan 09 18:09:18 NAS connmand[2165]: ntp: adjust (slew): -0.003192 sec

Jan 09 18:11:49 NAS msmtppq[15977]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 18:12:51 NAS apache_access[2893]: Admin session from 192.168.20.62 ended after 3:08:13

Jan 09 18:13:04 NAS msmtppq[16738]: 33 more mails from queue failed to send with rc = 77

Jan 09 18:17:01 NAS CRON[16972]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 18:17:01 NAS CRON[16973]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 18:17:01 NAS CRON[16972]: pam_unix(cron:session): session closed for user root

Jan 09 18:21:09 NAS msmtppq[17257]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 18:22:24 NAS msmtppq[18002]: 33 more mails from queue failed to send with rc = 77

Jan 09 18:26:48 NAS connmand[2165]: ntp: adjust (slew): +0.005362 sec

Jan 09 18:31:28 NAS msmtppq[18523]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 18:32:43 NAS msmtppq[19238]: 33 more mails from queue failed to send with rc = 77

Jan 09 18:41:47 NAS msmtppq[19666]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 18:41:59 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 18:41:59 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 18:43:03 NAS msmtppq[20537]: 33 more mails from queue failed to send with rc = 77
Jan 09 18:43:53 NAS connmand[2165]: ntp: adjust (slew): +0.006434 sec
Jan 09 18:51:06 NAS msmtppq[20911]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 18:52:21 NAS msmtppq[21627]: 33 more mails from queue failed to send with rc = 77
Jan 09 19:00:57 NAS connmand[2165]: ntp: adjust (slew): +0.024079 sec
Jan 09 19:01:24 NAS msmtppq[22040]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 19:02:42 NAS msmtppq[22759]: 33 more mails from queue failed to send with rc = 77
Jan 09 19:11:46 NAS msmtppq[23286]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 19:13:01 NAS msmtppq[24035]: 33 more mails from queue failed to send with rc = 77
Jan 09 19:13:35 NAS afpd[23543]: afp_alarm: reconnect timer expired, goodbye
Jan 09 19:13:35 NAS afpd[23543]: Disconnected session terminating
Jan 09 19:17:01 NAS CRON[24302]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 19:17:01 NAS CRON[24303]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 19:17:01 NAS CRON[24302]: pam_unix(cron:session): session closed for user root
Jan 09 19:18:02 NAS connmand[2165]: ntp: adjust (slew): -0.028516 sec
Jan 09 19:21:06 NAS msmtppq[24537]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 19:22:23 NAS msmtppq[25250]: 33 more mails from queue failed to send with rc = 77
Jan 09 19:31:26 NAS msmtppq[25670]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 19:32:43 NAS msmtppq[26383]: 33 more mails from queue failed to send with rc = 77
Jan 09 19:35:07 NAS connmand[2165]: ntp: adjust (slew): -0.002097 sec
Jan 09 19:41:47 NAS msmtppq[26849]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 19:42:04 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 19:42:04 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 19:43:02 NAS msmtppq[27751]: 33 more mails from queue failed to send with rc = 77
Jan 09 19:51:06 NAS msmtppq[28293]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 19:52:11 NAS connmand[2165]: ntp: adjust (slew): +0.003154 sec
Jan 09 19:52:25 NAS msmtppq[29023]: 33 more mails from queue failed to send with rc = 77
Jan 09 20:01:29 NAS msmtppq[29657]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 20:02:51 NAS msmtppq[30424]: 33 more mails from queue failed to send with rc = 77

Jan 09 20:09:16 NAS connmand[2165]: ntp: adjust (slew): +0.013229 sec
Jan 09 20:11:55 NAS msmtppq[31022]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 20:13:11 NAS msmtppq[31770]: 33 more mails from queue failed to send with rc = 77
Jan 09 20:17:02 NAS CRON[32019]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 20:17:02 NAS CRON[32020]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 20:17:02 NAS CRON[32019]: pam_unix(cron:session): session closed for user root
Jan 09 20:21:15 NAS msmtppq[32328]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 20:22:34 NAS msmtppq[641]: 33 more mails from queue failed to send with rc = 77
Jan 09 20:26:48 NAS connmand[2165]: ntp: adjust (slew): -0.021909 sec
Jan 09 20:31:38 NAS msmtppq[1277]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 20:32:55 NAS msmtppq[2053]: 33 more mails from queue failed to send with rc = 77
Jan 09 20:41:59 NAS msmtppq[2672]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 20:42:09 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 20:42:09 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 20:43:22 NAS msmtppq[3609]: mail [33] [2020-01-09-11.23.40] from queue ; couldn't be sent - host not connected
Jan 09 20:43:27 NAS msmtppq[3639]: 33 more mails from queue failed to send with rc = 77
Jan 09 20:43:53 NAS connmand[2165]: ntp: adjust (slew): +0.008189 sec
Jan 09 20:51:31 NAS msmtppq[4191]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 20:53:03 NAS msmtppq[4949]: 33 more mails from queue failed to send with rc = 77
Jan 09 21:00:58 NAS connmand[2165]: ntp: adjust (slew): -0.002719 sec
Jan 09 21:01:07 NAS msmtppq[5472]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 21:02:00 NAS msmtppq[5870]: mail [18] [2020-01-07-07.35.57] from queue ; couldn't be sent - host not connected
Jan 09 21:02:42 NAS msmtppq[6228]: 33 more mails from queue failed to send with rc = 77
Jan 09 21:11:47 NAS msmtppq[6747]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 21:13:04 NAS msmtppq[7489]: 33 more mails from queue failed to send with rc = 77
Jan 09 21:17:02 NAS CRON[7722]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 21:17:02 NAS CRON[7723]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 21:17:02 NAS CRON[7722]: pam_unix(cron:session): session closed for user root
Jan 09 21:17:21 NAS afpd[7744]: Login by guest (AFP3.4)
Jan 09 21:17:21 NAS afpd[7744]: afp_disconnect: trying primary reconnect
Jan 09 21:17:21 NAS afpd[2265]: Reconnect: transferring session to child[3407]
Jan 09 21:17:21 NAS afpd[2265]: Reconnect: killing new session child[7744] after transfer

Jan 09 21:17:21 NAS afpd[3407]: afp_dsi_transfer_session: succesfull primary reconnect
Jan 09 21:17:21 NAS afpd[3407]: AFP Replay Cache match: id: 8996 / cmd:
AFP_GETFLDRPARAM
Jan 09 21:17:23 NAS afpd[7744]: afp_disconnect: primary reconnect succeeded
Jan 09 21:17:25 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 21:18:03 NAS connmand[2165]: ntp: adjust (slew): -0.008390 sec
Jan 09 21:18:08 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 09 21:18:15 NAS afpd[3407]: afp_zzz: entering extended sleep
Jan 09 21:21:08 NAS msmtpq[7985]: mail [1] [2020-01-03-01.00.46] from queue ; send
failed ; msmtpp rc = 77
Jan 09 21:21:54 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 21:21:54 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 21:21:55 NAS apache2[8123]: [:error] [pid 8123] [client 192.168.20.62:63363]
mod_csrft(020): request denied, expired id (11483 sec), action=deny, id=-, referer:
http://192.168.20.54/admin/
Jan 09 21:21:55 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 21:21:55 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 09 21:21:56 NAS apache2[22583]: [:error] [pid 22583] [client 192.168.20.62:63362]
mod_csrft(020): request denied, expired id (11483 sec), action=deny, id=-, referer:
http://192.168.20.54/admin/
Jan 09 21:21:56 NAS apache_access[2893]: Admin session started from 192.168.20.62
Jan 09 21:22:23 NAS msmtpq[8721]: 33 more mails from queue failed to send with rc = 77
Jan 09 21:27:24 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 21:27:25 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 21:27:25 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 21:27:25 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 21:27:25 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 21:27:26 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 09 21:27:26 NAS apache2[2896]: [auth_basic:error] [pid 2896] [client
192.168.20.62:63394] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 21:27:26 NAS apache_access[2893]: Suppressed 1 duplicate messages
Jan 09 21:27:26 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 21:27:27 NAS apache2[8123]: [auth_basic:error] [pid 8123] [client
192.168.20.62:63396] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 21:27:27 NAS apache2[2900]: [auth_basic:error] [pid 2900] [client
192.168.20.62:63395] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 21:27:27 NAS apache2[22583]: [auth_basic:error] [pid 22583] [client
192.168.20.62:63398] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/
Jan 09 21:27:27 NAS apache2[22445]: [auth_basic:error] [pid 22445] [client
192.168.20.62:63397] AH01617: user : authentication failure for "/dbbroker": Password
Mismatch, referer: http://192.168.20.54/admin/

Jan 09 21:27:28 NAS apache2[22612]: [auth_basic:error] [pid 22612] [client 192.168.20.62:63400] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 09 21:27:29 NAS apache_access[2893]: Suppressed 5 duplicate messages
Jan 09 21:27:29 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 21:27:48 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 21:28:12 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 09 21:31:27 NAS msmtppq[9332]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 21:32:43 NAS msmtppq[10074]: 33 more mails from queue failed to send with rc = 77
Jan 09 21:35:08 NAS connmand[2165]: ntp: adjust (slew): +0.021916 sec
Jan 09 21:41:47 NAS msmtppq[10675]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 21:42:14 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 09 21:42:15 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 09 21:43:03 NAS msmtppq[11590]: 33 more mails from queue failed to send with rc = 77
Jan 09 21:51:07 NAS msmtppq[12158]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 21:52:12 NAS connmand[2165]: ntp: adjust (slew): -0.000893 sec
Jan 09 21:52:25 NAS msmtppq[12892]: 33 more mails from queue failed to send with rc = 77
Jan 09 22:01:30 NAS msmtppq[13507]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 22:02:47 NAS msmtppq[14240]: 33 more mails from queue failed to send with rc = 77
Jan 09 22:04:29 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 09 22:09:17 NAS connmand[2165]: ntp: adjust (slew): -0.018329 sec
Jan 09 22:11:52 NAS msmtppq[14880]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 22:13:08 NAS msmtppq[15617]: 33 more mails from queue failed to send with rc = 77
Jan 09 22:17:02 NAS CRON[15864]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 09 22:17:02 NAS CRON[15865]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 09 22:17:02 NAS CRON[15864]: pam_unix(cron:session): session closed for user root
Jan 09 22:21:12 NAS msmtppq[16300]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 22:22:28 NAS msmtppq[17041]: 33 more mails from queue failed to send with rc = 77
Jan 09 22:26:48 NAS connmand[2165]: ntp: adjust (slew): -0.002139 sec
Jan 09 22:31:32 NAS msmtppq[17412]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 22:32:46 NAS msmtppq[18111]: 33 more mails from queue failed to send with rc = 77
Jan 09 22:41:49 NAS msmtppq[18465]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77
Jan 09 22:42:19 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 22:42:20 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 22:43:06 NAS msmtppq[19330]: 33 more mails from queue failed to send with rc = 77

Jan 09 22:43:52 NAS connmand[2165]: ntp: adjust (slew): +0.022520 sec

Jan 09 22:51:09 NAS msmtppq[19690]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 22:52:23 NAS msmtppq[20397]: 33 more mails from queue failed to send with rc = 77

Jan 09 23:00:57 NAS connmand[2165]: ntp: adjust (slew): +0.004843 sec

Jan 09 23:01:27 NAS msmtppq[20803]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 23:02:43 NAS msmtppq[21510]: 33 more mails from queue failed to send with rc = 77

Jan 09 23:11:46 NAS msmtppq[21934]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 23:13:02 NAS msmtppq[22654]: 33 more mails from queue failed to send with rc = 77

Jan 09 23:17:02 NAS CRON[22831]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 09 23:17:02 NAS CRON[22832]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 09 23:17:02 NAS CRON[22831]: pam_unix(cron:session): session closed for user root

Jan 09 23:18:01 NAS connmand[2165]: ntp: adjust (slew): -0.006472 sec

Jan 09 23:21:05 NAS msmtppq[23038]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 23:22:21 NAS msmtppq[23761]: 33 more mails from queue failed to send with rc = 77

Jan 09 23:31:24 NAS msmtppq[24165]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 23:32:39 NAS msmtppq[24882]: 33 more mails from queue failed to send with rc = 77

Jan 09 23:35:06 NAS connmand[2165]: ntp: adjust (slew): -0.006978 sec

Jan 09 23:41:43 NAS msmtppq[25274]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 23:42:25 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 09 23:42:25 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 09 23:42:58 NAS msmtppq[26143]: 33 more mails from queue failed to send with rc = 77

Jan 09 23:49:08 NAS apache_access[2893]: Admin session from 192.168.20.62 ended after 2:27:12

Jan 09 23:52:01 NAS msmtppq[26528]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 09 23:52:12 NAS connmand[2165]: ntp: adjust (slew): -0.012396 sec

Jan 09 23:53:15 NAS msmtppq[27239]: 33 more mails from queue failed to send with rc = 77

Jan 10 00:01:19 NAS msmtppq[27582]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 10 00:02:38 NAS msmtppq[28295]: 33 more mails from queue failed to send with rc = 77

Jan 10 00:09:16 NAS connmand[2165]: ntp: adjust (slew): +0.005826 sec

Jan 10 00:11:42 NAS msmtppq[28697]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtpp rc = 77

Jan 10 00:12:56 NAS msmtppq[29416]: 33 more mails from queue failed to send with rc = 77

Jan 10 00:17:01 NAS CRON[29576]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 10 00:17:01 NAS CRON[29578]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 10 00:17:01 NAS CRON[29576]: pam_unix(cron:session): session closed for user root

Jan 10 00:22:00 NAS msmtmq[29807]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77

Jan 10 00:23:25 NAS msmtmq[30528]: 33 more mails from queue failed to send with rc = 77

Jan 10 00:26:48 NAS connmand[2165]: ntp: adjust (slew): +0.003284 sec

Jan 10 00:27:32 NAS apache_access[2893]: Suppressed 3 duplicate messages

Jan 10 00:27:32 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401

Jan 10 00:27:33 NAS apache2[2896]: [:error] [pid 2896] [client 192.168.20.62:63816] mod_csrft(020): request denied, expired id (5013 sec), action=deny, id=-, referer: http://192.168.20.54/admin/

Jan 10 00:27:33 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403

Jan 10 00:27:34 NAS apache_access[2893]: Admin session started from 192.168.20.62

Jan 10 00:28:50 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200

Jan 10 00:29:22 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?

Jan 10 00:29:24 NAS apache2[22445]: [auth_basic:error] [pid 22445] [client 192.168.20.62:63866] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/

Jan 10 00:29:24 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401

Jan 10 00:31:29 NAS msmtmq[31088]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77

Jan 10 00:32:44 NAS msmtmq[31848]: 33 more mails from queue failed to send with rc = 77

Jan 10 00:41:48 NAS msmtmq[32220]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77

Jan 10 00:42:30 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 10 00:42:30 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 10 00:43:05 NAS msmtmq[653]: 33 more mails from queue failed to send with rc = 77

Jan 10 00:43:52 NAS connmand[2165]: ntp: adjust (slew): +0.000777 sec

Jan 10 00:51:08 NAS msmtmq[1202]: mail [1] [2020-01-03-01.00.46] from queue ; send failed ; msmtmq rc = 77

Jan 10 00:52:22 NAS msmtmq[1954]: 33 more mails from queue failed to send with rc = 77

Jan 10 01:00:26 NAS msmtmq[2369]: mail for [-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60] : send was unsuccessful ; msmtmq exit code was 77

Jan 10 01:00:26 NAS msmtmq[2371]: enqueued mail as : [2020-01-10-01.00.23] (-C /etc/msmtprc malcolm.flanagan@gmail.com --timeout=60)

Jan 10 01:00:57 NAS connmand[2165]: ntp: adjust (slew): +0.019153 sec

Jan 10 01:01:30 NAS msmtmq[2461]: mail [2] [2020-01-03-12.28.27] from queue ; send failed ; msmtmq rc = 77

Jan 10 01:02:47 NAS msmtmq[3237]: 33 more mails from queue failed to send with rc = 77

Jan 10 01:11:51 NAS msmtmq[3644]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtmq rc = 77

Jan 10 01:13:04 NAS msmtppq[4370]: 33 more mails from queue failed to send with rc = 77
Jan 10 01:17:01 NAS CRON[4530]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 10 01:17:01 NAS CRON[4531]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 10 01:17:01 NAS CRON[4530]: pam_unix(cron:session): session closed for user root
Jan 10 01:18:02 NAS connmand[2165]: ntp: adjust (slew): -0.015070 sec
Jan 10 01:21:22 NAS msmtppq[4745]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 01:22:38 NAS msmtppq[5448]: 33 more mails from queue failed to send with rc = 77
Jan 10 01:31:41 NAS msmtppq[5843]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 01:32:56 NAS msmtppq[6557]: 33 more mails from queue failed to send with rc = 77
Jan 10 01:35:07 NAS connmand[2165]: ntp: adjust (slew): -0.005492 sec
Jan 10 01:41:59 NAS msmtppq[6945]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 01:42:35 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 01:42:35 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 01:43:16 NAS msmtppq[7804]: 33 more mails from queue failed to send with rc = 77
Jan 10 01:51:20 NAS msmtppq[8147]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 01:52:12 NAS connmand[2165]: ntp: adjust (slew): +0.005108 sec
Jan 10 01:52:36 NAS msmtppq[8854]: 33 more mails from queue failed to send with rc = 77
Jan 10 02:01:07 NAS apache_access[2893]: Admin session from 192.168.20.62 ended after 1:33:33
Jan 10 02:01:41 NAS msmtppq[9243]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 02:03:08 NAS msmtppq[9974]: 33 more mails from queue failed to send with rc = 77
Jan 10 02:09:17 NAS connmand[2165]: ntp: adjust (slew): -0.000593 sec
Jan 10 02:11:12 NAS msmtppq[10311]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 02:12:39 NAS msmtppq[11027]: 33 more mails from queue failed to send with rc = 77
Jan 10 02:17:01 NAS CRON[11271]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 10 02:17:01 NAS CRON[11272]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 10 02:17:01 NAS CRON[11271]: pam_unix(cron:session): session closed for user root
Jan 10 02:21:44 NAS msmtppq[11498]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 02:23:23 NAS msmtppq[12231]: 33 more mails from queue failed to send with rc = 77
Jan 10 02:26:48 NAS connmand[2165]: ntp: adjust (slew): -0.012323 sec
Jan 10 02:31:28 NAS msmtppq[12568]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 02:33:08 NAS msmtppq[13302]: 33 more mails from queue failed to send with rc = 77

Jan 10 02:41:13 NAS msmtppq[13635]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 02:42:41 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 10 02:42:41 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 10 02:42:54 NAS msmtppq[14514]: 33 more mails from queue failed to send with rc = 77

Jan 10 02:43:52 NAS connmand[2165]: ntp: adjust (slew): +0.005312 sec

Jan 10 02:51:59 NAS msmtppq[14898]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 02:52:39 NAS mdadm[2174]: Rebuild20 event detected on md device /dev/md127, component device recovery

Jan 10 02:53:38 NAS msmtppq[15653]: 33 more mails from queue failed to send with rc = 77

Jan 10 03:00:57 NAS connmand[2165]: ntp: adjust (slew): +0.005135 sec

Jan 10 03:01:43 NAS msmtppq[16058]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 03:03:20 NAS msmtppq[16787]: 33 more mails from queue failed to send with rc = 77

Jan 10 03:11:25 NAS msmtppq[17234]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 03:13:02 NAS msmtppq[17985]: 33 more mails from queue failed to send with rc = 77

Jan 10 03:17:01 NAS CRON[18186]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 10 03:17:01 NAS CRON[18187]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 10 03:17:01 NAS CRON[18186]: pam_unix(cron:session): session closed for user root

Jan 10 03:18:02 NAS connmand[2165]: ntp: adjust (slew): -0.001432 sec

Jan 10 03:20:45 NAS apache_access[2893]: Suppressed 7 duplicate messages

Jan 10 03:20:45 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401

Jan 10 03:20:46 NAS apache2[8950]: [:error] [pid 8950] [client 192.168.20.62:64260] mod_csrft(020): request denied, expired id (6713 sec), action=deny, id=-, referer: http://192.168.20.54/admin/

Jan 10 03:20:46 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403

Jan 10 03:20:48 NAS apache_access[2893]: Admin session started from 192.168.20.62

Jan 10 03:21:08 NAS msmtppq[18454]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 03:21:53 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200

Jan 10 03:22:49 NAS msmtppq[19311]: 33 more mails from queue failed to send with rc = 77

Jan 10 03:23:22 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?

Jan 10 03:23:24 NAS apache2[30770]: [auth_basic:error] [pid 30770] [client 192.168.20.62:64331] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/

Jan 10 03:23:24 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401

Jan 10 03:31:53 NAS msmtppq[19725]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 03:32:25 NAS msmtppq[19942]: mail [11] [2020-01-04-01.00.19] from queue ; send failed ; msmtpp rc = 68

Jan 10 03:32:27 NAS msmtppq[19967]: mail [12] [2020-01-05-01.00.55] from queue ; send failed ; msmtpp rc = 77
Jan 10 03:33:17 NAS msmtppq[20442]: 31 more mails from queue failed to send with rc = 77
Jan 10 03:35:07 NAS connmand[2165]: ntp: adjust (slew): +0.021033 sec
Jan 10 03:41:21 NAS msmtppq[20797]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 03:42:35 NAS msmtppq[21509]: 33 more mails from queue failed to send with rc = 77
Jan 10 03:42:51 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 03:42:51 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 03:51:38 NAS msmtppq[22199]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 03:52:12 NAS connmand[2165]: ntp: adjust (slew): -0.021872 sec
Jan 10 03:52:53 NAS msmtppq[22944]: 33 more mails from queue failed to send with rc = 77
Jan 10 04:01:57 NAS msmtppq[23419]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 04:03:15 NAS msmtppq[24143]: 33 more mails from queue failed to send with rc = 77
Jan 10 04:09:16 NAS connmand[2165]: ntp: adjust (slew): -0.005710 sec
Jan 10 04:11:18 NAS msmtppq[24481]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 04:12:32 NAS msmtppq[25186]: 33 more mails from queue failed to send with rc = 77
Jan 10 04:17:01 NAS CRON[25364]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 10 04:17:01 NAS CRON[25365]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 10 04:17:01 NAS CRON[25364]: pam_unix(cron:session): session closed for user root
Jan 10 04:21:36 NAS msmtppq[25581]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 04:22:55 NAS msmtppq[26296]: 33 more mails from queue failed to send with rc = 77
Jan 10 04:26:48 NAS connmand[2165]: ntp: adjust (slew): +0.003189 sec
Jan 10 04:32:00 NAS msmtppq[26688]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 04:33:15 NAS msmtppq[27397]: 33 more mails from queue failed to send with rc = 77
Jan 10 04:41:19 NAS msmtppq[27750]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 04:42:36 NAS msmtppq[28459]: 33 more mails from queue failed to send with rc = 77
Jan 10 04:42:55 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 04:42:56 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 04:43:53 NAS connmand[2165]: ntp: adjust (slew): -0.000879 sec
Jan 10 04:49:58 NAS apache_access[2893]: Admin session from 192.168.20.62 ended after 1:29:10
Jan 10 04:51:39 NAS msmtppq[28999]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 04:52:54 NAS msmtppq[29715]: 33 more mails from queue failed to send with rc = 77

Jan 10 05:00:58 NAS connmand[2165]: ntp: adjust (slew): +0.021765 sec
Jan 10 05:01:58 NAS msmtppq[30122]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 05:03:16 NAS msmtppq[30846]: 33 more mails from queue failed to send with rc = 77
Jan 10 05:11:19 NAS msmtppq[31180]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 05:12:34 NAS msmtppq[31894]: 33 more mails from queue failed to send with rc = 77
Jan 10 05:17:01 NAS CRON[32087]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 10 05:17:01 NAS CRON[32088]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 10 05:17:01 NAS CRON[32087]: pam_unix(cron:session): session closed for user root
Jan 10 05:18:03 NAS connmand[2165]: ntp: adjust (slew): -0.014548 sec
Jan 10 05:21:37 NAS msmtppq[32300]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 05:22:51 NAS msmtppq[558]: 33 more mails from queue failed to send with rc = 77
Jan 10 05:31:55 NAS msmtppq[994]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 05:33:10 NAS msmtppq[1747]: 33 more mails from queue failed to send with rc = 77
Jan 10 05:35:07 NAS connmand[2165]: ntp: adjust (slew): -0.006489 sec
Jan 10 05:41:14 NAS msmtppq[2087]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 05:42:30 NAS msmtppq[2874]: 33 more mails from queue failed to send with rc = 77
Jan 10 05:43:00 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 05:43:00 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 05:51:33 NAS msmtppq[3434]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 05:52:13 NAS connmand[2165]: ntp: adjust (slew): -0.003271 sec
Jan 10 05:52:54 NAS msmtppq[4171]: 33 more mails from queue failed to send with rc = 77
Jan 10 06:02:06 NAS msmtppq[4567]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 06:03:23 NAS msmtppq[5283]: 33 more mails from queue failed to send with rc = 77
Jan 10 06:09:17 NAS connmand[2165]: ntp: adjust (slew): +0.000407 sec
Jan 10 06:11:26 NAS msmtppq[5624]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 06:12:45 NAS msmtppq[6330]: 33 more mails from queue failed to send with rc = 77
Jan 10 06:17:01 NAS CRON[6504]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 10 06:17:02 NAS CRON[6505]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 10 06:17:02 NAS CRON[6504]: pam_unix(cron:session): session closed for user root
Jan 10 06:21:49 NAS msmtppq[6706]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 06:23:06 NAS msmtppq[7434]: 33 more mails from queue failed to send with rc = 77

Jan 10 06:25:01 NAS CRON[7509]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 10 06:25:01 NAS CRON[7510]: (root) CMD (test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.daily))

Jan 10 06:25:01 NAS CRON[7509]: pam_unix(cron:session): session closed for user root

Jan 10 06:26:49 NAS connmand[2165]: ntp: adjust (slew): +0.015012 sec

Jan 10 06:31:10 NAS msmtppq[7789]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 06:32:27 NAS msmtppq[8497]: 33 more mails from queue failed to send with rc = 77

Jan 10 06:41:31 NAS msmtppq[8878]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 06:42:48 NAS msmtppq[9584]: 33 more mails from queue failed to send with rc = 77

Jan 10 06:43:05 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)

Jan 10 06:43:05 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'

Jan 10 06:43:53 NAS connmand[2165]: ntp: adjust (slew): +0.003333 sec

Jan 10 06:51:52 NAS msmtppq[10120]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 06:53:10 NAS msmtppq[10837]: 33 more mails from queue failed to send with rc = 77

Jan 10 07:01:04 NAS connmand[2165]: ntp: adjust (slew): +0.002411 sec

Jan 10 07:01:14 NAS msmtppq[11174]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 07:02:30 NAS msmtppq[11884]: 33 more mails from queue failed to send with rc = 77

Jan 10 07:11:34 NAS msmtppq[12273]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 07:12:49 NAS msmtppq[12987]: 33 more mails from queue failed to send with rc = 77

Jan 10 07:17:01 NAS CRON[13155]: pam_unix(cron:session): session opened for user root by (uid=0)

Jan 10 07:17:01 NAS CRON[13156]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)

Jan 10 07:17:02 NAS CRON[13155]: pam_unix(cron:session): session closed for user root

Jan 10 07:17:50 NAS apache2[22445]: [:error] [pid 22445] [client 192.168.20.62:64720] mod_csrft(020): request denied, expired id (10564 sec), action=deny, id=-, referer: http://192.168.20.54/admin/

Jan 10 07:17:50 NAS apache_access[2893]: Suppressed 7 duplicate messages

Jan 10 07:17:50 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403

Jan 10 07:17:51 NAS apache_access[2893]: Admin session started from 192.168.20.62

Jan 10 07:17:51 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?

Jan 10 07:17:53 NAS apache2[8950]: [auth_basic:error] [pid 8950] [client 192.168.20.62:64723] AH01617: user : authentication failure for "/admin/": Password Mismatch, referer: http://192.168.20.54/admin/

Jan 10 07:17:53 NAS apache_access[2893]: 192.168.20.62 "GET /admin/ HTTP/1.1" 401

Jan 10 07:17:54 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401

Jan 10 07:18:09 NAS connmand[2165]: ntp: adjust (slew): +0.020078 sec

Jan 10 07:21:53 NAS msmtppq[13406]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77

Jan 10 07:23:11 NAS msmtpq[14138]: 33 more mails from queue failed to send with rc = 77
Jan 10 07:24:07 NAS apache_access[2893]: Suppressed 3 duplicate messages
Jan 10 07:24:07 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 10 07:25:09 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 10 07:31:15 NAS msmtpq[14656]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 07:32:29 NAS msmtpq[15362]: 33 more mails from queue failed to send with rc = 77
Jan 10 07:35:13 NAS connmand[2165]: ntp: adjust (slew): -0.026920 sec
Jan 10 07:41:33 NAS msmtpq[15750]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 07:42:50 NAS msmtpq[16465]: 33 more mails from queue failed to send with rc = 77
Jan 10 07:43:10 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 07:43:10 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 07:51:54 NAS msmtpq[17003]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 07:52:18 NAS connmand[2165]: ntp: adjust (slew): -0.019822 sec
Jan 10 07:53:10 NAS msmtpq[17717]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:01:13 NAS msmtpq[18055]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 08:02:32 NAS msmtpq[18770]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:09:23 NAS connmand[2165]: ntp: adjust (slew): +0.006594 sec
Jan 10 08:11:36 NAS msmtpq[19160]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 08:12:54 NAS msmtpq[19881]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:17:01 NAS CRON[20048]: pam_unix(cron:session): session opened for user root by (uid=0)
Jan 10 08:17:01 NAS CRON[20049]: (root) CMD (cd / && run-parts --report /etc/cron.hourly)
Jan 10 08:17:01 NAS CRON[20048]: pam_unix(cron:session): session closed for user root
Jan 10 08:21:58 NAS msmtpq[20278]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 08:23:21 NAS msmtpq[21001]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:26:49 NAS connmand[2165]: ntp: adjust (slew): -0.018945 sec
Jan 10 08:31:26 NAS msmtpq[21354]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 08:32:49 NAS msmtpq[22069]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:41:53 NAS msmtpq[22455]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtprc = 77
Jan 10 08:43:10 NAS msmtpq[23176]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:43:14 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 08:43:15 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 08:43:30 NAS apache_access[2893]: Suppressed 5 duplicate messages
Jan 10 08:43:30 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401

Jan 10 08:43:30 NAS apache2[8950]: [:error] [pid 8950] [client 192.168.20.62:65364] mod_csrft(020): request denied, expired id (1204 sec), action=deny, id=-, referer: http://192.168.20.54/admin/
Jan 10 08:43:30 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 403
Jan 10 08:43:53 NAS connmand[2165]: ntp: adjust (slew): +0.029500 sec
Jan 10 08:49:04 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 10 08:49:04 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 10 08:49:04 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 10 08:49:04 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 10 08:49:04 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 10 08:49:05 NAS apache2[2894]: pam_tally2(apache:auth): pam_get_uid; user?
Jan 10 08:49:06 NAS apache2[18383]: [auth_basic:error] [pid 18383] [client 192.168.20.62:65382] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 10 08:49:06 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 10 08:49:06 NAS apache2[14145]: [auth_basic:error] [pid 14145] [client 192.168.20.62:65384] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 10 08:49:06 NAS apache2[22583]: [auth_basic:error] [pid 22583] [client 192.168.20.62:65383] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 10 08:49:06 NAS apache2[30770]: [auth_basic:error] [pid 30770] [client 192.168.20.62:65386] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 10 08:49:06 NAS apache2[8158]: [auth_basic:error] [pid 8158] [client 192.168.20.62:65387] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 10 08:49:07 NAS apache2[8950]: [auth_basic:error] [pid 8950] [client 192.168.20.62:65388] AH01617: user : authentication failure for "/dbbroker": Password Mismatch, referer: http://192.168.20.54/admin/
Jan 10 08:49:09 NAS apache_access[2893]: Suppressed 5 duplicate messages
Jan 10 08:49:09 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 10 08:49:29 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 10 08:50:27 NAS apache_access[2893]: ::1 "OPTIONS * HTTP/1.0" 200
Jan 10 08:51:14 NAS msmtppq[23884]: mail [1] [2020-01-03-12.28.27] from queue ; send failed ; msmtpp rc = 77
Jan 10 08:52:37 NAS msmtppq[24591]: 33 more mails from queue failed to send with rc = 77
Jan 10 08:54:56 NAS afpd[3407]: afp_zzz: waking up from extended sleep
Jan 10 08:55:38 NAS apache_access[2893]: 192.168.20.62 "POST /dbbroker HTTP/1.1" 401
Jan 10 08:58:17 NAS dbus[2163]: [system] Activating service name='org.opensuse.Snapper' (using servicehelper)
Jan 10 08:58:17 NAS dbus[2163]: [system] Successfully activated service 'org.opensuse.Snapper'
Jan 10 08:58:21 NAS rntuil[24965]: Failed to get tier from /dev/md0 : 25
Jan 10 08:58:37 NAS apache2[30770]: [:error] [pid 30770] [client 192.168.20.62:49421] mod_csrft(020): request denied, no 'csrftid' parameter in request, action=deny, id=-
Jan 10 08:58:37 NAS apache_access[2893]: Suppressed 2 duplicate messages

Jan 10 08:58:37 NAS apache_access[2893]: 192.168.20.62 "GET /dbbroker HTTP/1.1" 403
Jan 10 08:58:59 NAS rntil[25270]: Failed to get tier from /dev/md0 : 25